R3850-1.13 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Geriatric Length of Stay by Diagnosis and Operation, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January - December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	[illegible]	16	1	2	4	6	9	11	16
70-74	362	[illegible]	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

1,559 Hospitals, United States, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26557	5.7	37	1	1	4	7	11	16	32
70-74	23787	5.8	39	1	1	4	7	11	15	35
75-79	19458	5.9	37	1	1	4	7	11	16	33
80-84	13616	6.1	38	1	1	4	7	12	16	32
85+	12210	5.9	30	1	1	4	7	11	15	28
B. *Operated*										
65-69 YRS	52069	5.2	22	1	1	4	7	11	14	21
70-74	43508	5.5	26	1	1	4	8	12	15	23
75-79	31388	5.8	33	<1	1	4	8	13	16	26
80-84	18806	6.1	36	1	1	4	9	14	17	27
85+	12860	6.9	45	1	1	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	272764	7.0	42	1	2	5	9	13	18	34
70-74	297329	7.3	44	1	2	6	9	14	19	35
75-79	279430	7.7	48	2	2	6	9	14	19	37
80-84	226221	8.1	53	2	2	6	10	15	20	40
85+	217636	8.4	58	2	3	7	10	16	21	45
B. *Operated*										
65-69 YRS	226069	9.3	87	1	2	7	12	19	26	51
70-74	216056	10.1	95	1	2	8	13	20	28	54
75-79	174541	10.8	106	1	2	8	14	22	30	59
80-84	115701	11.7	120	2	2	9	15	24	33	67
85+	88172	12.7	125	2	2	10	16	25	34	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95628	5.8	37	1	1	4	7	11	15	32
B. *Operated*	158631	5.6	29	1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1293380	7.7	49	2	2	6	9	14	19	37
B. *Operated*	820539	10.5	103	1	2	8	14	21	29	58
1. SINGLE DX	254259	5.7	32	1	1	4	8	12	15	27
2. MULTIPLE DX	2113919	8.8	72	2	2	7	11	17	24	47
A. NOT OPERATED	1389008	7.5	48	2	2	6	9	14	19	37
B. OPERATED	979170	9.7	94	1	2	7	13	20	28	55
TOTAL 65-69 YRS	577459	7.7	60	1	2	6	10	15	21	41
70-74	580680	8.1	64	1	2	6	10	16	22	43
75-79	504817	8.6	70	1	2	6	11	17	23	46
80-84	374344	9.0	75	2	2	7	11	18	24	49
85+	330878	9.4	79	2	2	7	12	18	25	54
GRAND TOTAL	**2368178**	**8.4**	**69**	**1**	**2**	**6**	**11**	**17**	**23**	**46**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	120	3.8	7	1	1	3	5	7	9	15
70-74	96	3.8	6	1	1	4	5	7	8	12
75-79	81	3.8	6	<1	1	3	5	7	9	13
80-84	61	4.0	12	1	2	3	4	7	9	24
85+	50	4.1	29	<1	1	3	4	7	9	33
B. *Operated*										
65-69 YRS	8	6.0	14	2	2	5	7	12	14	14
70-74	7	4.7	3	3	3	4	6	8	8	8
75-79	7	9.7	50	<1	1	6	16	19	19	19
80-84	1	7.0		7	7	7	7	7	7	7
85+	3	6.7	14	4	4	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1119	4.7	13	1	2	4	6	8	11	21
70-74	1169	5.2	17	2	2	4	6	9	13	23
75-79	1086	5.4	16	1	2	4	7	10	12	20
80-84	832	6.0	19	2	2	5	8	11	14	23
85+	806	6.6	37	2	2	5	8	12	16	36
B. *Operated*										
65-69 YRS	128	10.2	66	3	4	8	13	20	25	44
70-74	117	10.6	53	3	4	9	13	18	26	40
75-79	105	11.4	98	3	4	9	14	21	31	85
80-84	90	12.0	119	2	3	9	15	27	43	99+
85+	56	12.3	94	2	3	10	16	30	34	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	3.9	10	1	1	3	5	7	9	15
B. *Operated*	26	6.8	22	2	3	5	7	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	5012	5.5	20	1	2	4	7	10	13	24
B. *Operated*	496	11.1	82	3	4	9	14	21	31	58
1. SINGLE DX	434	4.0	11	1	1	3	5	7	10	17
2. MULTIPLE DX	5508	6.0	28	2	2	5	7	11	15	29
A. NOT OPERATED	5420	5.4	19	1	2	4	7	10	13	23
B. OPERATED	522	10.9	80	3	4	8	14	20	30	52
TOTAL 65-69 YRS	1375	5.1	20	1	2	4	6	9	13	24
70-74	1389	5.6	22	1	2	4	7	10	14	26
75-79	1279	5.8	25	1	2	5	7	11	14	28
80-84	984	6.4	31	2	2	5	8	12	17	30
85+	915	6.8	42	2	2	5	8	13	17	36
GRAND TOTAL	**5942**	**5.9**	**27**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	7.8	22	2	2	6	10	15	17	17
70-74	9	8.9	16	3	3	10	12	13	13	13
75-79	10	16.7	352	2	2	7	20	49	60	60
80-84	7	6.3	10	3	3	5	9	11	11	11
85+	8	14.1	86	1	3	12	22	27	28	28
B. *Operated*										
65-69 YRS	13	11.2	50	2	3	11	13	24	25	25
70-74	13	10.0	40	1	4	9	11	18	25	27
75-79	10	10.9	71	3	4	8	14	23	31	31
80-84	6	10.7	49	2	2	10	14	21	22	22
85+	4	14.3	180	5	5	9	22	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	88	15.9	248	4	5	12	18	31	66	96
70-74	107	12.9	88	3	5	10	16	27	29	52
75-79	99	12.5	92	3	4	10	15	21	30	59
80-84	66	15.1	154	3	4	12	19	30	36	70
85+	63	13.9	77	2	4	12	19	26	33	39
B. *Operated*										
65-69 YRS	98	14.8	119	4	5	12	18	29	41	78
70-74	127	17.2	148	5	6	14	22	31	40	68
75-79	109	16.2	170	4	6	12	20	30	40	77
80-84	70	17.0	163	3	6	15	20	25	36	80
85+	36	18.1	133	7	7	17	22	32	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	10.7	108	2	3	8	12	20	30	60
B. *Operated*	46	11.0	57	2	4	9	14	24	28	34
2. MULTIPLE DX										
A. *Not Operated*	423	13.9	131	3	5	11	18	26	34	69
B. *Operated*	440	16.4	148	4	5	14	20	29	39	71
1. SINGLE DX	93	10.9	82	2	3	9	13	22	28	51
2. MULTIPLE DX	863	15.2	141	3	5	12	19	28	36	70
A. NOT OPERATED	470	13.6	129	3	4	11	17	26	34	68
B. OPERATED	486	15.9	142	4	5	13	20	29	37	68
TOTAL 65-69 YRS	212	14.6	165	3	4	12	18	28	44	94
70-74	256	14.7	119	3	5	12	19	27	34	58
75-79	228	14.4	141	3	5	11	17	26	36	64
80-84	149	15.4	152	3	5	13	19	27	34	73
85+	111	15.3	100	3	5	13	20	29	34	48
GRAND TOTAL	**956**	**14.8**	**137**	**3**	**5**	**12**	**19**	**28**	**36**	**68**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	19.0		19	19	19	19	19	19	19
70-74										
75-79										
80-84										
85+	3	14.0	433	1	1	3	29	38	38	38
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	8	10.9	148	1	1	8	12	31	39	39
75-79	6	4.8	18	1	1	3	10	10	10	10
80-84	1	15.0		15	15	15	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	12.5	104	3	3	12	19	27	34	35
70-74	16	8.6	22	2	3	7	13	15	16	17
75-79	8	13.4	268	<1	<1	4	25	40	43	43
80-84	5	10.0	39	3	3	7	16	18	18	18
85+	6	27.5	1166	2	4	18	77	99	99+	99+
B. *Operated*										
65-69 YRS	35	22.1	389	4	5	17	27	54	64	95
70-74	27	26.7	638	7	8	19	32	88	96	99+
75-79	22	21.5	286	2	3	19	29	42	62	69
80-84	16	21.7	588	3	3	14	26	72	81	83
85+	8	26.0	618	1	2	19	40	66	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	15.3	295	1	1	11	28	38	38	38
B. *Operated*	16	8.8	86	1	1	8	10	15	32	39
2. MULTIPLE DX										
A. *Not Operated*	46	13.0	241	1	2	9	17	31	51	99+
B. *Operated*	108	23.4	463	3	4	17	28	57	80	98
1. SINGLE DX	20	10.1	122	1	1	8	12	28	38	39
2. MULTIPLE DX	154	20.3	417	3	3	14	26	51	79	99+
A. NOT OPERATED	50	13.2	240	1	2	9	18	34	43	99+
B. OPERATED	124	21.5	437	2	3	15	27	54	78	97
TOTAL 65-69 YRS	48	19.6	322	3	4	15	25	38	57	95
70-74	51	18.5	436	2	4	12	23	45	91	99+
75-79	36	16.9	269	<1	1	11	26	35	53	69
80-84	22	18.7	453	3	3	14	19	43	79	83
85+	17	24.4	714	1	1	17	38	89	98	99+
GRAND TOTAL	**174**	**19.1**	**393**	**2**	**3**	**13**	**25**	**44**	**76**	**99**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	4.8	5	2	3	4	6	8	10	12
70-74	27	5.9	15	2	3	5	7	9	16	19
75-79	22	5.4	7	3	3	4	8	10	11	12
80-84	10	4.4	4	2	2	4	6	7	8	8
85+	15	7.7	34	2	2	6	9	20	21	21
B. *Operated*										
65-69 YRS										
70-74	1	10.0		10	10	10	10	10	10	10
75-79	3	20.3	320	10	10	10	33	41	41	41
80-84										
85+	3	14.3	234	5	5	6	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	1	4	4	4	6	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	108	5.6	12	2	3	4	7	9	12	20
B. *Operated*	7	16.3	202	5	5	10	27	39	41	41
1. SINGLE DX	3	4.7	1	4	4	4	6	6	6	6
2. MULTIPLE DX	115	6.2	29	2	3	5	7	10	14	35
A. NOT OPERATED	111	5.5	12	2	3	4	7	9	12	20
B. OPERATED	7	16.3	202	5	5	10	27	39	41	41
TOTAL 65-69 YRS	35	4.9	5	2	3	4	6	8	10	12
70-74	28	6.0	15	2	3	5	8	10	15	19
75-79	25	7.2	58	3	3	4	9	10	19	41
80-84	10	4.4	4	2	2	4	6	7	8	8
85+	20	8.4	57	2	3	6	9	20	26	32
GRAND TOTAL	**118**	**6.2**	**28**	**2**	**3**	**5**	**7**	**10**	**14**	**35**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	8.1	30	2	3	6	11	18	20	23
70-74	54	8.5	31	3	4	7	10	14	18	36
75-79	36	7.8	26	2	2	7	10	12	16	29
80-84	39	10.3	72	1	3	8	11	23	33	36
85+	59	7.5	15	2	3	7	9	13	15	20
B. *Operated*										
65-69 YRS	5	16.8	6	14	14	17	18	20	20	20
70-74	6	13.3	43	8	8	10	17	24	25	25
75-79	5	11.0	13	7	7	11	14	15	15	15
80-84	3	21.0	192	13	13	13	31	37	37	37
85+	2	28.5	5	27	27	28	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2012	10.4	48	3	5	9	13	17	23	38
70-74	2543	10.6	46	3	5	9	13	18	22	35
75-79	2802	11.0	54	4	5	9	13	19	24	39
80-84	2666	11.5	59	4	5	10	14	20	25	43
85+	3392	11.6	66	4	5	10	14	19	25	48
B. *Operated*										
65-69 YRS	695	19.9	244	6	7	15	24	43	52	90
70-74	821	19.5	203	6	7	15	24	39	47	87
75-79	808	19.1	179	6	8	15	24	36	46	85
80-84	632	19.9	166	7	8	16	26	38	50	95
85+	626	19.2	155	7	8	16	23	35	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	8.4	33	2	3	7	10	14	20	36
B. *Operated*	21	16.1	62	7	8	14	18	28	33	37
2. MULTIPLE DX										
A. *Not Operated*	13415	11.1	56	4	5	9	13	19	24	41
B. *Operated*	3582	19.5	191	6	8	15	24	37	48	85
1. SINGLE DX	249	9.0	40	2	3	7	11	16	21	36
2. MULTIPLE DX	16997	12.8	96	4	5	10	15	23	31	56
A. NOT OPERATED	13643	11.0	56	4	5	9	13	19	24	41
B. OPERATED	3603	19.5	190	6	8	15	24	37	48	85
TOTAL 65-69 YRS	2752	12.8	114	4	5	10	15	23	34	64
70-74	3424	12.7	98	4	5	10	15	23	31	53
75-79	3651	12.7	93	4	5	10	15	23	31	57
80-84	3340	13.1	90	4	5	11	16	24	33	54
85+	4079	12.7	87	4	5	10	15	22	29	57
GRAND TOTAL	**17246**	**12.8**	**95**	**4**	**5**	**10**	**15**	**23**	**31**	**56**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	6.7	39	2	2	5	7	9	23	28
70-74	16	5.6	11	1	2	5	7	10	13	14
75-79	8	5.9	11	3	3	5	7	11	13	13
80-84	6	4.5	5	1	1	4	5	8	8	8
85+	14	8.2	28	2	3	7	12	15	18	19
B. *Operated*										
65-69 YRS	4	8.5	25	2	2	9	12	14	14	14
70-74	3	13.7	112	4	4	12	22	25	25	25
75-79	4	13.3	104	6	6	9	20	28	28	28
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	7.7	31	2	3	6	9	14	17	34
70-74	164	8.7	42	3	4	7	10	15	22	40
75-79	178	9.9	67	3	4	8	12	17	22	53
80-84	120	8.3	36	3	3	6	10	16	21	30
85+	168	9.8	91	3	4	7	12	17	21	61
B. *Operated*										
65-69 YRS	89	18.5	205	5	6	14	23	38	46	74
70-74	86	16.9	187	4	5	14	20	32	44	77
75-79	67	18.8	248	5	6	13	24	57	76	99+
80-84	33	21.9	300	3	6	16	32	47	54	79
85+	49	18.4	271	5	6	13	21	52	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.4	22	2	2	5	8	13	15	27
B. *Operated*	12	11.3	63	2	3	9	13	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	801	8.9	55	3	3	7	11	16	21	39
B. *Operated*	324	18.5	228	4	6	14	23	40	60	99+
1. SINGLE DX	71	7.2	31	2	2	6	9	14	19	28
2. MULTIPLE DX	1125	11.7	123	3	4	8	14	23	33	66
A. NOT OPERATED	860	8.7	53	3	3	7	10	16	21	38
B. OPERATED	336	18.2	223	4	6	14	22	39	57	99+
TOTAL 65-69 YRS	279	11.1	112	2	3	8	13	22	34	58
70-74	269	11.2	103	3	4	8	13	23	32	52
75-79	257	12.1	128	3	4	9	14	24	38	97
80-84	159	11.0	120	3	3	7	14	22	33	55
85+	232	11.5	137	3	4	8	13	20	28	81
GRAND TOTAL	**1196**	**11.4**	**119**	**3**	**4**	**8**	**13**	**22**	**32**	**65**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.7	8	1	2	6	7	10	10	10
70-74	6	5.5	28	2	2	4	5	15	16	16
75-79	4	10.5	110	3	3	6	16	26	26	26
80-84	2	10.5	85	4	4	10	17	17	17	17
85+	4	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	7.3	22	2	3	6	9	12	19	22
70-74	24	8.7	24	3	3	8	11	16	18	21
75-79	18	8.4	34	2	3	8	11	16	22	24
80-84	6	9.2	41	3	3	7	17	17	17	17
85+	6	13.5	46	6	6	12	20	22	22	22
B. *Operated*										
65-69 YRS	3	9.0	28	5	5	7	13	15	15	15
70-74	6	12.3	23	6	6	11	18	18	18	18
75-79	3	19.3	190	9	9	14	30	35	35	35
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.5	32	1	2	5	7	16	19	26
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	86	8.5	29	3	3	7	11	17	20	23
B. *Operated*	14	14.2	84	5	6	11	18	32	34	35
1. SINGLE DX	27	6.3	31	1	2	5	7	15	18	26
2. MULTIPLE DX	100	9.3	40	3	3	8	11	18	21	33
A. NOT OPERATED	111	8.0	30	2	3	7	10	17	20	25
B. OPERATED	16	12.9	85	3	5	10	16	31	34	35
TOTAL 65-69 YRS	46	6.9	19	2	3	6	9	11	16	22
70-74	36	8.8	27	2	3	8	12	17	18	21
75-79	25	10.1	65	2	3	9	12	24	28	35
80-84	9	9.3	37	3	3	8	17	17	17	17
85+	11	11.7	92	<1	1	8	19	26	31	32
GRAND TOTAL	**127**	**8.6**	**39**	**2**	**3**	**7**	**11**	**17**	**21**	**33**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	89	6.3	19	2	2	6	8	11	15	25
70-74	86	5.5	16	1	2	5	7	10	13	22
75-79	66	5.1	7	1	2	5	6	8	10	14
80-84	53	6.6	18	1	2	6	8	11	13	25
85+	42	7.2	31	1	2	6	8	14	19	29
B. *Operated*										
65-69 YRS	3	4.7	4	3	3	4	6	7	7	7
70-74	9	6.0	19	1	1	6	9	12	13	13
75-79	5	4.2	16	1	1	2	8	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	3.8	9	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	559	7.6	34	2	3	6	9	14	18	31
70-74	641	7.7	32	2	3	6	9	13	20	31
75-79	677	7.9	37	2	3	6	10	15	19	32
80-84	496	8.4	56	2	3	7	10	15	21	41
85+	486	8.7	38	2	3	7	11	16	20	28
B. *Operated*										
65-69 YRS	71	13.3	205	1	2	8	16	32	48	67
70-74	78	14.4	141	2	3	11	19	31	41	58
75-79	82	13.5	118	1	3	11	17	27	40	49
80-84	55	15.5	185	3	4	10	24	36	41	99
85+	46	16.4	189	3	4	13	18	34	50	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	6.0	17	1	2	5	7	10	14	23
B. *Operated*	22	4.9	13	1	1	4	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	2859	8.0	39	2	3	7	10	15	20	33
B. *Operated*	332	14.4	162	2	3	10	18	32	43	66
1. SINGLE DX	358	6.0	17	1	2	5	7	10	14	23
2. MULTIPLE DX	3191	8.7	55	2	3	7	10	16	22	40
A. NOT OPERATED	3195	7.8	37	2	3	6	9	14	19	32
B. OPERATED	354	13.8	158	1	3	10	17	31	43	65
TOTAL 65-69 YRS	722	8.0	52	2	3	6	9	14	20	37
70-74	814	8.1	45	2	3	6	9	15	22	34
75-79	830	8.2	46	2	3	6	10	16	21	38
80-84	605	8.9	69	2	3	7	10	17	24	49
85+	578	9.2	54	2	3	7	12	17	21	35
GRAND TOTAL	**3549**	**8.4**	**52**	**2**	**3**	**7**	**10**	**16**	**22**	**39**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	6.0	15	2	3	6	7	8	15	19
70-74	12	5.3	11	2	2	4	6	10	13	14
75-79	7	6.3	5	3	3	7	8	9	9	9
80-84	4	10.8	68	2	2	10	17	20	20	20
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	2	8.0	2	7	7	8	9	9	9	9
70-74	3	7.3	50	1	1	6	13	15	15	15
75-79	4	9.0	30	<1	<1	11	12	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	108	8.0	30	3	3	6	10	16	19	29
70-74	85	8.8	31	3	4	7	11	19	22	26
75-79	69	9.1	40	2	3	8	11	18	25	29
80-84	46	9.9	61	2	3	8	13	17	22	49
85+	29	9.6	50	3	3	7	11	19	25	34
B. *Operated*										
65-69 YRS	21	12.0	61	3	4	11	15	21	31	35
70-74	24	11.2	23	5	6	10	14	16	20	25
75-79	19	16.1	285	2	5	10	19	45	61	63
80-84	8	21.1	480	5	6	12	25	60	71	71
85+	6	9.7	22	7	7	8	10	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	6.3	17	2	3	5	8	11	17	20
B. *Operated*	9	8.2	25	<1	<1	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	337	8.8	38	3	3	7	11	17	22	29
B. *Operated*	78	13.5	146	4	5	10	15	24	34	69
1. SINGLE DX	50	6.6	19	2	2	6	8	13	15	20
2. MULTIPLE DX	415	9.7	61	3	3	8	12	18	24	40
A. NOT OPERATED	378	8.6	36	2	3	7	11	17	21	29
B. OPERATED	87	13.0	135	3	5	10	15	23	33	68
TOTAL 65-69 YRS	148	8.3	35	3	3	7	10	16	19	32
70-74	124	8.9	30	3	3	7	11	16	20	25
75-79	99	10.3	90	2	3	8	12	21	25	61
80-84	58	11.5	126	2	3	9	13	19	29	69
85+	36	9.5	43	3	3	7	11	19	23	34
GRAND TOTAL	**465**	**9.4**	**58**	**3**	**3**	**7**	**11**	**17**	**23**	**35**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	8.0	31	3	3	7	12	15	15	15
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.4	26	1	1	5	9	13	18	19
70-74	11	5.8	17	1	1	6	7	12	15	15
75-79	5	12.4	33	6	6	10	18	19	19	19
80-84	3	5.7	14	3	3	4	8	10	10	10
85+	7	7.9	32	3	3	6	13	17	17	17
B. *Operated*										
65-69 YRS	2	10.0	18	7	7	10	13	13	13	13
70-74	4	12.0	35	7	7	10	16	20	20	20
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.6	21	2	2	5	9	14	15	15
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	40	7.2	27	1	2	6	10	16	18	19
B. *Operated*	7	10.7	24	7	7	8	13	19	20	20
1. SINGLE DX	8	6.5	18	2	2	5	8	13	15	15
2. MULTIPLE DX	47	7.7	27	1	2	7	10	17	19	20
A. NOT OPERATED	47	7.1	25	1	2	6	10	15	18	19
B. OPERATED	8	10.1	24	6	6	8	13	18	20	20
TOTAL 65-69 YRS	21	7.0	24	1	2	6	10	14	17	19
70-74	16	7.4	26	1	1	7	9	15	18	20
75-79	6	11.5	32	6	6	9	18	19	19	19
80-84	3	5.7	14	3	3	4	8	10	10	10
85+	9	6.9	29	2	2	5	8	16	17	17
GRAND TOTAL	**55**	**7.5**	**26**	**1**	**2**	**6**	**10**	**15**	**19**	**20**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	1.8	1	<1	<1	1	2	3	4	4
70-74	8	2.5	3	<1	<1	2	3	5	6	6
75-79	4	1.5	1	<1	<1	1	2	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	22	3.6	7	<1	1	3	6	7	8	8
70-74	12	4.5	16	1	1	3	6	10	14	15
75-79	7	2.4	1	1	1	2	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	22	2.0	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	44	3.6	8	1	1	3	5	7	8	15
1. SINGLE DX	22	2.0	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	46	3.5	8	<1	1	2	5	7	8	15
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	66	3.1	7	<1	<1	2	4	7	8	14
TOTAL 65-69 YRS	30	3.1	6	<1	<1	2	5	7	8	8
70-74	21	3.6	11	<1	1	2	4	7	11	15
75-79	11	2.1	1	<1	<1	2	3	4	4	4
80-84	3	1.3		<1	<1	1	2	2	2	2
85+	3	3.0	4	1	1	3	4	5	5	5
GRAND TOTAL	**68**	**3.0**	**7**	**<1**	**<1**	**2**	**4**	**7**	**8**	**14**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	4.5	13	1	1	4	6	8	11	21
70-74	27	6.0	147	1	1	3	5	8	22	65
75-79	27	3.3	6	1	1	3	4	7	9	10
80-84	31	3.6	3	2	2	3	5	6	7	9
85+	25	3.4	2	1	2	3	4	5	7	7
B. *Operated*										
65-69 YRS	3	13.3	196	2	2	9	24	29	29	29
70-74	1	15.0		15	15	15	15	15	15	15
75-79	3	9.3	4	7	7	10	11	11	11	11
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	482	5.0	14	2	2	4	6	9	11	19
70-74	561	5.2	13	2	2	4	7	10	12	19
75-79	506	5.2	17	2	2	4	6	10	12	24
80-84	402	5.6	18	2	2	4	7	10	13	22
85+	365	5.7	18	2	2	5	7	11	13	23
B. *Operated*										
65-69 YRS	48	10.4	59	2	3	9	13	20	29	37
70-74	63	15.5	303	4	5	11	15	25	54	92
75-79	39	11.9	48	4	5	9	17	23	27	28
80-84	24	10.1	36	3	4	8	13	19	24	25
85+	13	14.5	158	3	4	10	17	36	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	4.2	32	1	1	3	5	7	8	21
B. *Operated*	8	11.3	65	2	3	9	13	25	29	29
2. MULTIPLE DX										
A. *Not Operated*	2316	5.3	16	2	2	4	7	10	12	20
B. *Operated*	187	12.7	145	3	4	10	15	22	29	83
1. SINGLE DX	158	4.6	36	1	1	3	5	8	10	28
2. MULTIPLE DX	2503	5.9	29	2	2	5	7	11	14	26
A. NOT OPERATED	2466	5.3	17	2	2	4	6	10	12	20
B. OPERATED	195	12.6	142	3	4	10	15	22	29	83
TOTAL 65-69 YRS	573	5.5	21	1	2	4	6	10	13	27
70-74	652	6.2	55	2	2	5	7	12	15	34
75-79	575	5.6	22	2	2	4	7	10	14	26
80-84	458	5.7	19	2	2	4	7	11	14	23
85+	403	5.9	24	2	2	5	7	11	14	25
GRAND TOTAL	**2661**	**5.8**	**30**	**2**	**2**	**4**	**7**	**11**	**14**	**26**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.7	10	1	2	6	8	10	12	12
70-74	3	3.7		3	3	4	4	4	4	4
75-79	4	6.8	2	5	5	7	8	8	8	8
80-84	2	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	2	6.0	2	5	5	6	7	7	7	7
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	5.9	20	1	1	4	10	13	15	15
70-74	12	6.0	5	3	4	5	8	9	10	10
75-79	7	9.7	64	3	3	6	14	23	25	25
80-84	5	8.2	15	5	5	7	11	14	14	14
85+	2	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	4	16.0	120	8	8	12	23	32	32	32
70-74	2	15.0	32	11	11	15	19	19	19	19
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.8	7	2	3	6	8	8	10	12
B. *Operated*	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	45	7.0	22	2	3	5	10	14	15	25
B. *Operated*	8	13.0	85	1	3	10	16	28	32	32
1. SINGLE DX	21	5.9	6	2	3	6	8	8	10	12
2. MULTIPLE DX	53	7.9	35	1	3	6	10	15	19	32
A. NOT OPERATED	64	6.6	18	2	3	6	9	11	15	24
B. OPERATED	10	11.6	75	1	3	9	14	25	32	32
TOTAL 65-69 YRS	35	7.0	35	1	2	6	9	14	15	32
70-74	17	6.6	16	3	3	5	9	11	16	19
75-79	13	8.1	39	1	3	7	8	18	24	25
80-84	7	8.1	10	5	5	8	10	13	14	14
85+	2	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**74**	**7.3**	**27**	**1**	**3**	**6**	**9**	**14**	**16**	**30**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	36	<1	<1	6	11	13	13	13
70-74	7	1.7	2	1	1	1	2	4	5	5
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	15.0		15	15	15	15	15	15	15
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	3	5.0	13	1	1	6	7	8	8	8
75-79	6	6.0	63	2	2	3	5	20	22	22
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	6.9	41	1	2	5	10	12	14	34
70-74	24	12.4	152	<1	1	9	17	37	41	41
75-79	23	9.5	38	1	2	10	14	19	20	21
80-84	17	9.8	61	2	2	8	13	19	28	33
85+	11	5.9	20	<1	<1	4	10	12	12	12
B. *Operated*										
65-69 YRS	18	9.2	57	1	2	5	13	19	26	29
70-74	10	12.3	174	1	1	10	17	31	45	45
75-79	9	9.0	18	4	4	8	14	14	14	14
80-84	3	14.0	121	3	3	14	22	25	25	25
85+	3	10.0	49	3	3	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.4	24	<1	1	2	6	13	15	15
B. *Operated*	13	5.5	38	1	1	2	6	16	21	22
2. MULTIPLE DX										
A. *Not Operated*	106	9.1	69	1	1	7	12	19	23	41
B. *Operated*	43	10.3	75	1	2	9	14	19	26	45
1. SINGLE DX	27	4.9	29	<1	1	2	6	14	16	22
2. MULTIPLE DX	149	9.4	71	1	2	7	13	18	25	41
A. NOT OPERATED	120	8.5	66	1	1	6	11	18	21	41
B. OPERATED	56	9.2	70	1	2	6	14	18	24	44
TOTAL 65-69 YRS	54	7.5	45	1	2	5	11	14	20	34
70-74	44	10.2	136	1	1	5	15	22	41	45
75-79	40	8.5	37	2	2	7	13	18	20	22
80-84	22	10.3	64	2	2	8	15	21	28	33
85+	16	7.4	26	<1	<1	9	11	14	16	17
GRAND TOTAL	**176**	**8.7**	**67**	**1**	**1**	**6**	**12**	**18**	**22**	**41**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	7.0	64	2	2	4	10	21	21	21
70-74	3	10.0	43	4	4	9	15	17	17	17
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	3	7.7	25	3	3	7	11	13	13	13
85+	7	8.3	10	6	6	7	9	14	15	15
B. *Operated*										
65-69 YRS	16	5.6	5	1	2	6	7	8	9	9
70-74	4	4.5	12	1	1	4	7	8	8	8
75-79	6	4.3	9	<1	<1	3	8	8	8	8
80-84	5	6.6	31	1	1	5	12	13	13	13
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	93	8.3	31	2	2	7	10	14	21	29
70-74	108	9.7	61	1	3	7	13	21	27	34
75-79	99	9.7	79	2	3	8	11	20	23	54
80-84	80	10.0	98	3	3	8	12	16	21	68
85+	73	11.4	56	2	3	9	14	20	30	38
B. *Operated*										
65-69 YRS	84	13.5	134	3	4	11	17	24	31	71
70-74	82	16.4	187	3	4	11	24	33	47	63
75-79	59	17.6	190	1	3	15	24	38	49	57
80-84	35	21.7	347	2	4	20	29	42	54	95
85+	25	13.7	211	1	2	10	14	25	48	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.0	25	2	3	7	9	16	19	21
B. *Operated*	32	5.3	10	1	1	5	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	453	9.7	65	2	3	8	12	19	25	40
B. *Operated*	285	16.2	198	2	4	12	22	33	45	69
1. SINGLE DX	52	6.3	17	1	2	6	8	12	15	21
2. MULTIPLE DX	738	12.2	126	2	3	9	15	25	33	57
A. NOT OPERATED	473	9.7	63	2	3	8	12	19	24	39
B. OPERATED	317	15.1	189	2	3	11	21	31	44	67
TOTAL 65-69 YRS	198	10.3	81	2	3	8	12	21	25	48
70-74	197	12.4	123	1	3	9	16	28	33	55
75-79	166	12.3	131	2	2	9	16	27	38	56
80-84	123	13.1	192	2	3	9	14	26	40	83
85+	106	11.7	90	2	3	9	14	20	30	54
GRAND TOTAL	**790**	**11.8**	**121**	**2**	**3**	**9**	**14**	**24**	**32**	**57**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	10.0	72	4	4	10	16	16	16	16
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	7.3	27	4	4	5	10	15	15	15
70-74	4	6.3	22	2	2	5	9	13	13	13
75-79	5	9.8	94	1	1	9	13	26	26	26
80-84	3	10.7	46	3	3	13	15	16	16	16
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	7	16.9	269	3	4	11	19	46	52	52
70-74	4	12.5	72	4	4	11	18	24	24	24
75-79										
80-84	1	27.0		27	27	27	27	27	27	27
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.0	63	<1	<1	4	13	16	16	16
B. *Operated*	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	17	8.8	43	1	2	5	13	16	22	26
B. *Operated*	12	16.3	182	3	4	12	22	34	49	52
1. SINGLE DX	5	7.0	40	<1	<1	4	12	16	16	16
2. MULTIPLE DX	29	11.9	110	2	3	9	14	25	28	52
A. NOT OPERATED	20	8.5	44	<1	1	5	14	16	21	26
B. OPERATED	14	14.9	168	3	3	11	21	29	47	52
TOTAL 65-69 YRS	12	12.5	184	3	3	9	13	30	49	52
70-74	9	9.6	46	2	3	9	13	20	24	24
75-79	7	9.9	74	1	2	9	14	24	26	26
80-84	5	12.0	111	<1	<1	13	19	27	27	27
85+	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**34**	**11.1**	**102**	**1**	**3**	**9**	**14**	**24**	**27**	**52**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	11.8	329	1	1	6	16	44	44	44
70-74	7	4.6	6	1	1	5	7	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	5.7	75	1	1	3	5	18	30	31
70-74	7	5.6	18	2	2	4	9	12	13	13
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	8.9	50	2	3	7	11	15	19	43
70-74	40	7.3	38	3	3	6	8	12	16	40
75-79	38	8.9	34	2	3	8	11	16	17	32
80-84	31	8.2	40	1	3	7	9	14	26	30
85+	32	7.8	41	2	3	6	9	13	20	35
B. *Operated*										
65-69 YRS	51	15.1	165	2	3	10	22	35	43	49
70-74	34	13.1	261	2	3	8	16	27	32	92
75-79	11	12.4	82	3	4	10	18	26	30	30
80-84	3	9.3	44	2	2	11	14	15	15	15
85+	4	13.5	209	2	2	10	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.6	137	1	1	5	7	19	40	44
B. *Operated*	20	6.0	46	1	1	4	8	12	22	31
2. MULTIPLE DX										
A. *Not Operated*	190	8.2	41	2	3	7	10	15	18	38
B. *Operated*	103	13.9	182	2	3	9	18	32	40	69
1. SINGLE DX	32	6.6	78	1	1	4	7	11	29	44
2. MULTIPLE DX	293	10.2	97	2	3	7	12	20	31	46
A. NOT OPERATED	202	8.2	46	2	3	7	9	15	19	41
B. OPERATED	123	12.6	168	2	2	8	16	30	35	61
TOTAL 65-69 YRS	116	11.4	122	1	2	8	14	28	41	49
70-74	88	9.2	128	2	3	7	10	18	27	72
75-79	51	9.6	44	3	3	8	13	17	24	32
80-84	34	8.3	39	1	3	7	9	15	25	30
85+	36	8.4	57	2	2	6	9	18	28	35
GRAND TOTAL	**325**	**9.9**	**96**	**2**	**3**	**7**	**11**	**19**	**31**	**45**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	7.3	14	3	3	9	10	10	10	10
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	2	8.5	41	4	4	8	13	13	13	13
70-74	5	11.2	237	1	1	7	16	38	38	38
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.5	61	1	1	6	12	12	12	12
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	7	5.1	12	1	1	5	8	10	10	10
B. *Operated*	11	8.9	109	1	1	5	11	23	37	38
1. SINGLE DX	3	5.3	34	1	1	3	10	12	12	12
2. MULTIPLE DX	18	7.4	72	1	1	5	9	13	28	38
A. NOT OPERATED	9	5.4	17	1	1	5	9	11	12	12
B. OPERATED	12	8.4	102	1	1	5	10	20	35	38
TOTAL 65-69 YRS	3	9.7	24	4	4	12	13	13	13	13
70-74	9	8.8	134	1	1	7	9	27	38	38
75-79	5	3.2	3	1	1	3	5	5	5	5
80-84	3	7.0	21	3	3	6	10	12	12	12
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**21**	**7.1**	**65**	**1**	**1**	**5**	**9**	**13**	**24**	**38**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	5.4	10	<1	1	5	7	10	11	11
70-74	17	4.0	3	1	1	4	5	6	7	7
75-79	7	4.6	16	1	1	3	7	11	12	12
80-84	4	4.8	19	<1	<1	3	7	11	11	11
85+	5	3.4	11	1	1	2	5	9	9	9
B. *Operated*										
65-69 YRS	249	5.9	42	1	1	3	8	15	21	28
70-74	174	4.8	28	1	1	3	6	12	15	26
75-79	141	4.2	23	1	1	3	5	9	12	25
80-84	68	5.0	50	<1	1	3	6	8	12	49
85+	60	4.6	11	1	1	4	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	154	8.3	97	1	2	6	9	16	22	63
70-74	125	8.5	65	1	2	6	10	17	24	42
75-79	91	10.6	167	2	2	6	13	23	39	93
80-84	45	10.0	145	2	2	5	12	22	41	62
85+	28	10.1	161	2	2	8	12	19	25	69
B. *Operated*										
65-69 YRS	725	11.5	159	1	2	8	15	28	37	70
70-74	589	11.4	166	1	2	7	14	26	39	69
75-79	389	9.3	119	1	2	5	11	24	38	85
80-84	247	10.0	173	1	1	5	11	23	43	66
85+	134	9.8	179	1	2	5	11	22	32	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.6	9	1	1	4	6	9	11	12
B. *Operated*	692	5.1	33	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*	443	9.1	111	1	2	6	10	18	28	64
B. *Operated*	2084	10.8	157	1	2	7	13	25	38	70
1. SINGLE DX	747	5.1	31	1	1	3	6	12	15	26
2. MULTIPLE DX	2527	10.5	149	1	2	6	13	24	37	69
A. NOT OPERATED	498	8.6	102	1	2	6	9	17	25	63
B. OPERATED	2776	9.4	132	1	1	5	12	22	33	66
TOTAL 65-69 YRS	1150	9.8	128	1	1	6	13	22	32	69
70-74	905	9.6	130	1	1	6	12	22	33	63
75-79	628	8.3	108	1	1	5	10	19	33	68
80-84	364	9.0	148	1	1	5	9	21	40	65
85+	227	8.3	134	1	1	5	9	16	25	74
GRAND TOTAL	**3274**	**9.3**	**128**	**1**	**1**	**5**	**11**	**22**	**32**	**66**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	3.8	7	1	1	3	6	7	8	8
70-74	8	6.3	23	1	1	4	10	13	14	14
75-79	4	5.3	5	3	3	5	7	8	8	8
80-84	5	10.0	182	2	2	5	12	34	34	34
85+	1	17.0		17	17	17	17	17	17	17
B. *Operated*										
65-69 YRS	33	8.0	37	1	1	7	12	17	20	24
70-74	37	7.5	43	1	1	7	11	14	18	32
75-79	23	9.0	95	<1	1	6	12	19	35	39
80-84	17	9.1	101	1	1	5	13	19	33	40
85+	5	4.4	11	1	1	3	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	120	7.6	48	2	3	6	9	14	20	42
70-74	93	9.3	83	2	3	6	11	18	26	54
75-79	79	7.4	36	1	2	6	10	17	20	80
80-84	45	11.5	93	2	3	8	16	24	35	41
85+	29	11.2	211	2	3	7	13	21	44	74
B. *Operated*										
65-69 YRS	338	17.1	208	2	3	14	22	37	48	70
70-74	256	17.1	231	2	4	13	22	36	54	75
75-79	222	13.7	191	2	3	10	17	30	37	89
80-84	116	13.4	169	2	3	10	18	30	44	81
85+	75	15.2	141	2	3	12	21	32	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.9	40	1	1	4	7	12	17	34
B. *Operated*	115	8.0	58	1	1	6	12	16	20	39
2. MULTIPLE DX										
A. *Not Operated*	366	8.8	74	2	2	6	11	19	24	50
B. *Operated*	1007	15.8	203	2	3	12	21	32	46	74
1. SINGLE DX	148	7.6	54	1	1	5	11	16	19	39
2. MULTIPLE DX	1373	13.9	178	2	3	10	18	30	41	72
A. NOT OPERATED	399	8.5	71	2	2	6	11	18	24	48
B. OPERATED	1122	15.0	193	2	3	11	20	32	44	73
TOTAL 65-69 YRS	506	13.9	174	2	3	10	19	28	41	68
70-74	394	14.2	191	2	3	10	17	32	43	72
75-79	328	11.8	152	1	2	8	15	25	34	89
80-84	183	12.4	144	2	2	9	16	27	36	70
85+	110	13.7	157	2	3	10	19	29	39	64
GRAND TOTAL	**1521**	**13.3**	**170**	**2**	**3**	**10**	**17**	**29**	**39**	**70**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	10.9	102	3	3	8	16	27	34	34
70-74	12	3.5	5	<1	1	3	5	7	8	8
75-79	9	5.9	27	<1	1	3	9	14	16	16
80-84	5	5.2	5	3	3	5	6	9	9	9
85+	6	11.0	115	<1	<1	8	21	25	26	26
B. *Operated*										
65-69 YRS	55	11.9	65	2	4	10	15	20	30	46
70-74	48	11.5	51	1	2	11	15	21	26	33
75-79	47	13.8	99	2	3	12	18	26	32	49
80-84	35	11.2	48	2	3	9	13	22	28	31
85+	20	11.2	30	3	4	11	14	19	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	144	8.2	55	1	2	6	10	18	27	36
70-74	160	8.0	62	1	2	5	10	16	23	44
75-79	129	8.1	63	1	2	6	10	17	25	43
80-84	115	9.6	85	1	2	8	12	19	25	54
85+	102	8.6	33	2	2	7	12	17	18	27
B. *Operated*										
65-69 YRS	675	16.5	132	4	6	14	21	30	42	83
70-74	711	16.1	117	4	6	14	20	29	35	67
75-79	617	18.3	153	4	7	15	23	33	43	67
80-84	422	17.8	136	4	6	15	23	32	39	60
85+	332	17.0	148	3	5	14	22	32	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	7.0	54	<1	1	4	9	18	23	34
B. *Operated*	205	12.0	63	2	3	10	15	21	29	42
2. MULTIPLE DX										
A. *Not Operated*	650	8.4	60	1	2	6	11	17	24	38
B. *Operated*	2757	17.0	136	4	6	14	22	31	39	68
1. SINGLE DX	247	11.2	65	1	3	10	15	21	27	38
2. MULTIPLE DX	3407	15.4	133	3	4	13	20	29	37	63
A. NOT OPERATED	692	8.4	60	1	2	6	11	17	24	38
B. OPERATED	2962	16.7	133	4	6	14	21	30	39	66
TOTAL 65-69 YRS	884	14.8	125	3	4	12	19	28	38	76
70-74	931	14.3	114	2	3	12	18	27	32	59
75-79	802	16.2	149	3	4	13	22	31	39	64
80-84	577	15.7	132	3	4	13	21	30	37	57
85+	460	14.8	129	3	4	13	19	29	36	55
GRAND TOTAL	**3654**	**15.1**	**129**	**3**	**4**	**13**	**20**	**29**	**36**	**62**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	14.0	156	1	1	12	22	31	31	31
70-74	4	15.0	149	7	7	10	22	33	33	33
75-79	2	13.0	32	9	9	13	17	17	17	17
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	8.3	158	2	2	2	7	26	42	46
70-74	12	9.6	37	2	3	9	14	19	20	20
75-79	10	7.5	30	2	2	5	14	15	15	15
80-84	8	7.1	20	2	2	7	9	14	16	16
85+	6	8.2	30	4	4	6	8	18	19	19
B. *Operated*										
65-69 YRS	94	18.2	161	6	7	15	23	33	45	68
70-74	74	20.8	167	7	9	18	28	38	48	94
75-79	89	20.2	213	8	8	17	23	35	48	80
80-84	61	19.5	175	7	9	15	24	45	51	96
85+	35	18.2	130	3	7	18	22	33	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	13	13.5	85	2	5	12	15	31	33	33
2. MULTIPLE DX										
A. *Not Operated*	49	8.2	60	2	2	6	11	17	20	46
B. *Operated*	353	19.5	174	7	8	16	24	35	46	79
1. SINGLE DX	14	12.9	83	2	5	11	15	31	33	33
2. MULTIPLE DX	402	18.1	174	4	6	15	22	35	46	78
A. NOT OPERATED	50	8.2	59	2	2	6	10	17	20	46
B. OPERATED	366	19.3	172	7	8	16	24	35	46	79
TOTAL 65-69 YRS	111	16.9	168	2	5	13	21	32	45	66
70-74	91	18.9	162	5	7	16	25	34	45	90
75-79	101	18.8	206	4	8	15	22	35	47	80
80-84	71	17.8	171	4	7	13	21	42	46	93
85+	42	16.7	125	3	5	14	22	30	38	57
GRAND TOTAL	**416**	**18.0**	**171**	**3**	**6**	**15**	**22**	**34**	**46**	**78**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.7	20	<1	<1	4	6	8	16	19
70-74	21	5.5	19	1	1	4	9	13	14	15
75-79	16	3.1	5	<1	1	3	4	5	8	10
80-84	13	4.4	12	1	1	3	5	11	12	12
85+	16	6.3	66	1	2	4	5	15	29	34
B. *Operated*										
65-69 YRS	453	10.3	21	5	7	9	12	15	18	26
70-74	476	10.6	24	3	7	10	12	15	19	23
75-79	359	10.7	26	3	7	10	12	15	19	34
80-84	241	10.9	21	4	7	10	13	16	19	25
85+	120	13.3	53	5	8	12	15	20	27	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	305	7.7	79	1	2	5	9	15	21	59
70-74	342	8.5	59	1	2	6	10	18	25	39
75-79	298	8.1	56	2	2	6	10	17	25	38
80-84	295	8.9	88	2	2	6	10	18	28	43
85+	310	8.4	58	2	2	7	11	16	21	35
B. *Operated*										
65-69 YRS	3517	14.0	75	6	8	12	16	23	29	54
70-74	3955	14.7	77	6	8	12	17	24	32	52
75-79	3648	15.8	97	7	8	13	18	27	35	60
80-84	2644	16.9	105	7	8	14	20	29	37	68
85+	2004	17.9	108	7	9	16	22	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.8	24	<1	1	4	5	11	14	29
B. *Operated*	1649	10.8	26	4	7	10	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	1550	8.3	68	2	2	6	10	17	24	40
B. *Operated*	15768	15.6	92	7	8	13	18	26	34	58
1. SINGLE DX	1731	10.5	27	2	6	10	12	15	19	29
2. MULTIPLE DX	17318	14.9	94	4	7	13	18	26	33	58
A. NOT OPERATED	1632	8.2	66	1	2	6	10	17	23	39
B. OPERATED	17417	15.1	87	6	8	13	18	25	33	57
TOTAL 65-69 YRS	4291	13.2	73	4	7	11	15	22	28	54
70-74	4794	13.8	74	4	7	12	16	23	30	50
75-79	4321	14.8	94	4	7	12	17	25	33	57
80-84	3193	15.6	104	4	7	13	19	27	35	61
85+	2450	16.4	110	4	6	14	20	29	37	61
GRAND TOTAL	**19049**	**14.5**	**89**	**4**	**7**	**12**	**17**	**25**	**32**	**56**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.2	4	<1	1	3	4	6	7	7
70-74	18	4.3	6	<1	1	4	5	9	9	9
75-79	17	4.5	16	<1	1	4	5	8	14	18
80-84	8	5.1	33	1	1	3	5	15	19	19
85+	13	4.8	13	<1	1	5	5	9	14	15
B. *Operated*										
65-69 YRS	323	10.5	36	2	3	10	13	18	21	33
70-74	305	10.6	35	2	2	11	14	17	19	31
75-79	238	10.1	49	1	2	10	14	18	22	31
80-84	170	9.9	53	1	2	9	13	19	24	36
85+	102	8.9	43	1	2	8	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	207	8.0	67	1	2	5	9	18	25	41
70-74	213	8.4	74	1	2	6	10	18	23	51
75-79	208	7.6	51	1	2	6	10	14	21	39
80-84	154	11.4	168	2	3	7	14	26	38	73
85+	164	8.8	77	1	2	6	11	18	22	49
B. *Operated*										
65-69 YRS	1700	15.0	98	3	6	13	18	26	33	57
70-74	1756	15.2	93	3	6	13	19	27	33	59
75-79	1457	16.2	124	3	5	14	19	28	37	70
80-84	1034	16.5	118	3	5	14	21	30	37	59
85+	764	15.1	122	3	4	13	20	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.3	12	<1	1	4	5	8	10	19
B. *Operated*	1138	10.2	42	2	2	10	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	946	8.7	84	1	2	6	10	18	26	50
B. *Operated*	6711	15.6	108	3	5	13	19	27	35	60
1. SINGLE DX	1207	9.9	42	1	2	10	13	18	21	31
2. MULTIPLE DX	7657	14.7	110	3	4	13	18	27	34	60
A. NOT OPERATED	1015	8.4	81	1	2	6	10	18	25	48
B. OPERATED	7849	14.8	102	3	4	13	18	26	33	59
TOTAL 65-69 YRS	2243	13.6	92	2	4	12	17	24	32	55
70-74	2292	13.9	89	2	4	12	17	24	32	54
75-79	1920	14.4	117	2	3	13	18	26	34	64
80-84	1366	15.0	122	2	3	13	19	28	35	59
85+	1043	13.4	114	2	3	11	18	26	32	57
GRAND TOTAL	**8864**	**14.1**	**104**	**2**	**3**	**12**	**18**	**25**	**33**	**57**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	3.6	3	1	1	3	5	6	7	7
70-74	22	9.5	119	1	1	6	12	25	35	45
75-79	8	7.3	56	<1	1	6	7	20	25	25
80-84	4	6.8	14	2	2	7	9	11	11	11
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	60	9.6	110	1	1	7	13	18	22	69
70-74	42	10.0	86	1	1	8	13	24	28	43
75-79	27	12.6	91	1	1	12	18	27	30	37
80-84	16	11.8	96	2	2	10	15	27	34	37
85+	13	12.9	95	1	2	10	19	25	33	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	105	8.8	78	1	2	5	12	18	23	47
70-74	126	9.9	80	2	3	8	13	19	28	46
75-79	118	8.6	62	1	2	7	10	20	22	42
80-84	71	9.5	104	2	3	7	12	17	25	67
85+	75	9.3	36	2	3	8	12	18	20	30
B. *Operated*										
65-69 YRS	405	17.0	176	3	5	14	21	34	44	84
70-74	441	15.9	122	3	5	14	20	29	37	56
75-79	384	16.9	155	3	6	14	21	32	41	78
80-84	260	16.0	91	3	6	15	20	30	34	48
85+	195	16.7	140	4	6	14	21	29	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	7.2	69	1	1	5	7	17	25	45
B. *Operated*	158	10.7	97	1	1	9	15	22	28	43
2. MULTIPLE DX										
A. *Not Operated*	495	9.2	71	2	2	7	12	18	23	38
B. *Operated*	1685	16.5	140	3	5	14	21	31	37	72
1. SINGLE DX	207	9.9	92	1	1	8	13	22	28	44
2. MULTIPLE DX	2180	14.8	134	3	4	12	19	29	36	65
A. NOT OPERATED	544	9.0	71	1	2	7	12	18	24	38
B. OPERATED	1843	16.0	139	3	4	13	20	30	37	70
TOTAL 65-69 YRS	584	14.5	163	2	3	11	18	30	38	77
70-74	631	14.0	118	2	3	12	18	28	34	55
75-79	537	14.7	142	2	3	12	19	29	37	63
80-84	351	14.4	100	3	3	12	19	28	33	48
85+	284	14.5	120	3	4	12	19	26	32	76
GRAND TOTAL	**2387**	**14.4**	**132**	**2**	**3**	**12**	**19**	**28**	**35**	**63**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	6.3	39	1	2	4	9	16	21	26
70-74	17	7.6	54	1	1	6	9	22	26	26
75-79	16	8.6	74	1	2	6	10	26	29	30
80-84	9	9.0	91	<1	1	7	10	25	32	32
85+	6	5.8	4	4	4	5	7	9	9	9
B. *Operated*										
65-69 YRS	43	12.6	86	1	2	12	16	22	30	47
70-74	47	11.3	128	1	2	9	15	20	26	68
75-79	30	11.3	53	1	2	11	14	22	26	29
80-84	21	11.7	64	3	3	11	15	23	29	35
85+	16	10.3	86	<1	1	9	14	16	32	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	8.8	51	2	2	7	11	18	22	41
70-74	268	8.3	50	2	2	6	10	17	23	37
75-79	[illegible]	7.9	54	2	3	6	10	15	19	33
80-84	175	9.5	52	2	3	8	12	20	27	39
85+	152	7.5	34	2	2	6	9	15	20	26
B. *Operated*										
65-69 YRS	688	17.2	147	3	5	14	22	33	44	66
70-74	719	17.3	143	3	6	15	22	32	41	59
75-79	583	18.2	168	4	6	15	23	34	42	71
80-84	355	17.8	122	4	7	15	22	31	41	59
85+	228	18.5	176	5	7	15	22	34	44	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.4	52	1	2	5	9	17	26	32
B. *Operated*	157	11.6	88	1	2	10	15	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	1075	8.4	49	2	2	6	10	17	21	38
B. *Operated*	2573	17.6	150	4	6	15	22	33	42	68
1. SINGLE DX	228	10.3	80	1	2	9	14	21	26	41
2. MULTIPLE DX	3648	14.9	138	2	4	12	19	29	38	65
A. NOT OPERATED	1146	8.3	50	2	2	6	10	17	21	37
B. OPERATED	2730	17.3	148	3	5	15	22	32	42	68
TOTAL 65-69 YRS	1010	14.6	132	2	3	12	19	29	37	58
70-74	1051	14.6	133	2	3	12	19	28	37	56
75-79	853	15.1	153	2	4	12	20	29	39	67
80-84	560	14.8	112	3	4	12	20	29	37	56
85+	402	13.8	144	2	3	11	18	26	37	76
GRAND TOTAL	**3876**	**14.6**	**136**	**2**	**4**	**12**	**19**	**29**	**37**	**64**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	5.6	29	<1	1	4	7	11	16	27
70-74	98	5.9	22	<1	1	5	8	11	15	25
75-79	55	5.9	22	1	1	4	10	12	15	20
80-84	40	9.9	242	2	2	6	10	23	27	96
85+	5	6.8	24	2	2	5	11	13	13	13
B. *Operated*										
65-69 YRS	655	8.2	37	1	2	8	11	15	18	27
70-74	442	7.7	31	1	2	7	11	15	18	25
75-79	282	7.8	43	1	1	7	11	15	17	39
80-84	125	7.6	28	1	2	7	11	14	17	24
85+	42	6.7	54	<1	1	4	9	12	19	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1911	8.2	61	2	2	6	10	17	23	43
70-74	1729	8.8	66	2	2	7	11	18	24	42
75-79	1179	9.1	74	2	2	7	11	18	24	52
80-84	661	9.3	72	2	3	7	11	19	26	50
85+	348	9.0	55	2	3	7	12	17	22	35
B. *Operated*										
65-69 YRS	4742	12.2	89	2	3	10	16	23	29	48
70-74	4190	12.3	88	2	3	10	16	23	30	50
75-79	2623	12.6	98	2	3	10	16	24	31	49
80-84	1183	12.2	98	2	3	10	15	24	31	51
85+	427	13.2	121	2	3	10	17	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	6.3	54	1	1	4	8	12	17	28
B. *Operated*	1546	7.9	36	1	2	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	5828	8.7	66	2	2	7	11	18	23	45
B. *Operated*	13165	12.3	93	2	3	10	16	23	30	50
1. SINGLE DX	1862	7.6	40	1	1	7	10	15	18	26
2. MULTIPLE DX	18993	11.2	87	2	3	9	15	22	29	48
A. NOT OPERATED	6144	8.6	66	2	2	6	11	17	23	44
B. OPERATED	14711	11.9	89	2	3	10	15	23	29	48
TOTAL 65-69 YRS	7426	10.7	80	2	2	9	14	21	27	45
70-74	6459	10.9	81	2	3	9	14	21	28	48
75-79	4139	11.2	90	2	3	9	14	22	29	49
80-84	2009	10.9	90	2	2	9	14	22	28	51
85+	822	11.1	94	2	3	8	14	21	29	48
GRAND TOTAL	**20855**	**10.9**	**84**	**2**	**2**	**9**	**14**	**21**	**28**	**47**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	2.6	4	<1	<1	2	4	6	7	7
70-74	25	4.2	18	<1	1	2	6	9	12	20
75-79	10	5.5	25	<1	<1	3	12	12	12	12
80-84	5	9.8	112	1	1	7	16	27	27	27
85+										
B. *Operated*										
65-69 YRS	213	6.7	42	<1	1	3	12	16	20	25
70-74	139	6.1	52	<1	1	3	10	16	20	37
75-79	79	6.2	44	1	1	3	10	15	17	33
80-84	32	4.3	38	1	1	2	3	14	18	28
85+	17	8.7	70	<1	1	7	13	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	7.4	127	1	1	5	8	14	19	74
70-74	65	8.0	61	2	2	6	10	18	22	46
75-79	66	10.2	167	1	2	8	12	17	24	88
80-84	42	9.5	98	1	2	6	13	21	27	53
85+	23	8.8	75	3	3	4	11	25	32	33
B. *Operated*										
65-69 YRS	530	13.2	173	1	2	10	17	29	41	70
70-74	423	12.5	139	1	2	10	18	26	34	71
75-79	274	12.0	169	1	1	9	16	25	36	71
80-84	141	11.5	118	2	2	9	15	26	31	51
85+	71	12.7	297	1	1	7	15	27	44	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.4	24	<1	1	2	6	11	12	26
B. *Operated*	480	6.4	46	<1	1	3	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	283	8.6	112	1	2	6	10	17	23	52
B. *Operated*	1439	12.6	163	1	2	10	17	27	37	71
1. SINGLE DX	540	6.1	44	<1	1	3	10	15	19	28
2. MULTIPLE DX	1722	11.9	157	1	2	9	16	25	36	69
A. NOT OPERATED	343	7.9	99	1	1	5	9	16	22	49
B. OPERATED	1919	11.0	141	1	1	9	15	24	34	64
TOTAL 65-69 YRS	850	10.7	142	1	1	8	15	23	37	60
70-74	652	10.4	117	1	1	8	15	23	31	57
75-79	429	10.5	148	1	1	8	14	22	32	69
80-84	220	10.0	107	1	2	7	14	24	30	51
85+	111	11.3	218	1	1	7	14	25	33	88
GRAND TOTAL	**2262**	**10.5**	**136**	**1**	**1**	**8**	**15**	**23**	**32**	**63**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	7.6	24	2	2	7	10	15	15	15
70-74	8	8.6	88	3	3	4	11	25	30	30
75-79	4	5.5	22	1	1	5	9	10	10	10
80-84	2	4.5	25	1	1	4	8	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	85	7.1	42	1	1	5	10	14	19	35
70-74	84	6.1	25	<1	1	5	9	13	16	25
75-79	48	7.4	54	1	1	5	9	14	19	40
80-84	39	9.1	96	1	1	5	12	22	31	45
85+	32	6.2	20	1	2	5	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	7.9	53	1	1	6	10	19	28	30
70-74	45	7.2	27	2	2	6	9	16	18	21
75-79	52	8.0	48	2	2	6	10	16	21	40
80-84	28	11.5	82	3	4	9	14	29	42	99+
85+	21	9.8	172	1	1	6	10	25	42	58
B. *Operated*										
65-69 YRS	180	14.1	185	2	3	10	17	34	51	64
70-74	188	12.3	157	2	3	9	15	25	47	87
75-79	164	12.6	136	1	2	10	16	28	42	62
80-84	97	12.4	196	1	2	8	15	26	39	79
85+	68	14.2	280	1	2	10	16	37	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	7.2	45	1	1	5	9	14	22	30
B. *Operated*	288	7.0	44	1	1	5	10	14	19	35
2. MULTIPLE DX										
A. *Not Operated*	196	8.5	63	1	2	6	10	18	26	50
B. *Operated*	697	13.1	176	2	2	9	16	29	45	78
1. SINGLE DX	308	7.0	44	1	1	5	10	14	19	34
2. MULTIPLE DX	893	12.1	155	1	2	8	15	27	41	70
A. NOT OPERATED	216	8.4	61	1	2	6	10	18	26	46
B. OPERATED	985	11.3	145	1	2	8	14	24	38	68
TOTAL 65-69 YRS	320	11.2	135	1	2	8	14	27	36	60
70-74	325	9.9	111	1	2	7	13	21	29	67
75-79	268	10.7	108	1	2	8	14	22	37	56
80-84	166	11.3	152	1	2	7	14	24	36	84
85+	122	11.3	201	1	2	7	13	24	47	94
GRAND TOTAL	**1201**	**10.8**	**131**	**1**	**2**	**7**	**13**	**23**	**36**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	8.0	98	<1	<1	7	15	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	130	4.7	14	<1	1	3	7	9	11	18
70-74	119	4.5	20	<1	1	3	6	8	12	23
75-79	63	4.3	19	<1	1	3	5	9	12	26
80-84	36	3.9	7	1	1	3	6	7	9	12
85+	28	5.1	25	1	1	4	6	10	15	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.4	6	1	1	5	5	8	9	10
70-74	30	5.7	20	1	2	4	7	11	17	21
75-79	20	6.6	15	1	3	6	8	13	15	16
80-84	5	5.0	4	2	2	6	6	7	7	7
85+	8	4.3	5	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	188	7.6	51	1	2	6	10	17	21	33
70-74	150	8.0	80	1	2	6	10	14	18	44
75-79	139	8.5	78	1	2	6	11	16	21	54
80-84	73	6.6	29	1	2	6	9	13	17	28
85+	55	7.4	55	1	2	5	10	15	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.0	25	<1	<1	2	4	13	15	15
B. *Operated*	376	4.5	17	<1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	77	5.5	14	1	2	5	7	10	14	20
B. *Operated*	605	7.8	62	1	2	6	10	15	21	42
1. SINGLE DX	383	4.5	17	<1	1	3	6	9	12	21
2. MULTIPLE DX	682	7.5	57	1	2	6	9	15	20	40
A. NOT OPERATED	84	5.4	15	1	2	5	7	10	15	20
B. OPERATED	981	6.5	47	1	1	5	8	13	18	36
TOTAL 65-69 YRS	333	6.3	37	1	1	5	8	12	18	29
70-74	301	6.4	53	1	1	4	8	13	16	39
75-79	223	7.1	59	1	1	5	9	15	18	46
80-84	116	5.6	22	1	1	4	7	11	13	25
85+	92	6.4	42	1	2	4	8	14	23	32
GRAND TOTAL	**1065**	**6.4**	**45**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	3	<1	<1	1	3	4	4	4
70-74	3	3.7	2	2	2	4	5	5	5	5
75-79	4	3.5	3	2	2	3	5	6	6	6
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	7	9.6	225	1	1	4	8	36	43	43
B. *Operated*										
65-69 YRS	247	2.6	7	<1	<1	2	3	5	8	14
70-74	258	2.8	7	<1	<1	2	3	6	9	13
75-79	230	2.9	13	<1	<1	2	3	6	9	20
80-84	196	2.7	6	<1	<1	2	3	6	8	13
85+	184	2.9	9	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	6.5	34	<1	1	4	11	15	19	21
70-74	20	6.1	46	1	1	3	8	17	22	25
75-79	16	9.1	90	<1	1	6	12	27	32	33
80-84	18	8.4	50	1	2	5	15	19	21	22
85+	26	8.3	67	<1	1	6	12	20	30	31
B. *Operated*										
65-69 YRS	433	4.6	32	<1	1	3	5	10	16	31
70-74	464	5.6	59	<1	1	3	6	12	19	45
75-79	506	5.6	52	1	1	3	7	13	16	29
80-84	464	5.7	65	1	1	3	7	12	17	44
85+	499	6.1	59	1	1	3	7	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.2	83	<1	1	3	5	8	26	43
B. *Operated*	1115	2.8	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	100	7.6	56	<1	1	4	12	18	23	32
B. *Operated*	2366	5.5	54	1	1	3	7	12	18	42
1. SINGLE DX	1135	2.8	10	<1	<1	2	3	6	8	15
2. MULTIPLE DX	2466	5.6	54	1	1	3	7	13	18	42
A. NOT OPERATED	120	7.2	61	<1	1	4	11	17	23	36
B. OPERATED	3481	4.7	41	<1	1	2	5	10	15	33
TOTAL 65-69 YRS	703	4.0	24	<1	<1	2	5	9	13	26
70-74	745	4.6	42	<1	1	2	5	10	15	41
75-79	756	4.8	42	<1	1	3	6	11	15	29
80-84	681	4.9	49	<1	1	3	5	11	15	43
85+	716	5.4	50	<1	1	3	6	12	19	40
GRAND TOTAL	**3601**	**4.7**	**42**	**<1**	**1**	**2**	**5**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.0	4	<1	1	4	6	7	7	7
70-74	18	5.0	17	1	1	4	7	12	15	15
75-79	11	4.2	7	<1	1	3	5	9	10	10
80-84	3	7.0	28	3	3	5	11	13	13	13
85+	5	3.6	5	1	1	3	5	7	7	7
B. *Operated*										
65-69 YRS	1574	5.4	7	1	2	5	7	9	10	13
70-74	1296	5.6	8	2	2	5	7	9	10	14
75-79	949	5.7	7	2	2	6	7	9	10	14
80-84	491	5.5	7	1	2	5	7	9	10	13
85+	346	5.3	10	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	206	8.8	87	1	2	6	11	19	24	38
70-74	218	8.1	66	1	2	6	11	17	21	52
75-79	164	7.8	48	1	2	7	10	14	19	42
80-84	117	8.7	132	1	1	6	11	16	23	86
85+	110	9.2	70	1	2	7	12	19	25	46
B. *Operated*										
65-69 YRS	3359	7.1	26	2	3	6	8	11	14	26
70-74	3127	7.5	28	2	3	7	9	12	16	28
75-79	2569	7.7	36	2	3	7	9	13	16	29
80-84	1649	7.9	38	2	3	7	9	13	17	37
85+	1124	8.1	51	2	3	7	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.4	9	1	1	4	6	8	11	15
B. *Operated*	4656	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	815	8.5	77	1	2	6	11	17	23	48
B. *Operated*	11828	7.6	33	2	3	7	9	12	16	30
1. SINGLE DX	4716	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX	12643	7.6	35	2	3	7	9	13	16	31
A. NOT OPERATED	875	8.2	74	1	2	6	10	16	22	46
B. OPERATED	16484	7.0	26	2	3	6	8	11	14	26
TOTAL 65-69 YRS	5162	6.7	23	2	3	6	8	11	13	24
70-74	4659	7.0	25	2	3	6	8	11	15	27
75-79	3693	7.2	30	2	3	6	8	12	15	27
80-84	2260	7.4	37	2	3	6	9	12	15	35
85+	1585	7.6	45	2	2	6	9	13	18	36
GRAND TOTAL	**17359**	**7.0**	**29**	**2**	**3**	**6**	**8**	**11**	**15**	**28**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	3.4	1	2	2	3	4	5	5	5
70-74	30	3.9	5	2	2	3	4	8	10	10
75-79	14	5.9	54	2	2	4	5	10	26	31
80-84	9	3.6	1	2	2	4	4	5	5	5
85+	7	4.7	11	3	3	4	4	10	12	12
B. *Operated*										
65-69 YRS	70	4.6	14	1	1	4	6	9	11	22
70-74	49	4.7	16	1	1	4	5	9	15	19
75-79	35	4.2	25	<1	1	3	5	6	8	31
80-84	19	4.9	14	1	2	3	6	12	14	15
85+	15	3.3	7	<1	1	3	4	6	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	6.0	37	1	2	4	7	12	18	36
70-74	79	6.3	41	1	2	4	7	16	20	82
75-79	58	5.6	26	2	2	4	6	13	17	27
80-84	46	7.2	80	2	3	4	8	12	23	55
85+	33	9.0	49	3	3	8	11	19	27	29
B. *Operated*										
65-69 YRS	225	8.8	99	1	2	6	10	17	23	60
70-74	189	9.0	73	2	2	6	11	19	28	44
75-79	140	9.8	123	1	2	7	11	19	35	52
80-84	94	9.1	150	1	2	6	11	19	23	80
85+	54	10.5	76	2	3	8	12	21	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.0	10	2	2	4	4	5	8	21
B. *Operated*	188	4.4	16	1	1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	297	6.5	44	2	2	4	7	14	19	39
B. *Operated*	702	9.2	102	2	2	6	11	19	27	52
1. SINGLE DX	288	4.3	14	1	1	3	5	8	11	22
2. MULTIPLE DX	999	8.4	86	2	2	6	10	17	24	49
A. NOT OPERATED	397	5.9	37	2	2	4	6	12	18	35
B. OPERATED	890	8.2	87	1	2	5	10	16	23	48
TOTAL 65-69 YRS	416	7.0	67	1	2	4	8	14	19	44
70-74	347	7.4	55	2	2	5	9	16	21	42
75-79	247	7.8	87	1	2	5	9	16	26	48
80-84	168	7.8	110	1	2	5	9	16	21	72
85+	109	8.7	60	2	2	6	11	18	24	39
GRAND TOTAL	**1287**	**7.5**	**73**	**1**	**2**	**5**	**9**	**16**	**21**	**44**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	3.5	4	1	2	3	4	4	6	13
70-74	41	3.6	5	2	2	3	4	5	6	16
75-79	28	3.5	4	1	1	3	4	7	8	10
80-84	20	4.2	13	<1	<1	4	5	6	12	18
85+	4	7.0	30	3	3	5	10	15	15	15
B. *Operated*										
65-69 YRS	339	5.9	7	1	2	6	7	9	11	12
70-74	263	6.1	9	1	2	6	8	9	11	16
75-79	155	5.9	11	1	1	6	8	9	11	16
80-84	63	6.0	9	1	1	6	8	10	11	12
85+	44	6.1	34	1	1	5	8	10	15	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	6.3	32	1	2	4	9	14	18	29
70-74	94	6.2	38	1	2	4	7	16	23	69
75-79	83	6.6	47	1	2	4	8	13	20	36
80-84	44	9.7	109	2	2	5	11	26	32	50
85+	46	8.8	101	1	2	6	10	22	42	99+
B. *Operated*										
65-69 YRS	1317	7.7	28	2	2	7	9	12	16	29
70-74	1148	8.1	29	2	2	7	9	13	17	28
75-79	769	8.5	31	2	2	7	10	14	19	29
80-84	411	9.0	42	2	2	8	11	16	20	30
85+	215	10.1	66	2	2	8	13	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.7	7	1	2	3	4	5	8	16
B. *Operated*	864	6.0	10	1	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	378	7.1	55	1	2	4	8	16	23	47
B. *Operated*	3860	8.2	33	2	2	7	10	14	18	31
1. SINGLE DX	1007	5.7	10	1	2	6	7	9	11	15
2. MULTIPLE DX	4238	8.1	35	2	2	7	10	14	19	32
A. NOT OPERATED	521	6.1	44	1	2	4	7	13	20	38
B. OPERATED	4724	7.8	30	2	2	7	9	13	17	28
TOTAL 65-69 YRS	1817	7.2	25	2	2	7	9	12	15	26
70-74	1546	7.5	27	2	2	7	9	12	16	28
75-79	1035	7.8	30	1	2	7	10	14	18	29
80-84	538	8.5	44	1	2	7	11	16	20	31
85+	309	9.3	68	1	2	7	12	21	27	47
GRAND TOTAL	**5245**	**7.7**	**31**	**1**	**2**	**7**	**9**	**13**	**17**	**30**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.6	76	<1	1	3	4	26	72	99+
70-74	22	3.6	11	1	1	2	4	10	11	12
75-79	10	4.4	5	1	1	4	5	8	8	8
80-84	4	4.5	4	2	2	5	6	6	6	6
85+	3	7.0	19	2	2	9	10	10	10	10
B. *Operated*										
65-69 YRS	72	8.7	21	1	4	8	11	13	17	29
70-74	49	9.1	17	3	5	8	11	16	18	21
75-79	21	7.4	14	1	2	8	11	12	13	14
80-84	8	9.3	13	5	6	8	10	15	17	17
85+	7	9.6	22	3	4	9	11	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	6.0	34	1	1	4	8	13	20	27
70-74	172	6.9	54	1	1	4	9	19	24	42
75-79	107	8.0	53	1	2	6	10	16	24	36
80-84	89	9.3	84	2	3	6	11	21	30	49
85+	45	8.8	44	2	2	8	11	18	25	28
B. *Operated*										
65-69 YRS	571	13.9	92	5	6	11	17	24	32	56
70-74	491	15.6	136	5	6	12	18	29	42	64
75-79	325	15.2	80	6	7	13	19	26	33	54
80-84	198	14.9	59	7	7	13	19	24	30	40
85+	110	19.0	194	6	7	15	21	33	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.3	30	1	1	3	5	10	12	95
B. *Operated*	157	8.7	18	2	4	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	584	7.3	53	1	1	5	9	17	24	32
B. *Operated*	1695	15.1	107	6	7	12	18	26	34	59
1. SINGLE DX	214	7.6	25	1	2	7	10	12	17	34
2. MULTIPLE DX	2279	13.1	104	2	3	11	17	24	31	57
A. NOT OPERATED	641	7.1	52	1	1	5	9	16	24	36
B. OPERATED	1852	14.6	102	5	6	12	18	25	33	57
TOTAL 65-69 YRS	832	11.6	86	2	3	9	15	22	28	47
70-74	734	12.7	122	2	3	10	16	24	33	60
75-79	463	13.0	81	2	4	11	16	23	30	50
80-84	299	13.0	72	3	4	11	18	23	29	40
85+	165	15.6	165	2	5	13	20	27	35	68
GRAND TOTAL	**2493**	**12.6**	**100**	**2**	**3**	**10**	**16**	**23**	**31**	**56**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	8	2	2	3	7	9	9	9
70-74	8	4.3	2	2	2	4	5	6	6	6
75-79	6	9.3	25	2	2	8	15	15	15	15
80-84	8	4.6	21	1	1	3	6	13	15	15
85+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
65-69 YRS	37	7.2	38	1	2	5	10	17	22	25
70-74	36	5.9	32	1	1	3	9	15	20	20
75-79	28	6.1	25	1	2	4	7	15	17	20
80-84	28	10.8	89	2	3	7	14	25	34	36
85+	21	4.4	21	1	1	4	5	8	15	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	9.0	118	2	2	5	8	22	36	49
70-74	29	6.4	109	2	2	4	5	10	14	59
75-79	32	10.3	139	1	2	6	12	23	42	53
80-84	24	5.8	19	1	2	5	7	11	16	20
85+	17	9.5	95	2	3	6	8	29	30	30
B. *Operated*										
65-69 YRS	126	14.0	179	2	3	10	17	30	43	66
70-74	119	14.4	195	2	3	11	18	27	34	87
75-79	119	14.0	155	2	3	10	20	33	48	99+
80-84	91	13.4	135	2	3	10	20	24	38	60
85+	92	10.5	60	2	3	9	13	18	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.3	15	2	2	4	7	11	15	15
B. *Operated*	150	7.0	44	1	1	5	9	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	125	8.1	99	2	2	5	8	19	29	54
B. *Operated*	547	13.4	150	2	3	10	17	27	38	84
1. SINGLE DX	182	6.7	39	1	2	4	9	15	20	31
2. MULTIPLE DX	672	12.4	145	2	3	9	16	26	38	71
A. NOT OPERATED	157	7.6	83	2	2	5	7	15	28	53
B. OPERATED	697	12.0	134	2	2	9	16	24	35	70
TOTAL 65-69 YRS	193	11.7	147	2	2	8	14	25	38	58
70-74	192	11.1	159	1	2	7	15	23	29	77
75-79	185	12.0	136	2	2	8	17	29	43	99+
80-84	151	11.2	111	2	2	7	15	23	36	49
85+	133	9.3	61	2	2	7	12	18	27	37
GRAND TOTAL	**854**	**11.2**	**128**	**2**	**2**	**8**	**15**	**23**	**34**	**66**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.8	23	<1	<1	3	5	14	16	16
70-74	25	5.2	23	<1	1	4	7	11	15	21
75-79	28	4.3	8	1	1	4	6	9	10	11
80-84	11	6.4	14	1	3	5	8	13	14	14
85+	5	2.4	4	1	1	2	3	6	6	6
B. *Operated*										
65-69 YRS	1022	5.5	15	1	1	5	8	10	13	18
70-74	991	5.3	14	1	1	5	7	10	13	18
75-79	824	4.9	12	1	1	4	6	9	11	16
80-84	508	5.1	11	1	1	5	7	9	11	16
85+	271	6.0	14	1	2	5	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	408	7.7	51	1	2	6	10	15	20	39
70-74	527	7.6	56	1	2	6	9	16	20	40
75-79	520	7.9	52	1	2	6	10	16	21	38
80-84	439	7.5	42	1	2	6	9	15	19	45
85+	340	8.6	87	2	2	6	10	16	24	74
B. *Operated*										
65-69 YRS	3551	7.7	40	1	2	6	10	15	19	32
70-74	4375	7.6	39	2	2	6	9	15	18	34
75-79	4221	7.8	42	2	2	6	9	15	19	31
80-84	2949	8.4	45	2	3	7	10	16	21	37
85+	1884	9.5	60	2	3	7	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.8	16	1	1	4	7	11	13	19
B. *Operated*	3616	5.3	13	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2234	7.8	56	1	2	6	10	15	20	42
B. *Operated*	16980	8.0	44	2	2	6	10	15	20	34
1. SINGLE DX	3703	5.3	13	1	1	5	7	10	12	18
2. MULTIPLE DX	19214	8.0	45	2	2	6	10	15	20	35
A. NOT OPERATED	2321	7.7	55	1	2	6	9	15	20	42
B. OPERATED	20596	7.5	39	1	2	6	9	14	19	32
TOTAL 65-69 YRS	4999	7.2	37	1	2	6	9	14	18	29
70-74	5918	7.2	37	1	2	6	9	14	18	33
75-79	5593	7.4	39	1	2	6	9	14	18	30
80-84	3907	7.9	42	2	2	6	10	15	20	34
85+	2500	9.0	60	2	3	7	11	17	22	41
GRAND TOTAL	**22917**	**7.6**	**41**	**1**	**2**	**6**	**9**	**14**	**19**	**33**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.4	8	<1	<1	4	7	9	10	10
70-74	14	4.4	10	1	1	3	7	10	11	11
75-79	11	3.3	2	2	2	3	4	5	6	6
80-84	8	5.5	11	2	2	5	8	11	11	11
85+	5	5.0	4	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	9.0	52	1	1	11	14	15	15	15
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	5.7	17	1	1	7	8	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
65-69 YRS	38	6.1	36	<1	1	4	8	15	21	25
70-74	47	9.0	91	1	1	7	9	21	25	49
75-79	28	8.9	55	2	2	7	10	23	28	28
80-84	24	6.3	22	2	2	5	8	10	16	24
85+	11	7.7	41	3	3	5	9	17	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	55	4.4	7	1	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	10	5.4	24	1	1	3	9	13	15	15
B. *Operated*	148	7.7	56	1	2	6	9	18	24	39
1. SINGLE DX	55	4.4	7	1	2	4	6	9	10	11
2. MULTIPLE DX	158	7.5	54	1	2	6	9	17	24	38
A. NOT OPERATED	10	5.4	24	1	1	3	9	13	15	15
B. OPERATED	203	6.8	45	1	2	5	8	13	22	33
TOTAL 65-69 YRS	58	5.8	29	<1	1	4	8	12	18	25
70-74	62	7.8	75	1	1	6	9	20	22	48
75-79	42	7.2	43	2	2	6	8	16	26	28
80-84	33	5.9	19	2	2	5	7	10	12	24
85+	18	6.5	27	3	3	5	7	11	20	25
GRAND TOTAL	**213**	**6.7**	**44**	**1**	**2**	**5**	**8**	**13**	**22**	**32**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.6	32	<1	<1	6	11	15	16	16
70-74	15	4.4	10	1	1	4	6	10	11	11
75-79	21	4.1	15	1	1	3	5	10	13	15
80-84	6	6.8	30	2	2	6	11	14	14	14
85+	10	6.4	21	1	1	4	12	13	13	13
B. *Operated*										
65-69 YRS	961	4.0	14	1	1	3	5	8	12	18
70-74	947	3.9	16	1	1	3	4	8	12	17
75-79	828	3.9	14	1	1	3	5	8	11	19
80-84	585	4.2	13	1	1	3	5	8	11	16
85+	402	4.5	13	1	1	4	6	9	10	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	122	6.7	61	1	1	4	8	14	20	47
70-74	165	8.3	78	1	2	6	11	16	22	42
75-79	134	6.2	34	1	1	5	7	14	18	30
80-84	157	7.6	91	1	2	5	9	15	23	77
85+	124	9.1	60	2	3	7	11	20	26	36
B. *Operated*										
65-69 YRS	2500	6.8	57	1	1	4	8	16	21	39
70-74	2848	7.0	53	1	2	4	9	15	21	36
75-79	2625	7.0	50	1	2	5	9	15	21	39
80-84	2009	7.3	60	1	2	5	9	15	21	43
85+	1641	7.9	56	2	2	6	9	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.2	18	1	1	4	8	12	14	16
B. *Operated*	3723	4.0	14	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	702	7.6	67	1	1	5	9	15	23	45
B. *Operated*	11623	7.1	55	1	2	5	9	15	21	38
1. SINGLE DX	3784	4.0	14	1	1	3	5	8	12	18
2. MULTIPLE DX	12325	7.2	56	1	2	5	9	15	21	39
A. NOT OPERATED	763	7.4	64	1	1	5	9	15	21	42
B. OPERATED	15346	6.4	47	1	1	4	8	14	19	35
TOTAL 65-69 YRS	3592	6.1	47	1	1	4	7	14	18	37
70-74	3975	6.3	47	1	1	4	8	14	19	33
75-79	3608	6.3	43	1	1	4	7	14	19	35
80-84	2757	6.6	53	1	2	4	8	14	19	35
85+	2177	7.3	50	1	2	5	9	15	21	37
GRAND TOTAL	**16109**	**6.4**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.0	4	<1	<1	3	5	5	5	5
70-74	12	4.6	7	1	1	4	7	8	8	8
75-79	7	2.3	3	<1	<1	2	4	5	5	5
80-84	4	4.3	4	3	3	4	5	7	7	7
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	132	8.4	30	1	1	8	10	13	17	32
70-74	125	10.1	41	3	4	9	12	17	21	33
75-79	105	8.4	13	2	3	8	11	13	14	17
80-84	37	11.9	146	1	3	9	13	21	26	74
85+	23	6.8	26	1	2	9	13	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	7.3	45	1	2	5	9	15	22	36
70-74	139	7.8	39	1	1	6	11	16	22	28
75-79	94	8.5	56	1	2	7	11	20	26	99+
80-84	87	8.6	38	2	2	7	11	18	20	33
85+	69	10.5	64	2	3	9	14	21	28	88
B. *Operated*										
65-69 YRS	697	12.8	86	2	4	11	16	23	29	49
70-74	684	12.6	69	2	4	11	16	22	28	45
75-79	527	13.2	77	2	4	11	17	23	30	50
80-84	322	13.1	62	2	4	12	16	23	29	37
85+	191	14.2	86	3	4	12	19	27	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.8	6	<1	1	3	5	7	8	8
B. *Operated*	422	9.2	40	1	2	9	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	505	8.3	47	1	2	7	11	18	23	40
B. *Operated*	2421	13.0	76	2	4	11	16	23	30	46
1. SINGLE DX	452	8.9	39	1	2	8	11	15	18	27
2. MULTIPLE DX	2926	12.2	74	2	3	10	16	23	29	45
A. NOT OPERATED	535	8.1	46	1	2	6	10	17	22	39
B. OPERATED	2843	12.4	73	2	4	11	15	22	28	45
TOTAL 65-69 YRS	951	11.4	78	1	3	9	14	22	27	44
70-74	960	11.5	64	2	3	10	15	21	26	42
75-79	733	11.8	70	2	3	10	15	22	28	50
80-84	450	12.1	67	2	3	10	15	22	28	36
85+	284	12.9	79	3	4	11	16	27	32	46
GRAND TOTAL	**3378**	**11.7**	**71**	**2**	**3**	**10**	**15**	**22**	**27**	**44**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
65-69 YRS	21	3.2	3	2	2	3	3	6	8	8
70-74	25	3.2	4	1	1	3	4	6	7	9
75-79	7	2.4	2	1	1	2	4	4	4	4
80-84	7	3.3	2	2	2	3	4	6	6	6
85+	7	5.1	14	2	2	4	6	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	6.2	9	3	3	6	9	10	10	10
70-74	3	3.7		3	3	4	4	4	4	4
75-79	6	5.0	23	<1	<1	3	11	11	11	11
80-84	4	3.0	8	1	1	3	30	99+	99+	99+
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	30	3.6	6	1	1	3	5	6	6	13
70-74	25	3.8	13	1	1	3	4	7	12	17
75-79	22	3.7	5	1	2	3	5	7	8	9
80-84	15	4.1	6	1	2	3	5	9	9	9
85+	13	13.0	524	1	2	6	12	29	77	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*	67	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	20	5.2	15	<1	1	4	9	12	53	99+
B. *Operated*	105	4.9	76	1	1	3	5	8	12	49
1. SINGLE DX	70	3.3	4	1	1	3	4	6	8	12
2. MULTIPLE DX	125	5.0	66	1	1	3	6	9	13	91
A. NOT OPERATED	23	5.0	14	<1	1	4	8	12	40	99+
B. OPERATED	172	4.3	49	1	1	3	5	7	9	16
TOTAL 65-69 YRS	57	3.7	6	1	2	3	4	7	9	13
70-74	54	3.5	8	1	1	3	4	7	9	17
75-79	35	3.7	8	1	1	3	5	8	10	11
80-84	26	3.7	5	1	1	3	5	8	23	99+
85+	23	9.9	307	1	2	5	10	14	40	88
GRAND TOTAL	**195**	**4.4**	**45**	**1**	**1**	**3**	**5**	**8**	**11**	**55**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	7.0	17	1	2	6	9	14	15	16
70-74	27	8.9	74	<1	1	8	12	20	24	39
75-79	20	5.5	20	1	2	4	6	12	15	18
80-84	12	9.0	30	3	3	8	12	17	20	21
85+	6	11.2	32	6	6	10	13	20	21	21
B. *Operated*										
65-69 YRS	81	11.4	40	3	4	10	15	20	24	29
70-74	74	14.2	154	2	3	11	16	28	44	70
75-79	36	16.6	186	2	5	13	19	29	53	64
80-84	16	10.8	40	2	3	10	14	20	23	24
85+	3	11.3	20	7	7	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	205	9.9	103	1	3	7	12	22	29	55
70-74	164	10.8	108	2	3	8	12	22	33	70
75-79	122	10.9	130	2	3	8	13	23	31	94
80-84	81	10.5	67	2	3	9	13	19	27	44
85+	44	13.7	138	3	4	9	17	38	43	45
B. *Operated*										
65-69 YRS	254	18.3	193	4	6	15	22	37	53	90
70-74	203	21.0	270	4	7	16	26	42	57	83
75-79	131	19.2	202	3	6	16	22	37	49	96
80-84	47	20.3	265	5	6	15	25	37	56	91
85+	16	17.3	109	5	6	16	21	25	42	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	7.7	36	1	2	6	10	15	20	29
B. *Operated*	210	13.2	107	2	4	11	16	23	29	60
2. MULTIPLE DX										
A. *Not Operated*	616	10.7	108	2	3	8	12	23	32	58
B. *Operated*	651	19.4	222	4	6	16	23	38	55	91
1. SINGLE DX	314	11.4	90	2	3	10	15	20	27	55
2. MULTIPLE DX	1267	15.2	185	3	3	11	19	31	43	78
A. NOT OPERATED	720	10.2	98	2	3	8	12	21	30	56
B. OPERATED	861	17.9	201	3	6	14	22	35	48	81
TOTAL 65-69 YRS	579	13.6	146	2	3	11	16	27	38	72
70-74	468	15.6	206	2	3	12	20	32	45	77
75-79	309	14.7	179	2	3	11	19	31	40	93
80-84	156	13.3	140	3	3	11	16	26	36	56
85+	69	14.2	118	4	5	11	18	28	42	48
GRAND TOTAL	**1581**	**14.4**	**169**	**2**	**3**	**11**	**18**	**29**	**42**	**76**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	13	3	3	5	8	8	8	8
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	5	9.0	20	4	4	8	11	16	16	16
70-74	2	22.0	128	14	14	22	30	30	30	30
75-79	2	19.5	41	15	15	19	24	24	24	24
80-84										
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	8.0	40	<1	1	7	10	18	21	21
70-74	15	12.3	134	3	3	10	17	30	40	43
75-79	8	12.4	241	2	3	6	14	40	48	48
80-84	7	6.9	14	2	2	7	9	12	12	12
85+	5	13.6	515	1	1	4	19	54	54	54
B. *Operated*										
65-69 YRS	26	18.7	138	3	8	16	22	36	43	56
70-74	31	22.8	382	1	3	18	27	56	70	71
75-79	18	16.8	51	8	8	17	19	27	31	34
80-84	7	23.3	108	11	12	21	31	39	40	40
85+	2	21.5	1	21	21	21	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.3	9	3	3	8	9	10	10	10
B. *Operated*	10	14.2	62	4	5	14	16	27	30	30
2. MULTIPLE DX										
A. *Not Operated*	43	10.8	149	1	2	7	12	23	45	54
B. *Operated*	84	20.3	204	3	6	17	23	37	52	71
1. SINGLE DX	14	12.2	56	3	4	10	15	25	29	30
2. MULTIPLE DX	127	17.0	205	2	3	14	22	36	48	71
A. NOT OPERATED	47	10.5	138	2	2	7	11	21	44	54
B. OPERATED	94	19.6	192	4	6	17	23	37	49	71
TOTAL 65-69 YRS	41	14.8	123	2	3	12	20	26	38	56
70-74	48	19.5	310	2	3	15	26	44	65	71
75-79	29	15.5	100	4	5	15	19	27	35	48
80-84	15	14.7	122	2	2	11	20	34	38	40
85+	8	15.6	308	1	1	10	21	44	54	54
GRAND TOTAL	**141**	**16.6**	**191**	**2**	**3**	**13**	**21**	**35**	**46**	**71**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.6	1	2	2	2	3	4	4	4
70-74	6	2.7	1	2	2	3	3	4	4	4
75-79	4	3.5	6	<1	<1	3	5	6	6	6
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
65-69 YRS	41	5.1	17	2	2	4	5	10	16	20
70-74	34	6.2	64	2	2	4	7	10	16	48
75-79	20	4.7	3	2	3	4	5	8	9	9
80-84	12	5.7	17	1	1	5	6	13	14	14
85+	3	9.3	76	2	2	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	5.9	23	2	2	4	8	12	14	24
70-74	35	6.3	31	1	2	5	8	12	21	23
75-79	24	7.0	104	2	2	4	6	13	26	52
80-84	18	4.4	8	1	1	4	6	9	10	10
85+	13	13.3	275	3	4	7	13	33	58	64
B. *Operated*										
65-69 YRS	144	8.7	80	2	2	6	11	17	25	44
70-74	117	9.2	61	2	3	7	11	19	24	37
75-79	93	10.7	155	2	3	6	13	24	39	92
80-84	53	13.0	151	4	4	9	16	25	39	99
85+	23	14.0	217	3	4	8	19	33	47	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.0	2	1	2	3	4	5	6	6
B. *Operated*	110	5.6	30	2	2	4	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	121	6.8	69	2	2	4	7	12	21	55
B. *Operated*	430	10.1	109	2	3	7	12	21	32	70
1. SINGLE DX	131	5.2	26	2	2	4	5	9	14	25
2. MULTIPLE DX	551	9.4	102	2	2	6	11	20	28	67
A. NOT OPERATED	142	6.3	61	2	2	4	7	11	20	53
B. OPERATED	540	9.2	96	2	3	6	11	19	27	67
TOTAL 65-69 YRS	223	7.5	61	2	2	5	9	15	20	42
70-74	192	7.9	56	2	2	5	10	16	23	38
75-79	141	9.0	126	2	2	5	10	19	33	83
80-84	85	9.9	114	2	2	7	13	22	27	93
85+	41	13.0	210	3	4	7	15	28	49	67
GRAND TOTAL	**682**	**8.6**	**90**	**2**	**2**	**5**	**10**	**18**	**25**	**63**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	5.1	15	1	1	5	6	10	13	18
70-74	76	5.5	28	1	1	4	7	13	16	27
75-79	59	6.4	56	1	2	4	8	13	16	50
80-84	34	7.7	49	1	1	5	10	19	22	29
85+	30	8.1	74	1	1	5	9	18	27	41
B. *Operated*										
65-69 YRS	154	6.8	36	1	1	5	9	14	20	28
70-74	162	6.4	40	1	1	4	9	14	18	31
75-79	119	7.1	67	1	1	4	8	18	21	43
80-84	76	5.8	29	<1	1	4	8	14	16	26
85+	34	5.5	41	1	1	3	6	12	22	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4310	8.8	64	2	2	7	11	18	24	41
70-74	4222	9.0	62	2	2	7	11	18	24	38
75-79	3254	9.4	71	2	2	7	12	19	25	43
80-84	2057	9.4	73	2	3	7	12	19	24	46
85+	1340	9.4	61	2	3	7	12	19	24	38
B. *Operated*										
65-69 YRS	4990	12.2	123	2	2	9	16	25	33	58
70-74	4650	12.3	111	2	3	9	16	25	32	53
75-79	3200	13.0	135	2	3	10	17	26	35	61
80-84	1826	12.7	110	2	3	10	17	27	33	57
85+	969	12.7	113	2	3	10	17	24	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	6.2	39	1	1	4	8	14	18	30
B. *Operated*	545	6.5	43	1	1	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	15183	9.1	66	2	2	7	11	18	24	41
B. *Operated*	15635	12.5	120	2	3	10	16	25	34	58
1. SINGLE DX	815	6.4	42	1	1	4	8	14	18	31
2. MULTIPLE DX	30818	10.8	96	2	2	8	14	22	29	51
A. NOT OPERATED	15453	9.1	66	2	2	7	11	18	24	41
B. OPERATED	16180	12.3	118	2	2	9	16	25	33	57
TOTAL 65-69 YRS	9525	10.5	97	2	2	8	14	22	29	51
70-74	9110	10.6	90	2	2	8	14	22	29	48
75-79	6632	11.1	105	2	2	8	14	23	30	52
80-84	3993	10.8	92	2	3	8	14	22	29	50
85+	2373	10.7	85	2	3	8	13	21	28	51
GRAND TOTAL	**31633**	**10.7**	**95**	**2**	**2**	**8**	**14**	**22**	**29**	**50**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.0	12	1	1	3	6	9	9	9
70-74	4	5.8	16	1	1	6	9	9	9	9
75-79	5	6.2	35	1	1	3	12	14	14	14
80-84	3	1.0		<1	<1	<1	1	1	1	1
85+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
65-69 YRS	28	6.1	41	1	1	4	8	16	20	28
70-74	22	6.0	45	<1	1	4	7	13	25	27
75-79	10	4.6	26	<1	<1	3	5	12	18	18
80-84	9	4.3	9	1	1	4	5	9	11	11
85+	7	8.6	90	1	1	8	8	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	8.7	44	3	3	6	12	16	22	31
70-74	45	8.5	123	1	2	6	9	15	20	74
75-79	16	6.4	18	1	1	6	11	12	13	14
80-84	13	6.5	49	<1	1	3	9	18	22	23
85+	5	14.2	237	1	1	4	30	32	32	32
B. *Operated*										
65-69 YRS	71	11.7	92	2	2	9	16	23	27	54
70-74	65	15.2	225	2	3	11	19	36	42	78
75-79	43	16.4	135	4	5	14	20	33	43	56
80-84	11	12.5	118	2	3	10	17	27	40	41
85+	20	11.4	58	1	2	9	18	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.3	17	<1	<1	3	9	10	13	14
B. *Operated*	76	5.9	40	<1	1	4	7	12	22	29
2. MULTIPLE DX										
A. *Not Operated*	114	8.3	80	1	2	6	11	16	22	47
B. *Operated*	215	13.8	142	2	3	11	18	29	38	60
1. SINGLE DX	94	5.6	36	<1	1	4	7	11	19	29
2. MULTIPLE DX	329	11.9	127	1	2	8	15	25	33	59
A. NOT OPERATED	132	7.7	73	1	1	5	10	15	22	40
B. OPERATED	291	11.7	127	1	2	8	16	25	35	57
TOTAL 65-69 YRS	138	9.5	72	1	2	7	14	21	25	40
70-74	136	11.2	170	1	2	7	13	27	36	75
75-79	79	12.2	117	1	2	10	17	25	36	52
80-84	36	7.3	67	<1	1	5	10	17	21	41
85+	34	10.7	86	1	1	8	18	26	30	32
GRAND TOTAL	**423**	**10.5**	**113**	**1**	**2**	**7**	**14**	**23**	**30**	**57**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	11	2	2	5	9	9	9	9
70-74	11	8.4	47	2	3	7	10	18	26	27
75-79	11	4.8	7	1	2	4	7	8	9	9
80-84	8	3.4	5	1	1	3	4	7	8	8
85+	7	4.1	9	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	16	5.6	9	1	2	5	8	11	11	11
70-74	24	5.2	11	1	1	4	7	10	11	12
75-79	9	7.2	25	3	3	5	8	16	19	19
80-84	5	9.6	290	1	1	2	13	40	40	40
85+	5	9.6	46	4	4	8	13	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	137	6.8	38	1	2	5	9	13	18	35
70-74	151	9.7	104	1	2	6	14	21	26	36
75-79	142	7.4	41	1	1	6	10	16	19	33
80-84	122	7.0	61	1	2	5	9	14	18	47
85+	110	7.8	46	1	2	6	10	15	21	34
B. *Operated*										
65-69 YRS	113	13.4	214	1	2	8	15	31	45	71
70-74	157	11.4	92	2	3	9	14	21	28	47
75-79	111	12.6	128	2	3	9	16	25	36	58
80-84	76	12.8	151	2	3	9	16	27	46	92
85+	67	13.2	169	2	3	9	16	31	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.4	20	1	2	4	7	9	11	27
B. *Operated*	59	6.4	36	1	2	5	8	11	16	38
2. MULTIPLE DX										
A. *Not Operated*	662	7.8	60	1	2	5	10	16	21	35
B. *Operated*	524	12.5	144	2	3	9	15	25	36	68
1. SINGLE DX	102	6.0	29	1	2	5	8	11	12	33
2. MULTIPLE DX	1186	9.9	103	1	2	7	12	20	29	61
A. NOT OPERATED	705	7.6	58	1	2	5	9	15	21	35
B. OPERATED	583	11.9	136	2	3	9	14	24	34	67
TOTAL 65-69 YRS	272	9.4	119	1	2	6	11	20	30	64
70-74	343	10.1	92	2	2	8	13	21	26	42
75-79	273	9.4	81	1	2	7	12	19	26	50
80-84	211	9.0	104	1	2	6	11	19	29	67
85+	189	9.6	95	1	2	7	11	20	31	51
GRAND TOTAL	**1288**	**9.6**	**98**	**1**	**2**	**7**	**12**	**20**	**28**	**58**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	31	<1	<1	3	5	7	18	25
70-74	31	6.1	122	<1	1	3	6	14	16	61
75-79	27	6.2	34	1	1	4	9	14	21	21
80-84	12	5.6	42	<1	<1	2	10	17	19	19
85+	11	5.7	24	1	1	4	7	15	16	16
B. *Operated*										
65-69 YRS	35	9.1	85	1	1	5	13	22	30	33
70-74	25	10.0	200	1	1	4	7	39	41	48
75-79	22	10.9	98	1	1	8	16	24	32	42
80-84	9	6.3	10	3	3	6	8	11	13	13
85+	9	9.4	101	2	2	4	12	27	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	8.8	141	1	1	5	11	18	27	73
70-74	259	6.9	56	1	1	5	8	16	22	40
75-79	219	7.3	50	1	1	5	10	16	23	37
80-84	177	7.1	52	1	1	5	10	15	22	32
85+	139	5.8	23	1	2	4	8	13	17	21
B. *Operated*										
65-69 YRS	248	22.1	327	3	4	18	34	49	60	99+
70-74	278	19.3	299	2	3	13	30	43	56	81
75-79	218	17.2	246	3	3	11	27	40	51	79
80-84	166	16.7	333	3	4	10	22	38	56	93
85+	107	13.2	217	2	3	8	14	30	43	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	5.7	59	<1	1	3	7	14	18	43
B. *Operated*	100	9.5	109	1	1	5	10	24	36	45
2. MULTIPLE DX										
A. *Not Operated*	971	7.2	65	1	1	5	10	15	22	39
B. *Operated*	1017	18.5	298	3	3	11	29	42	55	92
1. SINGLE DX	199	7.6	88	1	1	4	9	20	26	45
2. MULTIPLE DX	1988	13.0	216	1	2	7	16	33	45	75
A. NOT OPERATED	1070	7.1	65	1	1	5	9	15	21	39
B. OPERATED	1117	17.7	287	2	3	11	28	41	54	90
TOTAL 65-69 YRS	478	15.6	276	1	2	9	25	38	52	89
70-74	593	12.8	217	1	1	7	16	34	44	75
75-79	486	11.8	163	1	2	8	14	29	39	59
80-84	364	11.4	201	1	2	7	13	27	37	82
85+	266	8.9	116	1	2	6	11	18	27	53
GRAND TOTAL	**2187**	**12.5**	**206**	**1**	**2**	**7**	**15**	**32**	**43**	**74**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	83	6.2	37	1	1	4	8	12	16	33
70-74	80	5.2	17	1	1	4	8	10	13	19
75-79	65	5.6	29	1	1	4	8	11	14	31
80-84	27	8.1	123	1	1	4	10	17	26	57
85+	17	7.5	22	3	3	7	9	13	18	21
B. *Operated*										
65-69 YRS	297	6.8	39	1	1	5	9	14	18	32
70-74	221	6.6	48	1	1	4	9	14	20	38
75-79	193	7.3	53	1	1	5	10	15	19	44
80-84	93	6.6	39	1	1	5	9	14	20	33
85+	57	5.1	11	<1	1	4	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	729	9.1	68	1	2	7	11	20	26	42
70-74	763	9.0	77	1	2	7	11	17	26	44
75-79	639	9.2	74	1	2	7	11	20	25	46
80-84	445	9.1	71	1	2	7	12	18	24	49
85+	249	8.9	104	1	2	6	11	18	23	71
B. *Operated*										
65-69 YRS	1100	13.2	140	2	3	10	17	29	38	59
70-74	1113	14.2	155	2	3	11	18	30	41	57
75-79	963	13.6	123	2	4	11	18	28	36	59
80-84	596	14.8	158	2	4	12	19	30	41	73
85+	348	13.5	114	2	4	10	17	28	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	6.0	37	1	1	4	8	12	15	32
B. *Operated*	861	6.7	43	1	1	5	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	2825	9.0	75	1	2	7	11	19	26	46
B. *Operated*	4120	13.8	141	2	3	10	18	29	38	59
1. SINGLE DX	1133	6.6	41	1	1	5	9	14	17	35
2. MULTIPLE DX	6945	11.9	120	2	2	9	15	25	34	56
A. NOT OPERATED	3097	8.8	73	1	2	6	11	18	25	45
B. OPERATED	4981	12.6	131	2	2	9	16	27	36	57
TOTAL 65-69 YRS	2209	10.7	106	1	2	8	14	24	32	53
70-74	2177	11.3	122	1	2	8	14	24	34	52
75-79	1860	11.1	102	1	2	8	14	23	32	50
80-84	1161	11.8	124	2	2	9	15	24	34	63
85+	671	10.9	108	2	3	8	14	23	29	53
GRAND TOTAL	**8078**	**11.1**	**112**	**1**	**2**	**8**	**14**	**24**	**32**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	211	2.9	2	1	1	3	4	5	6	8
70-74	143	2.7	2	1	1	2	4	5	5	6
75-79	94	3.0	3	<1	1	3	4	5	6	8
80-84	39	2.8	3	1	1	2	3	6	7	9
85+	23	3.1	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	12	1	1	1	6	7	7	7
70-74	3	3.3	4	1	1	4	5	5	5	5
75-79	1	79.0		79	79	79	79	79	79	79
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	219	3.7	6	1	1	3	4	6	8	16
70-74	190	4.1	9	1	1	4	5	7	9	15
75-79	129	4.4	17	1	1	3	5	8	13	25
80-84	55	4.6	11	1	2	4	6	8	13	17
85+	27	5.6	13	1	2	5	7	11	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	510	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	8	12.9	719	1	1	4	6	57	79	79
B. *Operated*	620	4.2	10	1	1	3	5	7	10	17
1. SINGLE DX	512	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX	628	4.3	19	1	1	3	5	7	10	17
A. NOT OPERATED	10	10.5	584	<1	<1	3	5	43	79	79
B. OPERATED	1130	3.6	7	1	1	3	4	6	8	15
TOTAL 65-69 YRS	435	3.3	4	1	1	3	4	5	7	12
70-74	336	3.5	6	1	1	3	4	6	8	14
75-79	224	4.2	37	1	1	3	5	7	9	26
80-84	94	3.9	9	1	1	3	5	7	9	16
85+	51	4.4	9	1	1	4	5	8	11	16
GRAND TOTAL	**1140**	**3.6**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	1.5	1	<1	<1	1	2	2	4	6
70-74	18	1.1		<1	<1	1	1	1	2	2
75-79	22	1.6	2	<1	<1	1	2	3	5	7
80-84	9	2.8	7	<1	<1	2	3	7	9	9
85+	5	3.0	6	1	1	3	4	7	7	7
B. *Operated*										
65-69 YRS	324	3.7	14	<1	<1	2	6	9	11	16
70-74	297	4.0	19	<1	<1	2	6	10	12	18
75-79	226	3.9	16	<1	<1	2	6	9	12	18
80-84	125	4.2	26	<1	1	2	5	11	13	25
85+	58	4.0	16	<1	1	2	6	10	11	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	105	3.6	13	<1	<1	2	4	8	9	20
70-74	107	4.3	9	1	1	4	6	8	10	15
75-79	130	4.2	13	1	1	3	6	10	11	17
80-84	84	6.4	59	1	1	4	8	14	17	48
85+	72	6.1	64	1	2	4	8	11	15	55
B. *Operated*										
65-69 YRS	1137	6.3	44	<1	1	5	9	12	17	29
70-74	1288	6.7	49	<1	1	5	9	14	18	30
75-79	1107	6.8	56	1	1	4	9	15	21	34
80-84	703	7.5	61	1	1	5	10	16	21	44
85+	420	8.4	64	1	1	6	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*	1030	3.9	18	<1	<1	2	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	498	4.7	28	<1	1	3	6	9	13	19
B. *Operated*	4655	6.9	53	1	1	5	10	15	20	33
1. SINGLE DX	1121	3.7	17	<1	<1	2	5	10	11	18
2. MULTIPLE DX	5153	6.7	51	1	1	5	9	14	19	32
A. NOT OPERATED	589	4.3	26	<1	<1	3	6	9	12	18
B. OPERATED	5685	6.4	48	<1	1	4	9	14	18	30
TOTAL 65-69 YRS	1603	5.5	36	<1	<1	3	8	11	15	27
70-74	1710	6.0	43	<1	1	4	9	13	16	28
75-79	1485	6.1	47	<1	1	4	9	14	19	29
80-84	921	6.9	57	1	1	4	10	15	19	42
85+	555	7.6	60	1	1	5	10	17	24	36
GRAND TOTAL	**6274**	**6.2**	**46**	**<1**	**1**	**4**	**9**	**13**	**18**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	63	4.2	13	<1	<1	3	6	8	10	21
70-74	43	4.8	26	<1	1	2	6	11	16	25
75-79	28	3.7	12	1	1	2	5	9	10	14
80-84	7	2.6	1	1	1	2	4	4	4	4
85+	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	6	1	1	4	6	7	7	7
70-74	4	3.3	4	1	1	3	5	6	6	6
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	2	11.0	18	8	8	11	14	14	14	14
B. *Operated*										
65-69 YRS	130	7.6	45	1	1	6	11	16	18	59
70-74	110	8.8	72	1	1	8	11	17	24	45
75-79	58	7.6	46	1	1	6	10	20	23	26
80-84	28	5.7	24	1	1	4	8	13	16	19
85+	18	9.7	146	1	1	7	11	22	42	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	147	4.1	16	<1	1	2	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	11	5.3	14	1	1	5	7	10	14	14
B. *Operated*	344	7.9	58	1	1	6	11	17	21	50
1. SINGLE DX	149	4.1	16	<1	1	2	6	9	11	22
2. MULTIPLE DX	355	7.9	56	1	1	6	10	17	21	49
A. NOT OPERATED	13	4.7	13	1	1	4	6	9	13	14
B. OPERATED	491	6.8	48	1	1	5	9	15	20	30
TOTAL 65-69 YRS	197	6.5	37	1	1	5	9	14	17	39
70-74	157	7.5	61	1	1	6	10	17	21	31
75-79	87	6.3	38	1	1	4	9	15	21	26
80-84	36	4.9	21	1	1	3	7	12	15	19
85+	27	7.8	109	1	1	6	9	14	30	52
GRAND TOTAL	**504**	**6.7**	**47**	**1**	**1**	**5**	**9**	**15**	**19**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	5	3.6	12	<1	<1	2	6	9	9	9
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	257	2.5	4	<1	<1	2	3	5	7	11
70-74	168	2.7	7	<1	<1	2	3	7	8	12
75-79	88	2.6	5	<1	<1	2	3	5	7	13
80-84	41	2.2	6	<1	<1	2	2	4	7	13
85+	22	2.2	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	3.0	4	<1	1	3	3	4	8	10
70-74	15	4.5	16	<1	1	2	7	12	13	13
75-79	9	6.3	40	<1	<1	3	14	15	16	16
80-84	10	3.7	4	1	1	3	5	7	8	8
85+	10	5.6	9	3	3	5	6	10	13	13
B. *Operated*										
65-69 YRS	385	3.8	23	<1	1	2	4	9	10	17
70-74	302	4.7	25	<1	1	3	6	11	15	26
75-79	179	5.7	37	1	1	4	6	12	18	32
80-84	105	5.4	27	<1	1	3	6	14	16	26
85+	40	7.5	44	1	1	5	9	17	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	8	<1	<1	2	4	8	9	9
B. *Operated*	576	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	61	4.4	14	<1	1	3	5	11	13	16
B. *Operated*	1011	4.7	28	<1	1	3	6	10	14	26
1. SINGLE DX	584	2.6	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1072	4.7	27	<1	1	3	6	10	14	25
A. NOT OPERATED	69	4.2	13	<1	1	3	5	10	13	16
B. OPERATED	1587	3.9	21	<1	<1	2	4	9	12	22
TOTAL 65-69 YRS	659	3.3	15	<1	<1	2	4	7	10	14
70-74	490	4.0	20	<1	<1	2	5	9	12	21
75-79	278	4.7	29	<1	1	3	6	11	16	26
80-84	157	4.4	21	<1	<1	3	5	11	14	25
85+	72	5.6	31	<1	1	4	7	14	17	27
GRAND TOTAL	**1656**	**3.9**	**21**	**<1**	**<1**	**2**	**4**	**9**	**12**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.2	1	<1	<1	2	3	3	3	3
70-74	3	2.3	1	<1	<1	3	3	3	3	3
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	63	3.0	19	<1	<1	2	2	7	8	30
70-74	35	2.8	7	<1	<1	2	4	7	7	14
75-79	23	3.4	23	<1	<1	2	3	8	14	23
80-84	15	3.3	15	<1	1	3	3	4	14	17
85+	10	5.2	14	2	2	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.7	8	1	1	4	7	8	8	8
70-74	20	8.1	59	1	1	6	10	21	27	28
75-79	22	6.2	25	1	2	4	9	12	17	23
80-84	15	7.2	18	1	2	6	11	13	14	15
85+	12	7.3	34	<1	1	5	9	17	20	20
B. *Operated*										
65-69 YRS	112	5.6	59	<1	1	3	6	13	22	67
70-74	117	5.4	51	<1	1	3	7	11	14	42
75-79	82	8.6	151	<1	1	5	10	22	30	72
80-84	46	7.8	41	<1	1	6	11	17	20	28
85+	33	8.8	106	<1	1	5	10	25	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	4	<1	<1	2	3	5	8	8
B. *Operated*	146	3.2	16	<1	<1	2	3	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	76	6.9	32	1	1	5	9	13	19	28
B. *Operated*	390	6.7	79	<1	1	3	8	16	24	42
1. SINGLE DX	157	3.1	15	<1	<1	2	3	7	9	23
2. MULTIPLE DX	466	6.7	71	<1	1	4	8	15	23	41
A. NOT OPERATED	87	6.4	31	1	1	5	9	13	17	28
B. OPERATED	536	5.7	64	<1	1	3	7	13	22	40
TOTAL 65-69 YRS	187	4.6	44	<1	<1	2	5	9	17	44
70-74	175	5.1	44	<1	1	3	7	11	15	40
75-79	127	7.2	109	<1	1	4	8	19	24	48
80-84	77	6.8	34	<1	1	5	10	15	18	27
85+	57	7.6	73	<1	1	5	9	19	29	38
GRAND TOTAL	**623**	**5.8**	**60**	**<1**	**1**	**3**	**7**	**13**	**21**	**39**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	92	1.9	1	<1	<1	2	2	3	3	6
70-74	42	2.1	1	<1	1	2	2	3	4	5
75-79	26	2.0	1	<1	<1	2	2	3	4	4
80-84	12	2.0	1	<1	<1	2	3	3	3	3
85+	6	2.8	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		<1	<1	1	2	2	2	2
70-74										
75-79	2	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	140	2.3	2	<1	1	2	3	4	5	8
70-74	128	3.1	11	<1	1	2	3	7	9	21
75-79	77	3.0	6	<1	1	2	3	5	7	17
80-84	46	3.2	7	1	1	2	3	8	8	13
85+	30	3.9	9	1	1	3	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	178	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	421	2.9	7	<1	1	2	3	5	7	14
1. SINGLE DX	179	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	428	2.9	7	<1	1	2	3	5	7	13
A. NOT OPERATED	8	2.1	2	<1	<1	2	3	4	4	4
B. OPERATED	599	2.6	5	<1	1	2	3	5	7	10
TOTAL 65-69 YRS	236	2.1	2	<1	<1	2	2	3	5	7
70-74	170	2.8	9	<1	1	2	3	5	7	17
75-79	105	2.8	5	<1	1	2	3	5	6	14
80-84	59	2.9	6	1	1	2	3	7	8	13
85+	37	3.7	8	1	1	3	4	7	9	15
GRAND TOTAL	**607**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	3	8.3	70	3	3	4	14	18	18	18
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	34	5.3	10	<1	1	5	7	8	11	15
70-74	19	7.0	18	1	2	6	8	14	17	17
75-79	10	5.4	5	<1	1	6	6	8	9	9
80-84	4	5.5	2	4	4	5	6	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	3.3	1	2	2	3	4	5	5	5
70-74	11	4.2	15	2	2	3	5	10	15	15
75-79	8	6.3	10	2	2	6	9	10	10	10
80-84	10	8.7	158	2	2	5	7	26	44	44
85+	11	6.1	19	1	1	5	9	13	15	15
B. *Operated*										
65-69 YRS	348	7.6	19	2	4	7	9	12	15	27
70-74	197	8.1	18	3	4	7	9	13	15	26
75-79	107	9.7	54	3	4	8	11	15	27	41
80-84	63	9.5	31	2	5	8	11	16	18	34
85+	44	7.4	22	1	2	6	9	13	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.5	39	1	1	3	4	17	18	18
B. *Operated*	68	5.8	11	<1	2	6	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	49	5.7	42	2	2	4	6	10	15	44
B. *Operated*	759	8.2	25	2	4	7	9	13	16	31
1. SINGLE DX	74	5.8	13	<1	2	6	7	9	14	18
2. MULTIPLE DX	808	8.0	27	2	4	7	9	13	16	32
A. NOT OPERATED	55	5.7	41	2	2	4	6	10	15	43
B. OPERATED	827	8.0	25	2	4	7	9	13	16	30
TOTAL 65-69 YRS	391	7.3	19	2	3	7	8	11	15	25
70-74	227	7.8	18	2	3	7	9	13	15	23
75-79	128	9.1	49	2	3	7	10	15	24	40
80-84	80	9.0	45	2	3	7	10	16	18	41
85+	56	7.1	21	1	2	6	9	12	19	23
GRAND TOTAL	**882**	**7.8**	**26**	**2**	**3**	**7**	**9**	**13**	**16**	**31**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	6	5.7	12	2	2	6	7	11	11	11
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	32	1	1	5	9	9	9	9
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	7.3	14	2	3	6	9	13	14	14
70-74	16	6.8	19	2	2	6	8	15	17	17
75-79	4	8.8	35	3	3	7	12	17	17	17
80-84	3	10.0	49	5	5	7	15	18	18	18
85+	6	5.5	12	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	4.3	11	<1	<1	4	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*	39	7.2	19	2	2	6	8	15	17	18
1. SINGLE DX	10	4.3	11	<1	<1	4	7	9	11	11
2. MULTIPLE DX	41	7.1	19	2	2	6	8	15	17	18
A. NOT OPERATED	2	5.0	32	1	1	5	9	9	9	9
B. OPERATED	49	6.6	19	2	2	6	8	14	17	18
TOTAL 65-69 YRS	13	6.5	16	<1	1	6	9	13	14	14
70-74	22	6.5	17	2	2	6	8	12	16	17
75-79	7	6.1	29	1	1	5	8	15	17	17
80-84	3	10.0	49	5	5	7	15	18	18	18
85+	6	5.5	12	2	2	5	9	10	10	10
GRAND TOTAL	**51**	**6.5**	**19**	**1**	**2**	**6**	**8**	**13**	**17**	**18**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	80	6.7	7	4	4	6	7	9	13	18
70-74	69	7.3	5	5	5	7	8	10	12	17
75-79	34	7.1	5	4	5	7	8	10	12	13
80-84	16	8.1	11	4	5	7	9	14	16	16
85+	8	7.3	7	4	4	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74	6	3.0	6	<1	<1	2	3	7	8	8
75-79	3	3.3	4	1	1	4	5	5	5	5
80-84	2	13.0	72	7	7	13	19	19	19	19
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	342	8.6	18	5	5	7	10	14	18	25
70-74	301	9.3	41	5	5	8	10	15	19	35
75-79	197	10.1	44	5	5	8	11	16	22	44
80-84	113	11.2	52	5	6	9	13	18	25	42
85+	65	10.3	24	5	6	9	12	17	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	207	7.1	6	4	5	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	13	5.7	35	<1	1	3	7	17	19	19
B. *Operated*	1018	9.5	34	5	5	8	11	15	20	33
1. SINGLE DX	209	7.1	7	4	5	7	8	10	12	16
2. MULTIPLE DX	1031	9.4	35	5	5	8	11	15	19	32
A. NOT OPERATED	15	5.4	31	<1	1	3	7	17	18	19
B. OPERATED	1225	9.1	30	5	5	8	10	15	19	32
TOTAL 65-69 YRS	425	8.2	16	4	5	7	9	14	17	23
70-74	376	8.9	35	5	5	7	10	14	18	34
75-79	234	9.6	39	5	5	8	11	15	21	42
80-84	131	10.8	48	5	6	9	12	18	25	39
85+	74	9.9	24	4	5	9	12	16	20	29
GRAND TOTAL	**1240**	**9.0**	**31**	**5**	**5**	**8**	**10**	**15**	**19**	**32**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	2.8	1	2	2	3	3	4	4	4
70-74	3	3.3	10	<1	<1	2	6	7	7	7
75-79	1	10.0		10	10	10	10	10	10	10
80-84	3	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	15	4.3	7	<1	1	4	6	8	9	10
70-74	10	6.6	13	2	2	6	9	12	14	14
75-79	2	6.0	32	2	2	6	10	10	10	10
80-84	3	8.0	49	<1	<1	8	13	15	15	15
85+	2	6.5	41	2	2	6	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	3.3	7	<1	1	2	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	1	14.0		14	14	14	14	14	14	14
B. *Operated*	32	5.6	14	<1	1	5	8	11	14	15
1. SINGLE DX	12	3.3	7	<1	1	2	4	8	10	10
2. MULTIPLE DX	33	5.9	16	<1	1	5	8	12	14	15
A. NOT OPERATED	1	14.0		14	14	14	14	14	14	14
B. OPERATED	44	5.0	13	<1	1	4	7	10	12	15
TOTAL 65-69 YRS	20	4.0	6	<1	1	3	5	7	9	10
70-74	13	5.8	14	<1	1	6	8	11	13	14
75-79	4	9.0	25	2	2	10	12	14	14	14
80-84	6	5.0	30	<1	<1	2	8	14	15	15
85+	2	6.5	41	2	2	6	11	11	11	11
GRAND TOTAL	**45**	**5.2**	**15**	**<1**	**2**	**4**	**7**	**10**	**14**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	1.4	1	<1	<1	1	1	3	4	4
70-74	3	1.7		<1	<1	2	2	2	2	2
75-79										
80-84	2	3.0		3	3	3	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	5.1	40	<1	1	4	5	10	22	26
70-74	11	4.7	21	<1	1	3	6	11	16	17
75-79	11	8.9	72	2	2	6	12	21	30	31
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	39	5.9	42	<1	1	4	6	14	22	31
1. SINGLE DX	13	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX	39	5.9	42	<1	1	4	6	14	22	31
A. NOT OPERATED										
B. OPERATED	52	4.9	35	<1	1	3	6	12	17	31
TOTAL 65-69 YRS	21	3.9	30	<1	<1	2	4	7	16	26
70-74	14	4.1	18	<1	<1	3	6	8	15	17
75-79	11	8.9	72	2	2	6	12	21	30	31
80-84	4	3.5	3	2	2	3	5	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**52**	**4.9**	**35**	**<1**	**1**	**3**	**6**	**12**	**17**	**31**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	26	3.7	21	<1	<1	2	4	8	15	21
70-74	23	3.8	17	<1	1	2	3	13	14	14
75-79	21	2.5	2	<1	1	2	3	4	6	7
80-84	6	2.5	3	<1	<1	2	4	5	5	5
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	10.0		10	10	10	10	10	10	10
85+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
65-69 YRS	76	4.6	14	1	1	3	6	11	13	15
70-74	78	5.0	20	1	1	3	7	10	14	21
75-79	57	5.0	21	1	1	3	7	12	15	94
80-84	48	6.9	64	1	2	4	8	17	23	45
85+	28	6.6	56	2	2	4	6	15	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	8	1	1	1	5	6	6	6
B. *Operated*	79	3.3	13	<1	<1	2	3	7	13	19
2. MULTIPLE DX										
A. *Not Operated*	6	5.0	20	1	1	3	10	11	11	11
B. *Operated*	287	5.4	30	1	1	3	7	12	16	33
1. SINGLE DX	82	3.2	13	<1	<1	2	3	7	13	19
2. MULTIPLE DX	293	5.3	29	1	1	3	7	12	16	33
A. NOT OPERATED	9	4.2	16	1	1	3	7	11	11	11
B. OPERATED	366	4.9	27	1	1	3	7	11	14	25
TOTAL 65-69 YRS	103	4.3	15	1	1	3	6	10	13	18
70-74	102	4.7	19	1	1	3	7	11	14	20
75-79	80	4.3	17	1	1	3	6	11	13	76
80-84	56	6.3	58	1	1	3	7	16	21	44
85+	34	6.2	49	2	2	4	6	12	19	38
GRAND TOTAL	**375**	**4.9**	**26**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	3	2.0	3	<1	<1	<1	3	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	5.5	41	1	1	5	10	10	10	10
70-74										
75-79	3	4.7	21	2	2	2	8	10	10	10
80-84	2	3.0		3	3	3	3	3	3	3
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	3.3	8	<1	<1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	4.4	15	1	1	3	8	10	10	10
1. SINGLE DX	7	3.3	8	<1	<1	2	6	7	7	7
2. MULTIPLE DX	7	4.4	15	1	1	3	8	10	10	10
A. NOT OPERATED										
B. OPERATED	14	3.9	11	<1	<1	3	7	10	10	10
TOTAL 65-69 YRS	4	5.0	18	1	1	4	8	10	10	10
70-74	3	2.0	3	<1	<1	<1	3	4	4	4
75-79	4	5.3	16	2	2	5	8	10	10	10
80-84	3	2.3	1	1	1	3	3	3	3	3
85+										
GRAND TOTAL	**14**	**3.9**	**11**	**<1**	**<1**	**3**	**7**	**10**	**10**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	18.0	983	1	1	3	34	65	65	65
70-74	10	6.0	37	1	1	4	8	15	21	21
75-79	3	1.7	1	1	1	1	3	3	3	3
80-84	4	2.5		2	2	2	3	3	3	3
85+	2	27.5	685	9	9	27	46	46	46	46
B. *Operated*										
65-69 YRS	86	10.6	38	1	3	10	14	19	24	28
70-74	59	9.9	43	1	2	9	13	20	24	28
75-79	30	11.8	225	1	2	9	12	18	37	81
80-84	16	14.2	87	2	5	12	18	27	35	38
85+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.2	41	1	2	5	8	11	12	44
70-74	67	8.5	98	1	2	6	10	16	30	52
75-79	66	7.4	65	1	1	5	10	15	18	53
80-84	76	8.4	56	2	4	7	9	13	18	52
85+	61	9.1	70	2	3	7	11	16	27	49
B. *Operated*										
65-69 YRS	225	16.4	174	3	5	13	21	31	52	99+
70-74	217	19.1	230	2	4	16	24	39	60	92
75-79	158	19.3	208	3	6	16	25	41	58	97
80-84	65	20.4	243	4	5	17	26	38	53	88
85+	21	19.3	160	5	6	15	23	42	43	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	8.8	245	1	1	3	8	26	53	65
B. *Operated*	192	10.9	73	1	2	10	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*	319	8.0	67	2	2	6	9	14	18	51
B. *Operated*	686	18.4	206	3	5	15	23	38	53	99+
1. SINGLE DX	215	10.7	90	1	2	9	14	20	25	53
2. MULTIPLE DX	1005	15.1	185	2	3	11	20	32	45	90
A. NOT OPERATED	342	8.1	78	1	2	6	9	14	19	53
B. OPERATED	878	16.8	187	2	4	13	21	34	46	96
TOTAL 65-69 YRS	364	13.7	144	2	3	11	18	26	42	99
70-74	353	15.2	193	2	3	12	20	32	44	78
75-79	257	15.2	199	2	2	11	19	34	47	80
80-84	161	13.7	166	3	4	9	17	27	38	65
85+	85	12.1	122	2	3	8	14	27	42	49
GRAND TOTAL	**1220**	**14.3**	**171**	**2**	**3**	**11**	**18**	**30**	**44**	**83**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	121	3.5	2	1	2	3	4	5	6	9
70-74	64	3.5	2	2	2	3	4	5	6	7
75-79	49	3.9	3	2	2	3	5	6	7	9
80-84	14	4.8	20	1	1	4	5	8	17	19
85+	8	4.9	5	3	3	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	5.5	25	2	2	5	9	9	9	9
75-79	3	9.0	7	6	6	10	11	11	11	11
80-84	4	6.3	19	2	2	5	9	12	12	12
85+										
B. *Operated*										
65-69 YRS	176	4.4	11	2	2	4	5	7	8	15
70-74	138	5.4	24	2	3	4	6	9	14	30
75-79	85	5.3	17	2	2	4	6	8	14	25
80-84	30	7.8	72	2	3	5	8	12	23	47
85+	8	9.4	25	4	4	8	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	256	3.7	3	1	2	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	11	6.0	16	1	1	6	10	11	12	12
B. *Operated*	437	5.2	21	2	2	4	6	8	12	28
1. SINGLE DX	258	3.7	3	1	2	3	4	5	6	9
2. MULTIPLE DX	448	5.3	21	2	2	4	6	8	12	28
A. NOT OPERATED	13	5.5	15	1	1	4	9	11	12	12
B. OPERATED	693	4.7	15	2	2	4	5	7	10	22
TOTAL 65-69 YRS	300	4.0	7	1	2	4	5	6	8	12
70-74	204	4.8	18	2	2	4	5	7	10	26
75-79	138	4.9	13	2	2	4	6	8	11	20
80-84	48	6.8	53	2	2	5	7	12	19	47
85+	16	7.1	19	3	3	6	9	15	17	17
GRAND TOTAL	**706**	**4.7**	**15**	**2**	**2**	**4**	**5**	**8**	**10**	**22**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	33	6.8	33	2	3	5	9	14	18	29
70-74	26	6.4	17	2	3	5	9	11	16	17
75-79	15	6.5	8	2	3	6	9	10	11	11
80-84	6	5.3	5	2	2	5	7	8	8	8
85+	5	6.0	16	3	3	5	7	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	10.0	233	2	3	6	10	16	37	78
70-74	16	7.1	25	2	2	6	9	14	18	20
75-79	25	11.6	81	3	4	8	14	23	31	40
80-84	12	5.0	7	1	2	5	6	8	11	11
85+	5	17.0	205	7	7	12	22	42	42	42
B. *Operated*										
65-69 YRS	187	9.0	66	2	3	6	13	18	27	41
70-74	150	9.9	84	3	3	6	12	19	26	45
75-79	100	10.2	98	3	3	7	13	19	25	61
80-84	43	11.1	124	3	4	8	13	22	26	69
85+	13	15.1	108	3	5	16	21	25	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	85	6.5	20	2	3	5	9	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	82	9.6	115	2	3	7	11	19	25	66
B. *Operated*	493	9.9	85	3	3	7	13	19	26	48
1. SINGLE DX	85	6.5	20	2	3	5	9	12	15	25
2. MULTIPLE DX	575	9.8	89	2	3	7	13	19	26	49
A. NOT OPERATED	82	9.6	115	2	3	7	11	19	25	66
B. OPERATED	578	9.4	77	2	3	6	12	19	25	45
TOTAL 65-69 YRS	244	8.8	78	2	3	6	11	18	26	44
70-74	192	9.2	72	2	3	6	11	18	24	40
75-79	140	10.1	86	3	3	7	12	19	25	52
80-84	61	9.3	96	2	3	6	10	20	24	64
85+	23	13.5	116	3	4	9	20	25	41	42
GRAND TOTAL	**660**	**9.4**	**81**	**2**	**3**	**6**	**12**	**19**	**25**	**45**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	29	3.7	4	1	1	3	5	7	7	8
70-74	34	4.1	7	1	1	4	6	8	8	9
75-79	19	3.8	11	<1	<1	2	6	9	11	12
80-84	13	5.6	12	1	1	6	8	10	12	12
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	3	<1	<1	3	4	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	108	6.0	8	2	2	6	8	9	11	16
70-74	75	7.1	31	2	2	6	8	10	15	38
75-79	42	5.7	26	1	1	5	7	9	12	32
80-84	22	6.7	24	1	2	6	7	13	18	22
85+	11	8.2	86	1	1	7	8	21	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	96	4.2	7	1	1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	2	<1	<1	3	3	5	5	5
B. *Operated*	258	6.4	22	1	2	6	8	10	13	31
1. SINGLE DX	97	4.1	7	1	1	3	6	8	9	12
2. MULTIPLE DX	264	6.3	22	1	2	6	8	10	13	31
A. NOT OPERATED	7	2.9	1	<1	<1	3	3	5	5	5
B. OPERATED	354	5.8	19	1	2	6	7	9	12	22
TOTAL 65-69 YRS	141	5.4	8	1	2	6	7	8	9	14
70-74	110	6.1	25	1	2	6	8	10	12	30
75-79	61	5.1	22	<1	1	5	7	9	11	30
80-84	37	6.1	19	1	2	6	8	12	15	22
85+	12	7.9	79	1	2	6	8	19	32	34
GRAND TOTAL	**361**	**5.7**	**19**	**1**	**2**	**6**	**7**	**9**	**12**	**22**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.8	11	2	2	6	[illegible]	9	9	9
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	121	4.1	13	<1	1	3	6	8	11	18
70-74	125	4.1	12	<1	1	3	5	8	11	20
75-79	95	4.2	16	<1	<1	3	6	9	11	23
80-84	33	3.8	11	<1	1	3	5	10	12	13
85+	29	4.9	17	1	1	3	7	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	2.4	2	1	1	2	3	5	5	5
70-74	10	4.2	15	1	1	3	6	11	11	11
75-79	5	7.4	43	<1	<1	5	11	18	18	18
80-84	8	4.6	16	<1	<1	3	7	11	12	12
85+	2	17.5	25	14	14	17	21	21	21	21
B. *Operated*										
65-69 YRS	350	6.6	33	1	2	5	9	14	17	35
70-74	368	7.5	75	1	1	5	10	15	21	55
75-79	296	7.5	46	1	2	6	10	16	21	32
80-84	185	9.9	98	2	2	6	14	22	29	49
85+	120	8.0	73	1	1	5	10	19	22	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	10	1	1	3	7	9	9	9
B. *Operated*	403	4.2	14	<1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	36	4.9	25	<1	1	3	6	12	17	21
B. *Operated*	1319	7.6	61	1	2	5	10	16	22	40
1. SINGLE DX	410	4.2	13	<1	1	3	5	9	11	20
2. MULTIPLE DX	1355	7.6	61	1	2	5	10	16	22	39
A. NOT OPERATED	43	4.8	23	<1	1	3	7	11	15	21
B. OPERATED	1722	6.8	52	1	1	5	9	15	20	36
TOTAL 65-69 YRS	486	5.9	29	1	1	4	8	13	15	31
70-74	504	6.6	60	1	1	4	8	13	18	35
75-79	398	6.7	40	1	1	5	9	15	20	30
80-84	226	8.8	87	1	2	5	12	20	26	46
85+	151	7.6	64	1	1	5	10	19	22	65
GRAND TOTAL	**1765**	**6.8**	**52**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	3.1	11	<1	<1	2	4	7	9	19
70-74	40	3.7	10	1	1	3	5	8	11	14
75-79	27	3.9	33	<1	<1	2	4	6	15	30
80-84	19	4.0	17	1	1	2	5	8	14	18
85+	11	4.2	9	1	1	3	7	8	9	9
B. *Operated*										
65-69 YRS	282	4.3	17	<1	1	3	6	10	11	23
70-74	290	4.4	17	<1	1	3	6	10	11	19
75-79	166	4.7	18	<1	1	3	7	10	13	21
80-84	120	4.9	21	<1	1	3	7	11	14	22
85+	54	4.3	13	1	2	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	265	5.6	36	1	1	4	7	11	17	39
70-74	316	6.2	50	1	1	4	8	12	22	42
75-79	336	5.9	36	1	1	4	8	12	16	23
80-84	267	6.9	43	1	1	5	9	15	17	35
85+	216	8.7	107	1	2	6	11	18	22	57
B. *Operated*										
65-69 YRS	755	7.8	55	1	2	6	10	15	19	43
70-74	794	7.9	46	1	2	6	11	16	20	32
75-79	721	8.8	58	1	2	7	11	18	24	35
80-84	509	9.8	76	1	2	8	13	20	26	49
85+	338	9.9	72	2	2	8	13	19	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.6	16	<1	1	2	4	7	10	21
B. *Operated*	912	4.5	18	<1	1	3	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1400	6.6	52	1	1	4	8	13	19	38
B. *Operated*	3117	8.6	60	1	2	7	11	17	23	38
1. SINGLE DX	1048	4.4	17	<1	1	3	6	10	12	21
2. MULTIPLE DX	4517	8.0	58	1	2	6	10	16	22	38
A. NOT OPERATED	1536	6.3	50	1	1	4	8	13	18	37
B. OPERATED	4029	7.7	53	1	1	6	10	16	21	36
TOTAL 65-69 YRS	1341	6.5	45	1	1	5	9	13	18	38
70-74	1440	6.7	42	1	1	5	9	14	18	31
75-79	1250	7.4	49	1	1	5	10	16	21	33
80-84	915	8.2	62	1	1	6	11	17	23	36
85+	619	8.9	81	1	2	7	12	18	23	48
GRAND TOTAL	**5565**	**7.3**	**52**	**1**	**1**	**5**	**10**	**15**	**20**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.2	3	1	1	3	4	6	6	6
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	2.5	5	<1	<1	2	4	4	4	4
80-84	3	2.3	2	1	1	2	3	4	4	4
85+										
B. *Operated*										
65-69 YRS	158	3.7	3	1	2	4	5	5	6	10
70-74	96	3.4	2	1	2	3	4	5	6	7
75-79	70	4.0	3	2	2	4	5	7	7	9
80-84	19	4.1	6	1	2	3	5	7	9	11
85+	8	5.0	10	2	2	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	4.3	20	1	1	3	5	7	14	21
70-74	25	5.0	8	<1	1	5	7	8	11	11
75-79	31	5.2	16	<1	1	4	7	9	12	20
80-84	23	6.5	24	1	2	5	9	15	17	18
85+	19	4.9	7	1	2	4	6	8	11	13
B. *Operated*										
65-69 YRS	246	5.4	35	2	2	4	6	8	13	25
70-74	202	5.6	12	2	3	4	6	10	13	20
75-79	110	6.9	32	2	3	5	9	15	21	99+
80-84	55	8.2	52	2	3	6	10	15	24	41
85+	16	10.4	106	2	2	6	16	27	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	2	<1	<1	3	4	5	6	6
B. *Operated*	351	3.7	3	1	2	4	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	118	5.2	15	1	1	4	7	10	13	20
B. *Operated*	629	6.1	31	2	3	5	7	11	16	29
1. SINGLE DX	362	3.7	3	1	2	4	4	5	7	10
2. MULTIPLE DX	747	6.0	29	2	2	4	7	11	15	28
A. NOT OPERATED	129	5.0	14	1	1	4	6	9	13	20
B. OPERATED	980	5.3	22	2	2	4	6	9	13	26
TOTAL 65-69 YRS	429	4.7	23	1	2	4	5	8	9	18
70-74	324	4.9	10	2	2	4	6	8	11	17
75-79	213	5.6	21	2	2	4	7	11	16	59
80-84	100	6.8	38	2	2	5	9	14	17	35
85+	43	7.0	50	2	2	5	7	15	26	31
GRAND TOTAL	**1109**	**5.2**	**21**	**2**	**2**	**4**	**6**	**9**	**13**	**25**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	10	<1	1	3	5	10	12	12
70-74	8	3.8	7	1	1	3	4	8	10	10
75-79	11	5.8	6	2	2	6	8	9	9	9
80-84	14	4.7	8	1	2	4	8	8	10	10
85+	6	6.7	20	2	2	5	10	14	14	14
B. *Operated*										
65-69 YRS	52	4.1	6	1	2	3	5	7	10	13
70-74	28	3.6	2	1	2	4	4	6	7	7
75-79	15	4.3	5	1	2	4	5	8	9	10
80-84	1	29.0		29	29	29	29	29	29	29
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	285	6.9	28	2	3	6	9	12	16	23
70-74	283	9.1	52	2	3	8	11	16	20	40
75-79	274	8.8	72	3	3	7	10	16	21	61
80-84	186	9.2	53	3	3	7	13	18	22	33
85+	166	9.8	63	3	3	7	12	18	27	40
B. *Operated*										
65-69 YRS	116	6.8	37	1	2	5	8	15	18	34
70-74	98	10.5	138	2	3	6	14	25	30	68
75-79	71	10.0	91	2	3	7	12	24	28	50
80-84	45	15.8	276	2	4	12	19	30	46	97
85+	21	14.3	106	4	4	11	19	28	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.9	10	1	2	4	7	10	11	14
B. *Operated*	98	4.3	11	1	2	4	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	1194	8.6	53	2	3	7	10	16	20	40
B. *Operated*	351	10.1	118	2	3	6	13	21	29	54
1. SINGLE DX	155	4.5	10	1	2	4	5	8	10	14
2. MULTIPLE DX	1545	9.0	68	2	3	7	11	17	23	44
A. NOT OPERATED	1251	8.5	52	2	3	7	10	16	20	39
B. OPERATED	449	8.8	101	2	2	5	10	20	26	46
TOTAL 65-69 YRS	471	6.5	28	2	2	5	8	12	16	23
70-74	417	9.0	71	2	3	7	11	17	24	43
75-79	371	8.8	72	2	3	7	10	16	23	53
80-84	246	10.3	100	2	3	7	13	20	25	54
85+	195	10.2	68	3	3	8	13	19	28	42
GRAND TOTAL	**1700**	**8.6**	**65**	**2**	**3**	**6**	**10**	**17**	**22**	**42**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	6.3	22	1	1	5	8	11	14	25
70-74	16	6.5	15	3	3	5	7	13	16	17
75-79	14	7.4	35	1	3	6	8	13	22	25
80-84	9	8.1	17	4	4	7	9	15	17	17
85+	6	8.2	62	3	3	5	7	22	24	24
B. *Operated*										
65-69 YRS	5	4.4	8	2	2	3	7	8	8	8
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	273	6.4	15	2	3	6	8	11	14	22
70-74	245	6.1	15	2	3	5	7	10	13	22
75-79	179	6.9	20	2	3	6	9	12	16	23
80-84	122	7.9	44	2	3	6	9	13	18	43
85+	65	9.3	79	3	4	7	10	15	25	53
B. *Operated*										
65-69 YRS	40	13.3	143	1	2	10	18	24	38	57
70-74	37	11.2	47	2	3	9	15	21	26	30
75-79	16	10.8	27	1	2	13	15	18	71	99+
80-84	18	14.8	167	2	3	11	18	37	47	50
85+	7	12.4	23	5	6	11	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	6.8	24	1	2	6	8	12	17	25
B. *Operated*	9	5.0	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	884	6.8	25	2	3	6	8	11	15	28
B. *Operated*	118	12.5	93	2	2	10	17	22	29	70
1. SINGLE DX	92	6.7	23	1	2	6	8	12	17	25
2. MULTIPLE DX	1002	7.5	37	2	3	6	9	13	18	37
A. NOT OPERATED	967	6.8	25	2	3	6	8	12	15	27
B. OPERATED	127	11.9	90	2	2	10	16	22	28	66
TOTAL 65-69 YRS	356	7.1	35	2	2	6	8	13	17	27
70-74	300	6.8	21	2	3	6	8	12	17	28
75-79	210	7.2	22	2	3	6	10	13	16	27
80-84	149	8.7	61	2	3	7	10	16	22	46
85+	79	9.5	72	3	4	7	11	18	24	52
GRAND TOTAL	**1094**	**7.4**	**35**	**2**	**3**	**6**	**9**	**13**	**17**	**32**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	6.4	16	1	2	6	8	12	14	18
70-74	58	6.3	12	3	3	5	7	11	14	20
75-79	48	6.6	13	2	3	6	8	13	14	16
80-84	42	6.5	12	2	3	6	8	11	13	15
85+	16	6.7	24	1	1	6	8	14	18	20
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	827	8.6	47	2	3	7	11	15	20	37
70-74	759	8.6	33	3	3	7	11	15	20	30
75-79	685	9.7	63	3	3	8	12	18	21	47
80-84	527	9.8	53	2	3	8	12	19	23	37
85+	430	10.2	41	3	4	8	13	18	23	41
B. *Operated*										
65-69 YRS	139	18.6	195	6	7	14	23	38	47	95
70-74	128	19.1	229	6	7	15	22	39	64	99+
75-79	85	21.7	310	6	8	16	26	39	62	98
80-84	74	19.9	138	7	9	17	25	39	49	90
85+	45	20.0	231	5	7	15	24	37	56	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	6.5	14	2	3	6	8	12	14	18
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3228	9.2	47	3	3	8	11	17	21	37
B. *Operated*	471	19.6	219	6	7	15	24	39	52	98
1. SINGLE DX	236	6.5	14	2	3	6	8	12	14	18
2. MULTIPLE DX	3699	10.6	81	3	4	8	13	20	26	52
A. NOT OPERATED	3464	9.1	46	3	3	7	11	16	21	36
B. OPERATED	471	19.6	219	6	7	15	24	39	52	98
TOTAL 65-69 YRS	1038	9.8	77	2	3	7	12	19	25	47
70-74	945	9.9	72	3	3	8	12	18	24	45
75-79	818	10.7	100	3	3	8	13	19	26	62
80-84	643	10.7	71	2	4	9	13	21	26	49
85+	491	11.0	66	3	4	9	14	20	27	51
GRAND TOTAL	**3935**	**10.3**	**78**	**3**	**3**	**8**	**12**	**19**	**26**	**50**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	490	5.7	8	2	3	5	7	9	11	13
70-74	400	5.6	13	2	2	5	7	9	11	19
75-79	299	6.0	13	2	3	5	7	10	12	18
80-84	147	5.4	9	2	2	5	7	9	11	15
85+	89	6.7	17	2	2	6	8	12	16	21
B. *Operated*										
65-69 YRS	79	4.0	33	<1	1	2	3	10	13	35
70-74	65	5.6	54	1	1	2	6	16	19	41
75-79	47	3.6	17	<1	1	2	3	10	18	99+
80-84	21	5.1	29	1	2	2	5	15	16	17
85+	8	4.6	30	2	2	3	4	14	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6114	7.2	25	2	3	6	9	12	15	25
70-74	5838	7.6	30	2	3	6	9	13	16	28
75-79	4400	8.0	44	2	3	7	9	14	18	35
80-84	2737	8.5	47	3	3	7	10	15	19	37
85+	1684	8.9	64	2	3	7	10	16	22	53
B. *Operated*										
65-69 YRS	2421	15.0	189	2	3	11	19	32	46	99+
70-74	2258	16.0	198	2	4	12	21	34	46	90
75-79	1643	16.5	207	2	4	12	21	36	50	99+
80-84	929	16.9	204	3	4	13	22	35	48	99+
85+	516	18.0	207	4	6	14	23	40	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	5.8	11	2	2	5	7	10	12	17
B. *Operated*	220	4.5	35	1	1	2	4	13	17	41
2. MULTIPLE DX										
A. *Not Operated*	20773	7.8	37	2	3	6	9	13	17	32
B. *Operated*	7767	16.1	199	2	4	12	21	35	48	99+
1. SINGLE DX	1645	5.6	14	2	2	5	7	10	12	19
2. MULTIPLE DX	28540	10.0	95	2	3	7	12	20	28	64
A. NOT OPERATED	22198	7.6	35	2	3	6	9	13	17	31
B. OPERATED	7987	15.7	198	2	3	12	21	34	48	99+
TOTAL 65-69 YRS	9104	9.1	81	2	3	7	10	18	25	58
70-74	8561	9.7	88	2	3	7	11	19	27	56
75-79	6389	10.0	99	2	3	7	12	20	28	68
80-84	3834	10.4	97	2	3	8	12	20	29	67
85+	2297	10.9	109	2	3	8	13	22	33	84
GRAND TOTAL	**30185**	**9.8**	**91**	**2**	**3**	**7**	**11**	**19**	**27**	**62**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	2	9.5	25	6	6	9	13	13	13	13
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	2	9.5	25	6	6	9	13	13	13	13
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	3	8.7	14	6	6	7	11	13	13	13
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	3	8.3	16	6	6	6	11	13	13	13
TOTAL 65-69 YRS	3	8.3	16	6	6	6	11	13	13	13
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
GRAND TOTAL	**4**	**8.0**	**11**	**6**	**6**	**7**	**10**	**13**	**13**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	3.6	6	1	1	3	5	7	8	11
70-74	46	3.8	8	1	1	3	5	8	9	14
75-79	38	3.4	18	1	1	2	4	6	9	26
80-84	31	3.6	7	<1	1	3	5	8	9	10
85+	31	4.1	19	<1	1	3	5	9	11	23
B. *Operated*										
65-69 YRS	23	6.1	16	2	2	5	8	9	13	20
70-74	15	7.1	21	1	2	6	9	11	18	20
75-79	8	4.4	3	1	2	4	6	7	7	7
80-84	4	11.0	198	3	3	5	19	32	32	32
85+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1385	5.8	24	1	2	5	7	11	14	27
70-74	1574	6.2	39	1	2	5	8	12	16	29
75-79	1552	6.3	32	1	2	5	8	12	16	31
80-84	1193	6.7	32	1	2	5	8	13	17	31
85+	877	6.7	36	2	2	5	8	13	16	30
B. *Operated*										
65-69 YRS	223	11.3	123	3	3	8	15	22	35	72
70-74	232	11.0	87	2	3	8	14	25	30	50
75-79	193	12.2	143	2	3	9	15	24	36	99+
80-84	119	14.1	133	3	4	11	20	29	38	74
85+	63	16.9	235	3	5	12	20	40	52	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.7	11	1	1	3	5	8	9	19
B. *Operated*	52	6.6	27	2	2	6	8	10	19	32
2. MULTIPLE DX										
A. *Not Operated*	6581	6.3	33	1	2	5	8	12	16	29
B. *Operated*	830	12.3	130	3	3	9	15	25	36	77
1. SINGLE DX	248	4.3	16	1	1	3	5	8	10	23
2. MULTIPLE DX	7411	7.0	47	1	2	5	8	14	19	36
A. NOT OPERATED	6777	6.2	32	1	2	5	8	12	16	29
B. OPERATED	882	11.9	125	3	3	9	15	25	35	76
TOTAL 65-69 YRS	1681	6.5	40	1	2	5	8	12	17	34
70-74	1867	6.8	46	1	2	5	8	13	19	33
75-79	1791	6.9	47	1	2	5	8	13	18	36
80-84	1347	7.3	45	1	2	5	9	15	21	36
85+	973	7.3	55	2	2	5	9	14	19	41
GRAND TOTAL	**7659**	**6.9**	**46**	**1**	**2**	**5**	**8**	**13**	**19**	**36**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.0	22	1	1	5	9	13	13	13
70-74	6	6.7	43	3	3	4	5	19	20	20
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84	8	4.3	9	1	1	4	7	8	8	8
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	2	7.0	32	3	3	7	11	11	11	11
70-74	1	22.0		22	22	22	22	22	22	22
75-79	3	8.3	30	3	3	8	12	14	14	14
80-84										
85+	5	6.8	3	5	5	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	221	9.8	60	2	3	8	12	22	28	36
70-74	269	9.1	51	2	3	7	11	17	24	39
75-79	280	9.8	50	3	3	8	12	20	24	38
80-84	309	9.5	56	2	3	8	12	19	26	99+
85+	349	9.6	88	2	3	7	11	16	22	68
B. *Operated*										
65-69 YRS	118	16.8	190	2	3	14	22	34	43	70
70-74	129	14.4	104	4	4	11	19	27	34	50
75-79	135	15.9	197	3	4	11	20	36	45	75
80-84	137	14.9	186	3	4	11	18	34	51	99+
85+	154	13.4	129	3	4	10	18	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	20	1	1	5	8	11	16	20
B. *Operated*	11	8.6	31	3	3	8	10	17	22	22
2. MULTIPLE DX										
A. *Not Operated*	1428	9.5	62	2	3	8	12	18	25	44
B. *Operated*	673	15.0	160	3	4	11	19	31	44	86
1. SINGLE DX	33	6.6	25	1	2	5	8	13	19	22
2. MULTIPLE DX	2101	11.3	100	2	3	8	14	23	32	65
A. NOT OPERATED	1450	9.5	62	2	3	8	12	18	24	44
B. OPERATED	684	14.9	159	3	4	11	19	31	44	86
TOTAL 65-69 YRS	346	12.1	115	2	3	9	15	26	33	50
70-74	405	10.7	74	3	3	8	14	22	27	42
75-79	420	11.8	105	3	4	9	14	23	31	47
80-84	454	11.0	101	2	3	8	14	23	34	99+
85+	509	10.7	103	3	3	8	13	20	31	83
GRAND TOTAL	**2134**	**11.2**	**99**	**2**	**3**	**8**	**14**	**22**	**32**	**64**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.0	30	1	1	4	7	16	18	19
70-74	4	8.8	9	5	5	9	11	12	12	12
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84	2	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	17	10.3	38	5	6	8	12	21	25	26
70-74	5	10.0	38	4	4	8	16	17	17	17
75-79	2	10.5	41	6	6	10	15	15	15	15
80-84										
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	23	5.9	22	1	1	4	8	13	17	19
B. *Operated*	25	10.1	34	5	5	8	13	19	23	26
1. SINGLE DX	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX	48	8.1	32	1	2	6	10	17	20	26
A. NOT OPERATED	23	5.9	22	1	1	4	8	13	17	19
B. OPERATED	27	9.9	33	5	5	8	12	19	23	26
TOTAL 65-69 YRS	31	8.4	38	1	2	7	9	19	22	26
70-74	10	9.4	20	4	4	9	12	16	17	17
75-79	5	6.0	29	2	2	5	8	15	15	15
80-84	2	4.0		4	4	4	4	4	4	4
85+	2	5.5	1	5	5	5	6	6	6	6
GRAND TOTAL	**50**	**8.0**	**31**	**1**	**2**	**6**	**9**	**17**	**19**	**26**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	2.5	5	<1	<1	1	4	6	7	8
70-74	14	3.4	3	1	1	3	4	6	7	7
75-79	22	3.7	7	<1	1	3	5	8	9	10
80-84	15	5.2	14	1	1	4	8	10	13	14
85+	11	3.5	2	<1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	20	3.4	8	<1	<1	2	5	8	9	10
70-74	20	5.6	28	<1	<1	4	8	14	17	18
75-79	5	4.6	8	1	1	6	7	7	7	7
80-84	8	3.3	6	<1	<1	3	4	7	8	8
85+	1	11.0		11	11	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	392	7.2	42	<1	1	5	9	15	20	34
70-74	345	7.7	41	1	2	6	10	15	20	31
75-79	272	8.2	41	2	3	7	10	16	20	33
80-84	223	7.9	61	2	2	6	10	14	19	34
85+	172	9.0	78	2	3	7	10	18	25	65
B. *Operated*										
65-69 YRS	172	10.2	108	1	2	7	12	23	30	60
70-74	167	12.1	131	1	2	9	15	27	39	67
75-79	95	11.3	92	2	3	9	15	24	29	52
80-84	80	10.8	68	2	3	8	16	23	28	82
85+	42	14.7	181	2	3	10	18	30	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.6	7	<1	<1	3	5	7	9	13
B. *Operated*	54	4.4	17	<1	1	3	7	10	15	96
2. MULTIPLE DX										
A. *Not Operated*	1404	7.9	49	1	2	6	10	15	20	36
B. *Operated*	556	11.4	112	1	2	9	14	24	32	61
1. SINGLE DX	136	3.9	11	<1	<1	3	5	8	10	29
2. MULTIPLE DX	1960	8.9	70	1	2	7	11	18	25	46
A. NOT OPERATED	1486	7.6	48	1	2	6	9	15	20	35
B. OPERATED	610	10.8	108	1	2	8	14	24	32	63
TOTAL 65-69 YRS	604	7.8	62	<1	1	6	10	16	24	38
70-74	546	8.9	72	1	2	7	11	18	25	48
75-79	394	8.7	54	1	2	7	11	17	24	34
80-84	326	8.4	62	2	2	6	10	17	22	43
85+	226	9.8	100	2	3	7	11	19	31	76
GRAND TOTAL	**2096**	**8.5**	**67**	**1**	**2**	**7**	**10**	**17**	**24**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	4.9	9	2	2	4	6	10	11	15
70-74	24	4.5	10	1	2	3	6	9	12	13
75-79	22	3.4	4	1	1	3	5	7	8	8
80-84	14	3.8	6	<1	1	4	4	7	9	10
85+	23	5.1	17	1	1	3	7	11	15	15
B. *Operated*										
65-69 YRS	11	4.0	24	<1	<1	3	5	11	17	18
70-74	6	2.0	1	<1	<1	2	3	3	3	3
75-79	8	5.0	12	<1	<1	5	6	10	12	12
80-84	4	6.0	23	2	2	4	9	13	13	13
85+	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	5.9	17	2	2	5	7	11	15	20
70-74	269	5.9	16	2	2	5	7	10	13	22
75-79	231	6.5	23	2	2	6	8	12	14	34
80-84	200	6.4	40	1	2	5	8	11	15	32
85+	158	6.5	29	2	2	5	8	11	17	27
B. *Operated*										
65-69 YRS	65	7.5	64	1	2	5	8	15	22	47
70-74	53	9.7	102	1	2	8	11	17	25	65
75-79	53	8.1	33	2	2	7	10	15	21	30
80-84	42	10.5	56	1	2	9	16	25	51	99+
85+	18	15.1	116	4	5	11	20	33	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.5	10	1	2	4	6	9	11	15
B. *Operated*	32	4.1	15	<1	<1	3	5	8	13	18
2. MULTIPLE DX										
A. *Not Operated*	1081	6.2	24	2	2	5	8	11	14	26
B. *Operated*	231	9.3	71	1	2	7	11	19	30	72
1. SINGLE DX	152	4.4	11	1	1	4	6	9	12	15
2. MULTIPLE DX	1312	6.8	33	2	2	5	8	12	16	33
A. NOT OPERATED	1201	6.0	23	2	2	5	8	11	14	25
B. OPERATED	263	8.7	67	1	2	6	11	19	27	63
TOTAL 65-69 YRS	336	6.1	26	2	2	5	7	11	16	28
70-74	352	6.3	30	2	2	5	8	11	14	25
75-79	314	6.5	24	2	2	6	8	12	14	31
80-84	260	6.9	43	1	2	5	9	14	19	62
85+	202	7.1	41	2	2	5	8	15	19	35
GRAND TOTAL	**1464**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.6	16	1	1	4	6	9	12	24
70-74	77	4.5	38	1	1	3	5	7	11	41
75-79	90	5.0	14	1	2	4	6	9	13	20
80-84	91	5.2	30	1	2	4	6	9	15	35
85+	139	6.3	47	1	2	5	7	11	17	34
B. *Operated*										
65-69 YRS	4	15.3	324	3	3	8	25	42	42	42
70-74	5	13.0	95	3	3	13	18	28	28	28
75-79	3	3.7	2	2	2	4	5	5	5	5
80-84	2	6.5	5	5	5	6	8	8	8	8
85+	4	14.8	89	4	4	14	21	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4907	6.4	31	2	2	5	8	12	15	27
70-74	6433	6.7	36	2	2	5	8	12	16	31
75-79	7374	7.0	36	2	2	6	8	13	17	31
80-84	7283	7.7	45	2	3	6	9	14	19	38
85+	9292	8.1	55	2	3	6	10	15	19	43
B. *Operated*										
65-69 YRS	550	12.7	138	2	3	9	16	26	36	73
70-74	683	13.8	152	3	4	10	17	29	39	89
75-79	796	15.1	183	3	5	11	18	30	46	93
80-84	731	15.1	172	4	5	12	18	30	44	99+
85+	786	14.8	141	4	5	12	19	28	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	462	5.3	32	1	2	4	6	10	14	27
B. *Operated*	18	11.6	116	2	3	7	14	28	36	42
2. MULTIPLE DX										
A. *Not Operated*	35289	7.3	43	2	2	6	9	13	18	35
B. *Operated*	3546	14.4	159	3	4	11	18	29	41	98
1. SINGLE DX	480	5.5	36	1	2	4	6	10	15	30
2. MULTIPLE DX	38835	7.9	57	2	3	6	9	15	20	43
A. NOT OPERATED	35751	7.3	43	2	2	6	9	13	18	35
B. OPERATED	3564	14.4	159	3	4	11	18	29	41	98
TOTAL 65-69 YRS	5526	7.0	46	2	2	5	8	13	18	34
70-74	7198	7.3	52	2	2	5	9	14	19	40
75-79	8263	7.8	56	2	2	6	9	15	20	42
80-84	8107	8.3	61	2	3	6	10	15	21	47
85+	10221	8.6	65	2	3	7	10	16	21	48
GRAND TOTAL	**39315**	**7.9**	**57**	**2**	**2**	**6**	**9**	**15**	**20**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	3.7	4	1	2	3	5	6	7	11
70-74	41	4.1	5	1	2	3	5	7	9	10
75-79	37	3.4	5	<1	<1	3	5	6	7	10
80-84	40	3.4	6	<1	1	3	4	6	7	15
85+	48	3.5	8	1	1	2	5	7	8	16
B. *Operated*										
65-69 YRS	14	5.9	15	2	2	5	8	10	15	17
70-74	13	5.5	8	3	3	4	6	11	12	12
75-79	17	6.9	10	2	3	6	10	11	12	13
80-84	7	3.1		3	3	3	3	4	4	4
85+	8	4.4	6	1	2	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	722	5.6	22	1	2	5	7	10	13	23
70-74	918	5.5	19	1	2	5	7	10	12	19
75-79	1116	5.8	32	1	2	5	7	10	13	30
80-84	1149	6.1	23	1	2	5	8	11	14	24
85+	1346	6.2	32	1	2	5	8	12	14	31
B. *Operated*										
65-69 YRS	329	8.6	48	2	3	7	10	16	21	32
70-74	458	8.4	34	3	3	7	10	15	19	31
75-79	471	9.0	57	3	3	7	11	16	22	34
80-84	411	8.8	37	2	3	8	11	16	20	38
85+	314	10.1	48	3	4	8	13	18	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.6	6	<1	1	3	5	6	8	13
B. *Operated*	59	5.6	10	2	3	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	5251	5.9	26	1	2	5	7	11	14	26
B. *Operated*	1983	8.9	45	3	3	7	11	16	21	36
1. SINGLE DX	260	4.1	7	1	1	3	5	7	10	15
2. MULTIPLE DX	7234	6.7	33	1	2	6	8	12	16	31
A. NOT OPERATED	5452	5.8	26	1	2	5	7	10	13	25
B. OPERATED	2042	8.8	44	3	3	7	11	16	21	36
TOTAL 65-69 YRS	1100	6.4	31	1	2	5	8	12	15	28
70-74	1430	6.3	26	1	2	5	8	11	15	25
75-79	1641	6.7	41	1	2	5	8	12	16	32
80-84	1607	6.7	28	1	2	6	8	12	16	30
85+	1716	6.8	37	1	2	5	8	13	17	33
GRAND TOTAL	**7494**	**6.6**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	6	2	2	3	7	7	7	7
70-74										
75-79	3	5.3	10	3	3	4	8	9	9	9
80-84										
85+	4	4.5	7	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS										
70-74	1	20.0		20	20	20	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.9	46	1	2	4	6	8	23	31
70-74	5	5.2	14	1	1	5	7	11	11	11
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	4	6.3	9	3	3	6	8	10	10	10
B. *Operated*										
65-69 YRS	3	41.0	2532	9	9	15	78	99	99	99+
70-74										
75-79	1	31.0		31	31	31	31	31	31	31
80-84	1	10.0		10	10	10	10	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	6	2	2	4	7	8	9	9
B. *Operated*	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	27	5.8	32	1	2	5	7	10	14	31
B. *Operated*	5	32.8	1447	9	9	15	48	99	99	99+
1. SINGLE DX	13	5.8	24	2	2	4	7	11	18	20
2. MULTIPLE DX	32	10.0	312	1	2	5	9	20	31	99
A. NOT OPERATED	39	5.5	24	1	2	5	7	9	11	31
B. OPERATED	6	30.7	1185	9	9	17	31	92	99	99+
TOTAL 65-69 YRS	25	9.8	381	1	2	5	7	15	48	99
70-74	6	7.7	48	1	1	5	11	19	20	20
75-79	5	10.4	138	3	3	5	14	31	31	31
80-84	1	10.0		10	10	10	10	10	10	10
85+	8	5.4	8	2	2	5	7	9	10	10
GRAND TOTAL	**45**	**8.8**	**230**	**2**	**2**	**5**	**8**	**15**	**31**	**99**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	2.3	4	<1	<1	1	3	5	7	8
70-74	129	3.0	13	<1	<1	2	4	5	7	26
75-79	214	2.7	6	<1	1	2	3	6	7	14
80-84	155	2.9	7	1	1	2	4	8	9	12
85+	184	3.2	11	<1	1	2	4	7	10	17
B. *Operated*										
65-69 YRS	43	5.7	19	1	2	4	7	11	16	20
70-74	40	6.2	11	2	2	6	8	10	12	18
75-79	48	6.2	45	2	2	4	6	12	17	39
80-84	42	5.5	11	1	2	5	7	11	12	15
85+	29	6.4	10	2	2	7	8	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1649	4.9	27	1	1	3	6	11	14	24
70-74	2034	4.8	24	1	1	3	6	10	13	23
75-79	1998	5.2	28	1	1	4	7	11	15	27
80-84	1863	5.7	37	1	1	4	7	12	16	32
85+	2277	5.7	34	1	1	4	7	12	16	31
B. *Operated*										
65-69 YRS	590	9.8	76	2	3	8	12	18	22	55
70-74	740	10.0	78	2	3	8	13	20	26	56
75-79	758	10.0	85	2	3	8	12	20	27	52
80-84	702	10.3	71	2	3	8	13	19	25	45
85+	616	10.5	85	2	3	8	13	20	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	816	2.8	8	<1	<1	2	4	6	8	13
B. *Operated*	202	6.0	21	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	9821	5.3	30	1	1	4	7	11	15	27
B. *Operated*	3406	10.1	79	2	3	8	13	19	26	55
1. SINGLE DX	1018	3.5	12	<1	1	2	4	7	10	16
2. MULTIPLE DX	13227	6.5	47	1	1	5	8	14	18	36
A. NOT OPERATED	10637	5.1	29	1	1	4	7	11	14	27
B. OPERATED	3608	9.9	77	2	3	8	12	19	25	53
TOTAL 65-69 YRS	2416	6.0	43	1	1	4	8	13	17	33
70-74	2943	6.1	42	1	1	4	8	13	18	32
75-79	3018	6.2	46	1	1	4	8	13	18	36
80-84	2762	6.7	48	1	1	5	9	14	19	35
85+	3106	6.5	47	1	1	5	8	13	18	38
GRAND TOTAL	**14245**	**6.3**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	7.0	2	6	6	7	8	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	7.4	12	2	3	7	9	12	13	13
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	6.5	1	6	6	6	7	7	7	7
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	50.0		50	50	50	50	50	50	50
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	6.8	11	2	3	7	9	12	13	13
B. *Operated*	3	20.7	646	5	5	7	39	50	50	50
1. SINGLE DX	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX	15	9.6	134	2	3	7	9	13	41	50
A. NOT OPERATED	14	6.9	10	2	3	7	9	11	13	13
B. OPERATED	3	20.7	646	5	5	7	39	50	50	50
TOTAL 65-69 YRS	8	7.4	10	2	3	7	9	12	13	13
70-74	4	7.5	7	5	5	7	9	11	11	11
75-79	2	26.5	1105	3	3	26	50	50	50	50
80-84	2	6.5	1	6	6	6	7	7	7	7
85+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**17**	**9.3**	**118**	**2**	**3**	**7**	**9**	**13**	**37**	**50**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	4.3	19	1	1	2	6	10	15	18
70-74	34	3.1	6	1	1	2	4	7	9	9
75-79	33	3.8	14	<1	<1	2	5	9	13	14
80-84	17	4.1	7	<1	1	3	6	9	10	10
85+	15	5.9	29	1	1	5	7	15	19	20
B. *Operated*										
65-69 YRS	51	7.3	44	2	2	7	8	12	12	48
70-74	39	7.8	25	1	2	7	10	13	19	25
75-79	26	7.5	40	2	2	5	9	15	22	27
80-84	15	8.3	23	2	2	8	11	16	17	18
85+	13	7.1	12	2	3	7	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	795	6.0	24	1	1	5	8	11	15	25
70-74	786	6.5	31	1	2	5	9	13	16	32
75-79	675	6.6	42	1	1	5	8	13	18	32
80-84	468	6.8	36	1	1	5	9	14	18	33
85+	381	6.7	51	1	2	5	9	13	16	44
B. *Operated*										
65-69 YRS	438	11.2	80	3	4	9	14	22	27	47
70-74	459	11.7	99	2	3	9	14	22	31	52
75-79	419	12.6	129	2	4	9	15	24	33	66
80-84	313	13.8	120	3	4	11	18	27	35	68
85+	216	11.2	68	3	4	9	13	21	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.0	14	1	1	3	5	9	12	18
B. *Operated*	144	7.5	32	2	2	7	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	3105	6.4	35	1	1	5	8	13	16	30
B. *Operated*	1845	12.1	102	3	4	9	15	23	31	57
1. SINGLE DX	274	5.9	27	1	1	5	8	12	15	24
2. MULTIPLE DX	4950	8.5	67	1	2	6	11	17	23	41
A. NOT OPERATED	3235	6.4	34	1	1	5	8	12	16	30
B. OPERATED	1989	11.7	98	2	4	9	14	22	30	57
TOTAL 65-69 YRS	1315	7.7	49	1	2	6	10	15	21	35
70-74	1318	8.3	61	1	2	6	10	16	22	39
75-79	1153	8.7	81	1	2	6	11	18	24	47
80-84	813	9.4	79	1	2	7	12	20	28	42
85+	625	8.2	60	1	2	6	10	15	21	51
GRAND TOTAL	**5224**	**8.4**	**65**	**1**	**2**	**6**	**10**	**17**	**23**	**41**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	4.4	2	3	3	4	6	6	6	6
70-74	6	6.5	28	2	2	4	12	14	14	14
75-79	4	4.8	5	2	2	5	6	7	7	7
80-84	3	2.3		2	2	2	3	3	3	3
85+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
65-69 YRS	3	12.0	73	3	3	13	18	20	20	20
70-74	4	7.3	11	4	4	7	10	11	11	11
75-79	3	11.7	5	9	9	13	13	13	13	13
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	7.5	41	3	3	7	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	4	1	1	2	4	6	6	6
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	25	4.6	9	2	2	4	6	7	12	14
B. *Operated*	13	9.2	26	3	3	9	13	15	19	20
1. SINGLE DX	6	2.8	3	1	1	2	3	6	6	6
2. MULTIPLE DX	38	6.2	19	2	2	5	9	13	14	20
A. NOT OPERATED	30	4.3	8	2	2	4	6	7	12	14
B. OPERATED	14	8.8	27	3	3	9	13	14	19	20
TOTAL 65-69 YRS	14	5.6	25	1	2	4	6	14	19	20
70-74	13	6.1	17	2	2	5	9	12	14	14
75-79	7	7.7	18	2	2	7	12	13	13	13
80-84	5	3.0	2	2	2	3	4	5	5	5
85+	5	5.0	16	2	2	4	6	12	12	12
GRAND TOTAL	**44**	**5.7**	**18**	**2**	**2**	**4**	**7**	**13**	**14**	**20**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.0	9	1	1	2	2	8	9	9
70-74	8	1.8	1	<1	<1	2	2	3	3	3
75-79	7	2.3	2	<1	<1	2	3	5	5	5
80-84	5	2.4	4	<1	<1	1	4	5	5	5
85+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	6	9.5	49	4	4	7	12	21	22	22
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	3	6.7	17	2	2	8	9	10	10	10
85+	5	5.4	3	3	3	5	6	8	8	8
B. *Operated*										
65-69 YRS	20	3.3	9	<1	1	3	4	7	11	13
70-74	28	4.8	15	1	1	3	7	10	14	15
75-79	12	6.6	183	1	1	2	5	20	45	49
80-84	7	7.9	96	1	1	2	14	24	26	26
85+	4	12.0	45	4	4	13	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	29	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	17	7.3	23	2	3	6	9	12	18	22
B. *Operated*	71	5.4	52	1	1	3	7	13	17	44
1. SINGLE DX	30	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	88	5.7	47	1	1	3	8	13	17	40
A. NOT OPERATED	18	7.1	22	2	3	6	9	11	18	22
B. OPERATED	100	4.5	40	<1	1	2	5	9	16	37
TOTAL 65-69 YRS	27	3.2	8	<1	1	3	3	8	10	13
70-74	43	4.8	21	<1	1	3	7	11	14	22
75-79	21	5.3	107	<1	1	2	5	9	27	49
80-84	15	5.8	51	<1	1	2	7	17	24	26
85+	12	6.8	30	2	2	5	8	17	18	18
GRAND TOTAL	**118**	**4.9**	**38**	**1**	**1**	**3**	**6**	**10**	**16**	**33**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	12.1	130	1	1	8	18	28	36	43
70-74	30	12.3	181	1	1	6	16	35	45	47
75-79	26	8.6	51	1	1	6	12	22	23	25
80-84	28	8.8	63	1	1	6	12	23	26	27
85+	26	6.7	63	1	2	5	8	13	51	99+
B. *Operated*										
65-69 YRS										
70-74	1	12.0		12	12	12	12	12	12	12
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	279	10.6	101	2	2	7	13	26	33	50
70-74	302	10.5	105	2	2	7	13	24	34	61
75-79	347	9.5	88	2	2	6	12	21	28	47
80-84	306	9.2	113	2	2	6	10	19	25	65
85+	315	7.1	41	1	2	6	9	13	19	39
B. *Operated*										
65-69 YRS	42	13.5	213	2	3	9	18	28	51	68
70-74	44	10.4	84	1	1	9	14	27	39	99+
75-79	40	12.8	180	1	1	10	17	30	32	74
80-84	36	11.7	178	1	1	7	17	26	29	72
85+	31	10.3	147	1	1	7	14	34	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	9.6	100	1	1	6	13	25	29	57
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1549	9.3	91	2	2	6	12	20	28	52
B. *Operated*	193	11.8	158	1	1	9	16	28	40	88
1. SINGLE DX	132	9.6	98	1	1	6	12	25	29	56
2. MULTIPLE DX	1742	9.6	99	1	2	6	12	21	30	59
A. NOT OPERATED	1679	9.4	91	1	2	6	12	21	28	51
B. OPERATED	195	11.8	157	1	1	9	16	28	40	88
TOTAL 65-69 YRS	341	11.1	117	2	2	7	14	26	34	59
70-74	377	10.6	108	1	2	7	14	26	35	63
75-79	413	9.8	95	1	2	7	13	21	28	49
80-84	371	9.4	115	1	2	6	11	20	26	67
85+	372	7.3	51	1	2	6	9	14	20	47
GRAND TOTAL	**1874**	**9.6**	**98**	**1**	**2**	**6**	**12**	**21**	**29**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	11.1	171	1	2	7	14	24	43	99+
70-74	165	10.6	155	1	2	7	13	23	39	98
75-79	243	11.1	144	2	2	7	14	26	37	99+
80-84	239	11.7	156	1	2	7	16	29	43	99+
85+	238	10.3	158	1	2	6	12	22	35	81
B. *Operated*										
65-69 YRS	6	6.2	27	2	2	5	7	15	16	16
70-74	7	12.9	636	2	2	3	5	57	70	70
75-79	3	6.7	26	1	1	8	10	11	11	11
80-84	4	10.3	75	2	2	8	16	22	22	22
85+	3	4.3	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	782	11.9	127	2	3	8	16	25	33	97
70-74	1394	11.5	130	2	3	8	15	25	37	99+
75-79	1903	11.4	148	2	3	8	14	25	41	99+
80-84	2010	11.3	159	2	3	8	13	25	46	99+
85+	2028	10.7	140	2	3	7	12	24	40	99+
B. *Operated*										
65-69 YRS	92	15.9	191	2	4	12	24	36	42	99+
70-74	144	16.8	222	3	4	12	26	43	89	99+
75-79	210	18.0	246	3	5	13	23	43	65	99+
80-84	175	17.8	262	3	4	15	27	61	99+	99+
85+	186	16.8	238	3	4	12	23	47	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	11.0	155	1	2	7	14	26	38	99
B. *Operated*	23	8.7	203	1	2	5	8	17	39	70
2. MULTIPLE DX										
A. *Not Operated*	8117	11.3	143	2	3	8	14	25	40	99+
B. *Operated*	807	17.2	236	3	4	13	24	43	84	99+
1. SINGLE DX	1018	10.9	156	1	2	7	14	26	38	99
2. MULTIPLE DX	8924	11.8	155	2	3	8	15	27	43	99+
A. NOT OPERATED	9112	11.2	145	2	3	8	14	25	40	99+
B. OPERATED	830	17.0	237	3	4	13	24	43	81	99+
TOTAL 65-69 YRS	990	12.1	139	2	3	8	16	27	36	99+
70-74	1710	11.9	144	2	3	8	15	27	40	99+
75-79	2359	12.0	159	2	3	8	14	27	43	99+
80-84	2428	11.8	168	2	3	8	15	28	48	99+
85+	2455	11.1	152	2	3	7	13	25	42	99+
GRAND TOTAL	**9942**	**11.7**	**155**	**2**	**3**	**8**	**14**	**27**	**43**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	14.5	192	4	4	9	14	39	42	42
70-74	15	11.5	51	3	4	10	15	23	27	28
75-79	18	10.7	88	3	3	6	16	28	33	33
80-84	9	13.4	221	1	2	8	15	39	48	48
85+	9	8.2	32	3	3	6	14	17	17	17
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	11.0	118	2	3	8	14	25	46	99+
70-74	203	12.2	101	2	3	9	16	26	41	99+
75-79	216	12.5	155	3	3	9	16	26	41	99+
80-84	213	13.1	244	2	3	8	15	39	93	99+
85+	191	10.4	107	2	3	8	13	25	34	99+
B. *Operated*										
65-69 YRS	16	14.1	72	3	5	14	20	27	28	28
70-74	19	16.8	189	3	4	12	21	40	49	53
75-79	28	19.1	246	3	5	16	22	55	59	99+
80-84	25	17.1	280	5	5	13	23	77	99+	99+
85+	22	16.0	237	4	6	10	17	39	59	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	11.4	96	3	3	8	14	25	33	48
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	932	11.9	150	2	3	8	15	27	47	99+
B. *Operated*	110	16.9	212	3	5	13	21	45	57	99+
1. SINGLE DX	58	11.3	95	3	3	8	14	25	33	48
2. MULTIPLE DX	1042	12.5	158	2	3	9	16	28	52	99+
A. NOT OPERATED	989	11.9	146	2	3	8	15	27	45	99+
B. OPERATED	111	16.8	211	3	5	13	21	44	57	99+
TOTAL 65-69 YRS	131	11.6	115	2	3	9	15	26	44	99+
70-74	237	12.5	105	2	3	10	17	26	41	99+
75-79	263	13.0	163	3	3	9	17	27	44	99+
80-84	247	13.5	246	2	3	9	17	40	94	99+
85+	222	10.9	119	2	3	8	14	25	35	99+
GRAND TOTAL	**1100**	**12.4**	**155**	**2**	**3**	**9**	**16**	**28**	**49**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.7	28	1	2	5	6	10	16	31
70-74	12	11.0	208	2	2	4	15	33	48	50
75-79	9	6.6	40	2	2	5	6	16	23	23
80-84	7	7.6	35	2	2	6	15	75	99+	99+
85+										
B. *Operated*										
65-69 YRS	1	24.0		24	24	24	24	24	24	24
70-74										
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	608	8.9	89	2	2	6	11	21	27	85
70-74	364	9.1	101	2	2	6	11	19	24	68
75-79	181	9.7	77	2	3	7	12	19	26	62
80-84	77	9.6	145	1	2	6	11	17	25	65
85+	24	11.8	223	1	2	7	16	46	73	99+
B. *Operated*										
65-69 YRS	38	19.1	292	4	5	15	24	60	90	99+
70-74	25	14.8	98	4	5	12	18	33	37	38
75-79	28	16.5	175	3	4	15	22	32	69	99+
80-84	6	33.8	783	11	12	21	45	82	86	86
85+	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	7.0	64	2	2	5	7	17	27	91
B. *Operated*	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	1254	9.2	96	2	2	6	11	20	27	69
B. *Operated*	98	18.2	244	4	5	15	22	41	74	99+
1. SINGLE DX	68	7.4	68	2	2	5	7	18	26	90
2. MULTIPLE DX	1352	9.8	112	2	2	6	12	21	29	86
A. NOT OPERATED	1320	9.1	95	2	2	6	11	19	27	72
B. OPERATED	100	18.2	239	4	5	15	22	39	73	99+
TOTAL 65-69 YRS	685	9.3	103	2	2	6	11	21	28	94
70-74	401	9.6	105	2	2	6	12	20	26	67
75-79	219	10.5	93	2	3	7	13	23	28	78
80-84	90	11.1	208	2	2	7	13	21	57	94
85+	25	12.0	215	1	2	7	18	44	71	99+
GRAND TOTAL	**1420**	**9.7**	**110**	**2**	**2**	**6**	**12**	**21**	**29**	**88**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	8.5	18	2	3	8	11	14	15	15
70-74	12	5.3	32	1	2	3	4	16	19	19
75-79	12	7.6	29	3	3	6	9	18	19	19
80-84	4	3.3	2	2	2	3	4	5	5	5
85+	12	3.6	3	2	2	3	5	6	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	8.1	47	2	2	6	10	17	22	36
70-74	199	7.6	56	2	2	5	9	16	19	44
75-79	215	7.6	39	1	2	6	10	16	23	29
80-84	158	7.3	27	2	2	6	10	14	18	26
85+	125	6.6	45	1	2	5	8	13	20	66
B. *Operated*										
65-69 YRS	22	10.4	220	<1	1	7	11	16	41	73
70-74	20	13.3	160	1	3	8	15	38	44	44
75-79	10	20.6	620	2	3	12	16	67	69	69
80-84	17	10.4	26	3	4	9	14	17	20	21
85+	6	16.7	188	3	3	13	20	40	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.8	21	2	2	4	7	14	17	19
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	926	7.5	43	2	2	6	10	16	20	33
B. *Operated*	75	13.0	210	1	2	9	15	21	44	72
1. SINGLE DX	49	5.7	22	2	2	4	7	14	17	19
2. MULTIPLE DX	1001	7.9	58	2	2	6	10	16	21	42
A. NOT OPERATED	974	7.5	42	2	2	5	9	15	20	33
B. OPERATED	76	12.8	209	1	2	9	14	21	44	72
TOTAL 65-69 YRS	259	8.3	60	1	2	6	10	17	22	38
70-74	231	7.9	66	2	2	5	10	16	20	47
75-79	238	8.2	67	1	2	6	10	17	23	37
80-84	179	7.5	27	2	2	6	10	15	18	25
85+	143	6.7	51	1	2	5	8	13	20	58
GRAND TOTAL	**1050**	**7.8**	**56**	**2**	**2**	**6**	**10**	**16**	**21**	**42**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	112	15.3	172	1	2	12	21	32	50	99+
70-74	46	20.7	221	2	3	19	29	43	59	99+
75-79	21	19.1	190	4	7	16	27	51	74	99+
80-84	11	17.4	91	2	5	15	22	31	36	36
85+	7	16.0	460	3	3	7	22	54	61	61
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	206	19.5	192	4	6	17	27	40	64	99+
70-74	134	20.3	277	3	4	16	29	49	80	99+
75-79	74	21.0	278	3	5	18	27	38	59	80
80-84	36	14.3	156	2	3	12	19	40	85	99+
85+	15	12.9	64	1	3	11	19	26	26	26
B. *Operated*										
65-69 YRS	19	22.4	168	7	10	20	35	45	73	99+
70-74	8	24.6	83	9	15	32	83	99+	99+	99+
75-79	8	26.3	281	10	11	26	29	53	63	63
80-84	2	23.5	1	23	23	23	24	24	24	24
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	17.1	192	2	3	15	23	36	57	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	465	19.3	225	3	5	16	27	40	67	99+
B. *Operated*	37	23.8	157	9	11	23	35	78	99+	99+
1. SINGLE DX	197	17.1	192	2	3	15	23	36	57	99+
2. MULTIPLE DX	502	19.7	221	3	5	16	27	43	68	99+
A. NOT OPERATED	662	18.7	216	3	4	16	26	39	61	99+
B. OPERATED	37	23.8	157	9	11	23	35	78	99+	99+
TOTAL 65-69 YRS	337	18.3	188	3	4	15	26	40	54	99+
70-74	188	20.6	254	3	4	18	30	50	88	99+
75-79	103	21.0	258	3	6	18	28	41	62	91
80-84	49	15.3	137	2	3	14	22	34	63	99+
85+	22	13.9	177	2	3	10	19	26	40	61
GRAND TOTAL	**699**	**18.9**	**214**	**3**	**4**	**16**	**26**	**40**	**63**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	14.0		14	14	14	14	14	14	14
70-74	2	36.0	200	26	26	36	46	46	46	46
75-79	3	12.0	36	6	6	12	16	18	18	18
80-84	3	13.0	21	8	8	14	16	17	17	17
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	14.9	97	3	6	11	17	31	38	39
70-74	6	13.3	41	5	6	15	22	85	99+	99+
75-79	4	12.0	79	3	3	11	19	23	23	23
80-84	3	9.3	52	<1	<1	13	14	14	14	14
85+	3	8.7	25	4	4	8	12	14	14	14
B. *Operated*										
65-69 YRS										
70-74	1	23.0		23	23	23	23	23	23	23
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	17.5	131	6	7	14	18	36	46	46
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	12.8	66	2	3	12	15	25	45	99+
B. *Operated*	1	23.0		23	23	23	23	23	23	23
1. SINGLE DX	10	17.5	131	6	7	14	18	36	46	46
2. MULTIPLE DX	28	13.2	67	3	4	13	16	25	42	99+
A. NOT OPERATED	37	14.1	84	3	4	14	17	26	43	99+
B. OPERATED	1	23.0		23	23	23	23	23	23	23
TOTAL 65-69 YRS	13	14.8	81	4	8	14	16	28	37	39
70-74	9	19.4	149	5	7	19	26	73	99+	99+
75-79	7	12.0	51	3	4	12	17	22	23	23
80-84	6	11.2	33	<1	1	13	14	17	17	17
85+	3	8.7	25	4	4	8	12	14	14	14
GRAND TOTAL	**38**	**14.3**	**84**	**3**	**4**	**14**	**18**	**26**	**43**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	166	16.4	144	3	4	13	21	34	42	70
70-74	103	16.9	214	1	3	14	23	38	53	87
75-79	47	18.4	282	2	4	15	19	38	55	84
80-84	14	14.3	344	2	4	10	14	22	65	77
85+	12	12.7	170	<1	1	8	20	33	40	41
B. *Operated*										
65-69 YRS	2	15.0	32	11	11	15	19	19	19	19
70-74	1	14.0		14	14	14	14	14	14	14
75-79	1	31.0		31	31	31	31	31	31	31
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	401	17.7	196	3	4	14	25	37	45	75
70-74	271	18.4	222	3	4	16	24	41	61	99+
75-79	132	18.5	340	3	4	13	24	56	96	99+
80-84	64	15.5	216	3	4	11	20	37	52	97
85+	43	16.8	318	3	3	11	25	47	95	99+
B. *Operated*										
65-69 YRS	34	30.2	335	9	12	26	34	50	75	93
70-74	16	32.4	438	11	14	24	46	56	79	89
75-79	10	28.3	366	5	7	29	40	83	99	99+
80-84	4	46.0	616	16	16	47	65	74	74	74
85+	1	93.0		93	93	93	93	93	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	16.6	192	2	4	14	21	35	45	78
B. *Operated*	4	18.8	78	11	11	16	25	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	911	17.8	231	3	4	14	24	38	56	99+
B. *Operated*	65	32.4	430	8	12	28	41	70	90	99
1. SINGLE DX	346	16.6	190	2	4	14	21	35	44	77
2. MULTIPLE DX	976	18.8	257	3	4	14	26	42	57	99+
A. NOT OPERATED	1253	17.5	220	3	4	14	23	38	53	99+
B. OPERATED	69	31.6	418	8	12	27	38	64	89	99
TOTAL 65-69 YRS	603	18.0	197	3	4	14	25	36	45	79
70-74	391	18.5	235	2	4	15	24	42	56	99+
75-79	190	19.1	327	3	4	14	25	52	88	99+
80-84	82	16.8	290	3	4	12	20	43	63	93
85+	56	17.3	386	2	3	10	27	45	94	99+
GRAND TOTAL	**1322**	**18.2**	**240**	**3**	**4**	**14**	**25**	**39**	**56**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	776	18.8	162	3	5	17	26	36	44	62
70-74	620	20.4	215	3	5	17	28	40	52	79
75-79	446	19.9	173	3	5	18	27	37	46	63
80-84	190	20.0	205	3	5	19	28	37	44	73
85+	85	16.5	124	3	5	13	22	34	37	53
B. *Operated*										
65-69 YRS	3	27.3	100	16	16	31	34	35	35	35
70-74	3	36.3	641	17	17	27	55	65	65	65
75-79	2	4.5	1	4	4	5	76	99+	99+	99+
80-84	6	25.8	163	13	13	23	38	42	43	43
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2341	19.4	215	3	5	16	26	39	49	82
70-74	2305	20.2	228	3	5	17	28	40	50	76
75-79	1756	20.7	243	3	5	17	28	42	52	78
80-84	845	19.5	259	3	4	15	27	40	53	94
85+	389	19.2	233	3	5	14	27	38	50	82
B. *Operated*										
65-69 YRS	228	26.6	340	6	9	22	35	55	72	99+
70-74	207	28.5	362	6	9	25	37	62	72	99+
75-79	156	28.9	357	7	9	25	40	61	76	99+
80-84	81	29.1	336	8	10	26	38	54	59	95
85+	36	26.6	361	7	8	21	37	69	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2117	19.5	183	3	5	17	26	37	46	71
B. *Operated*	14	25.4	272	4	5	27	37	65	91	99+
2. MULTIPLE DX										
A. *Not Operated*	7636	19.9	231	3	5	16	27	40	50	80
B. *Operated*	708	28.0	350	7	9	24	37	58	72	99+
1. SINGLE DX	2131	19.6	183	3	5	17	27	37	46	71
2. MULTIPLE DX	8344	20.6	246	3	5	17	28	42	53	86
A. NOT OPERATED	9753	19.8	221	3	5	17	27	39	50	78
B. OPERATED	722	27.9	348	6	9	24	37	59	72	99+
TOTAL 65-69 YRS	3348	19.7	215	3	5	17	27	39	49	82
70-74	3135	20.8	239	3	5	18	28	41	53	79
75-79	2360	21.0	241	3	5	18	29	43	54	84
80-84	1122	20.4	261	3	5	16	28	40	53	91
85+	510	19.3	228	3	5	15	27	39	51	88
GRAND TOTAL	**10475**	**20.4**	**234**	**3**	**5**	**17**	**28**	**41**	**52**	**83**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	276	17.4	170	3	5	15	22	31	45	72
70-74	205	15.4	144	2	3	13	21	34	43	83
75-79	93	17.6	182	2	3	14	24	35	49	84
80-84	53	17.0	177	<1	4	14	23	36	41	65
85+	16	22.4	123	7	8	19	30	40	41	41
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	744	20.0	213	3	5	17	26	42	53	99+
70-74	590	19.4	200	4	5	16	26	40	48	98
75-79	331	20.6	258	3	6	16	28	46	65	99+
80-84	165	21.5	245	3	6	18	28	43	54	82
85+	54	19.8	265	4	6	16	25	41	61	99+
B. *Operated*										
65-69 YRS	52	22.1	230	5	8	18	28	47	61	99
70-74	47	29.7	320	10	14	26	35	55	82	99+
75-79	33	26.6	303	4	6	23	39	57	67	99+
80-84	9	27.3	285	11	12	21	48	50	50	50
85+	1	58.0		58	58	58	58	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	16.9	164	2	4	14	22	34	46	70
B. *Operated*	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1884	20.0	221	4	5	17	27	42	53	99+
B. *Operated*	142	26.3	290	6	10	22	36	54	67	99+
1. SINGLE DX	645	16.9	164	2	4	14	22	33	46	70
2. MULTIPLE DX	2026	20.5	228	4	6	17	27	43	54	99+
A. NOT OPERATED	2527	19.3	208	3	5	16	26	40	51	98
B. OPERATED	144	26.0	292	6	9	22	35	54	67	99+
TOTAL 65-69 YRS	1073	19.4	204	3	5	16	25	40	52	96
70-74	842	19.0	202	3	5	16	25	39	48	98
75-79	458	20.4	249	3	5	16	28	46	62	99+
80-84	227	20.7	234	2	5	18	28	42	51	79
85+	71	20.9	248	5	7	17	27	41	57	98
GRAND TOTAL	**2671**	**19.6**	**215**	**3**	**5**	**16**	**26**	**41**	**52**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	11.5	94	1	2	9	15	24	28	50
70-74	132	11.0	107	1	2	8	16	25	32	46
75-79	95	11.1	130	1	2	8	16	22	29	57
80-84	79	10.9	114	1	2	7	16	24	34	49
85+	54	10.1	63	1	2	10	13	23	28	97
B. *Operated*										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	1	12.0		12	12	12	12	12	12	12
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	579	11.4	111	2	3	8	15	24	34	58
70-74	681	10.4	131	2	2	7	13	23	30	71
75-79	711	10.0	101	2	2	7	13	20	27	55
80-84	578	10.6	142	2	2	6	13	23	34	77
85+	507	9.5	91	2	2	7	11	21	30	84
B. *Operated*										
65-69 YRS	50	17.6	362	2	5	13	21	28	63	99
70-74	78	18.2	311	2	3	11	26	36	56	87
75-79	71	16.7	210	3	4	14	23	31	59	99+
80-84	43	15.7	274	2	3	11	22	54	81	99+
85+	39	16.7	171	5	6	13	17	39	48	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	11.1	104	1	2	8	15	24	31	53
B. *Operated*	6	6.0	10	3	3	5	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	3056	10.4	116	2	2	7	13	22	31	68
B. *Operated*	281	17.1	266	2	4	12	22	35	60	99+
1. SINGLE DX	491	11.0	103	1	2	8	15	24	31	52
2. MULTIPLE DX	3337	10.9	132	2	2	7	14	24	34	73
A. NOT OPERATED	3541	10.5	114	2	2	7	13	23	31	64
B. OPERATED	287	16.9	263	2	4	12	22	35	60	99+
TOTAL 65-69 YRS	756	11.8	126	2	3	9	15	24	32	63
70-74	892	11.2	147	2	2	7	14	25	34	71
75-79	880	10.6	115	2	2	7	14	21	30	64
80-84	700	10.9	148	2	2	7	14	24	37	78
85+	600	10.1	97	2	2	7	13	22	31	86
GRAND TOTAL	**3828**	**11.0**	**128**	**2**	**2**	**7**	**14**	**24**	**33**	**71**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.7	45	1	1	4	6	14	24	29
70-74	39	6.2	44	1	1	3	8	16	19	32
75-79	38	5.5	27	<1	<1	4	8	14	16	22
80-84	18	6.4	116	<1	1	3	5	13	33	47
85+	9	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	373	6.3	51	1	1	4	8	13	18	33
70-74	336	6.1	50	1	1	4	6	14	20	36
75-79	294	6.4	71	1	1	4	7	14	20	46
80-84	164	5.5	48	1	1	3	6	10	21	57
85+	102	5.2	49	1	1	4	6	9	15	44
B. *Operated*										
65-69 YRS	22	11.3	85	2	4	7	19	26	31	32
70-74	26	10.5	142	1	1	5	15	30	36	50
75-79	14	17.1	390	2	3	13	20	36	69	78
80-84	3	4.7	4	3	3	4	6	7	7	7
85+	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	5.7	45	1	1	3	7	13	20	32
B. *Operated*	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1269	6.1	55	1	1	4	7	13	20	36
B. *Operated*	67	11.7	169	1	2	7	18	29	32	73
1. SINGLE DX	157	5.6	45	1	1	3	7	13	20	32
2. MULTIPLE DX	1336	6.3	62	1	1	4	7	14	21	40
A. NOT OPERATED	1423	6.0	54	1	1	4	7	13	20	36
B. OPERATED	70	11.3	165	1	2	6	18	28	32	72
TOTAL 65-69 YRS	447	6.5	53	1	1	4	7	14	21	32
70-74	401	6.4	57	1	1	4	7	16	21	36
75-79	347	6.7	83	1	1	4	7	15	22	47
80-84	185	5.6	54	1	1	3	6	10	21	56
85+	113	5.0	45	1	1	3	5	8	15	40
GRAND TOTAL	**1493**	**6.3**	**60**	**1**	**1**	**4**	**7**	**14**	**21**	**38**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	10.2	78	1	2	8	14	22	27	41
70-74	84	10.7	95	2	2	8	14	22	29	52
75-79	62	12.8	112	3	3	9	18	30	33	48
80-84	27	12.3	100	1	2	9	15	23	34	46
85+	15	8.2	30	1	3	6	11	16	20	21
B. *Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	18.0	8	16	16	18	20	20	20	20
80-84	1	16.0		16	16	16	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	586	11.1	129	2	2	8	14	23	32	63
70-74	502	10.3	84	2	3	7	13	23	29	50
75-79	427	10.7	101	2	3	8	13	22	31	45
80-84	208	11.2	110	2	3	8	14	24	33	63
85+	95	9.4	60	3	3	8	12	17	25	41
B. *Operated*										
65-69 YRS	48	17.6	295	3	3	11	23	42	59	68
70-74	34	14.9	160	3	3	12	20	30	44	58
75-79	26	12.2	43	3	4	12	16	20	26	29
80-84	15	15.2	139	4	6	10	24	28	42	47
85+	9	20.4	614	4	4	11	21	62	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	10.9	89	1	2	8	14	23	30	47
B. *Operated*	4	14.8	30	7	7	16	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	1818	10.7	104	2	3	8	13	23	31	52
B. *Operated*	132	15.8	212	3	4	11	19	34	47	71
1. SINGLE DX	317	11.0	89	1	2	8	14	23	30	47
2. MULTIPLE DX	1950	11.1	113	2	3	8	14	23	32	58
A. NOT OPERATED	2131	10.7	102	2	3	8	14	23	31	50
B. OPERATED	136	15.7	206	3	4	11	19	33	47	70
TOTAL 65-69 YRS	759	11.4	133	2	2	8	14	23	35	64
70-74	621	10.6	90	2	3	7	13	24	30	53
75-79	517	11.0	100	2	3	8	14	23	31	46
80-84	251	11.5	110	2	3	8	15	25	33	52
85+	119	10.1	102	3	3	8	12	19	28	56
GRAND TOTAL	**2267**	**11.0**	**110**	**2**	**3**	**8**	**14**	**23**	**31**	**56**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	9.1	81	<1	1	5	15	24	28	30
70-74	27	7.1	49	1	1	3	12	16	23	25
75-79	22	5.4	41	1	1	3	5	19	21	23
80-84	9	9.1	86	<1	1	5	15	25	25	25
85+	9	11.4	217	1	2	4	14	38	43	43
B. *Operated*										
65-69 YRS	9	3.1	12	1	1	2	3	9	12	12
70-74	12	3.4	5	1	1	3	4	7	8	8
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	9.3	112	1	1	5	11	25	30	68
70-74	182	8.8	116	1	2	5	11	20	29	93
75-79	121	9.0	107	1	2	6	12	21	35	69
80-84	107	8.4	86	2	3	6	9	18	25	50
85+	86	8.2	66	1	2	6	11	17	21	50
B. *Operated*										
65-69 YRS	49	8.6	117	1	2	5	8	21	31	59
70-74	29	13.7	272	3	3	6	16	48	52	56
75-79	15	12.8	99	1	1	12	20	26	31	33
80-84	9	17.9	47	5	8	19	24	25	25	25
85+	5	10.0	36	2	2	11	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	8.0	76	1	1	4	12	23	25	36
B. *Operated*	22	3.2	7	1	1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	688	8.8	102	1	2	6	11	21	28	77
B. *Operated*	107	11.4	152	1	2	6	15	26	42	57
1. SINGLE DX	125	7.1	67	1	1	3	10	21	25	33
2. MULTIPLE DX	795	9.2	109	1	2	6	11	22	28	69
A. NOT OPERATED	791	8.7	99	1	2	5	11	21	28	70
B. OPERATED	129	10.0	136	1	2	6	12	24	33	57
TOTAL 65-69 YRS	286	8.9	106	1	1	5	11	24	29	55
70-74	250	8.9	125	1	2	5	11	22	31	81
75-79	158	8.9	99	1	2	5	12	22	31	57
80-84	126	9.1	88	2	3	6	11	23	25	42
85+	100	8.6	77	1	2	6	11	17	21	52
GRAND TOTAL	**920**	**8.9**	**104**	**1**	**2**	**5**	**11**	**22**	**28**	**60**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	8.0	80	1	1	5	8	21	29	41
70-74	105	8.0	71	1	1	5	9	21	28	39
75-79	49	8.7	107	1	1	4	10	27	29	41
80-84	12	7.7	43	3	4	6	7	14	26	28
85+	6	7.8	99	2	2	4	5	26	28	28
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	27.0		27	27	27	27	27	27	27
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1947	12.4	106	2	2	8	21	28	31	39
70-74	1192	11.7	95	2	2	8	20	27	30	42
75-79	536	11.3	98	2	2	7	19	27	30	38
80-84	153	9.7	87	2	2	6	14	25	28	55
85+	44	10.8	150	1	2	5	15	28	38	56
B. *Operated*										
65-69 YRS	102	15.5	160	3	4	12	22	30	47	99+
70-74	76	16.1	185	2	4	12	26	36	40	94
75-79	41	17.1	242	3	4	12	22	30	46	83
80-84	9	10.9	215	2	2	5	11	35	48	48
85+	2	25.5	41	21	21	25	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	8.1	79	1	1	5	8	21	28	41
B. *Operated*	3	14.3	136	4	4	12	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	3872	11.9	101	2	2	7	21	28	30	40
B. *Operated*	230	15.9	183	2	4	12	22	31	42	99+
1. SINGLE DX	360	8.1	80	1	1	5	8	22	28	41
2. MULTIPLE DX	4102	12.1	107	2	2	8	21	28	31	42
A. NOT OPERATED	4229	11.6	101	2	2	7	20	28	30	40
B. OPERATED	233	15.9	182	2	4	12	23	30	42	99+
TOTAL 65-69 YRS	2235	12.2	108	2	2	8	21	28	31	41
70-74	1374	11.7	100	2	2	7	20	27	30	43
75-79	627	11.5	110	1	2	7	19	27	30	41
80-84	174	9.6	89	2	2	6	13	25	28	54
85+	52	11.1	146	1	2	5	17	28	35	56
GRAND TOTAL	**4462**	**11.8**	**106**	**2**	**2**	**7**	**20**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	13.0	18	10	10	13	16	16	16	16
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	13.1	84	2	2	10	21	25	32	34
70-74	17	13.1	89	2	3	11	21	27	29	30
75-79	11	11.9	158	3	4	7	10	35	41	42
80-84	3	19.7	2	18	18	20	21	21	21	21
85+	2	17.0	50	12	12	17	22	22	22	22
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	2	30.0	722	11	11	30	49	49	49	49
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	10.5	20	5	5	10	13	16	16	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	57	13.3	92	2	3	10	21	27	31	41
B. *Operated*	4	21.8	333	11	11	13	32	49	49	49
1. SINGLE DX	4	10.5	20	5	5	10	13	16	16	16
2. MULTIPLE DX	61	13.9	107	2	3	11	21	29	32	48
A. NOT OPERATED	61	13.1	87	2	3	10	21	26	31	41
B. OPERATED	4	21.8	333	11	11	13	32	49	49	49
TOTAL 65-69 YRS	26	13.1	78	2	2	10	21	24	32	34
70-74	21	14.7	134	2	3	11	21	29	39	49
75-79	12	11.3	148	3	4	7	9	34	41	42
80-84	4	17.8	16	12	12	19	20	21	21	21
85+	2	17.0	50	12	12	17	22	22	22	22
GRAND TOTAL	**65**	**13.7**	**102**	**2**	**3**	**11**	**21**	**28**	**32**	**48**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	7	16.7	256	2	2	8	29	39	42	42
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	14.6	142	2	3	11	21	34	41	43
70-74	52	15.9	103	2	5	15	22	26	36	44
75-79	30	14.5	157	2	3	9	21	38	42	42
80-84	7	15.1	116	3	4	13	24	31	32	32
85+	5	10.0	264	2	2	3	13	39	39	39
B. *Operated*										
65-69 YRS	4	8.5	11	6	6	8	11	13	13	13
70-74	2	23.5	421	9	9	23	38	38	38	38
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	14.3	200	2	2	6	28	35	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	153	14.9	132	2	3	11	22	32	41	43
B. *Operated*	7	12.4	134	6	6	9	12	33	38	38
1. SINGLE DX	10	14.3	200	2	2	6	28	35	42	42
2. MULTIPLE DX	160	14.8	131	2	3	11	21	32	40	43
A. NOT OPERATED	163	14.9	135	2	3	11	22	32	41	43
B. OPERATED	7	12.4	134	6	6	9	12	33	38	38
TOTAL 65-69 YRS	65	13.9	135	2	3	9	21	30	40	43
70-74	61	16.2	122	2	4	15	23	29	40	44
75-79	31	14.6	153	2	4	10	21	38	42	42
80-84	8	14.0	110	3	4	11	21	30	32	32
85+	5	10.0	264	2	2	3	13	39	39	39
GRAND TOTAL	**170**	**14.8**	**134**	**2**	**3**	**11**	**21**	**32**	**41**	**43**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	5.6	186	<1	<1	1	3	14	33	67
70-74	13	4.3	65	<1	<1	1	3	13	27	30
75-79	6	3.0	10	1	1	2	4	8	9	9
80-84	4	3.0	2	2	2	3	4	5	5	5
85+	4	2.8	12	<1	<1	1	5	8	8	8
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	107	6.6	64	1	1	4	7	15	29	36
70-74	88	4.7	23	1	1	4	6	9	14	27
75-79	39	5.6	66	<1	1	2	6	17	26	36
80-84	28	4.2	18	1	1	3	4	9	11	22
85+	16	5.6	45	<1	1	3	6	12	23	28
B. *Operated*										
65-69 YRS	4	8.3	12	4	4	8	11	12	12	12
70-74	11	8.4	48	1	1	7	11	20	21	21
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.6	106	<1	<1	2	3	9	21	66
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	278	5.6	46	1	1	3	6	12	22	34
B. *Operated*	18	7.7	34	1	1	7	10	18	21	21
1. SINGLE DX	53	4.6	104	<1	<1	2	3	9	21	66
2. MULTIPLE DX	296	5.7	45	1	1	3	7	12	22	34
A. NOT OPERATED	330	5.4	55	<1	1	3	6	12	22	35
B. OPERATED	19	7.7	32	1	1	7	10	17	21	21
TOTAL 65-69 YRS	137	6.5	83	<1	1	3	7	15	29	42
70-74	112	5.0	30	1	1	3	6	10	18	29
75-79	48	5.2	55	1	1	2	6	10	25	36
80-84	32	4.1	16	1	1	3	4	9	9	22
85+	20	5.1	39	<1	<1	3	6	11	20	28
GRAND TOTAL	**349**	**5.6**	**54**	**1**	**1**	**3**	**6**	**12**	**22**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	12	4	4	7	10	11	11	11
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	6.3	14	2	2	8	9	9	9	9
85+	3	12.0	193	3	3	5	22	28	28	28
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	14.4	124	3	3	10	22	32	36	43
70-74	22	11.8	85	3	4	7	16	27	31	33
75-79	21	8.9	56	2	2	7	10	22	27	28
80-84	16	4.8	13	1	1	4	6	11	12	12
85+	16	7.0	41	1	2	5	8	20	23	24
B. *Operated*										
65-69 YRS										
70-74	3	14.3	146	5	5	10	23	28	28	28
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.8	56	1	2	5	10	18	27	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	121	10.7	90	2	3	7	15	26	31	40
B. *Operated*	3	14.3	146	5	5	10	23	28	28	28
1. SINGLE DX	11	7.8	56	1	2	5	10	18	27	28
2. MULTIPLE DX	124	10.8	90	2	3	7	15	26	31	40
A. NOT OPERATED	132	10.5	87	2	2	7	14	26	30	40
B. OPERATED	3	14.3	146	5	5	10	23	28	28	28
TOTAL 65-69 YRS	50	13.8	118	3	3	10	21	31	35	43
70-74	25	12.1	87	3	4	7	17	28	31	33
75-79	22	8.5	56	1	2	7	9	21	27	28
80-84	19	5.0	12	1	1	4	8	11	12	12
85+	19	7.8	60	1	2	5	8	23	26	28
GRAND TOTAL	**135**	**10.5**	**88**	**2**	**2**	**7**	**15**	**26**	**30**	**40**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.1	19	1	1	2	3	7	15	17
70-74	9	7.1	72	1	1	4	8	22	28	28
75-79	10	3.1	3	1	1	3	4	6	7	7
80-84	7	1.7	1	1	1	1	2	4	4	4
85+	4	3.0	7	1	1	2	5	7	7	7
B. *Operated*										
65-69 YRS	3	4.3	10	2	2	3	7	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	127	4.4	11	1	2	3	6	9	12	17
70-74	117	4.8	15	1	2	4	6	9	14	20
75-79	98	4.7	17	1	1	4	6	8	11	25
80-84	79	4.6	10	1	2	4	5	9	10	18
85+	36	4.7	7	1	2	4	6	8	10	13
B. *Operated*										
65-69 YRS	9	8.1	133	2	2	4	7	27	38	38
70-74	13	9.4	102	2	2	6	11	21	36	40
75-79	5	5.6	6	3	3	7	7	8	8	8
80-84	7	7.7	29	3	3	8	14	75	99+	99+
85+	2	24.5	925	3	3	24	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.7	24	1	1	2	4	7	14	28
B. *Operated*	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	457	4.6	13	1	2	4	6	9	11	18
B. *Operated*	36	9.1	113	2	2	6	10	34	44	99+
1. SINGLE DX	46	3.7	23	1	1	2	4	7	13	28
2. MULTIPLE DX	493	4.9	21	1	2	4	6	9	12	28
A. NOT OPERATED	500	4.5	14	1	1	4	6	9	12	18
B. OPERATED	39	8.7	106	2	2	6	9	28	43	99+
TOTAL 65-69 YRS	152	4.5	18	1	1	3	6	9	12	17
70-74	139	5.4	28	1	2	4	6	11	16	29
75-79	113	4.6	16	1	1	4	6	8	11	23
80-84	93	4.6	12	1	2	4	6	9	10	64
85+	42	5.5	48	1	2	4	6	8	11	46
GRAND TOTAL	**539**	**4.8**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	11.1	154	1	1	8	15	22	27	74
70-74	39	8.0	66	<1	1	5	11	19	29	33
75-79	33	7.4	24	<1	1	7	11	14	15	19
80-84	15	7.8	37	1	2	6	12	18	19	20
85+	21	6.8	38	<1	1	5	12	16	19	21
B. *Operated*										
65-69 YRS	2	11.5	61	6	6	11	17	17	17	17
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	348	8.1	51	1	2	6	11	18	22	39
70-74	285	9.5	97	1	2	6	12	21	28	54
75-79	220	8.7	65	1	2	6	12	18	26	45
80-84	137	8.4	56	1	2	6	12	20	23	38
85+	120	8.3	62	1	2	6	11	18	21	46
B. *Operated*										
65-69 YRS	18	16.1	103	1	2	16	26	28	29	30
70-74	21	10.7	54	2	3	11	15	19	26	31
75-79	12	15.9	173	4	5	11	20	30	50	53
80-84	8	8.9	75	1	1	5	15	23	25	25
85+	6	12.0	74	4	4	9	15	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	8.7	81	<1	1	6	13	18	23	44
B. *Operated*	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1110	8.6	67	1	2	6	11	19	25	43
B. *Operated*	65	13.0	96	2	3	12	20	27	29	50
1. SINGLE DX	161	8.7	80	<1	1	6	13	18	22	44
2. MULTIPLE DX	1175	8.9	70	1	2	6	12	20	25	43
A. NOT OPERATED	1269	8.6	69	1	2	6	11	19	25	43
B. OPERATED	67	13.0	94	2	3	12	19	27	29	49
TOTAL 65-69 YRS	419	8.9	68	1	2	6	12	20	26	44
70-74	345	9.4	91	1	2	6	12	21	28	50
75-79	265	8.8	66	1	2	7	12	18	25	51
80-84	160	8.4	55	1	2	6	12	19	23	36
85+	147	8.2	59	1	1	6	11	18	21	43
GRAND TOTAL	**1336**	**8.9**	**71**	**1**	**2**	**6**	**12**	**20**	**25**	**43**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	12.1	143	1	2	8	16	31	42	89
70-74	60	11.2	213	1	1	7	12	25	36	77
75-79	48	7.3	48	1	1	5	9	18	24	32
80-84	26	10.4	208	<1	<1	4	13	30	38	67
85+	12	5.5	25	1	1	4	7	15	15	15
B. *Operated*										
65-69 YRS	2	29.0	1458	2	2	29	56	56	56	56
70-74	2	21.0	162	12	12	21	30	30	30	30
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	409	9.4	86	1	2	6	12	21	27	48
70-74	463	8.7	79	1	2	6	11	20	26	55
75-79	386	8.6	60	2	2	6	10	17	27	40
80-84	239	8.6	79	1	2	6	11	19	25	56
85+	153	8.7	88	1	2	6	10	20	25	81
B. *Operated*										
65-69 YRS	49	15.2	224	1	3	9	21	33	56	60
70-74	42	14.3	230	3	4	10	14	32	40	88
75-79	40	14.0	262	3	4	8	14	28	57	77
80-84	21	14.3	102	2	3	12	20	33	35	37
85+	12	16.3	271	5	6	12	15	34	62	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	10.2	145	1	1	6	12	26	33	74
B. *Operated*	6	18.2	449	2	2	8	30	53	56	56
2. MULTIPLE DX										
A. *Not Operated*	1650	8.8	77	1	2	6	11	20	27	54
B. *Operated*	164	14.6	218	3	3	10	17	32	43	76
1. SINGLE DX	224	10.4	153	1	1	6	12	27	33	73
2. MULTIPLE DX	1814	9.4	92	2	2	6	12	20	29	57
A. NOT OPERATED	1868	9.0	85	1	2	6	11	20	29	56
B. OPERATED	170	14.8	224	3	3	10	17	32	44	76
TOTAL 65-69 YRS	532	10.4	113	1	2	7	13	24	33	57
70-74	567	9.4	107	1	2	6	12	22	30	76
75-79	475	8.9	78	2	2	6	11	18	28	53
80-84	286	9.2	94	1	2	6	11	20	30	57
85+	178	9.0	98	1	2	6	11	19	25	78
GRAND TOTAL	**2038**	**9.5**	**99**	**1**	**2**	**6**	**12**	**21**	**30**	**58**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	51	99+	99+	99+	99+
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	16.4	193	1	2	13	25	39	41	41
70-74	2	5.5	5	4	4	7	77	99+	99+	99+
75-79	2	7.5	5	6	6	7	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	51	99+	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	12.2	134	1	3	9	18	53	91	99+
B. *Operated*										
1. SINGLE DX	1	3.0		3	3	51	99+	99+	99+	99+
2. MULTIPLE DX	12	12.2	134	1	3	9	18	53	91	99+
A. NOT OPERATED	13	11.5	130	1	3	9	25	99+	99+	99+
B. OPERATED										
TOTAL 65-69 YRS	7	16.4	193	1	2	13	25	39	41	41
70-74	3	4.7	4	3	3	7	99+	99+	99+	99+
75-79	2	7.5	5	6	6	7	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+										
GRAND TOTAL	**13**	**11.5**	**130**	**1**	**3**	**9**	**25**	**99+**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	11.1	23	4	5	11	13	18	20	20
70-74	7	6.7	27	<1	1	4	10	15	16	16
75-79	2	21.5	685	3	3	21	40	40	40	40
80-84	2	12.0		12	12	12	12	12	12	12
85+	4	12.0	42	4	4	12	17	19	19	19
B. *Operated*										
65-69 YRS	7	6.6	37	2	2	5	8	17	19	19
70-74	7	4.0	14	1	1	2	6	10	11	11
75-79	5	8.0	95	2	2	4	11	25	25	25
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	12.3	145	1	2	10	16	26	32	68
70-74	83	13.3	46	4	6	12	17	24	27	33
75-79	63	15.7	110	3	4	14	22	32	38	93
80-84	32	12.2	65	1	2	13	17	21	27	35
85+	15	13.7	119	3	4	11	17	24	40	46
B. *Operated*										
65-69 YRS	81	19.8	300	2	3	15	29	41	67	94
70-74	57	22.6	189	3	6	22	32	41	60	99+
75-79	49	24.8	329	3	4	22	39	51	58	75
80-84	24	24.8	329	2	8	21	26	58	63	67
85+	4	18.3	191	4	4	18	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	10.9	68	2	3	10	14	19	27	40
B. *Operated*	20	5.8	40	1	1	3	7	15	22	25
2. MULTIPLE DX										
A. *Not Operated*	275	13.4	97	2	4	12	17	26	32	50
B. *Operated*	215	22.2	278	3	4	18	33	45	63	99+
1. SINGLE DX	43	8.5	60	1	2	7	12	19	22	40
2. MULTIPLE DX	490	17.3	195	3	4	14	24	38	47	91
A. NOT OPERATED	298	13.3	95	2	3	12	17	26	32	49
B. OPERATED	235	20.8	279	2	3	16	31	44	60	99+
TOTAL 65-69 YRS	178	15.4	221	2	2	11	19	37	45	79
70-74	154	16.0	126	3	4	14	23	32	40	98
75-79	119	19.2	225	3	4	15	27	42	51	82
80-84	59	17.2	208	2	3	14	21	32	55	66
85+	23	14.2	111	3	4	12	19	38	62	99+
GRAND TOTAL	**533**	**16.6**	**189**	**2**	**3**	**13**	**23**	**37**	**46**	**82**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	7.9	35	2	2	8	11	13	16	35
70-74	79	9.9	89	2	3	8	11	17	30	56
75-79	58	10.5	108	3	3	7	13	19	24	64
80-84	36	10.3	69	2	2	8	14	19	23	45
85+	18	6.6	11	2	2	6	9	11	12	12
B. *Operated*										
65-69 YRS	4	17.3	26	13	13	17	21	23	23	23
70-74	4	5.8	17	2	2	5	9	11	11	11
75-79	4	6.3	25	1	1	6	10	11	11	11
80-84										
85+	2	15.5	265	4	4	15	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	9.8	82	2	3	8	12	18	25	60
70-74	741	10.8	99	3	3	8	13	20	28	54
75-79	848	10.6	87	3	4	8	13	21	28	69
80-84	549	10.2	87	3	3	7	12	20	31	55
85+	308	10.5	133	3	3	8	12	20	28	84
B. *Operated*										
65-69 YRS	72	16.9	132	3	5	15	26	33	50	99+
70-74	114	14.8	134	3	4	13	18	28	38	63
75-79	120	17.5	233	4	6	14	19	37	64	99+
80-84	61	20.4	369	4	6	14	28	49	76	99
85+	43	17.9	326	4	5	12	21	35	65	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	9.3	71	2	3	7	11	16	23	48
B. *Operated*	14	10.6	66	1	2	10	13	23	26	27
2. MULTIPLE DX										
A. *Not Operated*	2985	10.4	94	3	3	8	12	20	28	60
B. *Operated*	410	17.1	219	3	5	14	20	34	56	99+
1. SINGLE DX	276	9.4	71	2	3	7	11	16	24	47
2. MULTIPLE DX	3395	11.2	114	3	3	8	14	22	31	75
A. NOT OPERATED	3247	10.3	92	3	3	8	12	20	28	59
B. OPERATED	424	16.9	215	3	5	13	20	34	55	99+
TOTAL 65-69 YRS	686	10.4	87	2	3	8	13	21	28	67
70-74	938	11.2	104	2	3	8	14	21	30	57
75-79	1030	11.4	109	3	4	8	14	22	33	77
80-84	646	11.1	121	3	3	8	13	22	33	73
85+	371	11.2	156	3	3	8	13	21	32	84
GRAND TOTAL	**3671**	**11.1**	**111**	**3**	**3**	**8**	**13**	**21**	**31**	**72**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	9.8	51	1	2	9	13	23	24	25
70-74	8	10.4	63	1	1	10	15	22	24	24
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	7	2.6	3	1	1	3	4	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	9.8	40	2	3	9	13	18	20	36
70-74	48	12.1	126	3	4	9	16	25	40	99+
75-79	15	11.7	115	4	4	7	12	35	36	37
80-84	4	11.0	55	2	2	12	17	18	18	18
85+	2	9.0	72	3	3	9	15	15	15	15
B. *Operated*										
65-69 YRS	26	18.8	379	2	4	10	28	42	68	81
70-74	9	16.7	278	5	5	10	21	43	58	58
75-79	4	34.5	1427	5	5	22	59	89	89	89
80-84	2	12.5	13	10	10	12	15	15	15	15
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	9.5	51	1	1	9	13	23	24	25
B. *Operated*	8	2.4	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	138	10.8	78	2	3	9	14	21	27	71
B. *Operated*	42	19.1	424	2	4	10	23	47	71	89
1. SINGLE DX	33	7.8	49	1	1	5	11	18	24	25
2. MULTIPLE DX	180	12.8	169	2	3	9	15	25	38	87
A. NOT OPERATED	163	10.6	74	2	3	9	14	21	25	63
B. OPERATED	50	16.5	394	1	2	9	21	39	65	89
TOTAL 65-69 YRS	117	11.3	131	1	2	9	13	21	30	70
70-74	66	12.4	137	2	3	10	16	24	42	94
75-79	20	15.9	404	4	4	7	17	36	63	89
80-84	7	10.3	40	2	2	10	16	18	18	18
85+	3	6.7	52	2	2	3	12	15	15	15
GRAND TOTAL	**213**	**12.0**	**154**	**2**	**3**	**9**	**15**	**24**	**35**	**84**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	3.5	6	1	1	3	5	7	7	14
70-74	127	3.8	7	1	1	3	5	8	10	13
75-79	65	3.2	4	1	1	2	5	6	7	8
80-84	39	3.8	6	1	1	3	5	8	8	11
85+	28	3.8	3	2	2	3	5	6	7	8
B. *Operated*										
65-69 YRS	7	3.4	5	1	1	3	5	7	7	7
70-74	3	5.0	4	3	3	5	6	7	7	7
75-79	2	18.0	128	10	10	18	26	26	26	26
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1138	6.3	40	1	2	5	8	12	17	31
70-74	1113	6.4	31	1	2	5	8	12	17	30
75-79	1020	7.1	63	1	2	5	8	14	19	40
80-84	729	7.1	41	2	2	5	8	14	19	35
85+	510	7.8	71	1	2	6	9	15	21	70
B. *Operated*										
65-69 YRS	125	14.1	164	3	4	11	17	27	37	65
70-74	126	14.9	180	2	3	11	19	31	50	81
75-79	84	11.4	82	2	3	8	16	28	39	99+
80-84	56	13.7	128	2	3	11	18	35	42	96
85+	43	23.2	504	3	5	15	33	64	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	3.6	6	1	1	3	5	7	8	12
B. *Operated*	15	5.9	37	1	1	5	7	10	22	26
2. MULTIPLE DX										
A. *Not Operated*	4510	6.8	47	1	2	5	8	13	18	37
B. *Operated*	434	14.7	189	2	3	11	18	35	49	99+
1. SINGLE DX	360	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	4944	7.5	64	1	2	5	9	15	21	48
A. NOT OPERATED	4855	6.6	45	1	2	5	8	13	18	36
B. OPERATED	449	14.4	187	2	3	11	18	34	49	99+
TOTAL 65-69 YRS	1356	6.8	55	1	2	5	8	14	19	40
70-74	1369	7.0	50	1	2	5	8	13	20	40
75-79	1171	7.2	63	1	2	5	8	15	20	44
80-84	826	7.4	48	2	2	5	9	15	21	41
85+	582	8.8	116	2	2	6	10	17	26	79
GRAND TOTAL	**5304**	**7.2**	**61**	**1**	**2**	**5**	**8**	**14**	**20**	**46**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	6.5	87	1	1	4	8	13	20	51
70-74	133	5.9	44	<1	1	4	7	13	18	58
75-79	145	5.5	20	1	1	4	7	10	12	25
80-84	88	6.6	55	1	2	5	7	13	16	46
85+	52	6.5	20	1	2	6	9	11	16	22
B. *Operated*										
65-69 YRS	111	5.5	24	1	1	4	7	11	16	24
70-74	127	7.2	39	1	1	5	10	14	18	34
75-79	91	7.7	41	1	2	6	10	18	22	28
80-84	41	7.8	42	<1	1	6	10	18	22	26
85+	14	11.5	341	1	2	7	12	18	62	74
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1553	11.4	152	2	2	7	14	27	40	85
70-74	1880	11.9	158	2	3	8	14	28	39	78
75-79	2081	11.0	125	2	3	8	13	24	36	91
80-84	1710	10.8	135	2	3	7	13	23	34	97
85+	1251	10.2	101	2	3	7	12	21	32	90
B. *Operated*										
65-69 YRS	876	13.9	223	2	2	9	18	33	50	99
70-74	895	14.3	198	2	3	10	19	32	48	99+
75-79	824	15.1	199	2	3	11	20	34	49	99+
80-84	494	15.9	227	2	4	12	20	37	60	99+
85+	281	15.6	217	2	3	12	19	37	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	6.1	46	1	1	4	8	12	16	38
B. *Operated*	384	7.0	47	1	1	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	8475	11.1	136	2	3	7	13	25	36	87
B. *Operated*	3370	14.7	211	2	3	11	19	34	51	99+
1. SINGLE DX	916	6.5	47	1	1	5	8	13	18	34
2. MULTIPLE DX	11845	12.1	160	2	3	8	15	28	41	99+
A. NOT OPERATED	9007	10.8	132	2	3	7	13	24	35	85
B. OPERATED	3754	14.0	200	2	2	10	18	32	48	99+
TOTAL 65-69 YRS	2654	11.8	172	1	2	7	14	28	42	89
70-74	3035	12.1	164	2	2	8	15	28	39	90
75-79	3141	11.7	143	2	3	8	15	26	38	99+
80-84	2333	11.7	155	2	3	8	14	26	39	99+
85+	1598	11.0	126	2	3	8	13	23	35	95
GRAND TOTAL	**12761**	**11.7**	**154**	**2**	**3**	**8**	**14**	**27**	**39**	**98**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	4.3	12	1	1	3	6	10	12	14
70-74	19	3.2	5	<1	1	3	4	7	9	9
75-79	15	4.3	44	1	1	2	4	9	22	27
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	5	2.8	1	2	2	2	4	4	4	4
70-74	3	3.0		3	3	3	3	3	3	3
75-79	2	6.5	1	6	6	6	7	7	7	7
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	173	4.7	19	1	1	3	6	10	14	24
70-74	113	4.3	9	1	1	3	5	8	12	15
75-79	80	5.1	22	1	2	3	6	10	17	22
80-84	42	4.7	18	1	2	4	5	8	13	23
85+	14	4.4	9	<1	1	3	6	9	11	11
B. *Operated*										
65-69 YRS	27	5.3	11	1	2	5	8	10	11	14
70-74	24	7.2	24	2	2	6	8	15	18	23
75-79	14	5.1	8	1	2	4	7	9	11	11
80-84	6	8.0	35	3	3	5	14	17	17	17
85+	3	23.7	472	4	4	20	40	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.9	16	1	1	3	4	9	10	24
B. *Operated*	10	3.6	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	422	4.7	17	1	1	3	6	9	13	21
B. *Operated*	74	6.8	42	1	2	5	8	14	17	41
1. SINGLE DX	81	3.9	14	1	1	3	4	8	10	23
2. MULTIPLE DX	496	5.0	21	1	1	4	6	9	14	22
A. NOT OPERATED	493	4.6	17	1	1	3	6	9	13	22
B. OPERATED	84	6.5	38	1	2	5	8	11	16	39
TOTAL 65-69 YRS	237	4.7	17	1	1	3	6	10	13	20
70-74	159	4.6	12	1	1	4	6	9	12	17
75-79	111	5.0	23	1	1	3	6	9	16	24
80-84	52	5.0	19	1	2	4	5	9	17	23
85+	18	7.5	118	<1	1	4	7	17	36	47
GRAND TOTAL	**577**	**4.8**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**23**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	1	1	3	76	99+	99+	99+
70-74	1	5.0		5	5	5	5	5	5	5
75-79	3	1.7	1	<1	<1	<1	2	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	196	1.5	1	<1	<1	1	2	2	3	4
70-74	199	1.5	1	<1	<1	1	2	2	3	4
75-79	154	1.5	1	<1	<1	1	2	2	3	4
80-84	85	1.8	2	<1	<1	1	2	3	4	8
85+	46	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	3.6	4	1	2	3	4	6	8	10
70-74	15	3.7	4	1	1	3	5	7	7	7
75-79	18	2.6	4	<1	<1	2	4	6	7	7
80-84	11	6.7	27	1	1	5	12	13	13	13
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	331	2.4	4	<1	<1	2	3	4	6	11
70-74	308	2.5	5	<1	<1	2	3	5	7	13
75-79	254	2.6	7	<1	1	2	3	5	7	13
80-84	139	3.2	13	<1	1	2	3	7	10	20
85+	77	3.0	8	1	1	2	3	5	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	2	<1	<1	3	4	52	99+	99+
B. *Operated*	680	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	64	3.9	9	<1	1	3	5	8	12	13
B. *Operated*	1109	2.6	7	<1	1	2	3	5	7	15
1. SINGLE DX	689	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1173	2.7	7	<1	1	2	3	5	7	15
A. NOT OPERATED	73	3.7	8	<1	1	3	5	8	12	79
B. OPERATED	1789	2.2	5	<1	<1	2	2	4	6	12
TOTAL 65-69 YRS	548	2.1	3	<1	<1	2	2	4	5	10
70-74	523	2.1	4	<1	<1	2	2	4	6	10
75-79	429	2.2	5	<1	<1	2	2	4	6	9
80-84	236	2.8	10	<1	<1	2	3	6	10	17
85+	126	2.5	6	<1	<1	2	3	4	6	15
GRAND TOTAL	**1862**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	6.2	68	1	1	4	7	13	18	48
70-74	96	5.0	18	1	1	4	7	11	13	22
75-79	68	5.2	36	1	1	3	6	10	13	39
80-84	32	6.4	120	1	2	3	6	13	15	63
85+	27	4.1	8	1	1	3	6	7	9	14
B. *Operated*										
65-69 YRS	354	3.8	30	<1	1	2	4	8	12	16
70-74	232	3.7	21	<1	1	2	4	8	10	26
75-79	131	3.4	11	<1	1	2	4	9	10	16
80-84	72	2.9	6	1	1	2	4	6	9	12
85+	45	2.9	3	<1	1	2	4	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	654	6.9	45	1	2	5	8	14	20	39
70-74	706	8.2	73	2	2	5	10	17	22	47
75-79	492	7.9	73	2	2	6	9	15	20	42
80-84	378	7.9	44	2	2	6	10	16	21	36
85+	265	7.4	45	2	2	6	10	14	21	55
B. *Operated*										
65-69 YRS	641	7.5	97	1	1	4	9	17	23	73
70-74	513	8.4	123	1	1	5	11	18	27	95
75-79	367	10.0	177	1	2	6	11	24	43	97
80-84	190	12.0	136	2	2	8	17	30	40	99+
85+	90	10.3	135	1	2	7	14	23	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	5.5	47	1	1	4	7	11	14	37
B. *Operated*	834	3.6	21	<1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	2495	7.7	58	1	2	6	9	15	21	41
B. *Operated*	1801	8.9	129	1	1	5	11	21	31	90
1. SINGLE DX	1165	4.1	29	<1	1	2	5	9	12	23
2. MULTIPLE DX	4296	8.2	88	1	2	5	10	17	25	61
A. NOT OPERATED	2826	7.4	58	1	2	5	9	15	21	41
B. OPERATED	2635	7.2	101	1	1	4	9	17	26	66
TOTAL 65-69 YRS	1757	6.5	64	1	1	4	8	14	20	53
70-74	1547	7.4	81	1	1	5	9	15	23	57
75-79	1058	7.9	103	1	2	5	9	16	24	66
80-84	672	8.5	76	1	2	6	11	19	29	57
85+	427	7.4	61	1	2	5	9	15	22	55
GRAND TOTAL	**5461**	**7.3**	**78**	**1**	**1**	**5**	**9**	**15**	**23**	**56**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	4	3.0	2	<1	<1	3	4	4	4	4
75-79	4	2.0	1	<1	<1	2	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	543	3.3	4	1	1	3	4	6	7	9
70-74	388	3.2	6	1	1	3	4	5	6	10
75-79	245	3.4	3	1	1	3	4	6	6	10
80-84	110	3.1	2	1	1	3	4	5	6	7
85+	49	3.6	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	2.7	2	<1	1	2	4	4	5	5
70-74	28	2.4	3	<1	1	2	3	4	5	8
75-79	16	1.9	3	<1	<1	1	2	3	7	8
80-84	9	5.6	74	<1	<1	1	8	19	27	27
85+	5	3.0	4	1	1	2	4	6	6	6
B. *Operated*										
65-69 YRS	989	3.9	6	1	2	3	5	7	8	13
70-74	925	4.0	6	1	2	3	5	7	8	15
75-79	602	4.2	8	1	2	4	5	7	9	14
80-84	291	4.0	6	1	2	3	5	7	9	13
85+	123	4.2	6	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	3	4	4	4	4
B. *Operated*	1335	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	71	2.8	12	<1	<1	2	3	5	8	23
B. *Operated*	2930	4.0	6	1	2	3	5	7	8	14
1. SINGLE DX	1345	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX	3001	4.0	7	1	2	3	5	7	8	14
A. NOT OPERATED	81	2.7	11	<1	<1	2	3	5	8	21
B. OPERATED	4265	3.8	6	1	2	3	5	6	8	13
TOTAL 65-69 YRS	1547	3.7	5	1	2	3	4	6	8	12
70-74	1345	3.7	6	1	1	3	5	6	8	13
75-79	867	3.9	7	1	2	3	5	6	8	13
80-84	410	3.8	6	1	2	3	5	6	8	13
85+	177	4.0	5	1	2	4	5	7	8	14
GRAND TOTAL	**4346**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	1.4	1	<1	<1	1	2	2	4	5
70-74	21	1.7	1	1	1	1	2	3	4	5
75-79	10	1.7	1	1	1	2	2	3	4	4
80-84	21	2.0	2	1	1	1	2	4	5	6
85+	12	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
65-69 YRS	121	2.7	5	1	1	2	3	5	7	13
70-74	132	2.4	4	<1	1	2	3	4	6	11
75-79	121	2.4	2	<1	1	2	3	4	4	8
80-84	48	2.5	3	<1	1	2	3	5	6	11
85+	46	2.6	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	2.2	3	1	1	2	3	5	6	7
70-74	47	3.4	7	1	1	3	5	7	9	11
75-79	43	3.5	14	1	1	3	4	8	15	99+
80-84	37	5.4	223	<1	1	3	4	6	9	93
85+	29	3.5	3	1	1	3	4	6	7	8
B. *Operated*										
65-69 YRS	237	3.6	8	1	1	3	4	7	9	16
70-74	256	4.3	38	1	1	3	4	8	11	30
75-79	252	3.8	15	1	1	3	4	7	10	24
80-84	170	3.3	10	1	1	2	4	6	9	17
85+	118	3.8	26	1	1	3	4	6	9	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	1.8	1	<1	1	1	2	4	5	6
B. *Operated*	468	2.5	3	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	182	3.7	51	1	1	3	4	6	8	69
B. *Operated*	1033	3.8	20	1	1	3	4	7	10	20
1. SINGLE DX	548	2.4	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	1215	3.8	24	1	1	3	4	7	10	20
A. NOT OPERATED	262	3.1	37	1	1	2	4	6	7	18
B. OPERATED	1501	3.4	15	1	1	2	4	6	9	17
TOTAL 65-69 YRS	400	3.2	7	1	1	2	4	6	8	16
70-74	456	3.5	24	1	1	2	4	7	10	18
75-79	426	3.3	11	1	1	2	4	6	8	23
80-84	276	3.4	37	1	1	2	3	5	9	17
85+	205	3.4	16	1	1	3	4	5	7	13
GRAND TOTAL	**1763**	**3.3**	**18**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.6	70	1	1	2	6	20	25	25
70-74	7	1.4		<1	<1	1	2	2	2	2
75-79	11	1.6	1	<1	<1	1	2	3	3	3
80-84	4	1.5	1	<1	<1	1	2	3	3	3
85+	8	3.0	12	1	1	2	3	9	11	11
B. *Operated*										
65-69 YRS	51	1.8	1	<1	<1	2	2	3	4	5
70-74	46	2.2	3	<1	<1	2	2	4	6	8
75-79	48	2.0	1	<1	1	2	3	4	4	5
80-84	19	1.8	1	<1	<1	1	3	3	4	4
85+	13	2.4	2	<1	1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	2.7	2	1	1	2	3	5	6	8
70-74	22	2.7	1	1	2	2	3	4	5	6
75-79	29	3.3	8	1	1	2	4	8	8	13
80-84	21	2.9	3	<1	1	3	4	5	6	6
85+	14	3.1	15	1	1	2	3	5	14	16
B. *Operated*										
65-69 YRS	106	2.8	6	1	1	2	3	5	7	14
70-74	139	3.3	8	1	1	3	4	6	8	12
75-79	124	3.0	5	<1	1	2	4	6	7	11
80-84	86	3.7	14	1	1	3	4	7	9	24
85+	73	3.0	7	1	1	2	3	5	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.7	18	<1	<1	1	2	4	11	25
B. *Operated*	177	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	115	2.9	5	1	1	2	3	6	7	14
B. *Operated*	528	3.1	8	1	1	2	4	6	8	13
1. SINGLE DX	215	2.1	4	<1	<1	2	2	3	5	10
2. MULTIPLE DX	643	3.1	7	1	1	2	4	6	8	13
A. NOT OPERATED	153	2.9	8	1	1	2	3	5	8	16
B. OPERATED	705	2.9	6	<1	1	2	3	5	7	12
TOTAL 65-69 YRS	194	2.7	7	1	1	2	3	5	7	16
70-74	214	2.9	6	<1	1	2	3	5	8	9
75-79	212	2.8	5	<1	1	2	3	6	7	11
80-84	130	3.2	10	1	1	3	4	6	7	16
85+	108	2.9	8	1	1	2	3	5	9	16
GRAND TOTAL	**858**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	1.8	1	<1	<1	2	2	3	3	3
70-74	4	1.0		<1	<1	<1	1	1	1	1
75-79	9	1.1		<1	<1	1	1	2	2	2
80-84	9	1.3	1	<1	<1	1	1	3	3	3
85+	6	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
65-69 YRS	2451	1.7	1	<1	<1	2	2	2	3	3
70-74	3491	1.7	1	<1	<1	2	2	2	3	3
75-79	3639	1.7	1	<1	<1	2	2	2	3	4
80-84	2997	1.7	1	<1	<1	2	2	2	3	4
85+	2248	1.8	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	2.7	16	<1	<1	1	2	5	10	23
70-74	147	2.1	5	<1	<1	1	2	4	6	11
75-79	158	2.4	7	<1	<1	1	3	5	9	14
80-84	138	2.1	6	<1	<1	1	2	4	6	15
85+	124	2.6	10	<1	<1	1	3	6	9	18
B. *Operated*										
65-69 YRS	3742	2.1	4	<1	1	2	2	3	4	9
70-74	5075	2.1	3	<1	1	2	2	3	4	8
75-79	5876	2.2	3	<1	1	2	2	3	4	10
80-84	4798	2.2	5	<1	1	2	2	3	4	10
85+	3752	2.2	3	<1	1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.5		<1	<1	1	2	3	3	3
B. *Operated*	14826	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	683	2.4	9	<1	<1	1	2	5	8	15
B. *Operated*	23243	2.2	4	<1	1	2	2	3	4	9
1. SINGLE DX	14866	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	23926	2.2	4	<1	1	2	2	3	4	10
A. NOT OPERATED	723	2.3	8	<1	<1	1	2	5	8	14
B. OPERATED	38069	2.0	3	<1	<1	2	2	3	3	7
TOTAL 65-69 YRS	6321	2.0	3	<1	<1	2	2	3	3	8
70-74	8717	2.0	2	<1	<1	2	2	3	3	6
75-79	9682	2.0	2	<1	<1	2	2	3	3	8
80-84	7942	2.0	3	<1	<1	2	2	3	3	8
85+	6130	2.1	2	<1	1	2	2	3	4	8
GRAND TOTAL	**38792**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**3**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	103	1.8		<1	<1	2	2	3	3	4
70-74	120	2.1	2	<1	1	2	2	3	3	9
75-79	108	1.9	1	<1	1	2	2	3	3	5
80-84	86	2.0	1	<1	1	2	2	3	4	6
85+	70	2.0	1	<1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	1.8	2	<1	<1	1	2	4	5	5
70-74	4	1.3		1	1	1	2	2	2	2
75-79	4	1.8		<1	<1	2	2	2	2	2
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	174	2.5	9	1	1	2	2	4	5	10
70-74	225	2.2	3	1	1	2	2	3	4	9
75-79	212	2.5	9	<1	1	2	2	4	5	19
80-84	123	2.2	2	1	1	2	2	3	5	35
85+	94	2.3	5	1	1	2	2	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	487	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	20	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*	828	2.4	6	1	1	2	2	3	5	14
1. SINGLE DX	487	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	848	2.4	6	1	1	2	2	3	5	14
A. NOT OPERATED	20	1.9	2	<1	<1	1	2	4	5	5
B. OPERATED	1315	2.2	4	<1	1	2	2	3	4	10
TOTAL 65-69 YRS	285	2.2	6	<1	1	2	2	3	4	9
70-74	349	2.1	3	<1	1	2	2	3	4	8
75-79	324	2.3	6	<1	1	2	2	3	4	15
80-84	212	2.1	2	<1	1	2	2	3	4	11
85+	165	2.2	3	<1	1	2	2	3	3	7
GRAND TOTAL	**1335**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	2	1	1	3	4	4	4	4
70-74	3	4.0	7	2	2	3	6	7	7	7
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	14	2.4	4	<1	1	2	2	7	7	7
70-74	19	2.7	8	<1	1	2	3	5	9	13
75-79	8	2.4	3	<1	<1	2	3	5	6	6
80-84	5	2.4	4	1	1	2	3	6	6	6
85+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	144	1	2	5	7	10	18	85
70-74	39	4.6	21	1	1	3	5	9	14	25
75-79	32	5.8	28	1	2	5	7	9	12	31
80-84	24	5.6	10	2	2	5	8	12	35	99+
85+	9	5.0	18	1	1	4	6	12	15	15
B. *Operated*										
65-69 YRS	49	3.8	15	1	1	2	5	8	11	22
70-74	57	4.1	15	<1	1	2	5	10	13	18
75-79	24	3.7	6	1	1	3	5	7	9	10
80-84	18	10.8	415	1	1	5	10	21	63	89
85+	4	2.5	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	3	1	1	3	4	6	7	7
B. *Operated*	49	2.5	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	166	5.9	66	1	2	4	6	10	15	82
B. *Operated*	152	4.7	63	1	1	2	5	10	13	24
1. SINGLE DX	59	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	318	5.3	65	1	1	4	6	10	14	49
A. NOT OPERATED	176	5.7	63	1	2	4	6	10	14	76
B. OPERATED	201	4.1	50	1	1	2	4	9	12	23
TOTAL 65-69 YRS	130	5.1	77	1	1	3	6	10	11	39
70-74	118	4.0	16	1	1	3	5	8	13	20
75-79	66	4.5	18	1	1	4	6	9	9	28
80-84	47	7.2	168	1	1	5	8	13	30	99+
85+	16	3.8	12	<1	1	3	5	6	12	15
GRAND TOTAL	**377**	**4.9**	**56**	**1**	**1**	**3**	**6**	**9**	**13**	**30**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.2	12	<1	1	4	8	10	12	12
70-74	24	5.0	28	<1	1	4	6	8	14	27
75-79	17	4.4	9	1	1	3	6	10	11	11
80-84	16	5.3	8	<1	2	5	8	9	9	9
85+	14	3.6	5	<1	1	3	6	6	7	7
B. *Operated*										
65-69 YRS	267	2.1	2	<1	<1	2	3	4	4	10
70-74	287	2.1	2	<1	<1	2	2	4	5	8
75-79	265	2.0	1	<1	<1	2	3	3	4	6
80-84	219	2.1	2	<1	<1	2	3	4	5	6
85+	131	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	5.9	19	<1	1	5	9	13	14	19
70-74	92	5.2	19	1	1	4	6	10	14	24
75-79	106	4.5	16	<1	<1	3	6	9	12	20
80-84	61	6.1	28	1	1	5	8	13	17	28
85+	83	7.0	37	1	2	5	9	14	19	32
B. *Operated*										
65-69 YRS	595	2.6	4	1	1	2	3	4	6	10
70-74	724	2.8	6	1	1	2	3	5	6	14
75-79	761	3.1	8	1	1	2	4	6	8	17
80-84	555	3.1	12	1	1	2	3	5	7	19
85+	371	3.2	9	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.7	14	1	1	4	6	9	10	22
B. *Operated*	1169	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	418	5.6	24	<1	1	4	8	12	15	25
B. *Operated*	3006	2.9	7	1	1	2	3	5	7	14
1. SINGLE DX	1253	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3424	3.3	10	1	1	2	4	6	9	18
A. NOT OPERATED	502	5.5	22	<1	1	4	7	11	14	25
B. OPERATED	4175	2.7	6	<1	1	2	3	5	6	13
TOTAL 65-69 YRS	951	2.7	6	<1	1	2	3	5	7	13
70-74	1127	2.9	7	<1	1	2	3	5	7	15
75-79	1149	3.0	8	<1	1	2	3	6	8	17
80-84	851	3.1	11	1	1	2	3	6	8	19
85+	599	3.6	13	1	1	2	4	7	11	19
GRAND TOTAL	**4677**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	3.8	12	1	1	3	5	8	12	18
70-74	40	4.2	11	1	1	3	6	8	11	17
75-79	27	3.8	10	<1	1	2	5	7	10	15
80-84	29	3.8	11	1	1	3	5	7	13	14
85+	17	3.9	3	<1	1	4	5	7	7	7
B. *Operated*										
65-69 YRS	260	2.2	2	<1	<1	2	2	4	4	9
70-74	298	2.2	3	<1	<1	2	2	3	5	12
75-79	251	2.6	23	<1	<1	2	2	4	7	13
80-84	157	2.6	9	<1	<1	2	2	6	8	13
85+	118	2.5	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	5.1	13	1	1	4	6	10	12	17
70-74	175	4.4	12	1	1	4	6	9	11	19
75-79	179	5.0	20	1	1	4	6	9	11	28
80-84	114	5.5	22	1	2	4	7	9	14	28
85+	98	7.0	40	1	2	5	8	14	16	39
B. *Operated*										
65-69 YRS	722	3.7	18	1	1	2	4	7	10	21
70-74	741	3.7	17	1	1	2	4	7	11	23
75-79	672	3.9	16	1	1	2	5	8	11	21
80-84	430	3.9	26	1	1	2	4	8	12	21
85+	286	4.2	35	1	1	2	4	8	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.9	10	1	1	3	5	7	10	17
B. *Operated*	1084	2.4	9	<1	<1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	745	5.2	20	1	1	4	7	10	12	20
B. *Operated*	2851	3.8	20	1	1	2	4	8	11	21
1. SINGLE DX	1235	2.6	9	<1	<1	2	3	5	7	13
2. MULTIPLE DX	3596	4.1	20	1	1	3	5	8	11	21
A. NOT OPERATED	896	5.0	19	1	1	4	6	10	12	20
B. OPERATED	3935	3.4	17	<1	1	2	4	7	10	19
TOTAL 65-69 YRS	1199	3.6	14	<1	1	2	4	7	10	18
70-74	1254	3.5	13	<1	1	2	4	7	10	17
75-79	1129	3.8	18	<1	1	2	5	8	11	20
80-84	730	3.9	22	<1	1	2	4	8	11	21
85+	519	4.3	30	1	1	3	5	8	13	23
GRAND TOTAL	**4831**	**3.7**	**18**	**<1**	**1**	**2**	**4**	**8**	**11**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.3	1	1	1	2	3	3	3	3
70-74	5	1.8	1	1	1	2	2	3	3	3
75-79	3	3.7	6	1	1	4	5	6	6	6
80-84	4	5.3	8	2	2	5	7	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	15	1.7	1	<1	1	1	2	3	4	4
70-74	9	2.7	2	<1	<1	2	4	5	5	5
75-79	5	1.2		<1	<1	1	1	2	2	2
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	4.5	16	1	1	3	5	9	9	24
70-74	52	4.4	16	1	1	3	6	9	13	23
75-79	38	4.6	10	1	1	4	6	8	10	16
80-84	22	4.5	9	1	1	4	7	9	10	10
85+	29	5.2	14	2	2	4	7	10	14	16
B. *Operated*										
65-69 YRS	63	4.7	34	1	1	3	5	10	12	38
70-74	58	3.5	10	1	1	3	4	8	10	17
75-79	37	3.3	7	1	1	2	5	8	9	9
80-84	30	4.7	19	1	2	3	5	9	11	23
85+	9	3.8	10	1	1	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	4	1	1	2	4	6	8	9
B. *Operated*	33	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	209	4.6	14	1	1	3	6	9	10	21
B. *Operated*	197	4.1	18	1	1	3	5	8	10	23
1. SINGLE DX	52	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	406	4.3	16	1	1	3	6	8	10	23
A. NOT OPERATED	228	4.4	13	1	1	3	6	9	10	21
B. OPERATED	230	3.7	16	1	1	3	4	8	10	23
TOTAL 65-69 YRS	152	4.2	22	1	1	3	5	9	10	25
70-74	124	3.7	12	1	1	3	4	8	11	19
75-79	83	3.8	8	1	1	3	5	8	9	14
80-84	58	4.6	13	1	1	4	7	9	10	22
85+	41	4.6	13	1	1	3	7	9	12	16
GRAND TOTAL	**458**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5		1	1	1	2	2	2	2
70-74	5	3.6	13	2	2	2	4	10	10	10
75-79										
80-84	1	13.0		13	13	13	13	13	13	13
85+	8	3.0	1	1	1	3	4	4	4	4
B. *Operated*										
65-69 YRS	98	1.7		1	1	2	2	2	3	4
70-74	62	1.7	1	<1	1	1	2	3	3	6
75-79	36	2.0	3	<1	1	2	2	3	6	9
80-84	11	1.4		<1	<1	1	2	2	2	2
85+	7	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	4.5	7	1	1	4	7	8	9	10
70-74	28	7.2	60	2	2	5	9	14	20	41
75-79	21	5.8	12	1	2	5	7	11	13	14
80-84	13	8.2	61	2	3	5	11	24	26	26
85+	21	6.2	21	2	2	4	7	15	16	18
B. *Operated*										
65-69 YRS	217	2.4	13	1	1	2	2	3	5	19
70-74	124	2.4	13	1	1	2	3	4	5	16
75-79	63	3.4	26	<1	1	2	3	6	10	34
80-84	23	3.7	14	1	1	2	4	10	12	16
85+	17	3.1	21	<1	<1	1	3	8	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	10	1	1	2	4	8	12	13
B. *Operated*	214	1.7	1	<1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	110	6.2	31	2	2	5	7	11	15	32
B. *Operated*	444	2.6	15	1	1	2	3	4	6	20
1. SINGLE DX	232	1.8	2	<1	1	2	2	3	3	9
2. MULTIPLE DX	554	3.4	20	1	1	2	3	7	10	26
A. NOT OPERATED	128	5.8	29	1	2	4	7	11	15	29
B. OPERATED	658	2.3	11	1	1	2	2	3	5	16
TOTAL 65-69 YRS	346	2.4	9	1	1	2	2	3	5	11
70-74	219	2.8	18	1	1	2	3	5	8	24
75-79	120	3.4	18	<1	1	2	4	7	10	24
80-84	48	4.6	30	1	1	2	5	11	17	26
85+	53	4.1	18	<1	1	3	4	9	15	19
GRAND TOTAL	**786**	**2.9**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	5.1	9	1	2	4	7	10	12	12
70-74	3	8.7	66	3	3	5	15	18	18	18
75-79	3	6.0	12	2	2	8	8	8	8	8
80-84	3	21.0	925	1	1	6	43	56	56	56
85+	2	12.5	85	6	6	12	19	19	19	19
B. *Operated*										
65-69 YRS	32	4.7	71	<1	<1	3	4	6	22	45
70-74	14	3.4	33	1	1	2	3	5	19	23
75-79	13	5.3	59	<1	<1	2	5	16	26	28
80-84	6	11.2	227	2	2	5	11	38	41	41
85+	4	6.3	62	<1	<1	3	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	7.8	55	2	3	7	9	13	31	89
70-74	57	10.4	79	2	3	7	15	21	32	42
75-79	51	9.1	94	1	2	6	11	19	27	56
80-84	29	10.9	151	3	3	7	10	26	44	55
85+	32	8.7	23	3	4	7	12	15	17	22
B. *Operated*										
65-69 YRS	106	6.2	77	1	1	3	5	19	27	44
70-74	78	7.0	94	1	1	3	7	18	29	50
75-79	47	8.1	119	1	1	3	9	20	36	54
80-84	45	13.5	207	1	2	11	18	28	33	86
85+	22	12.5	253	1	1	8	15	32	54	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	8.2	120	1	2	5	8	18	28	56
B. *Operated*	69	5.2	72	<1	<1	2	4	12	24	44
2. MULTIPLE DX										
A. *Not Operated*	238	9.2	76	2	3	7	10	18	31	55
B. *Operated*	298	8.3	126	1	1	3	11	21	30	55
1. SINGLE DX	94	6.0	86	<1	1	3	5	13	24	51
2. MULTIPLE DX	536	8.7	104	1	1	5	11	20	30	55
A. NOT OPERATED	263	9.1	80	2	3	7	10	18	30	56
B. OPERATED	367	7.7	117	1	1	3	10	20	30	53
TOTAL 65-69 YRS	221	6.4	66	1	1	4	7	13	25	46
70-74	152	8.0	86	1	1	4	10	19	30	43
75-79	114	8.2	98	1	1	5	10	18	28	55
80-84	83	12.7	203	1	2	8	15	29	42	76
85+	60	10.1	111	1	2	7	13	18	24	64
GRAND TOTAL	**630**	**8.3**	**102**	**1**	**1**	**4**	**10**	**19**	**30**	**55**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	279	2.9	4	1	1	2	4	5	6	11
70-74	234	3.0	5	1	1	2	4	5	8	11
75-79	197	3.4	5	1	1	3	4	6	8	12
80-84	105	3.3	4	1	1	3	4	6	7	10
85+	78	3.7	6	1	1	3	5	7	8	14
B. *Operated*										
65-69 YRS	56	2.8	4	1	1	2	3	6	7	10
70-74	41	3.4	5	1	1	3	4	7	8	10
75-79	17	3.2	5	1	1	3	4	6	9	10
80-84	4	6.8	9	3	3	7	9	10	10	10
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1329	3.9	7	1	1	3	5	7	8	14
70-74	1339	4.1	8	1	1	3	5	7	9	13
75-79	1252	4.4	7	1	2	4	6	8	10	13
80-84	838	4.6	10	1	2	4	6	8	10	15
85+	562	4.8	17	1	2	4	6	9	11	17
B. *Operated*										
65-69 YRS	134	5.5	17	1	2	4	7	10	14	21
70-74	100	6.9	37	2	2	6	9	12	15	40
75-79	105	6.3	15	2	3	6	7	11	13	22
80-84	67	7.7	46	2	3	5	9	15	23	35
85+	47	8.6	54	2	2	7	10	15	28	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	893	3.2	5	1	1	3	4	6	7	11
B. *Operated*	120	3.2	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	5370	4.2	9	1	2	4	5	8	9	14
B. *Operated*	453	6.7	30	2	2	5	8	12	16	30
1. SINGLE DX	1013	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	5823	4.4	11	1	2	4	6	8	10	15
A. NOT OPERATED	6263	4.1	8	1	1	3	5	7	9	14
B. OPERATED	573	5.9	27	1	2	5	7	11	15	30
TOTAL 65-69 YRS	1798	3.8	8	1	1	3	5	7	9	14
70-74	1764	4.1	10	1	1	3	5	7	9	14
75-79	1571	4.4	8	1	2	4	6	8	10	14
80-84	1014	4.6	12	1	2	4	6	8	10	17
85+	689	4.9	19	1	2	4	6	9	11	20
GRAND TOTAL	**6836**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.2		2	2	2	2	3	3	3
70-74	7	2.4	1	2	2	2	2	4	5	5
75-79	3	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	131	2.0	1	1	1	2	3	3	4	5
70-74	84	2.1	1	1	1	2	3	3	4	5
75-79	35	1.9	1	1	1	2	3	3	4	4
80-84	11	2.1	1	1	1	2	3	4	4	4
85+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	2.4		2	2	2	3	3	3	3
70-74	7	2.3	1	1	1	2	3	4	4	4
75-79	2	2.0		2	2	2	2	2	2	2
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	114	2.1	1	1	1	2	3	3	4	6
70-74	58	2.5	6	1	1	2	3	4	5	17
75-79	32	1.9	1	1	1	2	3	3	3	6
80-84	9	3.0	10	1	1	2	3	8	11	11
85+	5	1.8	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.2	1	2	2	2	2	3	4	5
B. *Operated*	265	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	18	2.3		1	2	2	3	3	4	4
B. *Operated*	218	2.2	3	1	1	2	3	3	4	8
1. SINGLE DX	283	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	236	2.2	3	1	1	2	3	3	4	7
A. NOT OPERATED	36	2.3		2	2	2	2	3	4	5
B. OPERATED	483	2.1	2	1	1	2	3	3	4	6
TOTAL 65-69 YRS	259	2.1	1	1	1	2	3	3	4	6
70-74	156	2.3	3	1	1	2	3	3	4	6
75-79	72	1.9	1	1	1	2	3	3	3	6
80-84	21	2.5	5	1	1	2	3	4	7	11
85+	11	1.7		1	1	2	2	3	3	3
GRAND TOTAL	**519**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	3.4	4	1	1	3	4	6	7	7
70-74	8	3.6	12	<1	1	3	3	9	12	12
75-79	6	4.0	2	2	2	4	4	6	6	6
80-84	3	3.7	2	2	2	4	5	5	5	5
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	131	1.8	1	1	1	1	2	3	4	7
70-74	61	1.7	1	<1	<1	1	2	3	3	7
75-79	50	2.0	2	1	1	2	2	3	3	9
80-84	11	2.2	1	1	1	2	3	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	4.1	9	1	1	3	5	9	10	14
70-74	55	4.4	10	<1	1	4	5	9	11	15
75-79	26	3.0	4	<1	1	2	5	6	7	7
80-84	23	5.5	15	1	2	4	8	10	14	17
85+	16	5.2	7	2	2	4	7	8	10	11
B. *Operated*										
65-69 YRS	299	2.4	4	1	1	2	3	4	6	12
70-74	201	3.0	14	1	1	2	3	5	10	19
75-79	77	2.5	4	<1	1	2	3	4	6	12
80-84	41	2.6	8	1	1	2	3	4	6	19
85+	11	2.4	6	1	1	1	3	6	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	5	1	1	3	4	6	7	12
B. *Operated*	254	1.8	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	168	4.3	9	1	1	3	6	9	10	15
B. *Operated*	629	2.6	8	1	1	2	3	4	7	17
1. SINGLE DX	290	2.0	2	1	1	2	2	4	4	8
2. MULTIPLE DX	797	3.0	8	1	1	2	3	6	9	16
A. NOT OPERATED	204	4.2	9	1	1	3	5	8	10	14
B. OPERATED	883	2.4	6	1	1	2	3	4	6	13
TOTAL 65-69 YRS	495	2.4	4	1	1	2	3	4	7	11
70-74	325	3.0	11	<1	1	2	3	5	9	18
75-79	159	2.5	3	1	1	2	3	4	6	11
80-84	78	3.4	11	1	1	3	4	8	9	18
85+	30	3.7	8	1	1	3	6	8	9	11
GRAND TOTAL	**1087**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79	2	8.5	61	3	3	8	14	14	14	14
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	8.2	46	2	3	6	10	18	24	30
70-74	33	10.6	218	2	3	7	13	17	29	85
75-79	18	11.9	157	2	3	6	13	36	41	44
80-84	14	7.8	24	3	4	6	8	18	19	19
85+	9	11.4	58	2	2	12	15	22	26	26
B. *Operated*										
65-69 YRS	13	13.3	295	2	3	8	11	43	58	61
70-74	12	19.8	211	1	2	25	27	36	47	49
75-79	13	17.2	290	2	3	8	24	46	52	54
80-84	3	10.7	2	9	9	11	12	12	12	12
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.0	31	2	2	6	11	14	14	14
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	99	9.9	120	2	3	6	12	19	31	65
B. *Operated*	42	16.0	239	2	3	9	26	40	51	61
1. SINGLE DX	6	5.3	25	2	2	3	9	13	14	14
2. MULTIPLE DX	141	11.7	162	2	3	7	14	27	38	63
A. NOT OPERATED	103	9.8	117	2	3	6	12	18	30	63
B. OPERATED	44	15.4	236	2	2	9	25	39	50	61
TOTAL 65-69 YRS	40	9.7	126	2	2	7	10	20	34	61
70-74	46	12.8	225	2	2	7	16	28	35	85
75-79	33	13.8	202	2	3	6	17	38	44	54
80-84	17	8.3	21	3	4	7	10	17	19	19
85+	11	10.3	55	2	2	9	15	20	25	26
GRAND TOTAL	**147**	**11.5**	**158**	**2**	**3**	**7**	**14**	**27**	**37**	**62**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	7	<1	<1	4	6	8	8	8
70-74	3	5.0	9	2	2	5	7	8	8	8
75-79	4	5.5	10	2	2	5	8	9	9	9
80-84	7	4.6	2	2	2	4	6	6	6	6
85+	3	6.3	14	2	2	8	9	9	9	9
B. *Operated*										
65-69 YRS	50	5.8	29	1	1	2	11	14	15	18
70-74	36	7.0	52	1	1	2	13	16	21	30
75-79	11	4.7	49	1	1	2	3	16	23	24
80-84	2	17.5	481	2	2	17	33	33	33	33
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	269	7.9	35	1	2	7	10	15	21	29
70-74	306	7.0	24	1	2	6	9	13	16	24
75-79	250	7.7	33	2	3	7	10	14	17	22
80-84	148	8.4	64	2	3	6	10	14	22	54
85+	101	9.3	89	2	3	6	10	18	32	51
B. *Operated*										
65-69 YRS	600	10.9	110	1	2	10	15	22	27	57
70-74	515	11.2	114	1	2	10	15	25	32	59
75-79	251	12.6	131	1	2	10	17	27	35	64
80-84	83	10.3	111	1	2	9	13	25	34	50
85+	21	15.7	198	2	4	11	19	29	45	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.0	6	1	2	5	7	8	9	9
B. *Operated*	99	6.4	46	1	1	2	11	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	1074	7.8	41	2	3	6	10	14	19	33
B. *Operated*	1470	11.3	117	1	2	10	15	24	31	63
1. SINGLE DX	121	6.1	39	1	1	3	9	14	17	31
2. MULTIPLE DX	2544	9.8	88	1	2	8	13	20	27	50
A. NOT OPERATED	1096	7.7	40	2	2	6	10	14	19	33
B. OPERATED	1569	11.0	114	1	2	10	15	23	31	61
TOTAL 65-69 YRS	924	9.7	86	1	2	8	13	20	25	47
70-74	860	9.5	83	1	2	7	13	20	27	46
75-79	516	10.0	87	1	2	8	13	21	28	63
80-84	240	9.0	82	2	2	7	10	16	26	51
85+	125	10.3	110	2	3	7	11	20	32	60
GRAND TOTAL	**2665**	**9.7**	**86**	**1**	**2**	**8**	**13**	**20**	**27**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	217	4.1	9	1	1	3	5	8	10	19
70-74	181	4.3	33	1	2	3	5	7	8	42
75-79	134	4.2	10	1	1	3	6	7	10	16
80-84	84	4.1	13	1	1	3	5	7	10	22
85+	56	5.4	149	1	1	3	5	10	14	87
B. *Operated*										
65-69 YRS	33	4.3	9	1	1	4	6	9	11	11
70-74	20	6.1	24	1	2	4	8	15	17	17
75-79	15	4.3	10	<1	2	4	5	11	12	12
80-84	7	9.6	21	2	3	9	13	15	16	16
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2098	5.3	24	2	2	4	6	10	13	22
70-74	2017	5.5	20	2	2	4	7	10	12	23
75-79	1638	5.7	26	2	2	5	7	10	13	21
80-84	1128	5.9	25	2	2	5	7	11	14	23
85+	757	6.2	33	1	2	5	8	12	15	30
B. *Operated*										
65-69 YRS	382	7.2	40	1	2	5	9	15	23	33
70-74	310	8.6	76	1	2	7	11	17	26	87
75-79	232	9.1	91	1	1	6	12	20	29	46
80-84	138	7.5	45	1	1	6	10	15	21	32
85+	80	8.4	134	1	1	5	10	18	22	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	4.3	28	1	1	3	5	7	10	21
B. *Operated*	76	5.2	16	1	2	4	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	7638	5.6	25	2	2	4	7	10	13	23
B. *Operated*	1142	8.1	68	1	1	6	10	17	24	48
1. SINGLE DX	748	4.4	27	1	1	3	5	8	11	19
2. MULTIPLE DX	8780	5.9	31	1	2	5	7	11	14	27
A. NOT OPERATED	8310	5.5	25	1	2	4	7	10	13	23
B. OPERATED	1218	7.9	65	1	1	6	10	16	23	45
TOTAL 65-69 YRS	2730	5.5	25	1	2	4	7	10	14	25
70-74	2528	5.8	29	1	2	4	7	10	14	28
75-79	2019	5.9	34	1	2	5	7	11	15	27
80-84	1357	5.9	27	1	2	5	7	12	15	25
85+	894	6.3	49	1	2	5	8	12	16	30
GRAND TOTAL	**9528**	**5.8**	**31**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	69	5.2	9	2	2	4	6	9	11	16
70-74	79	5.1	10	2	2	4	6	8	11	18
75-79	75	5.7	16	1	2	4	7	11	14	20
80-84	63	6.1	20	2	3	5	7	10	12	29
85+	55	5.6	7	2	2	5	7	9	10	12
B. *Operated*										
65-69 YRS	25	3.2	11	1	1	2	3	7	11	15
70-74	12	4.6	19	1	1	2	8	12	12	12
75-79	6	2.8	5	<1	<1	2	3	7	7	7
80-84	2	3.0	2	2	2	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1541	7.5	44	2	3	6	9	14	18	32
70-74	1912	7.7	34	2	3	6	9	14	18	34
75-79	1893	8.2	40	2	3	7	10	15	18	32
80-84	1658	8.3	46	2	3	7	10	15	21	42
85+	1284	9.0	61	2	3	7	11	17	23	54
B. *Operated*										
65-69 YRS	308	11.0	108	1	2	8	15	23	33	51
70-74	301	12.7	138	2	2	10	16	26	36	88
75-79	238	13.4	151	2	3	10	17	27	40	91
80-84	178	14.3	115	3	4	12	17	30	39	99+
85+	116	16.8	175	3	5	13	23	34	50	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	5.5	12	2	2	5	7	10	12	19
B. *Operated*	45	3.5	12	1	1	2	4	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	8288	8.1	44	2	3	6	10	15	19	37
B. *Operated*	1141	13.0	135	2	2	10	17	27	37	77
1. SINGLE DX	386	5.3	13	1	2	4	7	10	12	18
2. MULTIPLE DX	9429	8.7	58	2	3	7	10	16	22	45
A. NOT OPERATED	8629	8.0	43	2	3	6	10	15	19	37
B. OPERATED	1186	12.7	134	2	2	10	16	27	36	77
TOTAL 65-69 YRS	1943	7.9	55	2	2	6	9	15	20	38
70-74	2304	8.2	50	2	3	6	10	15	21	40
75-79	2212	8.7	54	2	3	7	10	16	21	42
80-84	1901	8.8	55	2	3	7	10	16	23	46
85+	1455	9.5	73	2	3	7	11	18	26	59
GRAND TOTAL	**9815**	**8.6**	**56**	**2**	**3**	**7**	**10**	**16**	**22**	**44**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	4.9	10	1	1	4	7	8	12	13
70-74	17	5.9	46	1	1	4	6	19	23	24
75-79	15	9.1	192	<1	2	4	9	22	47	55
80-84	7	8.3	32	3	3	6	9	18	20	20
85+	8	5.8	17	1	1	5	9	12	12	12
B. *Operated*										
65-69 YRS	36	4.3	13	<1	1	3	7	10	11	15
70-74	25	5.9	48	1	1	3	9	13	24	29
75-79	8	4.5	15	1	1	3	5	11	13	13
80-84	10	5.0	32	2	2	3	4	13	21	21
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	8.4	53	2	3	6	11	16	22	43
70-74	285	8.4	56	2	2	7	10	16	20	56
75-79	235	9.6	101	2	3	7	12	17	23	94
80-84	180	11.0	115	2	3	8	13	23	34	65
85+	132	12.5	146	3	4	9	14	26	44	79
B. *Operated*										
65-69 YRS	380	11.8	152	1	2	8	16	29	39	95
70-74	320	11.3	85	1	2	9	16	25	29	55
75-79	205	15.3	201	2	3	12	19	36	49	76
80-84	103	14.0	186	2	3	10	19	32	45	99+
85+	41	20.1	400	4	4	12	29	27	71	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.7	66	1	1	4	8	13	21	51
B. *Operated*	80	5.1	27	1	1	3	7	12	14	27
2. MULTIPLE DX										
A. *Not Operated*	1091	9.6	87	2	3	7	12	18	25	64
B. *Operated*	1049	12.9	158	2	2	9	17	29	39	85
1. SINGLE DX	142	5.8	44	1	1	4	7	12	20	31
2. MULTIPLE DX	2140	11.2	124	2	3	8	14	24	34	75
A. NOT OPERATED	1153	9.4	86	2	3	7	11	18	25	61
B. OPERATED	1129	12.3	152	1	2	9	16	28	38	82
TOTAL 65-69 YRS	690	10.0	109	1	2	7	13	22	34	70
70-74	647	9.6	72	1	2	7	13	20	27	53
75-79	463	12.0	155	2	3	8	15	25	39	90
80-84	300	11.8	138	2	3	9	14	27	37	90
85+	182	13.9	208	3	4	9	15	30	45	88
GRAND TOTAL	**2282**	**10.9**	**121**	**2**	**2**	**8**	**13**	**23**	**33**	**72**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1124	9.3	15	4	5	9	11	13	15	20
70-74	892	9.2	12	4	5	9	11	13	14	19
75-79	698	9.3	14	4	5	9	11	14	16	21
80-84	406	9.1	13	3	5	9	11	14	16	20
85+	266	8.7	15	3	4	8	11	13	14	21
B. *Operated*										
65-69 YRS	171	10.4	44	2	4	9	13	16	18	39
70-74	96	10.2	40	2	2	9	13	18	21	34
75-79	34	9.7	25	2	3	10	13	14	17	25
80-84	14	10.3	21	3	5	10	13	16	19	20
85+	9	13.2	66	5	6	12	14	26	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10732	10.5	27	4	6	10	12	16	19	29
70-74	11469	10.9	31	5	6	10	13	17	20	32
75-79	10335	11.3	36	5	6	10	13	18	22	34
80-84	7556	11.6	40	5	6	10	14	18	23	37
85+	5578	11.7	44	4	6	10	14	18	23	40
B. *Operated*										
65-69 YRS	3403	13.5	72	3	6	12	16	23	29	49
70-74	2697	14.9	94	5	7	13	18	26	33	56
75-79	1804	16.6	111	6	8	14	20	29	39	69
80-84	949	18.5	156	7	9	15	22	33	43	89
85+	571	17.5	103	7	8	15	21	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3386	9.2	14	4	5	9	11	13	15	20
B. *Operated*	324	10.4	40	2	4	9	13	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	45670	11.1	34	5	6	10	13	17	21	33
B. *Operated*	9424	15.2	99	5	7	13	18	26	34	62
1. SINGLE DX	3710	9.3	16	4	5	9	11	14	15	21
2. MULTIPLE DX	55094	11.8	48	5	6	10	14	19	24	40
A. NOT OPERATED	49056	11.0	33	4	6	10	13	17	21	33
B. OPERATED	9748	15.1	98	5	7	13	18	26	34	62
TOTAL 65-69 YRS	15430	11.1	38	4	6	10	13	17	21	34
70-74	15154	11.5	44	4	6	10	13	18	23	38
75-79	12871	12.0	49	5	6	10	14	19	24	42
80-84	8925	12.3	56	5	6	11	14	20	25	44
85+	6424	12.1	52	4	6	11	14	19	24	42
GRAND TOTAL	**58804**	**11.7**	**46**	**4**	**6**	**10**	**14**	**18**	**23**	**39**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	549	3.2	5	1	1	3	4	6	7	13
70-74	494	3.0	3	1	1	3	4	5	7	8
75-79	366	3.3	4	1	1	3	4	6	7	11
80-84	268	3.4	5	1	1	3	4	6	7	13
85+	175	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
65-69 YRS	197	2.8	10	1	1	2	2	6	8	18
70-74	110	3.5	13	1	1	2	4	8	13	18
75-79	27	3.9	47	1	1	2	4	7	12	37
80-84	6	2.7	6	1	1	2	4	7	7	7
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7116	4.3	8	1	2	4	5	7	9	15
70-74	7396	4.6	11	1	2	4	6	8	10	15
75-79	6497	4.7	10	1	2	4	6	8	10	16
80-84	4888	5.0	15	2	2	4	6	9	11	18
85+	3422	5.1	18	1	2	4	6	9	12	20
B. *Operated*										
65-69 YRS	3231	5.2	32	1	1	3	8	12	16	26
70-74	2233	5.7	33	1	1	3	8	13	16	27
75-79	1013	7.0	46	1	1	5	10	15	20	32
80-84	353	8.9	60	1	2	7	11	18	23	43
85+	144	9.6	84	2	2	8	11	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1852	3.2	4	1	1	3	4	6	7	11
B. *Operated*	342	3.1	14	1	1	2	3	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	29319	4.7	12	1	2	4	6	8	10	17
B. *Operated*	6974	5.9	38	1	1	3	8	13	17	29
1. SINGLE DX	2194	3.2	6	1	1	3	4	6	7	13
2. MULTIPLE DX	36293	4.9	17	1	2	4	6	9	12	20
A. NOT OPERATED	31171	4.6	11	1	2	4	6	8	10	16
B. OPERATED	7316	5.8	37	1	1	3	8	13	17	29
TOTAL 65-69 YRS	11093	4.5	15	1	1	3	6	9	11	20
70-74	10233	4.8	16	1	2	4	6	9	11	20
75-79	7903	4.9	15	1	2	4	6	9	11	20
80-84	5515	5.1	18	1	2	4	6	9	12	20
85+	3743	5.2	21	1	2	4	6	9	12	22
GRAND TOTAL	**38487**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	923	4.1	5	1	2	4	5	7	8	11
70-74	860	4.2	6	1	2	4	5	7	9	12
75-79	757	4.4	6	1	2	4	6	7	9	14
80-84	469	4.4	8	2	2	4	5	8	9	15
85+	276	4.4	6	2	2	4	5	7	9	15
B. *Operated*										
65-69 YRS	190	5.3	24	1	1	3	7	12	15	26
70-74	141	6.3	23	1	1	4	10	13	17	19
75-79	71	7.3	47	1	1	5	9	16	26	30
80-84	12	7.4	30	2	2	6	10	17	18	18
85+	3	8.3	4	6	6	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11268	5.3	13	2	2	5	7	9	11	18
70-74	12343	5.5	14	2	2	5	7	9	12	18
75-79	11350	5.9	18	2	2	5	7	10	13	21
80-84	8139	6.0	21	2	2	5	7	10	13	22
85+	5386	6.3	24	2	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	4635	8.7	58	1	2	7	11	17	21	36
70-74	3612	9.7	68	1	2	8	13	18	24	41
75-79	2018	10.8	80	2	2	9	14	21	27	44
80-84	788	11.9	82	2	3	9	15	23	30	46
85+	374	12.3	119	3	4	9	15	23	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3285	4.3	6	1	2	4	5	7	9	13
B. *Operated*	417	6.1	28	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	48486	5.7	17	2	2	5	7	10	12	20
B. *Operated*	11427	9.7	70	1	2	8	13	19	24	41
1. SINGLE DX	3702	4.5	9	1	2	4	6	8	10	16
2. MULTIPLE DX	59913	6.5	29	2	2	5	8	12	15	27
A. NOT OPERATED	51771	5.6	16	2	2	5	7	10	12	20
B. OPERATED	11844	9.6	69	1	2	8	13	19	24	41
TOTAL 65-69 YRS	17016	6.2	27	2	2	5	8	11	15	25
70-74	16956	6.4	28	2	2	5	8	12	15	26
75-79	14196	6.5	30	2	2	5	8	12	15	27
80-84	9408	6.4	28	2	2	5	8	11	15	27
85+	6039	6.6	31	2	2	5	8	12	16	28
GRAND TOTAL	**63615**	**6.4**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	4.8	27	1	2	3	5	12	15	29
70-74	96	6.7	56	1	2	3	9	16	20	40
75-79	73	4.5	10	1	2	4	5	9	12	15
80-84	37	5.7	43	1	2	4	6	8	13	41
85+	27	5.2	10	2	2	4	7	11	12	13
B. *Operated*										
65-69 YRS	1524	4.2	18	1	1	2	5	11	13	18
70-74	837	4.4	19	1	1	2	6	11	14	18
75-79	270	4.9	26	1	1	2	8	13	15	23
80-84	49	6.0	51	1	2	2	8	18	21	31
85+	7	7.0	39	2	2	5	10	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1829	5.3	19	1	2	4	7	10	13	23
70-74	1993	5.8	23	1	2	5	7	10	13	25
75-79	1824	6.1	19	2	2	5	8	11	14	22
80-84	1408	6.6	27	2	2	5	8	12	15	29
85+	1204	7.0	37	2	2	5	8	13	18	33
B. *Operated*										
65-69 YRS	9211	7.2	53	1	1	5	11	16	20	33
70-74	5777	8.3	73	1	1	6	12	17	23	42
75-79	2231	9.4	84	1	2	8	13	20	25	46
80-84	512	10.4	85	1	2	8	15	21	26	47
85+	161	11.5	73	2	3	9	17	23	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	5.4	32	1	2	3	6	12	15	24
B. *Operated*	2687	4.4	20	1	1	2	6	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	8258	6.1	25	1	2	5	7	11	15	25
B. *Operated*	17892	8.0	65	1	1	6	11	17	22	39
1. SINGLE DX	3029	4.5	21	1	1	2	6	11	14	19
2. MULTIPLE DX	26150	7.4	53	1	2	5	10	15	20	35
A. NOT OPERATED	8600	6.0	25	1	2	5	7	11	15	25
B. OPERATED	20579	7.5	61	1	1	5	11	16	21	37
TOTAL 65-69 YRS	12673	6.6	45	1	1	4	10	14	18	30
70-74	8703	7.3	58	1	1	5	10	16	20	37
75-79	4398	7.6	55	1	2	5	10	16	20	38
80-84	2006	7.5	46	2	2	6	9	15	19	36
85+	1399	7.5	43	2	2	6	9	15	20	36
GRAND TOTAL	**29179**	**7.1**	**51**	**1**	**2**	**5**	**10**	**15**	**19**	**34**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	9.2	12	4	5	9	11	14	15	19
70-74	107	8.9	14	4	5	9	11	13	15	22
75-79	84	9.3	11	4	5	9	11	14	16	20
80-84	57	10.2	17	6	6	9	12	16	17	23
85+	37	9.7	22	2	3	10	12	15	17	23
B. *Operated*										
65-69 YRS	22	9.0	7	5	6	8	12	13	14	15
70-74	16	12.1	63	4	5	10	14	22	31	35
75-79	11	12.5	22	6	6	13	16	19	19	19
80-84	6	12.0	48	8	8	9	10	24	26	26
85+	5	8.4	22	1	1	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1118	11.0	28	5	6	10	13	18	21	31
70-74	1271	11.5	42	5	6	10	13	18	23	37
75-79	1142	11.7	40	5	6	10	14	18	22	37
80-84	894	11.8	38	5	6	10	14	19	23	33
85+	631	12.6	47	5	7	11	15	21	25	37
B. *Operated*										
65-69 YRS	416	14.2	65	6	7	12	17	25	30	42
70-74	387	15.1	82	6	7	13	18	27	31	51
75-79	313	16.4	116	7	8	13	19	30	40	75
80-84	217	16.7	119	6	7	14	20	28	37	65
85+	110	17.7	170	7	8	14	21	31	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	9.3	14	4	5	9	11	14	16	22
B. *Operated*	60	10.7	31	5	6	9	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	5056	11.6	39	5	6	10	14	18	23	35
B. *Operated*	1443	15.6	98	6	7	13	19	28	34	55
1. SINGLE DX	461	9.5	16	4	5	9	11	15	16	23
2. MULTIPLE DX	6499	12.5	54	5	6	11	15	21	26	43
A. NOT OPERATED	5457	11.4	37	5	6	10	13	18	22	34
B. OPERATED	1503	15.4	96	6	7	13	19	28	33	55
TOTAL 65-69 YRS	1672	11.7	38	5	6	10	14	19	23	35
70-74	1781	12.1	52	5	6	10	14	20	25	41
75-79	1550	12.5	58	5	6	11	14	20	27	46
80-84	1174	12.6	56	5	6	11	15	21	25	45
85+	783	13.1	66	5	7	11	15	22	27	48
GRAND TOTAL	**6960**	**12.3**	**52**	**5**	**6**	**11**	**14**	**20**	**25**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	16.3	409	2	2	9	18	52	60	60
70-74	5	14.4	121	4	4	9	23	31	31	31
75-79	2	25.0	882	4	4	25	46	46	46	46
80-84	5	16.4	147	3	3	13	28	31	31	31
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	2	33.5	265	22	22	33	45	45	45	45
80-84	1	30.0		30	30	30	30	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	114	24.8	267	4	7	20	35	46	56	97
70-74	121	23.6	243	3	5	22	34	43	48	75
75-79	108	23.8	167	5	7	22	35	42	44	52
80-84	62	27.7	211	7	9	28	35	47	54	66
85+	48	23.3	276	4	6	19	30	46	56	82
B. *Operated*										
65-69 YRS	81	32.1	233	8	10	34	43	50	57	71
70-74	82	32.1	274	8	13	31	42	52	61	87
75-79	59	31.5	238	10	12	31	45	53	59	97
80-84	25	41.0	457	14	16	35	66	92	99+	99+
85+	17	29.1	236	11	13	28	38	47	61	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	16.7	254	2	3	9	25	40	54	60
B. *Operated*	4	24.8	321	2	2	26	37	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	453	24.5	230	4	7	22	34	44	49	72
B. *Operated*	264	32.6	272	10	12	32	44	53	67	99
1. SINGLE DX	23	18.1	261	2	3	13	29	45	51	60
2. MULTIPLE DX	717	27.5	260	5	8	28	38	48	56	87
A. NOT OPERATED	472	24.2	233	4	7	21	34	44	49	71
B. OPERATED	268	32.5	272	9	12	32	44	53	67	99
TOTAL 65-69 YRS	203	27.3	274	4	7	28	39	48	57	83
70-74	208	26.7	271	3	6	27	36	47	53	78
75-79	171	26.6	207	7	9	28	38	45	52	66
80-84	93	30.7	311	7	9	30	40	59	69	99+
85+	65	24.8	269	4	7	20	32	48	58	80
GRAND TOTAL	**740**	**27.2**	**263**	**4**	**8**	**28**	**37**	**48**	**56**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	2.4	3	<1	1	2	3	5	6	10
70-74	79	2.7	7	1	1	2	3	5	6	18
75-79	55	3.2	4	1	1	3	4	5	8	10
80-84	27	3.2	4	1	1	2	5	7	7	7
85+	26	3.1	3	1	1	2	4	6	6	7
B. *Operated*										
65-69 YRS	2	2.0	2	<1	<1	1	3	3	3	3
70-74	4	7.8	31	2	2	8	12	13	13	13
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	725	4.4	13	1	2	3	5	8	10	17
70-74	776	4.6	14	1	1	4	6	9	11	22
75-79	688	5.1	17	1	2	4	6	10	12	23
80-84	445	5.3	18	1	2	4	7	9	12	24
85+	327	6.0	44	1	2	4	7	11	14	22
B. *Operated*										
65-69 YRS	50	10.3	108	2	2	8	11	20	24	67
70-74	63	9.6	42	2	2	8	14	18	23	28
75-79	40	8.5	50	2	3	7	11	14	18	42
80-84	27	8.6	23	2	2	9	12	13	17	23
85+	22	10.6	36	3	4	9	15	20	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	2.8	5	1	1	2	4	5	7	10
B. *Operated*	8	5.0	23	<1	<1	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	2961	4.9	19	1	2	4	6	9	12	21
B. *Operated*	202	9.5	56	2	2	8	12	17	23	36
1. SINGLE DX	287	2.9	5	1	1	2	4	5	7	12
2. MULTIPLE DX	3163	5.2	22	1	2	4	7	10	13	23
A. NOT OPERATED	3240	4.7	18	1	1	4	6	9	11	21
B. OPERATED	210	9.3	56	2	2	8	12	16	23	35
TOTAL 65-69 YRS	869	4.5	20	1	1	3	5	8	11	21
70-74	922	4.8	18	1	1	4	6	9	12	23
75-79	785	5.2	19	1	2	4	6	10	12	24
80-84	499	5.3	19	1	2	4	7	9	12	23
85+	375	6.1	43	1	2	4	8	11	14	22
GRAND TOTAL	**3450**	**5.0**	**21**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	468	2.5	3	<1	1	2	3	5	6	9
70-74	413	2.9	9	<1	1	2	4	5	7	11
75-79	305	3.0	5	<1	1	2	4	6	7	12
80-84	201	3.5	6	1	1	3	4	7	8	11
85+	137	4.1	17	1	1	3	5	8	10	22
B. *Operated*										
65-69 YRS	15	4.5	14	<1	1	3	6	9	13	15
70-74	5	12.2	135	1	1	10	18	31	31	31
75-79	10	3.5	5	<1	<1	3	6	7	7	7
80-84	5	5.0	4	3	3	4	7	7	7	7
85+	2	34.0	288	22	22	34	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4600	4.7	16	1	1	4	6	9	12	20
70-74	5413	5.2	21	1	2	4	7	10	13	22
75-79	5145	5.8	22	1	2	5	7	11	14	23
80-84	3766	6.2	27	1	2	5	8	11	15	27
85+	3164	6.7	39	2	2	5	8	12	16	38
B. *Operated*										
65-69 YRS	423	9.6	81	2	2	7	11	20	26	52
70-74	558	9.8	87	2	3	8	12	19	25	53
75-79	501	10.7	83	2	3	8	14	21	29	46
80-84	388	11.2	74	2	3	9	15	23	27	45
85+	311	13.0	141	2	4	10	16	25	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1524	3.0	7	<1	1	2	4	6	7	11
B. *Operated*	37	6.9	81	<1	1	4	7	15	28	46
2. MULTIPLE DX										
A. *Not Operated*	22088	5.6	24	1	2	4	7	11	14	24
B. *Operated*	2181	10.7	91	2	3	8	14	21	28	57
1. SINGLE DX	1561	3.1	9	<1	1	2	4	6	7	14
2. MULTIPLE DX	24269	6.1	32	1	2	5	8	12	15	29
A. NOT OPERATED	23612	5.4	24	1	2	4	7	10	13	23
B. OPERATED	2218	10.6	91	2	3	8	13	21	28	56
TOTAL 65-69 YRS	5506	4.9	22	1	1	4	6	10	13	23
70-74	6389	5.5	28	1	1	4	7	11	14	25
75-79	5961	6.0	29	1	2	5	8	11	15	28
80-84	4360	6.5	33	1	2	5	8	12	17	29
85+	3614	7.2	50	2	2	5	9	14	18	46
GRAND TOTAL	**25830**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	376	3.8	10	1	1	3	5	7	9	17
70-74	340	3.8	7	1	1	3	5	7	8	13
75-79	267	4.3	29	1	1	3	5	7	10	24
80-84	197	4.1	8	1	1	4	5	8	10	15
85+	144	4.6	14	1	1	4	6	8	11	24
B. *Operated*										
65-69 YRS	158	5.7	18	1	2	5	7	12	15	22
70-74	219	5.3	9	1	2	5	7	9	11	14
75-79	228	5.1	12	1	1	4	7	9	11	18
80-84	191	5.8	22	2	2	5	7	11	13	22
85+	167	6.2	39	2	2	5	7	10	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5683	5.6	22	1	2	4	7	10	13	24
70-74	6609	5.8	20	1	2	5	7	11	14	23
75-79	6198	6.2	25	2	2	5	7	11	14	24
80-84	4832	6.4	30	2	2	5	8	12	15	27
85+	3989	6.8	33	2	2	5	8	12	16	29
B. *Operated*										
65-69 YRS	2333	8.6	61	2	3	7	11	15	21	43
70-74	2970	8.6	53	2	3	7	11	16	21	38
75-79	3452	8.8	48	2	3	7	11	16	22	36
80-84	3102	9.4	55	2	3	8	12	17	22	40
85+	2685	9.7	61	2	3	8	12	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1324	4.1	13	1	1	3	5	7	9	17
B. *Operated*	963	5.6	19	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	27311	6.1	25	2	2	5	7	11	14	25
B. *Operated*	14542	9.0	55	2	3	7	11	17	22	40
1. SINGLE DX	2287	4.7	16	1	1	4	6	8	11	19
2. MULTIPLE DX	41853	7.1	38	2	2	6	9	13	17	31
A. NOT OPERATED	28635	6.0	25	1	2	5	7	11	14	25
B. OPERATED	15505	8.8	54	2	3	7	11	16	21	39
TOTAL 65-69 YRS	8550	6.3	34	1	2	5	8	12	15	31
70-74	10138	6.5	31	2	2	5	8	12	16	27
75-79	10145	7.0	34	2	2	5	9	13	17	29
80-84	8322	7.4	41	2	2	6	9	14	18	33
85+	6985	7.9	45	2	2	6	10	15	19	37
GRAND TOTAL	**44140**	**7.0**	**37**	**2**	**2**	**5**	**9**	**13**	**17**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	370	5.5	14	1	2	5	7	10	13	18
70-74	557	5.6	19	1	2	5	7	10	13	20
75-79	578	6.0	20	2	2	5	7	11	13	23
80-84	601	5.8	14	2	2	5	7	10	12	20
85+	819	5.9	19	2	2	5	7	11	14	22
B. *Operated*										
65-69 YRS	21	12.0	131	1	2	10	14	31	40	40
70-74	17	7.7	32	2	2	6	10	17	19	20
75-79	18	9.3	38	1	2	8	15	19	20	20
80-84	13	13.2	62	4	6	10	17	25	31	32
85+	10	12.8	88	6	6	9	16	27	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16222	7.7	35	2	3	6	9	14	18	30
70-74	21455	7.9	35	2	3	7	10	14	18	30
75-79	23293	8.1	39	2	3	7	10	15	19	32
80-84	22158	8.4	46	2	3	7	10	15	20	35
85+	23580	8.7	52	2	3	7	10	16	20	41
B. *Operated*										
65-69 YRS	2215	13.2	115	2	4	10	17	25	34	60
70-74	2565	14.4	126	3	4	12	18	28	36	66
75-79	2430	15.0	137	3	5	12	19	30	40	82
80-84	1939	15.3	140	4	5	12	19	29	39	95
85+	1794	15.3	135	4	5	12	19	29	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2925	5.8	17	2	2	5	7	10	13	21
B. *Operated*	79	10.8	73	2	2	9	15	20	29	40
2. MULTIPLE DX										
A. *Not Operated*	106708	8.2	42	2	3	7	10	15	19	34
B. *Operated*	10943	14.6	131	3	5	12	18	28	37	73
1. SINGLE DX	3004	5.9	19	2	2	5	7	11	14	23
2. MULTIPLE DX	117651	8.8	54	2	3	7	11	16	21	39
A. NOT OPERATED	109633	8.2	41	2	3	7	10	15	19	33
B. OPERATED	11022	14.6	130	3	5	12	18	28	37	73
TOTAL 65-69 YRS	18828	8.3	47	2	3	7	10	15	21	35
70-74	24594	8.5	48	2	3	7	10	16	21	36
75-79	26319	8.7	52	2	3	7	11	16	21	39
80-84	24711	8.9	56	2	3	7	11	17	22	41
85+	26203	9.1	60	2	3	7	11	17	22	44
GRAND TOTAL	**120655**	**8.7**	**53**	**2**	**3**	**7**	**11**	**16**	**21**	**39**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	141	4.3	15	<1	<1	3	6	8	11	23
70-74	90	5.4	29	1	1	4	7	11	12	34
75-79	53	4.4	9	1	2	3	5	8	10	17
80-84	38	4.8	10	1	1	4	7	9	12	14
85+	16	4.5	15	<1	1	4	5	12	14	14
B. *Operated*										
65-69 YRS	250	5.0	27	1	1	2	8	13	15	23
70-74	158	5.2	38	1	1	2	6	15	17	25
75-79	71	5.9	54	1	1	2	9	15	18	39
80-84	26	5.4	33	1	1	2	7	15	18	22
85+	5	4.0	22	1	1	2	6	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2533	7.5	33	2	2	6	9	14	18	29
70-74	2374	7.9	37	2	3	6	10	15	18	30
75-79	1881	8.1	40	2	3	7	10	15	20	32
80-84	1200	7.8	31	2	3	6	10	14	18	30
85+	918	8.7	64	2	3	7	11	17	22	37
B. *Operated*										
65-69 YRS	2028	9.5	92	1	1	7	13	20	27	49
70-74	1758	10.8	129	1	2	9	14	23	31	61
75-79	1117	11.2	106	1	2	9	16	24	30	57
80-84	424	13.1	137	1	2	11	18	28	36	60
85+	154	13.6	218	2	2	9	16	29	39	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.7	17	<1	1	4	6	9	11	23
B. *Operated*	510	5.2	35	1	1	2	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	8906	7.9	38	2	3	6	10	15	19	31
B. *Operated*	5481	10.7	115	1	2	9	14	22	30	58
1. SINGLE DX	848	5.0	28	1	1	3	6	12	16	24
2. MULTIPLE DX	14387	8.9	69	2	2	7	11	18	24	42
A. NOT OPERATED	9244	7.8	38	2	3	6	10	15	19	31
B. OPERATED	5991	10.2	110	1	2	8	14	22	29	56
TOTAL 65-69 YRS	4952	8.1	58	1	2	6	11	16	21	37
70-74	4380	8.9	77	1	2	7	11	18	24	44
75-79	3122	9.1	66	2	2	7	12	18	24	42
80-84	1688	9.0	63	2	2	7	12	17	24	41
85+	1093	9.3	88	2	3	7	11	18	25	56
GRAND TOTAL	**15235**	**8.7**	**68**	**1**	**2**	**7**	**11**	**17**	**23**	**41**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	13.6	350	1	1	6	21	46	46	46
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	4	26.3	1927	1	1	6	49	92	92	92
85+	7	8.1	36	3	3	6	9	19	21	21
B. *Operated*										
65-69 YRS	8	4.3	21	1	1	2	5	12	15	15
70-74	1	13.0		13	13	13	13	13	13	13
75-79	2	4.5	13	2	2	4	7	7	7	7
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	173	6.0	22	2	2	5	8	11	13	27
70-74	186	6.0	22	2	2	5	7	11	14	28
75-79	218	6.2	22	2	2	5	7	13	16	30
80-84	207	7.2	48	2	3	6	8	13	16	45
85+	227	7.7	78	2	3	6	8	14	21	99+
B. *Operated*										
65-69 YRS	124	7.1	61	1	1	4	9	17	30	53
70-74	89	6.8	56	1	1	4	9	15	20	41
75-79	61	10.0	57	1	2	9	14	20	22	36
80-84	30	10.7	62	1	2	9	16	25	29	99+
85+	25	20.5	628	2	4	11	17	74	87	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	11.7	436	1	1	6	8	31	67	92
B. *Operated*	12	4.8	22	1	1	2	6	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	1011	6.7	40	2	2	5	8	12	16	36
B. *Operated*	329	8.9	113	1	1	6	11	20	29	87
1. SINGLE DX	33	9.2	291	1	2	5	7	16	42	92
2. MULTIPLE DX	1340	7.2	59	1	2	5	9	14	20	45
A. NOT OPERATED	1032	6.8	48	2	2	5	8	12	16	39
B. OPERATED	341	8.7	110	1	1	6	11	20	29	86
TOTAL 65-69 YRS	310	6.5	43	1	2	5	9	13	20	37
70-74	279	6.2	33	1	2	4	8	12	16	29
75-79	283	7.0	32	2	2	5	9	14	18	33
80-84	241	8.0	80	2	3	6	9	15	21	63
85+	260	8.9	141	2	3	6	9	15	34	99
GRAND TOTAL	**1373**	**7.3**	**64**	**1**	**2**	**5**	**9**	**14**	**20**	**52**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	29.0	338	16	16	29	42	42	42	42
70-74	4	11.5	80	2	2	11	19	21	21	21
75-79	4	5.5	28	<1	<1	5	10	11	11	11
80-84	3	11.7	2	10	10	12	13	13	13	13
85+	5	8.8	94	3	3	5	11	26	26	26
B. *Operated*										
65-69 YRS	17	15.1	105	1	2	13	21	33	35	36
70-74	14	18.2	282	4	6	15	18	32	64	73
75-79	5	20.4	110	6	6	20	30	31	31	31
80-84										
85+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	13.1	176	<1	1	10	16	29	43	63
70-74	33	14.5	116	2	4	12	20	26	36	53
75-79	45	15.0	100	2	5	13	19	30	35	45
80-84	43	14.5	139	2	4	13	19	27	39	64
85+	36	13.3	72	2	4	13	17	22	30	42
B. *Operated*										
65-69 YRS	99	26.1	253	7	10	23	35	53	81	99+
70-74	91	26.2	264	4	10	22	34	53	78	99+
75-79	33	28.8	377	10	11	23	39	56	76	82
80-84	22	25.6	351	5	8	24	27	42	69	93
85+	10	24.2	175	5	7	26	37	67	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	11.4	108	<1	1	9	16	24	36	42
B. *Operated*	37	17.3	168	3	5	15	21	31	35	73
2. MULTIPLE DX										
A. *Not Operated*	190	14.1	118	2	3	12	18	27	37	59
B. *Operated*	255	26.4	275	6	10	23	34	53	78	99+
1. SINGLE DX	55	15.4	154	1	3	13	20	30	35	71
2. MULTIPLE DX	445	21.1	244	3	5	18	29	45	55	99+
A. NOT OPERATED	208	13.9	117	1	3	12	18	27	37	57
B. OPERATED	292	25.2	270	5	9	22	33	51	75	99+
TOTAL 65-69 YRS	151	22.0	251	2	5	19	31	47	61	99+
70-74	142	22.3	251	4	6	19	30	47	68	99+
75-79	87	20.1	251	3	6	15	28	42	50	81
80-84	68	18.0	226	3	4	14	23	33	43	88
85+	52	15.2	114	3	4	14	21	33	41	98
GRAND TOTAL	**500**	**20.5**	**237**	**3**	**5**	**17**	**27**	**43**	**54**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	24.7	144	13	13	24	34	37	37	37
70-74	6	32.7	274	3	5	37	42	49	50	50
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	5	17.0	181	6	6	11	23	40	40	40
85+	2	13.5	85	7	7	13	20	20	20	20
B. *Operated*										
65-69 YRS	11	29.5	373	5	10	24	54	73	96	99+
70-74	7	30.9	485	5	6	30	59	89	99+	99+
75-79	11	37.0	700	15	15	26	54	82	89	90
80-84	3	55.7	52	51	51	52	61	64	64	64
85+	3	26.7	184	14	14	25	37	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	21.8	234	4	5	18	37	41	47	50
B. *Operated*	35	34.1	473	6	13	27	56	74	96	99+
1. SINGLE DX										
2. MULTIPLE DX	53	29.9	420	5	6	25	48	64	86	99+
A. NOT OPERATED	18	21.8	234	4	5	18	37	41	47	50
B. OPERATED	35	34.1	473	6	13	27	56	74	96	99+
TOTAL 65-69 YRS	14	28.4	313	6	13	24	47	62	90	99+
70-74	13	31.7	358	3	5	34	50	68	93	99+
75-79	13	32.2	723	5	6	24	39	79	88	90
80-84	8	31.5	519	6	7	28	51	60	64	64
85+	5	21.4	165	7	7	20	29	41	41	41
GRAND TOTAL	**53**	**29.9**	**420**	**5**	**6**	**25**	**48**	**64**	**86**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	7.6	52	1	1	5	11	15	26	31
70-74	61	10.1	89	1	1	8	14	20	33	46
75-79	53	10.4	69	<1	2	8	14	23	29	34
80-84	48	10.8	50	2	2	10	14	21	27	29
85+	41	7.4	30	<1	1	7	10	14	17	28
B. *Operated*										
65-69 YRS	54	11.9	159	2	3	8	12	28	33	66
70-74	75	10.1	42	3	4	9	12	23	26	82
75-79	68	12.6	116	3	4	10	14	24	32	61
80-84	36	10.7	38	4	6	9	12	21	25	30
85+	23	13.5	54	5	6	11	20	24	27	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	353	12.2	103	2	3	9	15	25	34	46
70-74	448	12.2	90	2	4	10	16	24	29	99
75-79	493	13.6	151	3	4	10	17	29	45	99+
80-84	493	13.0	85	3	4	11	17	25	34	63
85+	454	13.9	150	3	4	10	16	25	35	84
B. *Operated*										
65-69 YRS	281	18.9	214	5	6	15	25	40	52	99+
70-74	304	19.4	268	4	6	15	24	47	62	99+
75-79	269	18.8	230	5	6	14	25	40	60	99+
80-84	203	21.8	272	5	8	17	26	42	65	87
85+	136	23.1	305	7	8	18	32	59	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	9.5	62	1	1	8	12	20	28	35
B. *Operated*	256	11.5	87	3	4	9	14	23	29	63
2. MULTIPLE DX										
A. *Not Operated*	2241	13.0	117	3	4	10	16	25	35	84
B. *Operated*	1193	20.0	253	5	7	15	25	42	64	99+
1. SINGLE DX	490	10.6	76	1	2	8	13	22	28	51
2. MULTIPLE DX	3434	15.4	175	3	4	12	19	32	46	99+
A. NOT OPERATED	2475	12.7	113	2	4	10	16	25	34	81
B. OPERATED	1449	18.5	234	4	6	14	24	40	60	99+
TOTAL 65-69 YRS	719	14.6	161	2	4	11	19	31	42	86
70-74	888	14.4	160	2	4	11	18	30	47	99+
75-79	883	14.9	174	3	4	11	18	32	49	99+
80-84	780	15.0	146	3	5	12	19	29	40	79
85+	654	15.4	189	3	5	11	19	31	45	99+
GRAND TOTAL	**3924**	**14.8**	**165**	**3**	**4**	**11**	**19**	**30**	**44**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	150	17.7	271	4	5	13	20	38	52	91
70-74	159	15.9	207	3	4	12	20	33	48	91
75-79	221	15.9	123	4	6	13	21	33	42	99+
80-84	207	17.4	197	4	6	13	22	36	48	90
85+	166	14.8	111	5	6	13	18	26	36	97
B. *Operated*										
65-69 YRS	73	24.6	317	7	9	18	35	55	63	99
70-74	76	26.7	328	6	8	21	38	60	67	93
75-79	74	23.2	186	7	7	20	33	45	51	90
80-84	65	25.3	359	6	7	22	36	59	80	99+
85+	35	23.0	216	8	9	20	29	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	903	16.4	177	4	5	13	20	33	47	94
B. *Operated*	323	24.7	286	7	8	20	35	54	66	99+
1. SINGLE DX										
2. MULTIPLE DX	1226	18.6	219	4	6	14	23	40	53	99+
A. NOT OPERATED	903	16.4	177	4	5	13	20	33	47	94
B. OPERATED	323	24.7	286	7	8	20	35	54	66	99+
TOTAL 65-69 YRS	223	20.0	295	4	6	14	23	46	57	96
70-74	235	19.4	270	3	5	15	25	44	58	92
75-79	295	17.7	149	5	6	14	24	38	46	99+
80-84	272	19.3	246	4	6	14	25	43	59	99+
85+	201	16.2	138	5	7	14	19	31	51	99+
GRAND TOTAL	**1226**	**18.6**	**219**	**4**	**6**	**14**	**23**	**40**	**53**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	4.5	17	<1	1	3	5	9	15	19
70-74	35	3.0	9	1	1	2	4	6	10	14
75-79	40	3.9	8	1	1	3	6	8	10	10
80-84	22	5.0	20	<1	1	3	8	11	14	18
85+	8	6.1	28	1	1	5	8	15	17	17
B. *Operated*										
65-69 YRS	1105	4.8	11	1	1	4	6	9	11	16
70-74	1050	4.6	8	1	1	4	6	8	10	15
75-79	724	4.9	16	1	1	4	6	9	11	15
80-84	325	5.0	14	1	1	4	6	9	11	19
85+	97	5.4	10	1	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	418	6.0	43	1	1	4	7	12	15	32
70-74	535	5.9	41	1	1	4	7	11	16	27
75-79	540	6.5	49	1	2	5	8	12	15	42
80-84	459	7.9	78	2	2	6	9	14	21	55
85+	314	8.1	72	2	2	6	9	15	23	71
B. *Operated*										
65-69 YRS	4817	6.8	30	1	2	5	8	13	16	28
70-74	5050	7.1	35	2	2	6	9	13	18	30
75-79	3702	7.4	40	2	2	6	9	14	18	32
80-84	1621	7.9	44	2	2	6	10	15	20	37
85+	511	9.1	59	2	3	7	11	17	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	4.1	14	1	1	3	6	9	11	18
B. *Operated*	3301	4.8	12	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2266	6.8	55	1	2	5	8	13	17	42
B. *Operated*	15701	7.3	37	2	2	6	9	14	18	31
1. SINGLE DX	3443	4.7	12	1	1	4	6	8	11	16
2. MULTIPLE DX	17967	7.2	39	1	2	6	9	13	18	32
A. NOT OPERATED	2408	6.6	53	1	2	5	8	12	17	42
B. OPERATED	19002	6.8	33	1	2	5	8	13	17	30
TOTAL 65-69 YRS	6377	6.4	28	1	2	5	8	12	15	27
70-74	6670	6.6	32	1	2	5	8	12	16	27
75-79	5006	6.9	38	1	2	5	8	13	17	32
80-84	2427	7.5	47	1	2	6	9	14	18	39
85+	930	8.3	59	2	2	7	10	16	21	50
GRAND TOTAL	**21410**	**6.8**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	10.1	93	1	2	7	14	19	21	55
70-74	57	10.5	74	3	3	8	12	21	29	46
75-79	56	12.1	148	2	3	10	15	24	45	98
80-84	46	14.5	209	2	3	11	21	38	56	99+
85+	31	14.6	153	3	4	10	21	28	31	64
B. *Operated*										
65-69 YRS	273	11.2	165	2	3	7	13	21	33	77
70-74	241	13.6	155	2	3	10	17	31	36	77
75-79	168	11.9	125	2	3	8	14	23	40	63
80-84	93	12.0	77	3	4	9	17	23	35	99+
85+	28	14.8	129	4	4	11	18	32	39	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	242	12.1	132	2	3	8	15	24	36	78
B. *Operated*	803	12.3	143	2	3	9	15	25	36	77
1. SINGLE DX										
2. MULTIPLE DX	1045	12.3	140	2	3	9	15	25	36	77
A. NOT OPERATED	242	12.1	132	2	3	8	15	24	36	78
B. OPERATED	803	12.3	143	2	3	9	15	25	36	77
TOTAL 65-69 YRS	325	11.1	154	2	2	7	13	20	31	73
70-74	298	13.0	141	2	3	9	16	29	36	74
75-79	224	12.0	130	2	3	9	14	23	40	82
80-84	139	12.8	120	3	4	10	17	27	43	99+
85+	59	14.7	139	3	4	10	20	28	37	63
GRAND TOTAL	**1045**	**12.3**	**140**	**2**	**3**	**9**	**15**	**25**	**36**	**77**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	258	7.6	43	2	2	6	10	15	20	37
70-74	282	8.0	49	2	2	6	10	15	17	30
75-79	344	8.0	57	2	2	6	9	15	22	38
80-84	285	8.3	35	2	3	7	11	14	20	27
85+	228	8.5	43	2	3	7	10	17	23	99+
B. *Operated*										
65-69 YRS	56	6.3	14	1	2	6	9	12	13	16
70-74	54	8.8	109	2	2	6	9	17	30	56
75-79	44	6.5	27	2	2	5	8	13	18	24
80-84	17	9.8	121	1	2	8	11	39	80	99+
85+	9	12.2	103	1	2	8	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3389	10.0	68	2	3	8	12	19	25	46
70-74	4622	10.5	83	3	3	8	13	20	27	57
75-79	5168	10.8	90	3	4	8	13	20	28	62
80-84	4583	11.5	102	3	4	9	14	22	30	77
85+	4446	11.6	109	3	4	9	14	22	31	87
B. *Operated*										
65-69 YRS	1033	13.7	185	2	3	10	16	30	47	99+
70-74	1041	14.4	173	3	4	11	18	32	50	99+
75-79	940	16.2	214	3	4	12	20	35	52	99+
80-84	646	18.2	260	4	5	13	23	43	61	99+
85+	403	20.6	270	5	7	16	27	53	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	8.1	46	2	3	6	10	15	20	38
B. *Operated*	180	7.7	61	2	2	6	10	15	24	54
2. MULTIPLE DX										
A. *Not Operated*	22208	10.9	92	3	4	8	13	20	28	70
B. *Operated*	4063	15.9	214	3	4	11	20	36	56	99+
1. SINGLE DX	1577	8.0	48	2	2	6	10	15	21	44
2. MULTIPLE DX	26271	11.7	114	3	4	9	14	23	33	82
A. NOT OPERATED	23605	10.7	89	3	3	8	13	20	28	67
B. OPERATED	4243	15.5	210	3	4	11	19	35	54	99+
TOTAL 65-69 YRS	4736	10.6	94	2	3	8	13	20	29	68
70-74	5999	11.0	100	2	3	9	13	21	30	79
75-79	6496	11.4	110	3	4	9	14	22	32	71
80-84	5531	12.1	123	3	4	9	14	23	34	83
85+	5086	12.2	125	3	4	9	15	24	36	99+
GRAND TOTAL	**27848**	**11.5**	**111**	**3**	**3**	**9**	**14**	**22**	**32**	**81**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1536	13.4	137	3	4	10	16	27	38	79
70-74	2153	12.8	109	3	4	10	15	24	34	73
75-79	2364	13.4	120	4	5	11	16	26	35	85
80-84	2099	14.1	133	4	5	11	17	27	40	99+
85+	2090	14.0	144	4	5	11	16	27	38	90
B. *Operated*										
65-69 YRS	377	16.6	200	3	4	12	21	36	54	99+
70-74	402	18.7	218	5	6	14	24	38	56	99+
75-79	369	22.4	337	5	7	17	30	54	84	99+
80-84	243	19.8	207	5	7	16	27	45	76	99+
85+	172	22.8	288	5	7	18	33	50	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10242	13.6	128	4	5	10	16	26	37	85
B. *Operated*	1563	19.7	253	4	6	15	26	45	65	99+
1. SINGLE DX										
2. MULTIPLE DX	11805	14.4	149	4	5	11	17	29	42	99+
A. NOT OPERATED	10242	13.6	128	4	5	10	16	26	37	85
B. OPERATED	1563	19.7	253	4	6	15	26	45	65	99+
TOTAL 65-69 YRS	1913	14.1	151	3	4	10	17	29	40	83
70-74	2555	13.7	131	3	4	11	17	27	38	80
75-79	2733	14.7	158	4	5	11	18	30	44	99+
80-84	2342	14.7	144	4	5	11	18	30	44	99+
85+	2262	14.7	160	4	5	11	17	29	42	99
GRAND TOTAL	**11805**	**14.4**	**149**	**4**	**5**	**11**	**17**	**29**	**42**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	428	3.5	9	1	1	3	4	6	8	16
70-74	440	3.9	28	1	1	3	5	7	9	15
75-79	535	3.8	9	1	1	3	5	7	9	13
80-84	439	3.8	8	1	1	3	5	7	9	14
85+	451	3.8	7	1	1	3	5	7	9	18
B. *Operated*										
65-69 YRS	221	3.7	11	1	1	3	5	7	8	18
70-74	180	3.8	8	1	1	3	5	7	9	14
75-79	125	3.4	6	1	1	3	4	6	8	13
80-84	63	3.8	6	1	1	3	5	7	8	13
85+	27	4.0	14	1	1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4250	5.1	19	1	2	4	6	9	12	20
70-74	5783	5.5	22	2	2	4	7	10	12	22
75-79	6833	5.7	21	2	2	5	7	10	13	24
80-84	6804	6.1	33	2	2	5	7	11	14	31
85+	7239	6.6	48	2	2	5	8	12	17	45
B. *Operated*										
65-69 YRS	1533	7.0	40	1	2	5	9	13	17	32
70-74	1660	7.0	33	1	2	6	9	13	17	33
75-79	1468	7.8	50	2	2	6	10	15	19	44
80-84	1013	9.0	68	2	2	7	11	19	26	66
85+	644	12.2	159	2	3	8	15	26	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2293	3.8	12	1	1	3	5	7	9	15
B. *Operated*	616	3.7	9	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	30909	5.9	30	2	2	5	7	10	14	30
B. *Operated*	6318	8.0	60	2	2	6	10	16	22	48
1. SINGLE DX	2909	3.7	11	1	1	3	5	7	9	15
2. MULTIPLE DX	37227	6.2	36	2	2	5	7	11	15	33
A. NOT OPERATED	33202	5.7	29	1	2	5	7	10	13	29
B. OPERATED	6934	7.7	57	1	2	6	9	15	21	45
TOTAL 65-69 YRS	6432	5.4	24	1	2	4	7	10	13	24
70-74	8063	5.7	25	1	2	5	7	10	13	24
75-79	8961	5.9	25	1	2	5	7	11	14	27
80-84	8319	6.3	37	2	2	5	8	11	15	33
85+	8361	6.9	57	2	2	5	8	13	19	52
GRAND TOTAL	**40136**	**6.1**	**34**	**1**	**2**	**5**	**7**	**11**	**15**	**32**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	175	7.5	64	1	2	5	9	16	18	34
70-74	240	7.3	45	2	2	6	9	13	17	38
75-79	292	8.4	68	2	2	6	10	16	22	45
80-84	278	8.8	46	2	3	7	11	16	21	43
85+	287	9.1	71	2	3	7	11	18	23	57
B. *Operated*										
65-69 YRS	41	6.7	35	1	2	5	8	13	18	31
70-74	45	9.2	33	3	4	8	12	16	20	29
75-79	33	10.4	145	2	2	6	15	38	44	99+
80-84	18	10.6	51	2	3	10	15	26	68	99+
85+	7	18.1	524	5	5	11	16	59	69	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1855	8.9	55	2	3	7	11	17	22	41
70-74	2666	9.6	72	2	3	7	12	18	25	54
75-79	3109	9.6	65	3	3	8	12	18	23	48
80-84	3129	10.1	74	3	3	8	12	19	25	54
85+	3440	10.4	86	3	4	8	12	19	26	54
B. *Operated*										
65-69 YRS	447	13.1	164	3	3	10	15	25	37	93
70-74	484	13.5	133	3	4	10	17	32	42	99+
75-79	483	14.9	127	3	5	12	19	30	41	99+
80-84	336	15.9	144	4	5	13	21	33	38	96
85+	288	17.5	215	4	5	13	22	35	56	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1272	8.3	59	2	2	6	10	16	21	43
B. *Operated*	144	9.3	87	2	2	7	12	19	31	99+
2. MULTIPLE DX										
A. *Not Operated*	14199	9.8	72	2	3	8	12	18	24	51
B. *Operated*	2038	14.7	154	3	4	11	19	31	41	99+
1. SINGLE DX	1416	8.4	62	2	2	6	10	16	22	46
2. MULTIPLE DX	16237	10.4	85	2	3	8	13	20	28	57
A. NOT OPERATED	15471	9.7	72	2	3	8	12	18	24	51
B. OPERATED	2182	14.4	151	3	4	11	18	30	41	99+
TOTAL 65-69 YRS	2518	9.5	78	2	3	7	12	18	25	47
70-74	3435	10.0	81	2	3	8	12	19	27	61
75-79	3917	10.2	77	2	3	8	13	19	26	56
80-84	3761	10.5	81	3	3	8	13	20	28	56
85+	4022	10.9	98	3	4	8	13	20	28	59
GRAND TOTAL	**17653**	**10.3**	**84**	**2**	**3**	**8**	**12**	**20**	**27**	**57**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	798	11.6	110	3	4	9	14	22	30	72
70-74	1090	11.6	105	3	4	9	14	23	31	85
75-79	1240	12.3	124	3	4	9	15	24	35	81
80-84	1269	12.3	118	3	4	9	15	23	32	68
85+	1294	11.9	123	3	4	9	14	21	29	92
B. *Operated*										
65-69 YRS	140	15.7	204	4	5	11	19	34	49	66
70-74	196	17.9	232	4	5	13	22	40	56	95
75-79	180	19.2	262	4	5	13	26	42	54	80
80-84	141	18.3	177	5	7	15	24	40	77	99+
85+	95	18.3	143	5	7	15	25	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5691	12.0	117	3	4	9	14	23	32	80
B. *Operated*	752	18.0	212	4	5	13	23	39	55	99+
1. SINGLE DX										
2. MULTIPLE DX	6443	12.7	132	3	4	9	15	25	36	85
A. NOT OPERATED	5691	12.0	117	3	4	9	14	23	32	80
B. OPERATED	752	18.0	212	4	5	13	23	39	55	99+
TOTAL 65-69 YRS	938	12.2	126	3	4	9	14	23	36	70
70-74	1286	12.6	129	3	4	9	15	25	37	86
75-79	1420	13.2	146	3	4	10	15	26	41	81
80-84	1410	12.9	127	3	4	10	15	25	34	86
85+	1389	12.3	127	3	4	9	15	23	33	94
GRAND TOTAL	**6443**	**12.7**	**132**	**3**	**4**	**9**	**15**	**25**	**36**	**85**

163: Other and ill-defined cerebrovas [illegible] ease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	4.4	9	1	1	4	6	8	11	15
70-74	88	4.1	10	1	1	3	5	8	10	18
75-79	108	5.1	42	1	1	3	6	10	12	44
80-84	79	5.1	17	1	1	4	6	11	16	77
85+	67	5.6	29	1	2	4	7	11	17	32
B. *Operated*										
65-69 YRS	61	5.1	27	1	1	2	7	13	19	22
70-74	61	2.8	5	1	1	2	3	6	7	12
75-79	35	3.4	9	1	1	2	4	8	9	14
80-84	15	3.7	17	<1	1	2	5	10	13	14
85+	6	3.2	3	2	2	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1218	6.7	40	2	2	5	8	12	17	34
70-74	1527	7.2	48	2	2	5	9	13	18	36
75-79	1688	7.5	61	2	2	5	9	14	20	59
80-84	1549	8.0	66	2	2	6	9	15	21	77
85+	1635	8.8	106	2	2	6	10	18	28	99+
B. *Operated*										
65-69 YRS	423	8.7	117	1	2	6	11	17	27	73
70-74	440	10.1	125	1	2	7	13	22	35	77
75-79	359	9.8	96	2	2	7	12	21	33	73
80-84	248	12.8	213	2	3	9	15	27	60	99+
85+	153	13.1	189	2	3	9	17	30	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	4.8	22	1	1	4	6	10	12	24
B. *Operated*	178	3.8	15	1	1	2	5	8	13	20
2. MULTIPLE DX										
A. *Not Operated*	7617	7.7	66	2	2	6	9	15	21	61
B. *Operated*	1623	10.4	138	1	2	7	13	22	36	99+
1. SINGLE DX	611	4.5	20	1	1	3	6	9	12	21
2. MULTIPLE DX	9240	8.2	80	2	2	6	10	16	23	73
A. NOT OPERATED	8050	7.6	64	2	2	6	9	14	21	60
B. OPERATED	1801	9.7	130	1	2	7	12	21	34	97
TOTAL 65-69 YRS	1793	7.0	57	1	2	5	8	14	19	43
70-74	2116	7.5	64	2	2	5	9	15	21	47
75-79	2190	7.7	66	2	2	6	9	15	21	61
80-84	1891	8.5	86	2	2	6	10	17	24	93
85+	1861	9.1	111	2	2	6	10	19	29	99+
GRAND TOTAL	**9851**	**8.0**	**77**	**2**	**2**	**6**	**9**	**16**	**22**	**71**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	9	4.6	20	1	1	2	7	12	14	14
75-79	8	10.4	490	1	1	2	5	47	65	65
80-84	4	3.5	3	2	2	3	5	6	6	6
85+	8	4.1	10	1	1	3	6	9	10	10
B. *Operated*										
65-69 YRS	203	5.3	19	1	1	4	8	12	14	17
70-74	174	5.4	18	1	1	4	9	11	13	17
75-79	102	6.6	52	1	1	5	10	13	17	39
80-84	55	5.2	45	<1	1	2	7	13	17	40
85+	24	5.5	19	<1	1	5	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	135	5.4	20	1	1	4	8	11	14	20
70-74	152	6.7	85	1	1	4	8	13	18	47
75-79	199	6.0	46	1	1	5	7	12	15	28
80-84	160	7.6	52	1	2	6	9	14	20	42
85+	220	8.9	86	2	2	6	11	17	24	60
B. *Operated*										
65-69 YRS	1860	11.1	116	1	2	9	14	24	33	65
70-74	1847	12.0	142	1	2	9	15	26	35	64
75-79	1408	12.4	142	1	2	10	15	26	35	69
80-84	899	14.4	164	1	2	11	18	32	43	89
85+	801	14.7	141	2	4	12	18	29	39	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.6	131	1	1	3	5	9	14	65
B. *Operated*	558	5.5	27	1	1	4	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	866	7.0	61	1	2	5	8	14	18	45
B. *Operated*	6815	12.5	139	1	2	10	16	27	36	67
1. SINGLE DX	589	5.5	32	1	1	4	9	12	14	19
2. MULTIPLE DX	7681	11.8	133	1	2	9	15	25	35	67
A. NOT OPERATED	897	7.0	64	1	1	5	8	14	18	46
B. OPERATED	7373	11.9	134	1	2	9	15	26	35	66
TOTAL 65-69 YRS	2200	10.2	105	1	1	8	13	22	31	59
70-74	2182	11.0	132	1	2	8	14	24	32	59
75-79	1717	11.3	132	1	2	9	14	23	33	68
80-84	1118	12.9	150	1	2	10	16	29	40	77
85+	1053	13.2	134	2	3	10	16	27	38	73
GRAND TOTAL	**8270**	**11.4**	**129**	**1**	**2**	**9**	**14**	**24**	**34**	**65**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.3	17	<1	<1	1	3	11	13	14
70-74	16	1.8	1	1	1	1	3	4	4	4
75-79	24	3.1	7	<1	1	2	5	8	8	9
80-84	29	3.9	16	<1	1	3	5	8	10	20
85+	17	2.8	10	<1	<1	1	4	6	11	13
B. *Operated*										
65-69 YRS	222	9.0	21	1	2	9	11	13	15	25
70-74	223	8.7	24	1	2	9	11	14	17	23
75-79	127	10.2	29	1	2	10	13	15	20	45
80-84	64	10.5	43	1	1	11	14	19	21	29
85+	19	12.7	39	1	4	12	17	21	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	5.3	31	1	1	4	7	10	15	31
70-74	231	5.1	28	1	1	4	6	11	13	23
75-79	267	6.2	31	1	1	4	8	14	17	27
80-84	235	6.1	30	1	1	5	8	13	15	25
85+	213	6.9	45	1	2	5	8	12	19	46
B. *Operated*										
65-69 YRS	1939	13.2	90	2	5	11	15	22	30	58
70-74	2006	14.1	112	2	5	12	16	25	31	66
75-79	1483	14.7	106	2	5	12	17	27	35	58
80-84	689	15.9	142	2	6	13	19	28	41	92
85+	267	15.9	99	3	6	14	20	29	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.1	11	<1	<1	2	4	7	10	17
B. *Operated*	655	9.4	27	1	2	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	1113	6.0	33	1	1	4	7	12	16	31
B. *Operated*	6384	14.2	107	2	5	12	16	25	33	64
1. SINGLE DX	760	8.5	29	1	1	9	11	15	18	25
2. MULTIPLE DX	7497	13.0	105	2	3	11	16	23	32	61
A. NOT OPERATED	1218	5.7	32	1	1	4	7	12	15	31
B. OPERATED	7039	13.8	102	2	4	12	16	24	32	62
TOTAL 65-69 YRS	2347	12.1	84	2	3	10	14	21	29	51
70-74	2476	12.7	105	2	2	11	15	23	30	61
75-79	1901	13.0	100	2	3	11	16	24	33	55
80-84	1017	13.0	125	1	2	11	16	24	34	78
85+	516	11.6	92	1	2	10	15	24	32	57
GRAND TOTAL	**8257**	**12.6**	**100**	**2**	**2**	**11**	**15**	**23**	**31**	**58**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	<1	1	1	1	1
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	62	6.5	21	1	2	5	8	12	18	24
70-74	44	8.6	42	2	3	7	11	14	18	39
75-79	37	7.5	16	1	1	7	10	13	15	16
80-84	18	5.5	13	1	1	6	8	10	12	13
85+	3	11.7	2	10	10	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	2.8	4	1	1	2	4	6	7	7
70-74	15	6.3	48	<1	1	3	8	17	23	25
75-79	16	6.9	31	1	2	4	12	13	18	20
80-84	12	6.5	48	1	1	6	7	14	25	27
85+	6	5.8	90	1	1	2	4	23	25	25
B. *Operated*										
65-69 YRS	308	10.2	71	1	2	8	13	20	28	45
70-74	317	11.7	113	2	3	9	14	23	31	71
75-79	245	11.9	112	2	3	9	14	23	30	65
80-84	131	12.7	124	2	3	10	16	26	39	70
85+	50	11.2	58	2	2	10	13	20	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	164	7.3	26	1	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	58	5.9	39	1	1	3	7	13	23	27
B. *Operated*	1051	11.4	99	2	3	9	14	23	31	58
1. SINGLE DX	172	7.0	26	1	2	6	9	12	16	24
2. MULTIPLE DX	1109	11.1	98	2	3	9	14	22	30	57
A. NOT OPERATED	66	5.5	36	<1	1	3	7	13	21	27
B. OPERATED	1215	10.8	91	2	3	9	13	21	29	56
TOTAL 65-69 YRS	382	9.3	64	1	2	8	12	18	25	41
70-74	378	11.1	103	2	3	9	13	21	30	65
75-79	299	11.1	99	2	3	9	14	20	28	62
80-84	162	11.4	113	1	2	9	14	24	37	62
85+	60	10.6	59	1	2	10	13	20	27	36
GRAND TOTAL	**1281**	**10.6**	**90**	**1**	**2**	**9**	**13**	**20**	**28**	**55**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.1	11	<1	1	3	7	9	10	10
70-74	24	6.0	56	1	1	3	8	12	22	35
75-79	20	6.1	15	<1	1	6	10	11	12	12
80-84	12	4.8	9	1	1	4	8	9	9	9
85+	9	4.6	18	1	1	4	6	12	13	13
B. *Operated*										
65-69 YRS	374	6.4	26	1	1	6	9	12	16	24
70-74	316	6.2	23	1	1	6	9	13	15	20
75-79	199	7.2	38	1	1	7	10	14	16	28
80-84	97	6.9	20	1	1	7	10	12	16	18
85+	86	6.8	24	1	1	6	9	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	6.3	26	1	1	6	8	11	14	30
70-74	236	7.0	42	1	1	6	10	13	15	24
75-79	219	7.2	26	1	2	6	9	14	17	28
80-84	196	8.3	48	2	2	7	10	15	21	45
85+	206	8.2	40	1	2	7	10	15	18	37
B. *Operated*										
65-69 YRS	2845	11.4	99	1	2	9	15	21	29	58
70-74	2797	12.1	120	2	2	10	15	23	32	61
75-79	2127	12.8	128	2	2	10	16	25	35	66
80-84	1314	13.4	132	2	3	11	17	26	34	73
85+	1014	13.9	128	2	4	11	17	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.2	25	1	1	4	8	10	12	29
B. *Operated*	1072	6.6	27	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	1065	7.4	37	1	2	6	9	14	17	31
B. *Operated*	10097	12.4	119	2	2	10	15	24	32	64
1. SINGLE DX	1158	6.5	27	1	1	6	9	12	16	22
2. MULTIPLE DX	11162	11.9	113	2	2	10	15	23	31	62
A. NOT OPERATED	1151	7.2	36	1	2	6	9	13	17	31
B. OPERATED	11169	11.9	113	1	2	10	15	23	31	61
TOTAL 65-69 YRS	3448	10.5	90	1	2	9	13	20	27	55
70-74	3373	11.1	109	1	2	9	14	21	30	57
75-79	2565	11.9	116	1	2	10	15	23	31	63
80-84	1619	12.3	119	2	2	10	16	24	33	71
85+	1315	12.5	113	2	3	10	15	24	33	65
GRAND TOTAL	**12320**	**11.4**	**107**	**1**	**2**	**9**	**14**	**22**	**30**	**59**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.1	34	1	1	4	9	15	19	25
70-74	43	5.4	42	<1	1	4	7	10	13	41
75-79	39	5.4	46	<1	1	3	8	10	14	41
80-84	22	3.8	6	<1	1	3	6	7	8	10
85+	23	5.8	14	1	1	5	9	10	13	14
B. *Operated*										
65-69 YRS	242	4.8	27	<1	1	2	7	11	15	21
70-74	223	5.1	34	1	1	3	7	12	16	30
75-79	151	5.9	30	1	1	4	10	13	16	26
80-84	90	5.3	35	1	1	3	7	13	18	31
85+	33	7.9	187	2	2	5	7	14	19	80
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	366	5.9	32	1	1	5	7	11	15	33
70-74	431	6.7	41	1	2	5	8	14	17	37
75-79	427	6.6	27	1	2	5	8	13	17	26
80-84	323	8.7	96	2	2	6	10	19	26	92
85+	345	7.3	32	1	2	6	10	14	17	35
B. *Operated*										
65-69 YRS	1555	9.4	95	1	1	7	13	21	28	49
70-74	1579	10.1	116	1	2	7	13	22	31	58
75-79	1193	11.2	143	1	2	8	14	23	33	70
80-84	671	13.6	186	1	2	10	17	30	38	79
85+	433	13.7	155	2	2	10	18	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	5.4	32	1	1	4	7	10	14	39
B. *Operated*	739	5.3	38	1	1	3	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	1892	7.0	45	1	2	5	9	14	19	36
B. *Operated*	5431	10.9	130	1	2	8	14	24	32	64
1. SINGLE DX	902	5.3	37	1	1	3	7	12	15	30
2. MULTIPLE DX	7323	9.9	111	1	2	7	13	21	30	59
A. NOT OPERATED	2055	6.9	44	1	2	5	9	14	18	36
B. OPERATED	6170	10.2	122	1	2	7	13	22	31	59
TOTAL 65-69 YRS	2199	8.3	79	1	1	6	11	18	26	46
70-74	2276	8.9	95	1	1	6	11	19	28	54
75-79	1810	9.6	109	1	2	7	12	20	28	60
80-84	1106	11.3	153	1	2	8	14	25	33	78
85+	834	10.6	112	1	2	8	13	23	33	58
GRAND TOTAL	**8225**	**9.4**	**104**	**1**	**2**	**7**	**12**	**20**	**29**	**57**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	352	7.1	10	3	4	7	9	11	13	18
70-74	325	7.3	10	3	4	7	9	11	12	17
75-79	238	7.6	16	2	3	7	9	12	14	20
80-84	146	7.7	11	3	4	8	10	12	14	16
85+	101	7.7	12	2	3	8	10	12	13	17
B. *Operated*										
65-69 YRS	167	7.5	20	1	2	7	10	12	15	25
70-74	137	7.9	18	2	2	7	11	13	15	20
75-79	89	7.8	14	1	2	8	10	13	14	17
80-84	61	7.0	10	2	3	7	9	11	13	15
85+	45	7.7	21	1	1	7	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1779	8.5	20	3	4	8	10	13	16	25
70-74	1839	9.0	33	3	4	8	11	14	17	29
75-79	1536	9.1	33	3	4	8	11	14	17	29
80-84	1155	9.4	30	3	4	8	11	15	19	31
85+	899	9.9	48	3	4	8	12	16	20	51
B. *Operated*										
65-69 YRS	1008	10.2	51	3	4	9	12	17	22	37
70-74	1013	10.5	49	3	4	9	13	18	24	41
75-79	812	10.9	54	3	4	9	13	19	25	42
80-84	535	11.0	58	3	4	9	13	19	26	43
85+	392	11.4	56	3	4	10	14	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1162	7.4	12	2	3	7	9	11	13	18
B. *Operated*	499	7.6	17	1	2	7	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*	7208	9.1	31	3	4	8	11	14	17	29
B. *Operated*	3760	10.7	53	3	4	9	13	19	24	41
1. SINGLE DX	1661	7.5	13	2	3	7	10	12	14	18
2. MULTIPLE DX	10968	9.6	39	3	4	8	11	16	20	35
A. NOT OPERATED	8370	8.9	29	3	4	8	11	14	17	28
B. OPERATED	4259	10.3	49	2	4	9	12	18	23	40
TOTAL 65-69 YRS	3306	8.8	29	3	4	8	11	14	18	29
70-74	3314	9.3	36	3	4	8	11	15	18	33
75-79	2675	9.5	38	3	4	8	11	15	19	34
80-84	1897	9.7	37	3	4	8	11	16	20	34
85+	1437	10.1	48	3	4	9	12	17	21	42
GRAND TOTAL	**12629**	**9.3**	**36**	**3**	**4**	**8**	**11**	**15**	**19**	**34**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	8.2	24	<1	3	8	11	16	17	20
70-74	34	7.6	58	1	2	6	10	14	20	42
75-79	34	6.9	17	1	2	6	8	14	16	17
80-84	27	10.5	75	1	2	9	13	22	30	37
85+	16	8.6	51	1	2	7	10	17	26	30
B. *Operated*										
65-69 YRS	243	5.0	40	1	1	3	5	9	15	28
70-74	183	6.0	48	1	1	4	6	13	20	32
75-79	88	7.5	66	1	1	5	9	19	26	42
80-84	46	10.8	96	1	2	8	16	21	24	57
85+	33	11.9	97	1	1	8	18	27	31	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	305	10.5	75	3	4	8	12	20	24	49
70-74	358	9.9	46	2	4	8	13	18	23	49
75-79	388	10.9	85	3	4	9	13	19	23	57
80-84	388	11.3	84	3	4	9	13	20	32	52
85+	376	11.3	95	3	4	9	14	19	28	86
B. *Operated*										
65-69 YRS	508	10.4	96	2	2	6	15	25	30	44
70-74	436	12.0	113	2	3	9	17	26	33	53
75-79	359	16.5	174	3	4	14	22	34	43	75
80-84	251	16.2	125	3	4	14	23	31	38	56
85+	204	17.8	239	3	5	14	22	31	52	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	8.3	44	1	2	7	11	15	20	37
B. *Operated*	593	6.5	58	1	1	4	7	16	23	33
2. MULTIPLE DX										
A. *Not Operated*	1815	10.8	77	3	4	9	13	19	25	56
B. *Operated*	1758	13.7	145	2	3	11	19	29	36	60
1. SINGLE DX	733	6.9	55	1	1	4	8	16	22	34
2. MULTIPLE DX	3573	12.2	113	2	3	9	16	25	32	58
A. NOT OPERATED	1955	10.6	75	3	4	8	13	19	25	54
B. OPERATED	2351	11.9	133	2	2	8	16	27	33	57
TOTAL 65-69 YRS	1085	9.2	81	1	2	6	12	21	27	44
70-74	1011	10.0	80	2	2	7	13	22	29	50
75-79	869	12.7	128	2	3	10	16	26	34	68
80-84	712	13.0	104	3	4	10	16	27	34	56
85+	629	13.3	150	3	4	10	16	25	35	79
GRAND TOTAL	**4306**	**11.3**	**107**	**2**	**3**	**8**	**15**	**23**	**31**	**56**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	2.1	3	<1	<1	1	3	5	6	7
70-74	25	2.2	3	<1	<1	1	3	5	6	7
75-79	27	2.5	3	<1	<1	2	3	5	7	8
80-84	11	3.1	4	<1	1	2	4	6	8	8
85+	13	2.2	2	1	1	2	3	4	5	5
B. *Operated*										
65-69 YRS	155	3.7	4	1	1	3	5	6	7	10
70-74	102	4.0	3	1	2	4	5	6	7	9
75-79	48	3.4	3	1	1	3	4	6	7	7
80-84	30	4.1	5	1	1	4	5	7	10	10
85+	5	6.8	6	4	4	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	4.0	8	<1	1	3	5	8	10	15
70-74	227	4.8	58	1	1	3	5	9	11	43
75-79	194	4.3	7	1	1	4	6	8	9	14
80-84	181	4.8	14	1	2	4	6	8	11	22
85+	175	5.4	50	1	2	4	6	9	11	46
B. *Operated*										
65-69 YRS	1530	4.9	15	1	2	4	6	8	11	18
70-74	1047	5.1	11	2	2	4	6	9	11	17
75-79	577	5.5	13	2	2	5	7	10	12	19
80-84	267	6.2	24	2	3	5	7	12	14	26
85+	154	7.5	37	1	2	6	9	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	340	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1006	4.6	28	1	1	4	6	8	10	18
B. *Operated*	3575	5.2	16	1	2	4	6	9	12	19
1. SINGLE DX	443	3.5	4	<1	1	3	5	6	7	10
2. MULTIPLE DX	4581	5.1	18	1	2	4	6	9	12	19
A. NOT OPERATED	1109	4.4	26	1	1	3	5	8	10	17
B. OPERATED	3915	5.1	15	1	2	4	6	9	12	19
TOTAL 65-69 YRS	1941	4.6	14	1	2	4	5	8	10	18
70-74	1401	4.9	18	1	2	4	6	8	11	17
75-79	846	5.0	12	1	2	4	6	9	11	17
80-84	489	5.5	19	1	2	4	7	10	12	25
85+	347	6.2	43	1	2	5	7	12	16	27
GRAND TOTAL	**5024**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	151	6.8	13	1	2	7	9	11	12	17
70-74	151	6.2	13	1	2	6	9	11	12	15
75-79	136	6.2	19	1	2	5	9	12	15	20
80-84	91	6.5	22	1	2	6	9	11	13	27
85+	84	6.5	10	2	2	7	8	11	13	15
B. *Operated*										
65-69 YRS	141	6.9	17	1	2	7	9	12	14	18
70-74	126	6.4	19	1	1	6	9	12	14	19
75-79	62	6.9	17	1	1	7	10	12	14	18
80-84	47	8.4	23	1	3	8	11	13	16	27
85+	37	9.3	47	2	3	8	13	16	19	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1811	7.0	28	1	2	6	9	13	16	27
70-74	2019	6.8	23	1	2	6	9	12	15	23
75-79	1980	7.1	26	2	2	6	9	13	16	27
80-84	1596	7.2	37	2	2	6	9	13	16	28
85+	1242	7.1	33	2	2	6	9	13	16	33
B. *Operated*										
65-69 YRS	1125	10.1	61	2	2	9	13	18	25	39
70-74	1097	11.3	91	2	3	9	14	22	30	51
75-79	902	11.6	96	2	3	9	14	21	30	53
80-84	658	11.2	79	2	3	9	14	21	29	49
85+	427	11.6	74	3	4	9	14	20	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	6.4	15	1	2	6	9	11	13	19
B. *Operated*	413	7.1	21	1	1	7	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	8648	7.0	29	2	2	6	9	13	16	27
B. *Operated*	4209	11.1	81	2	3	9	13	21	28	49
1. SINGLE DX	1026	6.7	18	1	2	6	9	12	14	19
2. MULTIPLE DX	12857	8.3	49	2	2	7	10	15	20	38
A. NOT OPERATED	9261	7.0	28	2	2	6	9	13	16	27
B. OPERATED	4622	10.7	77	2	3	9	13	20	27	47
TOTAL 65-69 YRS	3228	8.1	41	1	2	7	10	15	19	34
70-74	3393	8.2	49	1	2	7	10	15	20	38
75-79	3080	8.3	50	2	2	7	10	15	20	39
80-84	2392	8.3	51	2	2	7	10	15	20	38
85+	1790	8.2	46	2	2	7	10	15	20	39
GRAND TOTAL	**13883**	**8.2**	**47**	**2**	**2**	**7**	**10**	**15**	**20**	**37**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	3.4	3	1	1	3	5	5	7	9
70-74	32	4.0	4	1	2	4	5	7	8	8
75-79	27	5.8	33	1	1	4	7	10	14	31
80-84	17	4.2	6	2	2	4	5	8	10	10
85+	26	3.1	3	1	1	3	4	6	22	99+
B. *Operated*										
65-69 YRS	9	3.9	30	<1	<1	1	4	14	15	15
70-74	7	2.9	3	1	1	2	4	6	6	6
75-79	3	4.3	4	2	2	5	6	6	6	6
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	685	5.5	15	2	2	5	7	9	12	18
70-74	620	6.0	19	2	2	5	7	10	14	27
75-79	550	6.4	20	2	2	5	8	12	15	20
80-84	404	6.9	39	2	3	5	8	12	15	25
85+	403	7.1	66	2	2	5	9	12	16	50
B. *Operated*										
65-69 YRS	97	7.5	53	1	2	5	10	16	20	42
70-74	75	10.1	130	2	2	7	10	21	37	64
75-79	74	9.8	68	2	2	7	13	22	26	38
80-84	30	9.7	32	3	3	9	14	16	19	27
85+	20	10.3	108	1	1	8	17	30	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.1	10	1	1	4	5	8	9	43
B. *Operated*	21	3.4	14	<1	<1	2	4	9	13	15
2. MULTIPLE DX										
A. *Not Operated*	2662	6.3	29	2	2	5	8	11	14	25
B. *Operated*	296	9.1	78	1	2	7	11	19	26	48
1. SINGLE DX	153	4.0	11	1	1	3	5	8	9	30
2. MULTIPLE DX	2958	6.5	34	2	2	5	8	12	15	29
A. NOT OPERATED	2794	6.2	28	2	2	5	7	11	14	26
B. OPERATED	317	8.7	76	1	2	6	11	18	25	47
TOTAL 65-69 YRS	821	5.7	20	1	2	5	7	10	13	20
70-74	734	6.3	31	2	2	5	8	10	14	32
75-79	654	6.7	27	2	2	5	8	13	16	31
80-84	451	6.9	38	2	3	5	8	13	15	26
85+	451	7.0	65	2	2	5	9	13	17	66
GRAND TOTAL	**3111**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	189	4.7	5	2	2	4	6	8	9	12
70-74	182	4.9	7	2	2	4	6	8	10	15
75-79	162	4.9	8	2	2	4	6	8	10	16
80-84	112	5.2	8	2	3	5	7	9	10	16
85+	140	4.9	20	1	2	4	6	8	9	20
B. *Operated*										
65-69 YRS	7	3.4	4	1	1	4	4	6	7	7
70-74	9	5.0	24	1	1	4	6	13	17	17
75-79	2	6.5	41	2	2	6	11	11	11	11
80-84	2	5.5	13	3	3	5	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6023	6.8	22	2	3	6	8	12	15	23
70-74	6534	7.0	22	2	3	6	8	12	15	24
75-79	5246	7.1	25	2	3	6	9	12	15	24
80-84	3660	7.4	28	2	3	6	9	13	16	27
85+	3320	7.7	33	2	3	6	9	13	17	29
B. *Operated*										
65-69 YRS	462	10.7	87	2	3	8	13	21	27	72
70-74	452	10.7	62	3	3	9	13	21	27	46
75-79	395	12.7	129	3	4	10	14	24	34	83
80-84	239	13.7	128	4	5	11	16	25	36	75
85+	173	13.4	111	3	5	10	17	28	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	4.9	9	2	2	4	6	8	10	15
B. *Operated*	20	4.7	15	1	1	4	6	9	14	17
2. MULTIPLE DX										
A. *Not Operated*	24783	7.1	25	2	3	6	9	12	15	25
B. *Operated*	1721	11.9	100	3	4	9	14	23	31	75
1. SINGLE DX	805	4.9	9	2	2	4	6	8	10	15
2. MULTIPLE DX	26504	7.4	32	2	3	6	9	13	17	29
A. NOT OPERATED	25568	7.0	25	2	3	6	9	12	15	25
B. OPERATED	1741	11.8	99	3	4	9	14	23	31	75
TOTAL 65-69 YRS	6681	7.0	28	2	3	6	8	12	15	26
70-74	7177	7.2	26	2	3	6	9	13	16	27
75-79	5805	7.4	34	2	3	6	9	13	17	29
80-84	4013	7.7	36	2	3	6	9	14	18	33
85+	3633	7.8	38	2	3	6	10	14	18	37
GRAND TOTAL	**27309**	**7.3**	**31**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	100	1.8	1	<1	1	2	2	3	4	6
70-74	35	1.7	1	<1	1	1	2	3	5	6
75-79	18	1.6	1	<1	<1	1	2	3	4	5
80-84	9	3.0	12	<1	<1	1	4	9	10	10
85+	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	1.7	2	<1	<1	1	2	4	5	5
70-74	3	5.7	17	1	1	7	8	9	9	9
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	443	2.2	4	1	1	2	3	4	4	10
70-74	257	2.2	3	1	1	2	3	4	5	10
75-79	99	2.3	2	1	1	2	3	4	5	9
80-84	26	2.6	2	<1	1	2	3	5	5	5
85+	14	2.2	1	1	1	2	3	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	167	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	12	2.9	8	<1	<1	2	4	8	9	9
B. *Operated*	839	2.2	3	1	1	2	3	4	5	10
1. SINGLE DX	168	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX	851	2.2	3	1	1	2	3	4	5	10
A. NOT OPERATED	13	2.8	7	<1	<1	1	4	7	9	9
B. OPERATED	1006	2.2	3	1	1	2	3	4	5	9
TOTAL 65-69 YRS	550	2.1	3	1	1	2	3	3	4	10
70-74	295	2.2	3	1	1	2	3	4	5	10
75-79	119	2.2	2	1	1	2	3	4	5	8
80-84	36	2.7	4	<1	1	2	3	5	7	10
85+	19	2.1	1	1	1	2	3	3	4	4
GRAND TOTAL	**1019**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	32	<1	<1	4	9	9	9	9
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	48	1.7	1	<1	<1	1	2	3	4	5
70-74	29	2.3	7	1	1	1	2	4	8	13
75-79	19	1.7	1	<1	<1	2	2	3	3	3
80-84	8	2.0	2	<1	<1	2	2	4	5	5
85+	6	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	1.3	1	<1	<1	1	1	3	3	3
70-74	10	4.7	27	<1	<1	2	6	14	14	14
75-79	5	2.2	1	<1	<1	2	3	3	3	3
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	227	2.4	3	1	1	2	3	4	5	11
70-74	152	2.4	3	1	1	2	3	4	5	10
75-79	90	2.9	10	1	1	2	3	5	7	20
80-84	42	2.3	1	1	1	2	3	4	4	6
85+	19	2.6	1	1	1	3	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	16	<1	<1	1	5	9	9	9
B. *Operated*	110	1.9	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	25	3.0	13	<1	<1	2	3	6	14	14
B. *Operated*	530	2.5	4	1	1	2	3	4	5	11
1. SINGLE DX	114	1.9	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX	555	2.5	4	1	1	2	3	4	5	12
A. NOT OPERATED	29	3.0	12	<1	<1	2	3	8	14	14
B. OPERATED	640	2.4	4	1	1	2	3	4	5	11
TOTAL 65-69 YRS	283	2.2	3	<1	1	2	3	4	5	10
70-74	192	2.5	5	1	1	2	3	4	6	13
75-79	115	2.7	8	<1	1	2	3	4	6	17
80-84	52	2.2	1	<1	1	2	3	4	4	6
85+	27	2.4	1	1	1	2	3	4	4	5
GRAND TOTAL	**669**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	22	1.9	1	1	1	2	2	3	4	4
70-74	10	1.8	2	<1	<1	1	2	4	5	5
75-79	6	1.8	1	1	1	2	2	3	3	3
80-84	5	1.6		1	1	2	2	2	2	2
85+	21	1.6		<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	14.5	61	9	9	14	20	20	20	20
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	24	2.7	5	1	1	2	4	6	7	8
70-74	18	3.7	22	1	1	1	5	9	15	19
75-79	7	2.3	2	<1	<1	2	3	4	4	4
80-84	6	1.3		<1	<1	1	2	2	2	2
85+	14	1.9	2	1	1	2	2	4	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	64	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	8.0	77	<1	<1	5	14	20	20	20
B. *Operated*	69	2.6	8	1	1	2	3	6	8	17
1. SINGLE DX	66	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX	73	2.9	12	1	1	2	3	7	9	20
A. NOT OPERATED	6	6.0	56	<1	<1	2	9	19	20	20
B. OPERATED	133	2.2	5	1	1	2	2	4	6	11
TOTAL 65-69 YRS	47	2.3	3	1	1	2	3	5	6	8
70-74	31	3.7	24	1	1	1	4	9	19	20
75-79	13	2.1	1	<1	1	2	3	4	4	4
80-84	11	1.5		<1	<1	1	2	2	2	2
85+	37	1.7	1	1	1	1	2	3	4	6
GRAND TOTAL	**139**	**2.4**	**7**	**1**	**1**	**2**	**2**	**5**	**7**	**19**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	3.1	4	<1	1	3	4	6	7	9
70-74	19	2.2	2	<1	<1	2	3	4	5	6
75-79	13	4.1	7	<1	1	4	6	8	9	9
80-84	9	2.6	2	<1	<1	2	4	5	5	5
85+	8	3.4	5	1	1	3	4	7	8	8
B. *Operated*										
65-69 YRS	368	1.8	2	<1	<1	2	2	3	4	5
70-74	277	2.3	31	<1	<1	2	2	3	5	12
75-79	113	2.6	12	<1	1	2	2	4	6	22
80-84	61	1.8	1	<1	1	2	2	3	3	5
85+	25	2.3	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	175	4.6	13	1	1	4	6	9	11	18
70-74	164	4.7	13	<1	1	4	6	10	13	17
75-79	123	4.8	16	1	1	4	6	9	12	21
80-84	102	5.3	38	1	1	4	6	10	15	37
85+	61	5.7	29	1	1	4	7	11	13	32
B. *Operated*										
65-69 YRS	851	3.9	39	1	1	2	4	8	11	43
70-74	602	3.8	29	1	1	2	4	8	12	29
75-79	359	5.4	64	1	1	2	5	15	23	45
80-84	161	5.0	33	1	1	3	5	13	19	34
85+	77	6.1	79	1	1	4	7	16	18	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.0	4	<1	1	2	4	6	8	9
B. *Operated*	844	2.1	13	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	625	4.9	19	1	1	4	6	9	12	21
B. *Operated*	2050	4.3	42	1	1	2	4	9	15	40
1. SINGLE DX	932	2.2	12	<1	1	2	2	4	5	11
2. MULTIPLE DX	2675	4.4	37	1	1	3	5	9	14	35
A. NOT OPERATED	713	4.6	18	1	1	4	6	9	12	20
B. OPERATED	2894	3.7	35	<1	1	2	4	7	12	34
TOTAL 65-69 YRS	1433	3.4	26	<1	1	2	4	7	10	22
70-74	1062	3.5	27	<1	1	2	4	7	11	20
75-79	608	4.7	45	1	1	2	5	10	18	38
80-84	333	4.4	30	1	1	3	5	10	16	30
85+	171	5.3	48	1	1	3	6	11	16	44
GRAND TOTAL	**3607**	**3.9**	**31**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	952	5.8	10	2	3	5	7	9	11	17
70-74	998	6.0	11	2	3	5	7	10	11	18
75-79	936	6.6	17	2	3	6	8	11	13	18
80-84	813	6.8	14	3	3	6	8	11	14	19
85+	972	7.4	21	2	3	6	9	13	15	24
B. *Operated*										
65-69 YRS	73	8.3	29	2	2	7	11	17	19	27
70-74	72	9.4	40	2	3	8	12	21	25	27
75-79	37	10.8	172	2	3	7	12	17	28	79
80-84	38	10.7	48	1	2	10	13	18	26	32
85+	29	12.9	74	1	4	12	16	19	29	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12268	8.3	34	3	4	7	10	14	18	30
70-74	15027	8.6	34	3	4	7	10	15	18	30
75-79	16115	9.1	41	3	4	8	11	15	19	34
80-84	14985	9.6	46	3	4	8	12	16	21	38
85+	18978	10.1	51	3	4	8	12	17	22	40
B. *Operated*										
65-69 YRS	2006	14.8	129	4	5	12	18	28	39	83
70-74	2299	16.0	144	5	6	13	20	30	41	86
75-79	2150	16.8	158	5	6	14	21	32	42	99
80-84	1688	17.9	168	5	7	14	22	33	46	99
85+	1593	18.1	163	6	7	15	22	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4671	6.5	15	2	3	6	8	11	13	20
B. *Operated*	249	9.9	62	2	2	9	12	18	24	32
2. MULTIPLE DX										
A. *Not Operated*	77373	9.2	43	3	4	8	11	16	20	35
B. *Operated*	9736	16.6	153	5	6	13	21	31	43	95
1. SINGLE DX	4920	6.7	18	2	3	6	8	11	14	21
2. MULTIPLE DX	87109	10.1	60	3	4	8	12	18	23	45
A. NOT OPERATED	82044	9.1	41	3	4	8	11	16	20	34
B. OPERATED	9985	16.4	152	5	6	13	20	31	42	94
TOTAL 65-69 YRS	15299	9.0	50	3	4	7	11	16	21	39
70-74	18396	9.4	53	3	4	8	11	17	22	41
75-79	19238	9.8	60	3	4	8	12	17	23	44
80-84	17524	10.3	63	3	4	8	12	18	24	47
85+	21572	10.6	63	3	4	9	13	18	24	46
GRAND TOTAL	**92029**	**9.9**	**59**	**3**	**4**	**8**	**12**	**17**	**23**	**43**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	4.6	7	2	2	4	6	7	11	14
70-74	68	4.3	5	2	2	4	5	7	10	11
75-79	64	4.7	7	2	2	4	6	7	10	14
80-84	52	4.8	7	2	2	4	6	8	10	13
85+	41	5.7	16	1	2	5	6	12	13	21
B. *Operated*										
65-69 YRS										
70-74	1	24.0		24	24	24	24	24	24	24
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	687	5.6	15	2	2	5	7	10	12	17
70-74	829	6.0	16	2	2	5	7	10	13	23
75-79	818	6.6	22	2	3	5	8	13	16	22
80-84	661	7.0	30	2	3	6	8	13	17	26
85+	678	7.4	32	2	3	6	9	14	18	27
B. *Operated*										
65-69 YRS	37	12.9	145	2	4	10	14	22	45	58
70-74	40	13.6	92	3	4	11	16	29	35	39
75-79	30	11.9	50	4	5	10	15	22	27	33
80-84	28	10.8	28	4	5	10	16	20	25	99+
85+	25	15.6	102	6	9	12	15	35	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	4.7	8	2	2	4	6	8	11	14
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	3673	6.5	23	2	3	5	8	12	15	24
B. *Operated*	160	12.9	87	4	5	11	15	24	35	58
1. SINGLE DX	293	4.8	9	2	2	4	6	8	11	15
2. MULTIPLE DX	3833	6.8	27	2	3	5	8	12	16	26
A. NOT OPERATED	3965	6.4	22	2	2	5	8	12	15	23
B. OPERATED	161	13.0	87	4	5	11	16	24	35	58
TOTAL 65-69 YRS	791	5.9	23	2	2	5	7	11	13	20
70-74	938	6.2	22	2	2	5	7	11	14	29
75-79	912	6.7	23	2	2	5	8	13	16	22
80-84	741	7.0	29	2	3	6	8	13	17	26
85+	744	7.6	35	2	3	6	9	14	18	35
GRAND TOTAL	**4126**	**6.6**	**26**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	173	5.6	23	1	2	5	6	9	12	26
70-74	181	6.1	17	2	2	5	7	11	13	25
75-79	130	5.4	10	2	2	5	7	9	13	16
80-84	77	6.1	21	2	2	5	7	13	15	27
85+	50	5.3	11	2	3	5	6	8	10	24
B. *Operated*										
65-69 YRS	22	5.1	12	1	1	5	7	10	12	14
70-74	21	4.8	20	<1	<1	4	6	10	14	19
75-79	10	4.7	18	<1	<1	3	9	11	11	11
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1900	7.2	24	2	3	6	9	12	15	27
70-74	1937	7.6	40	2	3	6	9	13	17	31
75-79	1548	7.8	39	2	3	6	9	13	18	32
80-84	1024	7.6	40	2	3	6	9	13	17	26
85+	839	7.3	32	2	3	6	9	13	18	32
B. *Operated*										
65-69 YRS	277	9.8	74	1	2	8	12	20	25	53
70-74	255	10.6	122	2	2	7	12	21	33	54
75-79	200	9.8	77	2	2	8	13	19	26	99+
80-84	112	9.8	66	2	3	8	12	17	26	47
85+	62	10.6	50	2	3	9	13	20	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	5.8	17	2	2	5	7	10	13	23
B. *Operated*	56	4.9	15	<1	<1	4	7	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	7248	7.5	35	2	3	6	9	13	17	30
B. *Operated*	906	10.1	85	2	2	8	13	20	27	54
1. SINGLE DX	667	5.7	17	1	2	5	7	10	13	22
2. MULTIPLE DX	8154	7.8	41	2	3	6	9	14	18	33
A. NOT OPERATED	7859	7.4	33	2	3	6	9	13	16	29
B. OPERATED	962	9.8	83	2	2	7	12	19	26	54
TOTAL 65-69 YRS	2372	7.4	30	2	3	6	9	13	17	30
70-74	2394	7.8	48	2	3	6	9	13	18	38
75-79	1888	7.8	41	2	3	6	10	14	18	33
80-84	1214	7.7	41	2	3	6	9	14	17	31
85+	953	7.4	33	2	3	6	9	13	18	32
GRAND TOTAL	**8821**	**7.6**	**39**	**2**	**3**	**6**	**9**	**13**	**18**	**32**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	6.8	19	2	3	6	8	13	15	25
70-74	139	7.0	21	2	3	6	9	12	16	26
75-79	69	5.8	24	2	2	5	7	11	13	31
80-84	34	5.9	9	2	3	5	7	12	12	12
85+	14	6.5	20	3	3	6	8	11	18	20
B. *Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	2	10.0	8	8	8	10	12	12	12	12
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1337	8.5	44	2	3	7	10	16	21	36
70-74	1428	8.5	46	2	3	7	10	15	19	33
75-79	1021	8.2	39	2	3	7	10	14	19	41
80-84	584	8.5	71	2	3	6	10	15	22	46
85+	254	8.5	39	3	3	7	10	15	19	34
B. *Operated*										
65-69 YRS	153	16.1	138	3	5	13	21	32	42	53
70-74	185	16.3	189	4	5	12	20	30	46	85
75-79	113	16.3	131	3	6	13	23	33	40	99+
80-84	57	14.2	114	4	5	11	18	30	37	97
85+	26	17.0	138	6	7	13	23	34	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	6.6	19	2	3	6	8	12	15	25
B. *Operated*	5	7.8	41	1	1	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	4624	8.4	46	2	3	7	10	15	20	36
B. *Operated*	534	16.0	151	3	5	13	21	31	42	82
1. SINGLE DX	395	6.6	20	2	2	6	8	12	15	25
2. MULTIPLE DX	5158	9.2	63	2	3	7	11	17	23	45
A. NOT OPERATED	5014	8.3	45	2	3	7	10	15	19	35
B. OPERATED	539	16.0	150	3	5	13	21	31	42	81
TOTAL 65-69 YRS	1625	9.1	56	2	3	7	11	18	23	42
70-74	1754	9.2	65	2	3	7	11	17	22	46
75-79	1204	8.8	53	2	3	7	11	16	23	45
80-84	676	8.8	74	2	3	7	10	17	23	52
85+	294	9.2	52	3	3	7	10	16	23	41
GRAND TOTAL	**5553**	**9.0**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**44**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	988	5.1	9	1	2	5	6	9	10	15
70-74	686	5.1	9	2	2	4	6	8	10	14
75-79	473	5.2	10	2	2	4	7	9	11	19
80-84	226	5.4	9	1	2	5	7	10	11	14
85+	144	5.3	10	2	2	5	7	9	12	22
B. *Operated*										
65-69 YRS	8	6.4	25	2	2	5	9	14	16	16
70-74	7	11.6	48	3	3	12	15	22	23	23
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	15.5	1	15	15	15	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5537	6.6	19	2	3	6	8	11	14	22
70-74	4834	6.8	21	2	3	6	8	12	15	24
75-79	3561	7.2	22	2	3	6	9	13	16	25
80-84	2015	7.5	25	2	3	6	9	13	16	26
85+	1247	8.1	37	2	3	7	10	14	19	33
B. *Operated*										
65-69 YRS	307	12.2	99	3	4	10	15	24	31	55
70-74	258	11.8	64	3	5	10	15	22	26	44
75-79	206	14.0	135	4	5	11	17	25	33	76
80-84	114	13.1	81	4	6	11	16	24	29	80
85+	50	14.6	85	4	5	13	18	28	34	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2517	5.2	9	2	2	5	7	9	11	15
B. *Operated*	20	8.9	37	2	2	7	14	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	17194	7.0	23	2	3	6	9	12	15	25
B. *Operated*	935	12.7	95	3	5	10	15	23	30	55
1. SINGLE DX	2537	5.2	9	2	2	5	7	9	11	15
2. MULTIPLE DX	18129	7.3	28	2	3	6	9	13	16	27
A. NOT OPERATED	19711	6.8	21	2	3	6	8	12	15	24
B. OPERATED	955	12.7	94	3	4	10	15	23	30	54
TOTAL 65-69 YRS	6840	6.7	23	2	3	6	8	12	15	25
70-74	5785	6.9	23	2	3	6	8	12	15	25
75-79	4242	7.3	29	2	3	6	9	13	16	27
80-84	2356	7.5	28	2	3	6	9	13	16	29
85+	1443	8.1	38	2	3	7	10	14	19	34
GRAND TOTAL	**20666**	**7.0**	**26**	**2**	**3**	**6**	**9**	**12**	**16**	**27**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	741	6.0	15	2	2	5	8	10	13	19
70-74	776	6.1	14	2	2	5	8	11	13	20
75-79	440	6.2	15	2	3	5	8	10	13	23
80-84	198	6.9	49	2	2	6	8	12	14	42
85+	97	6.2	11	2	2	6	8	11	12	16
B. *Operated*										
65-69 YRS	29	6.3	32	1	1	4	8	16	17	22
70-74	22	6.6	12	1	2	7	9	11	12	14
75-79	15	9.6	171	<1	1	4	12	22	44	51
80-84	4	7.3	38	2	2	5	11	16	16	16
85+	3	7.0	25	2	2	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6902	7.7	37	2	3	6	9	14	18	30
70-74	7271	7.9	38	2	3	6	9	14	18	34
75-79	5506	8.1	41	2	3	7	10	15	19	33
80-84	2964	8.2	42	2	3	7	10	15	19	33
85+	1618	8.6	61	2	3	7	10	16	21	49
B. *Operated*										
65-69 YRS	747	13.4	159	2	4	10	16	27	42	99
70-74	767	13.7	148	3	4	10	17	28	41	99+
75-79	537	15.5	183	4	5	11	20	32	45	99+
80-84	305	17.1	267	3	5	12	21	35	56	94
85+	118	17.8	268	3	5	13	23	41	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2252	6.2	17	2	2	5	8	11	13	20
B. *Operated*	73	7.2	53	1	1	6	9	15	17	44
2. MULTIPLE DX										
A. *Not Operated*	24261	8.0	40	2	3	6	10	14	19	33
B. *Operated*	2474	14.6	181	3	4	11	18	30	45	99+
1. SINGLE DX	2325	6.2	19	2	2	5	8	11	13	20
2. MULTIPLE DX	26735	8.6	57	2	3	7	10	16	21	42
A. NOT OPERATED	26513	7.8	39	2	3	6	9	14	18	33
B. OPERATED	2547	14.4	179	3	4	11	18	30	45	99+
TOTAL 65-69 YRS	8419	8.1	49	2	3	6	10	15	19	38
70-74	8836	8.2	48	2	3	7	10	15	20	39
75-79	6498	8.6	56	2	3	7	10	16	21	42
80-84	3471	8.9	69	2	3	7	11	16	22	47
85+	1836	9.1	77	2	3	7	11	17	24	58
GRAND TOTAL	**29060**	**8.4**	**55**	**2**	**3**	**7**	**10**	**15**	**21**	**41**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	12	2	2	5	7	11	12	12
70-74	12	4.8	14	1	1	4	6	10	13	14
75-79	11	5.5	33	1	2	4	5	14	21	22
80-84	4	2.8	8	1	1	2	4	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	42	6.3	27	2	2	5	8	13	16	28
70-74	43	7.2	33	2	3	5	9	13	24	25
75-79	20	7.1	35	2	2	5	8	16	22	25
80-84	19	7.5	40	1	2	4	12	18	21	21
85+	12	8.3	58	2	3	6	9	17	29	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	6.5	17	1	2	5	9	12	15	17
70-74	65	6.8	28	1	2	6	8	11	15	33
75-79	71	7.2	26	2	2	5	10	14	18	24
80-84	50	7.9	68	1	1	6	9	13	22	47
85+	34	6.4	12	1	2	6	9	11	13	14
B. *Operated*										
65-69 YRS	344	11.9	141	3	4	8	14	24	36	78
70-74	405	12.2	105	3	4	9	15	25	32	53
75-79	281	12.6	136	3	4	9	15	27	35	69
80-84	171	12.1	119	3	4	9	15	23	30	71
85+	84	11.3	64	3	4	9	14	22	29	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.9	18	1	1	4	6	8	13	22
B. *Operated*	136	7.1	34	2	2	5	9	15	21	28
2. MULTIPLE DX										
A. *Not Operated*	272	7.0	30	1	2	6	9	12	15	32
B. *Operated*	1285	12.1	121	3	4	9	15	24	34	61
1. SINGLE DX	171	6.6	31	2	2	5	8	13	20	27
2. MULTIPLE DX	1557	11.2	109	2	3	8	14	23	31	58
A. NOT OPERATED	307	6.8	29	1	2	5	9	12	15	29
B. OPERATED	1421	11.6	114	3	3	8	14	24	32	59
TOTAL 65-69 YRS	445	10.6	119	2	3	7	12	21	34	65
70-74	525	10.9	93	2	3	8	13	23	30	50
75-79	383	11.1	113	2	3	8	14	22	31	61
80-84	244	10.7	105	2	3	7	14	21	28	55
85+	131	9.7	54	2	3	8	12	20	28	36
GRAND TOTAL	**1728**	**10.8**	**103**	**2**	**3**	**8**	**13**	**22**	**30**	**55**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	4.6	12	1	1	4	6	9	10	18
70-74	143	5.2	24	1	1	4	7	10	17	25
75-79	143	5.9	24	1	1	5	8	10	14	32
80-84	103	5.8	17	1	2	5	8	10	15	20
85+	112	6.2	23	1	2	5	8	10	15	25
B. *Operated*										
65-69 YRS	192	5.5	26	1	1	4	8	10	15	28
70-74	160	6.4	37	<1	1	5	9	15	18	26
75-79	131	5.6	24	1	1	4	8	11	14	27
80-84	65	6.4	23	<1	1	6	9	13	15	21
85+	33	9.5	39	1	2	9	13	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3686	7.5	35	2	2	6	9	14	18	30
70-74	4271	7.7	38	2	2	6	10	14	18	32
75-79	4103	8.2	40	2	3	7	10	15	20	34
80-84	3385	8.9	48	2	3	7	11	16	21	34
85+	3813	9.7	61	2	3	8	12	17	23	41
B. *Operated*										
65-69 YRS	1837	11.7	126	2	2	9	15	24	32	69
70-74	1874	12.8	147	2	2	9	16	26	38	62
75-79	1557	13.7	163	2	3	10	17	28	38	81
80-84	1030	15.7	178	2	4	12	21	32	46	82
85+	852	16.1	160	4	5	13	21	32	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	5.5	20	1	1	4	7	10	14	22
B. *Operated*	581	6.1	30	1	1	5	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	19258	8.4	45	2	3	7	10	15	20	34
B. *Operated*	7150	13.5	153	2	3	10	17	27	38	78
1. SINGLE DX	1239	5.8	25	1	1	4	8	11	15	23
2. MULTIPLE DX	26408	9.8	79	2	3	7	12	19	26	49
A. NOT OPERATED	19916	8.3	44	2	3	7	10	15	20	34
B. OPERATED	7731	12.9	148	2	2	10	17	27	37	74
TOTAL 65-69 YRS	5872	8.7	67	2	2	7	11	17	23	42
70-74	6448	9.1	75	2	2	7	11	18	24	48
75-79	5934	9.5	78	2	3	7	12	19	25	47
80-84	4583	10.3	84	2	3	8	13	20	26	53
85+	4810	10.8	84	2	3	8	13	21	28	55
GRAND TOTAL	**27647**	**9.6**	**77**	**2**	**3**	**7**	**12**	**19**	**25**	**48**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.2	7	<1	<1	2	5	7	7	7
70-74	3	5.0	16	1	1	5	8	9	9	9
75-79	4	3.8	8	2	2	3	5	8	8	8
80-84										
85+										
B. *Operated*										
65-69 YRS	168	2.4	3	<1	1	2	3	4	6	12
70-74	80	2.5	5	1	1	2	3	4	4	16
75-79	45	2.2	1	<1	1	2	3	4	4	6
80-84	32	3.3	17	<1	1	2	3	8	19	99+
85+	29	1.9	1	<1	<1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.1	20	<1	1	4	6	10	17	20
70-74	41	6.0	25	<1	1	5	7	13	18	22
75-79	40	5.9	51	1	2	4	6	12	14	45
80-84	26	4.2	9	<1	<1	3	7	7	11	12
85+	20	5.0	42	1	1	4	4	8	20	31
B. *Operated*										
65-69 YRS	655	3.0	14	1	1	2	3	5	7	20
70-74	447	3.6	27	1	1	2	4	7	9	33
75-79	359	3.3	15	1	1	2	3	6	9	24
80-84	221	3.0	8	1	1	2	3	5	8	16
85+	154	3.2	18	1	1	2	3	5	8	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.8	8	<1	1	3	6	8	9	9
B. *Operated*	354	2.4	5	<1	1	2	3	4	5	18
2. MULTIPLE DX										
A. *Not Operated*	190	5.3	28	1	1	4	6	10	15	27
B. *Operated*	1836	3.2	17	1	1	2	3	6	8	21
1. SINGLE DX	366	2.5	5	<1	1	2	3	4	5	17
2. MULTIPLE DX	2026	3.4	18	1	1	2	3	6	9	21
A. NOT OPERATED	202	5.2	27	<1	1	4	6	10	15	26
B. OPERATED	2190	3.1	15	1	1	2	3	5	8	20
TOTAL 65-69 YRS	891	3.0	13	1	1	2	3	6	8	18
70-74	571	3.6	24	1	1	2	4	7	10	22
75-79	448	3.4	17	1	1	2	3	6	9	24
80-84	279	3.1	9	1	1	2	3	6	10	18
85+	203	3.2	18	1	1	2	3	5	8	28
GRAND TOTAL	**2392**	**3.3**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**20**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.0	4	1	1	4	5	7	8	8
70-74	15	4.5	4	2	3	4	5	8	9	9
75-79	17	4.2	4	1	1	4	6	7	7	7
80-84	10	5.8	8	3	3	5	7	10	11	11
85+	16	5.9	7	2	3	6	7	9	11	12
B. *Operated*										
65-69 YRS	145	2.7	12	1	1	2	3	4	5	27
70-74	122	2.7	5	1	1	2	3	5	6	14
75-79	65	2.4	2	<1	1	2	3	4	4	11
80-84	46	3.5	19	<1	1	3	4	6	10	29
85+	18	3.0	7	<1	1	2	3	4	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	5.8	15	1	2	5	8	11	13	20
70-74	153	6.9	34	1	2	5	8	15	19	43
75-79	105	7.1	24	2	3	6	8	12	19	26
80-84	91	8.4	38	3	3	7	10	14	20	39
85+	129	8.4	28	3	3	7	10	16	19	47
B. *Operated*										
65-69 YRS	264	4.3	22	1	1	3	4	9	13	25
70-74	216	4.8	45	1	1	3	5	10	14	33
75-79	165	4.8	25	1	1	4	5	10	14	41
80-84	111	5.3	30	1	1	3	6	11	14	31
85+	79	7.3	68	1	2	4	8	15	31	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.8	5	1	2	5	6	8	9	12
B. *Operated*	396	2.8	9	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	589	7.3	29	2	3	6	9	14	18	29
B. *Operated*	835	4.9	34	1	1	3	5	10	15	33
1. SINGLE DX	475	3.1	9	1	1	2	4	5	7	14
2. MULTIPLE DX	1424	5.9	33	1	2	4	7	12	16	32
A. NOT OPERATED	668	7.0	27	2	3	6	8	13	17	27
B. OPERATED	1231	4.2	27	1	1	3	4	8	13	30
TOTAL 65-69 YRS	541	4.2	16	1	1	3	5	8	12	25
70-74	506	4.9	33	1	1	3	6	10	15	28
75-79	352	5.0	22	1	1	4	6	10	14	26
80-84	258	6.1	33	1	2	4	8	12	15	29
85+	242	7.5	40	1	2	6	9	14	18	38
GRAND TOTAL	**1899**	**5.2**	**29**	**1**	**1**	**4**	**6**	**10**	**15**	**30**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	89	3.2	4	1	1	3	4	6	7	9
70-74	93	3.5	10	<1	1	3	4	6	8	20
75-79	69	3.4	9	1	1	3	4	6	7	18
80-84	46	3.0	3	<1	1	3	4	6	6	7
85+	42	3.5	5	1	1	3	4	7	8	10
B. *Operated*										
65-69 YRS	135	4.4	19	<1	1	3	6	11	14	36
70-74	123	4.3	10	<1	<1	3	6	9	10	14
75-79	93	4.9	17	<1	1	4	7	9	11	23
80-84	62	4.9	17	<1	<1	4	8	10	11	19
85+	42	4.6	11	<1	<1	4	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1530	4.7	18	1	2	4	6	8	11	19
70-74	1595	5.1	18	1	2	4	6	9	12	20
75-79	1295	5.4	18	1	2	4	7	10	13	22
80-84	991	5.6	21	1	2	5	7	11	13	19
85+	843	6.4	42	2	2	5	7	12	16	31
B. *Operated*										
65-69 YRS	1140	8.0	62	1	2	6	10	16	24	45
70-74	1171	8.5	77	1	2	6	10	17	24	49
75-79	1057	8.6	68	1	2	6	11	18	23	47
80-84	845	9.0	95	2	2	7	11	17	24	68
85+	666	10.0	101	2	2	7	12	21	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.3	6	1	1	3	4	6	7	14
B. *Operated*	455	4.6	15	<1	<1	3	6	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	6254	5.3	22	1	2	4	7	10	13	21
B. *Operated*	4879	8.7	78	1	2	6	10	18	25	50
1. SINGLE DX	794	4.0	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	11133	6.8	49	1	2	5	8	13	18	37
A. NOT OPERATED	6593	5.2	22	1	2	4	6	10	13	21
B. OPERATED	5334	8.3	74	1	2	6	10	17	23	50
TOTAL 65-69 YRS	2894	6.0	38	1	2	4	7	11	16	32
70-74	2982	6.4	44	1	2	5	8	12	17	37
75-79	2514	6.7	41	1	2	5	8	14	18	33
80-84	1944	7.0	56	1	2	5	8	14	17	37
85+	1593	7.8	69	1	2	5	9	16	22	50
GRAND TOTAL	**11927**	**6.6**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	3.6	4	1	1	3	5	6	6	12
70-74	51	3.7	6	<1	1	3	5	7	9	11
75-79	31	5.1	13	<1	1	4	7	9	9	20
80-84	23	3.4	4	<1	1	4	5	5	7	9
85+	16	4.0	5	<1	1	3	6	7	8	9
B. *Operated*										
65-69 YRS	50	6.1	13	<1	1	6	9	11	12	13
70-74	43	5.9	22	<1	<1	5	9	11	15	22
75-79	39	7.5	32	<1	1	7	10	14	21	26
80-84	14	4.6	8	1	1	4	7	8	10	10
85+	12	4.3	8	<1	<1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	436	5.5	15	2	2	5	7	10	12	18
70-74	410	5.7	13	2	2	5	7	10	12	18
75-79	405	6.6	24	2	2	5	8	12	14	23
80-84	315	6.0	12	2	2	5	8	10	12	18
85+	230	6.7	26	2	2	5	8	12	16	33
B. *Operated*										
65-69 YRS	456	7.8	31	2	3	7	10	13	18	32
70-74	492	8.4	44	2	3	7	10	15	20	37
75-79	423	8.5	63	2	3	7	10	15	21	41
80-84	293	9.0	56	2	3	7	11	15	23	41
85+	192	8.8	35	2	3	8	11	16	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.9	6	1	1	3	5	7	9	12
B. *Operated*	158	6.1	20	<1	<1	5	9	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	1796	6.0	18	2	2	5	7	11	14	22
B. *Operated*	1856	8.4	46	2	3	7	10	15	20	36
1. SINGLE DX	335	5.0	14	<1	1	4	7	10	11	20
2. MULTIPLE DX	3652	7.2	33	2	3	6	9	13	16	30
A. NOT OPERATED	1973	5.8	17	2	2	5	7	10	13	22
B. OPERATED	2014	8.2	44	2	3	7	10	15	20	34
TOTAL 65-69 YRS	998	6.5	23	2	2	5	8	12	14	29
70-74	996	6.9	30	2	2	6	9	12	16	28
75-79	898	7.5	43	2	2	6	9	13	17	28
80-84	645	7.3	34	2	2	6	9	13	16	32
85+	450	7.5	30	2	3	6	9	14	18	29
GRAND TOTAL	**3987**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**16**	**29**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	4.3	5	2	2	4	5	7	9	12
70-74	114	4.7	5	2	2	4	6	8	10	13
75-79	87	5.1	8	2	2	5	6	9	11	16
80-84	63	5.9	11	2	2	5	8	9	12	18
85+	56	5.8	11	2	3	5	7	9	13	19
B. *Operated*										
65-69 YRS	94	7.7	30	2	3	7	10	13	17	32
70-74	79	6.3	21	2	3	5	8	12	16	27
75-79	68	7.9	27	3	3	7	10	12	14	34
80-84	49	8.1	15	3	4	8	10	13	15	20
85+	42	8.1	20	2	3	7	11	15	16	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	872	5.9	15	2	3	5	7	10	13	21
70-74	985	6.5	19	2	3	5	8	11	14	25
75-79	984	7.0	23	2	3	6	8	13	16	24
80-84	826	7.6	38	2	3	6	9	14	18	33
85+	787	8.0	40	3	3	7	9	14	17	37
B. *Operated*										
65-69 YRS	963	10.3	77	3	4	8	12	20	25	54
70-74	1118	10.8	97	3	4	8	13	20	30	56
75-79	1158	11.6	99	3	4	9	14	22	29	58
80-84	867	11.2	70	3	4	9	14	21	28	43
85+	701	12.0	89	3	4	9	15	23	30	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	5.0	8	2	2	4	6	8	10	16
B. *Operated*	332	7.5	24	2	3	6	10	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	4454	7.0	27	2	3	6	8	12	16	28
B. *Operated*	4807	11.1	88	3	4	8	14	21	28	55
1. SINGLE DX	770	6.1	16	2	2	5	8	11	13	19
2. MULTIPLE DX	9261	9.1	63	3	3	7	11	17	23	44
A. NOT OPERATED	4892	6.8	25	2	3	6	8	12	15	26
B. OPERATED	5139	10.9	84	3	4	8	13	21	28	53
TOTAL 65-69 YRS	2047	7.9	49	2	3	6	9	15	21	35
70-74	2296	8.5	62	2	3	6	10	16	22	46
75-79	2297	9.3	66	3	3	7	11	18	23	46
80-84	1805	9.3	55	3	3	7	11	18	24	40
85+	1586	9.7	64	3	3	7	12	18	24	50
GRAND TOTAL	**10031**	**8.9**	**60**	**3**	**3**	**7**	**10**	**17**	**22**	**43**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	4.0	5	1	2	4	5	7	8	12
70-74	91	3.9	7	1	1	3	5	6	7	17
75-79	65	4.0	6	1	2	4	5	8	9	11
80-84	30	4.5	10	1	2	3	5	8	12	15
85+	25	5.6	12	2	3	5	7	9	12	19
B. *Operated*										
65-69 YRS	25	7.5	16	3	3	7	9	11	14	22
70-74	6	9.3	32	1	1	9	14	17	17	17
75-79	11	8.4	72	2	2	6	10	20	31	32
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	4	3.0	5	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	914	5.2	12	2	2	4	6	9	10	17
70-74	890	5.5	11	2	2	5	7	9	12	18
75-79	771	5.7	12	2	2	5	7	10	12	19
80-84	596	6.1	16	2	3	5	8	11	14	22
85+	445	7.0	40	2	2	6	8	13	16	27
B. *Operated*										
65-69 YRS	231	10.1	75	2	3	8	12	17	27	47
70-74	223	9.7	57	3	4	8	12	17	25	42
75-79	202	9.8	77	2	3	7	12	18	25	52
80-84	145	10.1	45	3	4	9	13	18	22	38
85+	100	11.4	128	3	4	8	12	23	31	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.1	7	1	2	4	5	7	9	15
B. *Operated*	48	7.4	30	2	2	6	9	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	3616	5.7	16	2	2	5	7	10	13	20
B. *Operated*	901	10.1	72	3	3	8	12	18	26	46
1. SINGLE DX	366	4.6	11	1	2	4	6	8	10	18
2. MULTIPLE DX	4517	6.6	30	2	2	5	8	12	15	30
A. NOT OPERATED	3934	5.6	15	2	2	5	7	10	12	20
B. OPERATED	949	9.9	70	3	3	8	12	17	25	46
TOTAL 65-69 YRS	1277	6.0	27	2	2	5	7	10	14	32
70-74	1210	6.1	22	2	2	5	7	11	14	25
75-79	1049	6.4	27	2	2	5	8	11	14	28
80-84	773	6.8	24	2	3	5	8	12	15	24
85+	574	7.7	57	2	3	6	9	13	17	35
GRAND TOTAL	**4883**	**6.4**	**29**	**2**	**2**	**5**	**8**	**11**	**15**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	4.4	4	2	2	4	6	7	8	10
70-74	184	4.5	5	2	2	4	6	8	9	11
75-79	135	4.7	5	2	2	4	6	8	9	10
80-84	92	5.7	29	2	3	5	6	8	9	36
85+	75	6.9	40	2	3	5	8	12	16	39
B. *Operated*										
65-69 YRS	90	8.3	13	3	4	8	10	13	16	20
70-74	69	9.1	39	3	3	8	10	13	19	41
75-79	57	9.8	23	3	5	9	11	16	20	28
80-84	35	9.5	17	3	5	10	13	15	16	17
85+	32	10.9	45	5	6	9	11	18	24	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1315	6.0	17	2	3	5	7	10	12	20
70-74	1409	6.6	22	2	3	5	8	11	14	25
75-79	1355	7.0	26	2	3	6	8	12	16	29
80-84	1141	7.8	37	3	3	6	9	13	17	31
85+	1145	7.8	34	3	3	7	9	13	17	32
B. *Operated*										
65-69 YRS	714	12.5	105	4	5	10	15	23	28	64
70-74	795	13.9	139	4	5	11	17	25	38	73
75-79	721	14.1	125	4	5	11	17	26	37	93
80-84	634	14.6	114	4	5	11	18	28	35	78
85+	494	15.8	123	5	6	13	20	29	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	4.9	12	2	2	4	6	8	9	14
B. *Operated*	283	9.2	26	3	4	8	11	15	17	31
2. MULTIPLE DX										
A. *Not Operated*	6365	7.0	27	2	3	6	8	12	15	27
B. *Operated*	3358	14.1	123	4	5	11	17	26	35	72
1. SINGLE DX	964	6.2	20	2	2	5	8	11	13	22
2. MULTIPLE DX	9723	9.4	71	3	3	7	11	18	24	47
A. NOT OPERATED	7046	6.8	26	2	3	6	8	12	15	26
B. OPERATED	3641	13.7	117	4	5	11	17	25	35	69
TOTAL 65-69 YRS	2314	7.9	52	2	3	6	9	15	20	37
70-74	2457	8.9	72	2	3	7	11	17	22	51
75-79	2268	9.2	68	3	3	7	11	17	23	47
80-84	1902	10.0	73	3	3	8	12	19	26	52
85+	1746	10.1	73	3	3	8	12	19	25	44
GRAND TOTAL	**10687**	**9.2**	**68**	**2**	**3**	**7**	**11**	**17**	**23**	**45**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.2	5	1	1	4	6	8	8	8
70-74	9	6.0	3	3	3	6	7	8	8	8
75-79	8	5.6	6	2	2	6	7	9	10	10
80-84	10	6.7	11	4	4	6	7	12	14	14
85+	13	5.1	4	2	3	5	6	7	9	10
B. *Operated*										
65-69 YRS	28	11.3	20	6	6	10	15	18	19	21
70-74	25	10.6	11	5	8	10	13	15	17	17
75-79	19	11.3	69	<1	1	11	14	19	29	37
80-84	12	10.3	25	2	5	10	13	18	19	19
85+	5	17.2	68	9	9	15	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	93	6.6	18	3	3	5	8	12	15	24
70-74	137	7.0	18	2	2	6	9	13	16	22
75-79	125	7.3	17	3	3	6	9	13	16	21
80-84	122	7.6	18	3	3	7	10	13	16	24
85+	91	10.3	110	3	4	8	12	19	24	66
B. *Operated*										
65-69 YRS	253	15.7	143	4	5	13	20	28	34	83
70-74	221	16.7	201	4	5	13	20	31	54	92
75-79	216	16.5	151	4	5	13	22	34	47	99+
80-84	120	19.8	337	5	6	15	24	39	80	99+
85+	99	17.2	170	5	7	13	21	31	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.3	6	2	2	5	7	8	10	14
B. *Operated*	89	11.3	32	3	6	10	14	17	19	35
2. MULTIPLE DX										
A. *Not Operated*	568	7.7	33	2	3	6	9	13	17	24
B. *Operated*	909	16.8	188	4	5	13	21	32	47	94
1. SINGLE DX	147	8.9	30	2	3	8	12	16	18	31
2. MULTIPLE DX	1477	13.3	149	3	4	10	17	26	36	85
A. NOT OPERATED	626	7.5	31	2	3	6	9	13	17	24
B. OPERATED	998	16.3	177	4	5	13	20	31	44	91
TOTAL 65-69 YRS	392	12.7	116	3	4	10	16	25	31	69
70-74	392	12.7	142	3	4	9	16	24	36	79
75-79	368	12.9	117	3	4	9	17	26	37	76
80-84	264	13.2	198	3	4	9	16	25	38	96
85+	208	13.4	146	3	4	10	16	26	35	69
GRAND TOTAL	**1624**	**12.9**	**140**	**3**	**4**	**10**	**16**	**26**	**34**	**83**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	153	3.2	5	1	1	3	4	6	7	11
70-74	162	3.3	10	1	1	3	4	6	8	16
75-79	102	3.2	3	<1	1	3	4	6	6	9
80-84	67	3.8	9	1	1	3	4	7	9	17
85+	52	3.7	8	1	1	3	5	6	10	17
B. *Operated*										
65-69 YRS	45	4.8	22	<1	<1	4	8	10	11	27
70-74	32	3.7	13	<1	<1	2	6	8	13	14
75-79	35	6.5	180	<1	<1	4	7	8	11	82
80-84	15	4.8	9	<1	<1	4	7	9	10	10
85+	3	16.7	86	9	9	14	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2433	5.1	13	1	2	4	6	9	11	19
70-74	2420	5.3	16	2	2	4	7	9	12	18
75-79	2102	5.7	16	2	2	5	7	10	13	20
80-84	1606	6.0	26	2	2	5	7	11	14	31
85+	1453	6.3	23	2	2	5	8	11	14	26
B. *Operated*										
65-69 YRS	749	8.3	55	2	2	7	10	16	21	42
70-74	759	8.0	46	2	3	6	9	14	20	38
75-79	693	9.2	52	2	3	7	11	17	23	38
80-84	485	10.0	84	3	3	8	11	19	26	52
85+	314	11.1	73	3	3	9	14	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	3.4	7	1	1	3	4	6	8	14
B. *Operated*	130	5.3	65	<1	<1	4	7	10	12	38
2. MULTIPLE DX										
A. *Not Operated*	10014	5.6	18	2	2	5	7	10	13	21
B. *Operated*	3000	9.0	59	2	3	7	11	17	23	41
1. SINGLE DX	666	3.7	19	<1	1	3	5	7	9	16
2. MULTIPLE DX	13014	6.4	30	2	2	5	8	12	15	28
A. NOT OPERATED	10550	5.5	18	2	2	4	7	10	13	21
B. OPERATED	3130	8.8	60	2	3	7	10	17	23	41
TOTAL 65-69 YRS	3380	5.7	24	1	2	4	7	11	14	26
70-74	3373	5.8	24	1	2	5	7	10	14	23
75-79	2932	6.4	28	2	2	5	8	12	15	26
80-84	2173	6.8	42	2	2	5	8	12	17	35
85+	1822	7.1	35	2	2	5	8	13	17	33
GRAND TOTAL	**13680**	**6.2**	**30**	**2**	**2**	**5**	**8**	**11**	**15**	**28**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	3.6	11	<1	1	3	5	6	7	18
70-74	36	3.8	6	<1	<1	3	5	7	8	12
75-79	26	3.7	12	<1	1	3	5	7	10	18
80-84	11	5.0	17	<1	1	4	6	12	15	15
85+	11	4.7	6	2	2	5	6	8	10	10
B. *Operated*										
65-69 YRS	18	8.4	83	<1	<1	7	10	24	31	33
70-74	17	8.6	19	<1	1	8	11	15	16	16
75-79	10	16.1	101	<1	3	16	22	29	35	35
80-84	6	7.2	36	2	2	4	12	16	17	17
85+	4	6.0	15	<1	<1	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	480	5.6	24	1	2	4	7	10	15	26
70-74	483	5.7	22	1	2	4	7	10	14	26
75-79	410	6.3	24	2	2	5	8	12	15	26
80-84	298	6.9	44	1	2	5	8	14	18	41
85+	288	7.6	69	2	2	5	8	14	24	57
B. *Operated*										
65-69 YRS	277	13.7	154	2	3	11	17	24	35	74
70-74	303	14.7	122	2	4	12	20	31	39	57
75-79	262	15.1	141	2	4	12	20	27	34	68
80-84	195	16.2	183	3	5	13	22	33	43	89
85+	144	17.8	221	3	4	14	23	41	52	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.9	10	<1	1	3	5	7	10	18
B. *Operated*	55	9.6	63	<1	<1	8	12	21	27	35
2. MULTIPLE DX										
A. *Not Operated*	1959	6.3	34	1	2	5	8	12	16	31
B. *Operated*	1181	15.2	157	3	4	12	20	30	41	73
1. SINGLE DX	168	5.8	34	<1	<1	4	7	12	18	32
2. MULTIPLE DX	3140	9.6	98	2	2	6	12	21	28	56
A. NOT OPERATED	2072	6.1	33	1	2	5	7	12	16	30
B. OPERATED	1236	14.9	154	2	4	12	20	29	40	73
TOTAL 65-69 YRS	804	8.4	85	1	2	5	10	18	23	51
70-74	839	8.9	76	1	2	6	11	20	27	47
75-79	708	9.6	86	2	2	7	12	21	27	53
80-84	510	10.4	117	2	2	7	13	22	33	53
85+	447	10.8	139	2	2	7	13	25	37	69
GRAND TOTAL	**3308**	**9.4**	**96**	**2**	**2**	**6**	**12**	**21**	**27**	**55**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	9	1	1	4	6	8	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	182	4.8	5	2	3	4	6	8	8	12
70-74	99	4.9	4	2	3	5	6	8	9	11
75-79	57	5.5	6	2	3	5	7	9	10	15
80-84	31	5.4	5	2	3	5	7	8	9	10
85+	21	5.1	12	1	2	4	6	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2		3	3	3	3	4	4	4
70-74	4	4.8	2	3	3	5	6	6	6	6
75-79	12	6.9	24	1	2	7	8	14	17	18
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	3	10.7	54	5	5	8	16	19	19	19
B. *Operated*										
65-69 YRS	216	7.0	48	3	3	6	8	11	14	32
70-74	169	7.6	32	3	3	6	9	14	19	34
75-79	101	7.7	16	3	4	7	9	13	15	21
80-84	57	9.6	21	3	4	9	12	17	19	21
85+	40	10.0	49	3	4	8	11	17	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.8	8	1	1	4	7	9	9	9
B. *Operated*	390	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	27	6.0	20	2	2	5	7	12	18	19
B. *Operated*	583	7.8	36	3	3	6	9	13	17	30
1. SINGLE DX	398	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX	610	7.7	35	3	3	6	9	13	17	29
A. NOT OPERATED	35	5.7	17	1	2	5	7	9	17	19
B. OPERATED	973	6.6	25	3	3	5	8	11	15	24
TOTAL 65-69 YRS	408	5.9	29	2	3	5	7	9	12	20
70-74	273	6.6	23	3	3	5	8	11	15	30
75-79	172	6.9	14	3	3	6	8	12	14	18
80-84	90	8.0	19	3	3	7	10	14	18	21
85+	65	8.4	41	2	3	7	10	16	20	36
GRAND TOTAL	**1008**	**6.6**	**25**	**3**	**3**	**5**	**8**	**11**	**15**	**24**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	10	<1	<1	2	6	7	7	7
70-74	1	7.0		7	7	7	7	7	7	7
75-79	4	8.5	6	7	7	8	10	12	12	12
80-84										
85+										
B. *Operated*										
65-69 YRS	170	7.5	10	3	4	7	9	11	12	19
70-74	116	8.2	11	4	5	8	10	12	15	19
75-79	73	8.6	17	4	5	8	10	12	14	30
80-84	31	8.9	18	3	4	8	11	14	15	24
85+	20	8.5	11	4	5	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	10.0	30	3	4	9	13	17	22	25
70-74	11	9.9	40	1	3	8	13	19	23	23
75-79	5	10.8	24	3	3	12	14	16	16	16
80-84	5	10.0	64	2	2	7	18	19	19	19
85+	5	8.6	34	1	1	9	12	17	17	17
B. *Operated*										
65-69 YRS	539	11.7	53	5	6	10	14	19	24	43
70-74	412	13.0	72	5	6	11	15	23	29	51
75-79	324	12.7	56	5	6	11	15	21	28	47
80-84	201	14.1	87	6	7	12	17	24	33	62
85+	127	15.6	86	7	7	13	18	26	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.4	12	<1	1	7	8	11	12	12
B. *Operated*	410	8.0	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	46	9.9	33	2	3	9	14	18	20	25
B. *Operated*	1603	12.8	66	5	6	11	15	22	28	52
1. SINGLE DX	418	8.0	12	4	5	8	10	12	14	19
2. MULTIPLE DX	1649	12.8	66	5	6	11	15	22	28	52
A. NOT OPERATED	54	9.4	31	1	3	8	12	17	19	25
B. OPERATED	2013	11.9	59	5	6	10	14	20	26	48
TOTAL 65-69 YRS	732	10.6	46	4	5	9	12	17	22	40
70-74	540	11.9	62	4	5	10	14	21	26	42
75-79	406	11.9	50	5	6	10	14	20	26	43
80-84	237	13.4	80	5	7	11	16	23	30	61
85+	152	14.4	81	6	7	12	17	24	34	60
GRAND TOTAL	**2067**	**11.8**	**58**	**5**	**6**	**10**	**14**	**20**	**25**	**47**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	3.3	10	1	1	2	6	7	7	7
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	13	5.6	7	3	3	5	7	9	11	11
70-74	10	5.7	6	2	2	5	8	9	10	10
75-79	6	5.3	5	3	3	5	7	9	9	9
80-84	3	6.0	13	3	3	5	9	10	10	10
85+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	3.5	5	1	2	3	4	6	9	10
70-74	12	4.8	7	2	2	4	5	8	11	12
75-79	5	2.8	2	1	1	3	4	4	4	4
80-84	3	5.7		5	5	6	6	6	6	6
85+	3	5.3	26	1	1	4	9	11	11	11
B. *Operated*										
65-69 YRS	28	9.2	26	3	4	7	12	16	19	23
70-74	21	8.5	18	4	4	7	10	17	17	17
75-79	15	8.3	32	4	4	6	10	15	22	25
80-84	10	13.1	54	6	6	12	18	24	29	29
85+	4	7.8	38	4	4	5	11	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	4	1	1	2	3	7	7	7
B. *Operated*	34	5.5	6	3	3	5	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	38	4.1	6	1	2	4	5	7	11	12
B. *Operated*	78	9.2	30	4	4	7	12	17	19	28
1. SINGLE DX	40	5.2	6	2	2	5	7	9	10	11
2. MULTIPLE DX	116	7.6	28	2	3	6	10	15	18	26
A. NOT OPERATED	44	4.0	6	1	2	3	5	7	10	12
B. OPERATED	112	8.1	25	3	4	7	10	16	18	27
TOTAL 65-69 YRS	58	6.7	22	2	2	6	9	14	16	23
70-74	46	6.6	15	2	3	6	8	12	17	17
75-79	26	6.5	24	2	3	5	8	12	17	25
80-84	17	9.9	48	3	4	7	14	19	25	29
85+	9	6.1	24	1	2	4	7	15	17	17
GRAND TOTAL	**156**	**6.9**	**23**	**2**	**3**	**6**	**8**	**14**	**17**	**25**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.7	5	<1	<1	1	5	6	7	7
70-74	15	2.0	3	<1	<1	1	3	5	6	6
75-79	11	2.2	3	<1	<1	1	3	4	6	6
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	3099	2.9	2	1	1	3	4	5	6	8
70-74	2415	3.1	4	1	1	3	4	5	6	8
75-79	1635	3.2	3	1	1	3	4	5	6	8
80-84	867	3.4	4	1	1	3	4	6	7	10
85+	414	3.6	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	87	2.4	5	<1	<1	1	3	5	9	12
70-74	104	3.5	15	<1	1	2	4	7	11	20
75-79	99	3.8	11	<1	1	3	5	8	11	18
80-84	65	4.5	36	<1	1	2	5	10	15	91
85+	51	3.8	12	<1	<1	3	5	8	11	19
B. *Operated*										
65-69 YRS	4959	3.9	10	1	1	3	5	7	9	15
70-74	4502	4.1	8	1	1	3	5	7	9	15
75-79	3593	4.6	13	1	2	4	5	8	11	18
80-84	2031	5.1	21	1	2	4	6	9	12	22
85+	985	5.9	33	1	2	4	7	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*	8430	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	406	3.5	15	<1	<1	2	4	8	11	19
B. *Operated*	16070	4.4	13	1	1	4	5	8	10	18
1. SINGLE DX	8471	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	16476	4.4	13	1	1	4	5	8	10	18
A. NOT OPERATED	447	3.4	14	<1	<1	2	4	7	11	19
B. OPERATED	24500	3.9	10	1	1	3	5	7	9	15
TOTAL 65-69 YRS	8156	3.5	7	1	1	3	4	6	7	13
70-74	7036	3.7	7	1	1	3	5	6	8	13
75-79	5338	4.1	10	1	1	3	5	7	9	16
80-84	2965	4.6	17	1	2	4	5	8	11	20
85+	1452	5.2	25	1	1	4	6	9	13	24
GRAND TOTAL	**24947**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.0		<1	<1	1	1	1	1	1
70-74	7	3.4	8	1	1	2	6	7	7	7
75-79	7	3.6	6	<1	<1	3	6	6	6	6
80-84	10	2.3	2	1	1	2	3	4	5	5
85+	8	2.3	5	1	1	1	3	6	7	7
B. *Operated*										
65-69 YRS	230	4.1	21	1	2	4	5	6	7	11
70-74	228	4.3	9	1	1	4	5	7	9	16
75-79	199	4.1	6	1	2	4	5	7	7	14
80-84	150	5.1	11	1	2	5	6	8	11	17
85+	144	5.3	10	2	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	3.9	10	<1	<1	3	5	8	11	14
70-74	23	4.2	13	<1	1	4	5	8	12	17
75-79	30	4.0	16	<1	<1	3	5	10	15	16
80-84	40	4.8	15	1	1	4	7	9	14	17
85+	76	6.0	106	1	1	4	7	10	12	65
B. *Operated*										
65-69 YRS	573	6.4	29	2	2	5	7	12	18	28
70-74	741	6.5	34	2	2	5	8	13	17	26
75-79	805	7.1	34	2	2	5	9	14	17	32
80-84	636	8.4	60	2	3	6	10	17	22	41
85+	609	9.1	68	2	3	7	11	18	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.6	4	<1	1	1	4	6	7	7
B. *Operated*	951	4.5	12	1	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	189	5.0	51	<1	1	3	6	9	12	46
B. *Operated*	3364	7.4	45	2	2	6	9	14	19	35
1. SINGLE DX	988	4.4	12	1	1	4	6	7	9	15
2. MULTIPLE DX	3553	7.3	46	2	2	5	9	14	19	35
A. NOT OPERATED	226	4.6	44	<1	1	3	5	9	12	29
B. OPERATED	4315	6.8	39	2	2	5	8	13	18	32
TOTAL 65-69 YRS	828	5.6	27	1	2	4	7	10	14	27
70-74	999	5.9	28	1	2	5	7	11	15	24
75-79	1041	6.4	30	2	2	5	8	12	16	30
80-84	836	7.5	51	2	2	6	9	14	20	35
85+	837	8.1	63	2	2	6	10	16	20	50
GRAND TOTAL	**4541**	**6.7**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	77	2.9	3	1	1	3	4	5	6	9
70-74	65	3.0	3	1	1	3	4	5	7	9
75-79	38	3.1	3	1	1	3	4	6	7	7
80-84	13	3.5	9	<1	1	3	4	9	10	10
85+	9	2.9	6	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.7	4	2	2	3	4	7	9	9
70-74	13	3.8	15	<1	<1	2	5	8	14	15
75-79	8	4.6	15	1	1	4	6	11	13	13
80-84	2	10.0	50	5	5	10	15	15	15	15
85+	4	11.5	76	5	5	8	17	24	24	24
B. *Operated*										
65-69 YRS	203	4.7	13	1	1	4	6	8	11	22
70-74	139	4.3	11	1	1	4	5	8	9	15
75-79	106	4.6	11	1	2	4	6	8	10	18
80-84	29	4.9	7	2	2	5	6	9	11	11
85+	22	7.1	26	1	2	5	11	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*	202	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	38	5.1	23	<1	1	4	5	12	15	24
B. *Operated*	499	4.7	12	1	1	4	6	9	11	21
1. SINGLE DX	206	3.0	4	1	1	3	4	5	7	9
2. MULTIPLE DX	537	4.7	13	1	1	4	6	9	11	21
A. NOT OPERATED	42	4.8	22	<1	1	4	5	12	15	24
B. OPERATED	701	4.2	10	1	1	3	5	8	10	16
TOTAL 65-69 YRS	293	4.1	10	1	1	4	5	8	10	18
70-74	218	3.9	9	1	1	3	5	7	8	14
75-79	153	4.2	9	1	2	3	5	8	9	16
80-84	44	4.8	10	1	1	4	6	9	11	15
85+	35	6.5	31	1	1	5	10	13	20	24
GRAND TOTAL	**743**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.4	6	<1	<1	4	6	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	4.7	30	1	1	2	9	11	11	11
80-84	5	4.8	15	1	1	3	7	11	11	11
85+	4	3.0	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	490	4.5	6	1	2	4	6	8	9	12
70-74	361	4.6	6	1	2	4	6	8	9	12
75-79	250	4.9	7	1	2	5	7	9	10	11
80-84	122	5.5	9	1	2	5	6	9	10	17
85+	27	5.2	5	<1	2	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	3.9	10	1	1	3	5	8	12	16
70-74	64	3.8	7	<1	1	3	5	8	9	10
75-79	54	4.4	12	<1	1	4	5	8	11	19
80-84	31	7.7	150	<1	1	5	8	12	22	69
85+	37	4.8	6	2	2	5	6	10	12	99+
B. *Operated*										
65-69 YRS	1253	6.7	27	2	2	6	8	11	16	25
70-74	1057	6.9	20	2	3	6	8	11	14	22
75-79	698	7.1	32	2	3	6	9	12	16	24
80-84	293	7.6	35	2	3	6	10	13	17	27
85+	137	7.6	39	2	3	6	9	13	17	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.7	10	<1	1	3	6	8	11	11
B. *Operated*	1250	4.7	7	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	237	4.6	28	<1	1	4	6	9	11	28
B. *Operated*	3438	6.9	27	2	3	6	8	12	15	24
1. SINGLE DX	1272	4.7	7	1	2	4	6	8	9	12
2. MULTIPLE DX	3675	6.8	27	2	2	6	8	12	15	24
A. NOT OPERATED	259	4.6	27	<1	1	4	6	9	11	23
B. OPERATED	4688	6.4	23	2	2	5	8	11	14	22
TOTAL 65-69 YRS	1803	6.0	22	1	2	5	7	10	13	21
70-74	1483	6.2	17	1	2	6	8	10	13	20
75-79	1005	6.4	26	1	2	5	8	11	15	22
80-84	451	7.0	36	2	2	6	9	12	15	24
85+	205	6.7	29	1	2	6	8	12	15	73
GRAND TOTAL	**4947**	**6.3**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	4.0	7	1	1	3	5	8	10	12
70-74	38	3.0	3	<1	1	3	4	5	6	7
75-79	32	4.0	11	1	2	3	4	8	13	16
80-84	22	3.0	2	1	2	3	3	4	6	7
85+	17	5.1	8	1	2	5	8	9	10	11
B. *Operated*										
65-69 YRS	24	6.8	10	1	2	7	9	11	12	12
70-74	16	7.8	14	1	3	7	9	11	16	18
75-79	7	8.6	7	5	5	7	11	12	12	12
80-84	2	8.0	8	6	6	8	10	10	10	10
85+	3	7.7	12	4	4	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	799	4.1	6	1	2	4	5	7	9	14
70-74	761	4.6	8	1	2	4	6	8	10	14
75-79	690	5.2	11	2	2	4	7	9	11	17
80-84	564	5.5	17	2	2	4	7	9	11	23
85+	437	6.2	47	2	2	5	7	11	15	41
B. *Operated*										
65-69 YRS	353	8.9	39	2	3	8	10	15	20	31
70-74	321	9.3	38	2	3	8	11	16	19	37
75-79	210	10.0	58	2	4	8	12	16	21	45
80-84	134	11.4	99	3	4	9	14	20	28	50
85+	66	13.7	212	3	3	9	16	30	51	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.7	7	1	1	3	5	7	9	13
B. *Operated*	52	7.4	11	1	3	7	10	11	12	18
2. MULTIPLE DX										
A. *Not Operated*	3251	5.0	15	1	2	4	6	9	11	18
B. *Operated*	1084	9.8	61	2	3	8	11	17	21	43
1. SINGLE DX	200	4.7	10	1	1	4	7	10	11	14
2. MULTIPLE DX	4335	6.2	31	2	2	5	8	11	15	28
A. NOT OPERATED	3399	4.9	15	1	2	4	6	9	11	18
B. OPERATED	1136	9.7	59	2	3	8	11	17	21	42
TOTAL 65-69 YRS	1215	5.6	21	1	2	4	7	10	13	22
70-74	1136	5.9	21	1	2	5	8	11	14	21
75-79	939	6.2	26	2	2	5	8	12	14	22
80-84	722	6.5	37	2	2	5	8	11	17	30
85+	523	7.1	72	2	2	5	8	13	19	59
GRAND TOTAL	**4535**	**6.1**	**31**	**2**	**2**	**5**	**8**	**11**	**15**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	66	3.7	5	1	1	3	4	7	8	12
70-74	65	3.3	4	1	1	3	4	5	7	12
75-79	52	3.3	3	1	1	3	4	6	7	8
80-84	27	3.7	5	1	1	3	5	7	8	10
85+	21	3.9	5	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.0	4	2	2	5	7	7	7	7
70-74	9	5.6	3	3	3	6	6	8	9	9
75-79	12	4.5	10	<1	<1	4	7	9	10	10
80-84	6	4.5	24	1	1	3	5	13	14	14
85+	8	5.8	28	<1	1	4	7	15	17	17
B. *Operated*										
65-69 YRS	132	4.9	15	1	2	4	6	10	12	24
70-74	128	4.6	9	1	1	4	6	10	10	14
75-79	123	5.6	24	1	1	4	7	12	14	26
80-84	63	6.4	36	1	2	5	7	13	18	36
85+	39	6.9	56	1	2	5	8	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	231	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	41	5.0	12	<1	1	5	6	9	12	17
B. *Operated*	485	5.4	22	1	1	4	6	10	14	24
1. SINGLE DX	232	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX	526	5.4	21	1	1	4	6	10	14	23
A. NOT OPERATED	42	5.0	12	<1	1	4	6	9	12	17
B. OPERATED	716	4.8	17	1	1	4	6	9	12	21
TOTAL 65-69 YRS	204	4.5	12	1	1	4	5	8	11	21
70-74	203	4.2	7	1	1	4	5	8	10	13
75-79	187	4.9	18	1	1	4	6	9	14	20
80-84	96	5.5	28	1	1	5	6	9	16	31
85+	68	5.9	38	1	1	4	7	13	17	38
GRAND TOTAL	**758**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.3	2	1	1	2	3	4	5	5
70-74	17	3.4	11	<1	1	2	4	6	12	15
75-79	13	4.2	7	2	2	4	5	7	11	12
80-84	16	3.7	4	1	1	3	5	6	7	8
85+	13	3.9	3	<1	1	4	5	6	6	6
B. *Operated*										
65-69 YRS	282	5.0	13	1	1	4	6	9	11	17
70-74	231	5.1	10	1	2	5	7	9	10	14
75-79	195	6.0	12	2	2	5	8	11	13	16
80-84	143	6.4	19	1	2	5	8	13	14	20
85+	96	7.1	27	1	2	6	10	15	19	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	71	4.7	13	1	1	4	6	8	12	22
70-74	100	5.3	11	1	2	5	7	9	11	17
75-79	110	5.6	22	2	2	4	7	10	12	30
80-84	106	5.9	14	2	3	5	7	11	13	19
85+	116	6.6	22	2	2	6	8	13	16	52
B. *Operated*										
65-69 YRS	884	9.2	69	2	3	7	11	17	22	47
70-74	901	9.4	52	2	3	8	11	17	22	39
75-79	857	10.3	86	2	3	8	12	19	26	59
80-84	684	11.1	65	3	4	9	14	20	25	47
85+	527	12.4	86	3	4	10	16	23	29	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.6	6	1	1	3	5	6	7	14
B. *Operated*	947	5.6	15	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	503	5.7	17	2	2	5	7	10	13	25
B. *Operated*	3853	10.3	72	2	3	8	13	19	25	48
1. SINGLE DX	1015	5.5	15	1	2	5	7	10	13	19
2. MULTIPLE DX	4356	9.7	68	2	3	8	12	18	24	47
A. NOT OPERATED	571	5.4	16	1	2	5	7	10	13	24
B. OPERATED	4800	9.3	64	2	3	7	12	18	23	45
TOTAL 65-69 YRS	1246	7.9	57	1	2	6	9	15	20	38
70-74	1249	8.2	45	2	2	7	10	15	20	34
75-79	1175	9.1	71	2	3	7	11	16	23	47
80-84	949	9.6	57	2	3	8	12	18	23	39
85+	752	10.7	74	2	3	8	14	21	27	65
GRAND TOTAL	**5371**	**8.9**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	541	4.5	9	1	2	4	6	8	9	15
70-74	467	4.6	9	1	2	4	6	8	10	15
75-79	367	4.4	7	1	2	4	5	8	10	15
80-84	239	4.8	13	1	2	4	6	9	11	17
85+	246	5.4	14	1	2	4	7	10	14	18
B. *Operated*										
65-69 YRS	231	11.2	42	5	6	10	13	18	21	38
70-74	190	10.8	28	5	6	10	12	17	20	37
75-79	154	11.5	43	5	7	10	13	18	22	25
80-84	117	11.0	22	5	6	10	12	18	22	25
85+	72	11.5	41	5	6	10	14	17	21	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2419	6.3	26	1	2	5	8	11	14	25
70-74	2830	6.4	24	2	2	5	8	12	15	21
75-79	2599	6.9	31	2	2	6	8	12	16	27
80-84	2349	7.4	34	2	3	6	9	14	18	30
85+	2415	7.8	36	2	3	6	10	14	18	32
B. *Operated*										
65-69 YRS	1630	16.0	126	6	7	13	19	28	39	68
70-74	1861	16.3	127	6	7	13	19	29	38	67
75-79	1662	16.3	110	6	7	14	20	28	36	66
80-84	1359	16.7	110	6	8	14	20	29	38	63
85+	1146	17.7	130	6	8	15	21	30	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1860	4.7	10	1	2	4	6	8	10	16
B. *Operated*	764	11.1	35	5	6	10	13	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	12612	6.9	31	2	2	6	9	13	16	27
B. *Operated*	7658	16.5	121	6	7	14	20	29	38	66
1. SINGLE DX	2624	6.6	26	1	2	5	9	12	16	24
2. MULTIPLE DX	20270	10.6	86	2	3	8	13	21	28	50
A. NOT OPERATED	14472	6.7	29	2	2	5	8	12	15	27
B. OPERATED	8422	16.0	116	6	7	13	19	28	37	65
TOTAL 65-69 YRS	4821	9.6	81	2	2	7	12	19	25	51
70-74	5348	9.9	82	2	3	7	12	19	26	49
75-79	4782	10.1	78	2	3	8	13	20	26	47
80-84	4064	10.5	79	2	3	8	13	21	27	45
85+	3879	10.7	84	2	3	8	13	21	27	50
GRAND TOTAL	**22894**	**10.1**	**81**	**2**	**3**	**8**	**13**	**20**	**26**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	323	3.0	4	<1	1	2	4	6	7	10
70-74	269	3.3	6	1	1	3	4	7	8	11
75-79	224	3.4	5	1	1	3	4	7	8	11
80-84	145	3.4	10	1	1	3	4	6	9	19
85+	152	3.9	9	1	1	3	5	7	9	16
B. *Operated*										
65-69 YRS	33	6.4	39	<1	1	5	9	11	12	35
70-74	26	6.0	27	<1	<1	5	8	13	16	23
75-79	15	5.7	21	<1	<1	5	7	9	16	19
80-84	8	7.3	14	1	2	8	8	12	14	14
85+	3	8.3	2	7	7	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3035	4.7	13	1	2	4	6	8	11	19
70-74	3260	5.1	18	1	2	4	6	9	12	19
75-79	3232	5.3	20	2	2	4	6	10	12	21
80-84	2616	5.7	22	2	2	5	7	10	13	26
85+	2627	6.1	30	2	2	5	7	11	15	28
B. *Operated*										
65-69 YRS	469	10.5	97	2	3	8	12	21	28	49
70-74	489	10.2	73	2	3	8	13	19	28	57
75-79	446	11.0	83	3	3	8	14	22	30	47
80-84	338	12.8	127	3	4	9	15	25	34	74
85+	171	11.3	63	3	4	9	16	21	28	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1113	3.3	6	1	1	3	4	6	8	12
B. *Operated*	85	6.3	28	<1	1	6	8	11	14	31
2. MULTIPLE DX										
A. *Not Operated*	14770	5.4	20	1	2	4	7	10	13	22
B. *Operated*	1913	11.0	90	2	3	8	14	22	29	58
1. SINGLE DX	1198	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	16683	6.0	32	2	2	5	7	11	15	29
A. NOT OPERATED	15883	5.2	20	1	2	4	6	9	12	21
B. OPERATED	1998	10.8	89	2	3	8	13	21	29	57
TOTAL 65-69 YRS	3860	5.3	27	1	2	4	6	10	13	28
70-74	4044	5.6	27	1	2	4	7	10	14	26
75-79	3917	5.9	30	1	2	4	7	11	15	28
80-84	3107	6.4	38	2	2	5	8	12	16	36
85+	2953	6.3	32	2	2	5	8	12	16	29
GRAND TOTAL	**17881**	**5.8**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	713	5.0	7	1	2	5	7	9	9	14
70-74	573	4.6	7	1	2	4	6	8	10	13
75-79	461	4.9	8	1	2	4	7	8	10	12
80-84	362	4.9	10	1	2	4	6	9	11	16
85+	233	5.2	23	1	2	4	7	9	10	14
B. *Operated*										
65-69 YRS	193	9.8	18	3	5	9	11	15	17	25
70-74	147	10.7	30	3	5	10	12	17	19	37
75-79	98	11.7	38	2	5	10	15	21	24	28
80-84	50	12.0	35	4	5	10	16	20	22	30
85+	25	11.2	51	2	3	10	15	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2931	5.8	14	2	2	5	7	10	12	18
70-74	3532	6.1	18	2	2	5	8	10	13	22
75-79	3719	6.3	24	2	2	5	8	11	14	22
80-84	3223	6.6	24	2	2	5	8	12	15	26
85+	3300	7.3	35	2	3	6	9	13	17	30
B. *Operated*										
65-69 YRS	1775	13.2	81	4	5	11	16	23	29	54
70-74	1816	13.6	88	3	5	11	17	24	31	52
75-79	1604	14.6	113	3	5	12	18	26	34	63
80-84	1097	14.7	121	4	5	12	18	27	36	80
85+	802	15.4	141	4	5	13	19	30	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2342	4.9	9	1	2	4	6	8	10	14
B. *Operated*	513	10.7	29	3	5	10	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	16705	6.4	23	2	2	5	8	11	14	24
B. *Operated*	7094	14.1	104	4	5	12	17	25	33	61
1. SINGLE DX	2855	5.9	18	1	2	5	8	11	13	21
2. MULTIPLE DX	23799	8.7	59	2	3	7	11	17	22	42
A. NOT OPERATED	19047	6.2	22	2	2	5	8	11	14	23
B. OPERATED	7607	13.9	99	4	5	11	17	25	33	59
TOTAL 65-69 YRS	5612	8.2	47	2	3	6	10	15	20	34
70-74	6068	8.3	51	2	2	7	10	16	21	37
75-79	5882	8.5	61	2	3	6	10	17	22	42
80-84	4732	8.4	58	2	3	6	10	17	22	43
85+	4360	8.7	64	2	3	7	11	17	22	47
GRAND TOTAL	**26654**	**8.4**	**56**	**2**	**3**	**6**	**10**	**16**	**21**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	14	2	2	2	3	10	12	12
70-74	3	5.0	1	4	4	5	6	6	6	6
75-79	6	3.8	5	2	2	3	4	8	8	8
80-84	4	5.5	16	2	2	5	9	9	9	9
85+	4	6.8	36	<1	<1	5	11	15	15	15
B. *Operated*										
65-69 YRS	245	3.2	6	1	1	3	4	5	7	16
70-74	132	3.4	5	1	1	3	4	6	9	10
75-79	78	3.4	5	1	2	3	4	6	10	11
80-84	25	4.0	5	1	2	3	6	8	8	9
85+	14	4.2	14	<1	1	2	8	13	78	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	4.7	14	<1	1	4	6	8	9	25
70-74	47	5.3	18	1	1	4	7	10	14	22
75-79	46	6.6	52	1	2	5	8	11	14	47
80-84	41	6.9	46	2	2	5	7	13	19	40
85+	36	8.0	40	2	3	6	10	18	22	31
B. *Operated*										
65-69 YRS	793	5.0	24	1	1	4	6	9	14	28
70-74	562	5.5	38	1	2	4	6	11	17	36
75-79	300	6.2	50	1	2	4	7	11	19	38
80-84	164	7.2	53	2	2	5	8	14	20	45
85+	91	9.8	111	1	3	7	13	19	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	13	1	2	3	6	10	13	15
B. *Operated*	494	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	246	6.0	32	1	2	5	7	11	15	31
B. *Operated*	1910	5.7	40	1	2	4	6	11	17	34
1. SINGLE DX	518	3.4	6	1	1	3	4	6	8	14
2. MULTIPLE DX	2156	5.8	39	1	2	4	7	11	17	33
A. NOT OPERATED	270	5.9	30	1	2	5	7	11	15	31
B. OPERATED	2404	5.3	34	1	1	4	6	10	15	32
TOTAL 65-69 YRS	1121	4.6	20	1	1	3	5	8	12	25
70-74	744	5.1	31	1	1	3	6	10	15	32
75-79	430	5.7	43	1	2	4	6	11	16	37
80-84	234	6.7	47	2	2	5	8	13	19	41
85+	145	8.8	84	1	2	6	11	19	25	84
GRAND TOTAL	**2674**	**5.3**	**33**	**1**	**1**	**4**	**6**	**10**	**15**	**32**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	246	4.2	24	<1	1	3	5	8	11	19
70-74	235	3.6	6	1	1	3	5	7	8	12
75-79	248	4.0	14	<1	1	3	5	8	11	17
80-84	192	4.0	14	1	1	3	5	8	10	22
85+	178	3.5	8	1	1	3	5	6	9	15
B. *Operated*										
65-69 YRS	286	6.6	35	<1	1	5	9	12	17	29
70-74	270	7.2	45	1	1	5	9	15	21	36
75-79	176	7.3	64	1	1	5	9	14	20	44
80-84	101	7.3	35	1	2	6	10	13	18	32
85+	87	8.9	121	1	2	6	11	17	22	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2388	5.7	24	1	2	4	7	11	15	24
70-74	2631	6.0	28	1	2	5	7	12	15	27
75-79	2906	6.1	35	1	2	5	7	12	15	29
80-84	2594	6.4	39	1	2	5	8	12	16	34
85+	2787	6.8	48	1	2	5	8	13	17	36
B. *Operated*										
65-69 YRS	2426	12.4	137	2	3	9	15	25	34	69
70-74	2307	12.5	135	2	3	9	16	26	37	71
75-79	2059	13.1	147	2	3	10	16	27	38	72
80-84	1473	13.9	147	2	3	11	17	30	40	81
85+	1199	13.4	122	2	4	10	17	26	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	3.9	14	1	1	3	5	7	10	16
B. *Operated*	920	7.2	52	1	1	5	9	14	20	36
2. MULTIPLE DX										
A. *Not Operated*	13306	6.2	35	1	2	5	8	12	16	29
B. *Operated*	9464	12.9	138	2	3	10	16	27	37	71
1. SINGLE DX	2019	5.4	34	1	1	4	7	11	15	27
2. MULTIPLE DX	22770	9.0	89	2	2	6	11	19	26	52
A. NOT OPERATED	14405	6.1	34	1	2	5	7	12	15	29
B. OPERATED	10384	12.4	133	2	3	9	15	26	36	68
TOTAL 65-69 YRS	5346	8.7	87	1	2	6	11	18	25	48
70-74	5443	8.7	84	1	2	6	11	18	26	52
75-79	5389	8.7	90	1	2	6	11	18	26	53
80-84	4360	8.9	88	1	2	6	11	18	27	54
85+	4251	8.6	78	1	2	6	11	18	24	46
GRAND TOTAL	**24789**	**8.7**	**86**	**1**	**2**	**6**	**11**	**18**	**26**	**51**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	8.0	100	1	2	5	10	14	29	49
70-74	9	7.3	22	1	2	6	10	15	15	15
75-79	4	5.0	8	1	1	6	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	17	5.9	50	<1	1	2	8	17	24	26
70-74	8	7.1	62	1	1	4	10	20	24	24
75-79	5	2.4	7	1	1	1	3	7	7	7
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	712	9.7	49	3	4	8	12	19	24	35
70-74	402	10.6	76	2	3	8	13	21	26	47
75-79	203	11.1	81	3	3	8	14	24	31	50
80-84	55	10.5	71	2	4	9	13	21	24	52
85+	20	14.1	120	4	5	10	18	31	40	45
B. *Operated*										
65-69 YRS	266	13.8	163	2	3	10	17	26	38	67
70-74	170	15.1	214	1	3	11	19	29	37	83
75-79	72	13.4	224	1	2	9	15	31	41	85
80-84	19	11.5	74	1	2	11	15	23	31	36
85+	5	11.6	14	6	6	12	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.2	66	1	1	5	8	14	16	49
B. *Operated*	33	5.5	42	1	1	2	7	13	23	26
2. MULTIPLE DX										
A. *Not Operated*	1392	10.3	64	3	3	8	13	20	26	43
B. *Operated*	532	14.1	183	2	3	10	17	28	37	72
1. SINGLE DX	70	6.4	55	1	1	4	8	14	19	44
2. MULTIPLE DX	1924	11.3	99	2	3	9	14	22	29	56
A. NOT OPERATED	1429	10.2	64	3	3	8	13	20	26	43
B. OPERATED	565	13.5	178	1	2	10	17	28	36	70
TOTAL 65-69 YRS	1017	10.7	83	2	3	8	13	21	28	53
70-74	589	11.8	119	2	3	9	15	24	30	59
75-79	284	11.4	117	2	3	8	14	24	34	62
80-84	77	10.5	70	2	2	9	13	20	26	48
85+	27	12.7	100	3	4	10	15	25	37	45
GRAND TOTAL	**1994**	**11.1**	**99**	**2**	**3**	**8**	**14**	**22**	**29**	**55**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	7.6	81	1	1	5	9	16	30	40
70-74	18	4.9	7	1	2	4	7	9	9	9
75-79	9	4.7	5	1	1	5	7	7	7	7
80-84	2	6.5	25	3	3	6	10	10	10	10
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	96	2.4	13	<1	1	1	2	4	7	23
70-74	56	3.6	37	<1	1	1	4	10	13	39
75-79	34	3.8	29	1	1	2	4	9	13	28
80-84	9	5.7	18	1	1	5	9	11	11	11
85+	3	4.0	3	2	2	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	432	8.9	53	2	3	7	11	16	21	38
70-74	381	9.9	69	2	3	8	13	16	21	65
75-79	265	9.9	57	2	3	8	13	19	25	42
80-84	160	10.2	60	2	3	9	12	17	25	48
85+	87	13.1	161	3	4	9	17	21	38	65
B. *Operated*										
65-69 YRS	494	9.4	95	1	1	7	13	21	28	45
70-74	369	9.9	95	1	1	7	13	21	29	38
75-79	241	11.2	132	1	1	8	15	25	35	69
80-84	102	13.0	159	1	2	10	17	26	32	72
85+	40	12.1	74	1	2	11	18	23	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.9	36	1	1	5	7	10	13	40
B. *Operated*	198	3.2	23	<1	1	1	3	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	1325	9.8	67	2	3	8	12	18	23	44
B. *Operated*	1246	10.3	107	1	1	8	14	23	29	56
1. SINGLE DX	248	3.7	26	1	1	2	4	9	11	31
2. MULTIPLE DX	2571	10.0	87	1	2	8	13	20	27	52
A. NOT OPERATED	1375	9.7	66	2	3	8	12	17	23	44
B. OPERATED	1444	9.3	102	1	1	6	13	21	28	53
TOTAL 65-69 YRS	1041	8.5	73	1	1	6	11	18	25	40
70-74	824	9.4	80	1	1	7	12	18	25	41
75-79	549	10.0	91	1	1	7	13	22	29	56
80-84	273	11.1	98	2	2	9	13	20	28	58
85+	132	12.4	131	2	3	9	17	22	33	62
GRAND TOTAL	**2819**	**9.5**	**85**	**1**	**1**	**7**	**12**	**19**	**27**	**49**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	5.1	11	1	2	4	6	10	11	13
70-74	28	7.0	19	2	2	6	9	13	16	21
75-79	12	5.1	8	2	2	4	7	9	11	11
80-84	13	8.3	34	2	3	5	14	16	17	17
85+	6	11.2	54	3	3	10	19	20	20	20
B. *Operated*										
65-69 YRS	31	4.5	24	<1	1	3	6	9	14	25
70-74	20	10.2	141	<1	1	6	14	30	35	40
75-79	13	3.8	25	1	1	2	4	12	17	18
80-84	8	16.6	616	<1	<1	6	24	60	70	70
85+	3	7.3	26	3	3	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	751	8.2	40	2	3	7	10	16	19	31
70-74	676	9.0	57	2	3	7	11	17	22	36
75-79	476	9.1	71	2	3	7	11	18	24	46
80-84	236	9.6	40	3	3	8	12	18	23	32
85+	144	9.1	38	2	3	8	11	16	22	30
B. *Operated*										
65-69 YRS	276	13.3	122	2	2	10	18	27	34	55
70-74	254	14.2	142	1	2	12	21	32	37	53
75-79	163	14.5	122	1	3	12	20	31	38	94
80-84	90	15.4	183	2	2	11	19	37	47	82
85+	35	14.3	96	1	3	12	19	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.3	20	2	2	5	9	13	16	20
B. *Operated*	75	7.3	126	<1	1	3	8	18	30	62
2. MULTIPLE DX										
A. *Not Operated*	2283	8.8	51	2	3	7	11	17	22	36
B. *Operated*	818	14.1	133	2	2	11	19	31	37	60
1. SINGLE DX	183	6.7	63	1	1	4	9	13	19	39
2. MULTIPLE DX	3101	10.2	78	2	3	8	13	21	28	46
A. NOT OPERATED	2391	8.7	50	2	3	7	11	16	21	35
B. OPERATED	893	13.5	136	1	2	10	19	31	37	61
TOTAL 65-69 YRS	1107	9.3	65	2	2	7	11	18	25	37
70-74	978	10.3	85	2	3	8	13	22	30	44
75-79	664	10.2	88	2	3	7	12	22	30	49
80-84	347	11.2	95	2	3	9	14	23	32	57
85+	188	10.1	53	2	3	8	13	20	25	45
GRAND TOTAL	**3284**	**10.0**	**78**	**2**	**3**	**8**	**13**	**21**	**28**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	227	3.3	6	1	1	3	4	6	9	11
70-74	186	3.8	8	1	1	3	5	7	9	14
75-79	139	3.8	7	1	1	3	5	7	8	12
80-84	110	4.3	8	1	1	4	5	8	10	14
85+	93	4.4	8	1	2	4	5	8	9	15
B. *Operated*										
65-69 YRS	1847	6.8	6	4	4	6	8	10	12	15
70-74	1294	7.2	10	4	4	7	8	10	12	17
75-79	686	7.9	9	4	5	7	9	12	14	17
80-84	317	8.7	12	4	5	8	10	13	15	21
85+	142	9.9	60	4	5	8	11	14	19	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1433	4.9	12	1	2	4	6	9	11	17
70-74	1490	5.6	22	1	2	4	7	10	14	22
75-79	1357	6.2	26	2	2	5	8	11	14	22
80-84	1150	6.4	23	2	2	5	8	11	14	21
85+	1336	7.2	37	2	2	6	9	13	16	29
B. *Operated*										
65-59 YRS	7435	9.3	32	4	5	8	11	15	18	30
70-74	6475	10.3	39	5	5	9	12	17	21	37
75-79	4564	11.6	53	5	6	10	14	19	24	39
80-84	2628	13.0	80	5	6	11	15	21	28	51
85+	1630	14.8	85	6	7	12	17	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	755	3.8	7	1	1	3	5	7	9	13
B. *Operated*	4286	7.3	10	4	4	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	6766	6.0	24	1	2	5	7	11	14	22
B. *Operated*	22732	10.9	50	5	5	9	13	18	23	39
1. SINGLE DX	5041	6.8	11	2	3	6	8	11	12	17
2. MULTIPLE DX	29498	9.7	48	3	4	8	12	17	21	37
A. NOT OPERATED	7521	5.8	23	1	2	5	7	11	14	22
B. OPERATED	27018	10.3	45	4	5	9	12	17	22	37
TOTAL 65-69 YRS	10942	8.1	28	3	4	7	10	13	17	27
70-74	9445	9.0	36	3	4	8	11	15	19	31
75-79	6746	9.9	48	3	4	8	12	17	21	37
80-84	4205	10.6	67	3	4	9	13	18	23	43
85+	3201	11.1	76	2	3	9	14	20	27	50
GRAND TOTAL	**34539**	**9.3**	**44**	**3**	**4**	**8**	**11**	**16**	**20**	**35**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	3.8	6	1	1	3	5	7	8	12
70-74	75	4.3	7	1	1	4	6	8	10	11
75-79	61	4.4	6	1	1	4	6	8	9	10
80-84	46	4.4	8	1	1	3	6	8	9	13
85+	38	4.9	7	1	2	5	7	9	10	12
B. *Operated*										
65-69 YRS	109	7.8	15	4	4	7	9	12	15	24
70-74	109	8.1	19	4	4	7	9	12	14	31
75-79	54	9.1	15	4	5	9	11	14	17	19
80-84	37	9.7	21	4	5	9	11	15	19	25
85+	12	11.1	23	3	6	10	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	509	5.6	14	1	2	5	7	10	12	18
70-74	476	6.3	16	2	2	6	8	11	14	22
75-79	418	6.4	18	2	2	5	8	11	13	24
80-84	369	7.2	46	2	2	6	8	12	16	36
85+	437	8.1	42	2	3	7	10	15	18	38
B. *Operated*										
65-69 YRS	749	10.9	64	4	5	9	12	19	24	44
70-74	676	11.8	47	5	6	10	14	20	25	43
75-79	497	12.3	44	5	6	10	15	21	26	38
80-84	312	14.3	101	6	7	12	17	24	31	54
85+	243	15.9	95	7	8	13	19	29	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	4.2	7	1	1	4	6	8	9	12
B. *Operated*	321	8.5	18	4	4	8	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	2209	6.7	27	2	2	6	8	12	15	25
B. *Operated*	2477	12.3	65	5	6	10	15	21	27	45
1. SINGLE DX	645	6.3	17	1	2	6	8	11	14	20
2. MULTIPLE DX	4686	9.7	55	2	3	8	12	17	23	40
A. NOT OPERATED	2533	6.4	25	1	2	5	8	11	14	23
B. OPERATED	2798	11.9	61	5	5	10	14	20	26	44
TOTAL 65-69 YRS	1471	8.3	47	2	3	7	10	14	20	38
70-74	1336	9.1	39	2	3	8	11	16	21	34
75-79	1030	9.2	39	2	3	8	12	17	22	32
80-84	764	10.0	78	2	3	8	12	19	25	46
85+	730	10.6	72	2	3	8	13	19	26	50
GRAND TOTAL	**5331**	**9.3**	**52**	**2**	**3**	**8**	**11**	**17**	**22**	**38**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.7	8	1	1	3	5	8	10	10
70-74	26	3.0	2	1	1	3	3	6	6	6
75-79	22	3.8	6	1	1	3	6	7	8	9
80-84	25	4.7	9	1	1	5	6	8	10	12
85+	22	6.0	33	1	2	4	6	16	21	23
B. *Operated*										
65-69 YRS	136	7.4	21	1	2	7	10	13	17	22
70-74	135	7.6	26	1	1	7	11	14	17	22
75-79	107	8.7	49	1	1	8	12	16	19	37
80-84	81	8.3	29	1	1	8	11	16	18	21
85+	64	9.2	45	1	1	8	14	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	140	5.2	9	1	2	5	6	9	11	16
70-74	154	5.4	16	1	1	4	7	10	13	19
75-79	167	6.6	19	2	2	6	8	12	16	23
80-84	137	6.6	16	2	3	6	8	12	14	20
85+	204	7.7	34	2	2	6	10	14	18	34
B. *Operated*										
65-69 YRS	690	11.9	54	4	5	10	14	19	24	39
70-74	778	12.7	71	3	5	11	16	22	26	48
75-79	701	13.8	80	3	5	12	16	23	32	50
80-84	576	14.8	77	4	6	13	18	25	32	43
85+	534	15.1	91	3	5	13	19	25	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	4.2	12	1	1	3	6	8	10	20
B. *Operated*	523	8.1	33	1	1	8	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*	802	6.4	21	1	2	5	8	12	15	24
B. *Operated*	3279	13.5	75	3	5	12	17	23	29	45
1. SINGLE DX	636	7.4	31	1	1	7	10	15	18	22
2. MULTIPLE DX	4081	12.1	72	2	4	11	15	22	27	43
A. NOT OPERATED	915	6.1	20	1	2	5	8	12	15	23
B. OPERATED	3802	12.8	73	2	4	11	16	22	27	44
TOTAL 65-69 YRS	984	10.2	50	2	3	9	13	17	22	35
70-74	1093	10.8	65	2	2	10	14	20	25	39
75-79	997	11.8	75	2	3	10	15	21	27	47
80-84	819	12.4	73	2	4	11	16	22	28	41
85+	824	12.6	83	2	3	11	17	23	29	43
GRAND TOTAL	**4717**	**11.5**	**69**	**2**	**3**	**10**	**15**	**21**	**26**	**42**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	5.5	37	<1	1	4	6	9	18	31
70-74	25	4.8	12	<1	1	4	7	11	11	12
75-79	28	5.3	10	2	2	5	8	10	12	12
80-84	21	6.6	17	2	3	6	7	14	16	17
85+	18	4.2	9	<1	1	4	6	8	10	12
B. *Operated*										
65-69 YRS	32	5.4	14	1	1	5	8	11	12	14
70-74	28	7.9	41	1	1	6	12	17	20	25
75-79	25	9.7	66	<1	1	10	13	20	23	33
80-84	19	6.4	34	1	1	6	9	16	20	21
85+	7	4.9	17	2	2	2	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	233	6.4	19	1	2	6	8	12	15	22
70-74	246	6.8	25	1	2	6	8	13	18	23
75-79	217	7.8	40	2	2	7	9	13	19	34
80-84	183	7.5	25	1	2	6	9	13	17	26
85+	264	8.5	54	2	3	7	10	16	19	35
B. *Operated*										
65-69 YRS	322	12.9	97	2	3	11	17	26	33	64
70-74	327	13.7	125	2	3	11	18	28	35	67
75-79	276	14.7	130	2	3	12	19	30	39	55
80-84	241	14.7	113	3	4	12	19	27	36	72
85+	188	16.1	90	4	6	15	20	29	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	5.3	17	1	1	5	7	10	12	21
B. *Operated*	111	7.1	38	1	1	5	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	1143	7.4	34	2	2	6	9	13	18	32
B. *Operated*	1354	14.2	113	2	3	12	18	28	35	62
1. SINGLE DX	229	6.2	28	1	1	5	8	13	17	26
2. MULTIPLE DX	2497	11.1	88	2	3	9	14	22	30	49
A. NOT OPERATED	1261	7.2	33	1	2	6	9	13	17	31
B. OPERATED	1465	13.7	111	2	3	11	18	27	35	58
TOTAL 65-69 YRS	613	9.7	72	1	2	8	13	19	27	45
70-74	626	10.3	90	1	2	8	13	21	30	46
75-79	546	11.3	97	2	2	9	14	23	32	50
80-84	464	11.2	84	2	3	9	14	21	28	46
85+	477	11.3	81	2	3	9	15	21	29	54
GRAND TOTAL	**2726**	**10.7**	**85**	**2**	**2**	**8**	**14**	**21**	**29**	**48**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	5.3	10	2	2	5	7	9	10	12
70-74	175	5.5	8	2	3	5	7	9	11	16
75-79	114	6.3	15	1	2	5	8	11	13	20
80-84	72	6.0	14	2	2	5	7	10	15	19
85+	69	5.4	11	2	2	5	7	9	11	19
B. *Operated*										
65-69 YRS	34	7.7	61	1	1	6	9	17	28	35
70-74	36	7.8	28	<1	2	8	12	14	16	21
75-79	15	5.6	29	1	1	2	7	15	16	16
80-84	10	14.2	281	1	1	12	13	37	60	60
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1346	7.4	38	2	3	6	9	13	18	33
70-74	1256	7.5	27	2	3	6	9	13	17	30
75-79	1001	7.7	31	2	3	6	9	13	18	27
80-84	780	8.0	32	2	3	7	10	14	18	29
85+	691	8.3	43	2	3	7	10	14	18	29
B. *Operated*										
65-69 YRS	559	16.2	225	3	5	12	19	34	53	99+
70-74	514	15.0	140	3	5	12	18	27	38	66
75-79	361	15.7	145	3	5	13	19	30	39	66
80-84	272	15.4	141	4	5	13	19	29	36	61
85+	145	14.5	139	3	5	11	17	30	38	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	641	5.6	11	2	2	5	7	9	11	18
B. *Operated*	95	8.1	68	1	1	7	12	15	18	49
2. MULTIPLE DX										
A. *Not Operated*	5074	7.7	34	2	3	6	9	13	17	30
B. *Operated*	1851	15.5	167	3	5	12	19	31	42	86
1. SINGLE DX	736	5.9	19	2	2	5	7	10	12	19
2. MULTIPLE DX	6925	9.8	81	2	3	7	12	18	25	51
A. NOT OPERATED	5715	7.5	32	2	3	6	9	13	17	29
B. OPERATED	1946	15.2	164	3	5	12	18	30	42	86
TOTAL 65-69 YRS	2150	9.5	[illegible]	2	3	7	11	18	27	67
70-74	1981	9.2	67	2	3	7	11	17	23	45
75-79	1491	9.5	70	2	3	7	11	18	24	45
80-84	1134	9.7	70	2	3	7	11	18	24	48
85+	905	9.0	62	2	3	7	11	16	24	39
GRAND TOTAL	**7661**	**9.4**	**77**	**2**	**3**	**7**	**11**	**18**	**24**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	3.7	5	<1	1	3	5	6	8	11
70-74	164	3.7	6	1	1	3	5	7	8	13
75-79	163	4.9	11	1	1	4	6	9	12	16
80-84	139	4.2	8	1	1	3	6	8	10	13
85+	160	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
65-69 YRS	29	8.8	43	3	3	6	10	16	26	31
70-74	26	6.0	14	1	2	5	9	11	13	15
75-79	22	8.5	173	1	1	4	8	22	41	60
80-84	18	7.9	22	2	3	7	10	16	17	17
85+	14	13.8	246	1	2	6	16	38	47	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2627	5.5	14	2	2	5	7	10	12	20
70-74	3254	6.0	23	2	2	5	7	10	14	24
75-79	3536	6.4	26	2	2	5	8	11	15	25
80-84	3367	6.7	28	2	3	5	8	12	15	26
85+	4151	7.0	28	2	3	6	9	13	16	28
B. *Operated*										
65-69 YRS	912	9.7	79	2	3	7	11	20	27	50
70-74	1200	9.2	60	2	3	7	11	17	23	42
75-79	1152	10.0	73	2	3	8	12	19	26	50
80-84	948	10.9	98	3	4	8	14	21	29	68
85+	839	11.1	92	3	4	9	14	21	27	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	4.1	7	1	1	3	5	7	9	14
B. *Operated*	109	8.6	86	1	2	6	10	16	28	54
2. MULTIPLE DX										
A. *Not Operated*	16935	6.4	25	2	2	5	8	11	15	25
B. *Operated*	5051	10.1	79	2	3	8	12	19	26	50
1. SINGLE DX	879	4.7	19	1	1	4	6	8	11	19
2. MULTIPLE DX	21986	7.2	40	2	2	6	9	13	18	33
A. NOT OPERATED	17705	6.3	24	2	2	5	8	11	15	24
B. OPERATED	5160	10.1	80	2	3	8	12	19	26	50
TOTAL 65-69 YRS	3712	6.5	34	2	2	5	8	12	16	31
70-74	4644	6.7	34	2	2	5	8	12	17	29
75-79	4873	7.2	40	2	2	6	9	14	18	34
80-84	4472	7.5	45	2	3	6	9	14	18	35
85+	5164	7.6	41	2	3	6	9	14	18	35
GRAND TOTAL	**22865**	**7.1**	**39**	**2**	**2**	**6**	**9**	**13**	**18**	**33**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.6	2	1	1	2	4	5	5	5
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	3	3.3	10	1	1	2	6	7	7	7
70-74	2	31.0	1800	<1	<1	30	61	61	61	61
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	2	15.5	85	9	9	15	22	22	22	22
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	7.0	25	1	2	6	9	14	17	24
70-74	66	9.2	33	3	4	8	12	18	20	29
75-79	55	11.0	89	2	3	9	14	18	24	62
80-84	34	8.5	50	1	3	8	10	13	25	36
85+	23	10.5	51	4	5	9	12	19	25	37
B. *Operated*										
65-69 YRS	61	14.8	118	3	4	12	19	28	42	95
70-74	53	16.5	142	3	6	12	22	30	38	69
75-79	55	16.4	110	3	6	14	23	33	35	47
80-84	27	16.5	214	3	4	12	19	32	48	71
85+	6	14.8	51	7	7	13	21	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.1	3	1	1	3	4	5	7	7
B. *Operated*	9	12.9	367	<1	<1	7	12	45	61	61
2. MULTIPLE DX										
A. *Not Operated*	237	9.1	50	2	3	8	11	18	20	36
B. *Operated*	202	15.9	131	3	5	13	21	30	38	70
1. SINGLE DX	23	6.9	159	<1	1	3	6	12	36	61
2. MULTIPLE DX	439	12.2	99	2	3	10	16	24	31	61
A. NOT OPERATED	251	8.7	49	2	2	7	11	18	20	36
B. OPERATED	211	15.8	140	3	5	12	21	31	38	70
TOTAL 65-69 YRS	130	10.3	85	1	2	8	14	20	27	68
70-74	123	12.6	113	2	4	10	16	25	30	63
75-79	114	13.4	106	2	4	10	18	25	33	53
80-84	65	11.9	131	2	3	9	13	26	34	67
85+	30	11.1	53	3	4	9	13	20	25	37
GRAND TOTAL	**462**	**12.0**	**103**	**2**	**3**	**9**	**15**	**24**	**31**	**61**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	2	7	7	8	9	9	9	9
70-74	4	6.5	6	3	3	7	8	8	8	8
75-79	3	5.7	4	4	4	5	7	8	8	8
80-84	3	8.0	4	6	6	8	9	10	10	10
85+										
B. *Operated*										
65-69 YRS	20	2.3	2	<1	<1	2	3	4	5	6
70-74	20	4.9	18	1	1	3	7	11	14	16
75-79	6	8.5	119	1	1	3	15	27	28	28
80-84	4	2.0	1	1	1	2	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	96	7.5	40	2	2	6	10	15	17	37
70-74	101	8.3	47	1	2	7	10	14	23	37
75-79	82	8.3	47	2	3	6	10	16	26	35
80-84	50	8.9	59	3	3	7	10	16	31	36
85+	40	9.4	23	4	5	9	11	15	18	28
B. *Operated*										
65-69 YRS	137	8.2	65	1	1	6	12	19	27	32
70-74	117	8.7	68	1	2	6	12	20	25	39
75-79	91	11.3	89	2	2	9	15	25	31	43
80-84	29	14.8	284	2	2	10	17	37	57	75
85+	18	18.9	180	5	6	15	25	41	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	4	3	4	7	8	9	10	10
B. *Operated*	50	4.0	24	<1	1	2	4	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	369	8.3	44	2	3	7	10	15	21	36
B. *Operated*	392	10.1	99	1	2	7	13	23	29	48
1. SINGLE DX	62	4.6	22	<1	1	3	7	9	13	27
2. MULTIPLE DX	761	9.2	73	1	2	7	12	19	27	44
A. NOT OPERATED	381	8.3	43	2	3	7	10	15	21	36
B. OPERATED	442	9.4	94	1	2	6	13	22	29	46
TOTAL 65-69 YRS	255	7.5	52	1	1	5	11	16	23	31
70-74	242	8.2	54	1	2	7	11	17	24	36
75-79	182	9.8	71	2	2	7	12	21	29	38
80-84	86	10.5	139	2	2	7	11	21	32	68
85+	58	12.4	89	4	5	10	14	24	29	52
GRAND TOTAL	**823**	**8.9**	**70**	**1**	**2**	**7**	**11**	**19**	**27**	**43**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	9.0	69	1	2	6	10	23	30	30
70-74	32	8.1	26	3	3	7	10	16	18	25
75-79	29	9.1	66	3	4	7	10	19	22	43
80-84	31	9.2	37	3	3	8	11	19	20	26
85+	23	9.6	74	3	4	8	10	14	26	46
B. *Operated*										
65-69 YRS	29	10.2	63	2	2	9	16	22	25	28
70-74	38	14.5	169	2	2	11	18	26	47	63
75-79	20	18.9	162	4	5	16	27	36	44	48
80-84	15	18.2	237	7	7	14	19	39	59	66
85+	8	12.6	43	5	6	11	17	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	6	1	1	4	6	7	7	7
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	138	9.0	51	3	3	7	10	18	21	43
B. *Operated*	110	14.5	146	2	2	11	19	27	40	64
1. SINGLE DX	6	3.2	7	<1	<1	3	5	7	7	7
2. MULTIPLE DX	248	11.4	100	2	3	8	14	23	30	52
A. NOT OPERATED	142	8.8	50	3	3	7	10	18	21	43
B. OPERATED	112	14.3	146	2	2	11	19	27	40	64
TOTAL 65-69 YRS	53	9.6	64	1	2	7	15	22	28	30
70-74	74	11.1	110	2	3	8	14	21	27	60
75-79	49	13.1	126	3	4	8	19	30	41	48
80-84	46	12.2	117	3	4	9	15	20	29	66
85+	32	10.1	67	3	4	9	12	16	24	46
GRAND TOTAL	**254**	**11.2**	**99**	**2**	**3**	**8**	**14**	**22**	**29**	**52**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.7	11	1	1	2	3	10	12	12
70-74	4	5.3	16	2	2	4	8	11	11	11
75-79	4	3.3	7	<1	<1	2	5	7	7	7
80-84	8	7.3	34	2	2	5	13	15	16	16
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	64	4.1	20	1	1	2	5	10	11	28
70-74	38	4.7	19	<1	1	3	6	11	16	18
75-79	32	5.8	49	1	1	3	6	16	19	33
80-84	17	9.1	177	1	1	4	12	21	43	55
85+	6	3.3	7	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	254	7.6	67	1	2	6	9	14	20	52
70-74	311	8.9	82	2	3	7	10	17	24	60
75-79	336	9.0	72	2	3	7	11	17	25	45
80-84	302	9.6	60	2	3	7	12	19	25	41
85+	261	10.4	79	2	3	8	13	20	27	55
B. *Operated*										
65-69 YRS	707	10.6	107	1	2	7	14	24	31	51
70-74	599	11.6	141	2	2	8	15	25	37	73
75-79	466	13.0	138	2	2	10	17	26	38	65
80-84	213	13.9	172	2	3	10	17	33	39	61
85+	114	16.3	230	2	3	12	22	34	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.9	18	1	2	3	6	12	14	16
B. *Operated*	157	5.1	43	1	1	3	6	11	17	33
2. MULTIPLE DX										
A. *Not Operated*	1464	9.1	73	2	2	7	11	18	24	51
B. *Operated*	2099	12.1	139	2	2	9	16	26	36	61
1. SINGLE DX	187	5.1	39	1	1	3	6	12	16	32
2. MULTIPLE DX	3563	10.9	114	2	2	8	14	23	32	59
A. NOT OPERATED	1494	9.0	72	2	2	7	11	18	24	51
B. OPERATED	2256	11.6	135	1	2	8	15	25	35	60
TOTAL 65-69 YRS	1038	9.4	94	1	2	6	12	22	28	50
70-74	952	10.4	119	2	2	7	13	23	34	67
75-79	838	11.0	112	2	2	8	14	23	31	61
80-84	540	11.3	112	2	3	8	14	25	33	57
85+	382	12.0	131	2	3	9	15	25	35	62
GRAND TOTAL	**3750**	**10.6**	**112**	**2**	**2**	**7**	**13**	**23**	**32**	**58**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	8.8	46	<1	1	7	14	19	21	21
70-74	10	4.8	24	<1	<1	2	8	12	16	16
75-79	12	6.1	20	2	2	6	7	11	18	19
80-84	10	10.4	77	2	3	6	16	25	28	28
85+	9	12.7	93	7	7	8	14	28	37	37
B. *Operated*										
65-69 YRS	11	5.2	12	<1	1	4	8	10	12	12
70-74	7	14.1	348	<1	<1	12	15	46	54	54
75-79	5	7.4	88	2	2	4	10	24	24	24
80-84	4	11.8	221	<1	<1	6	22	33	33	33
85+	2	21.0	50	16	16	21	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	403	8.9	42	2	3	7	11	18	21	35
70-74	611	9.9	45	2	3	8	13	18	22	35
75-79	688	10.0	61	2	3	8	12	18	22	43
80-84	682	10.9	66	3	4	9	13	20	26	45
85+	794	11.0	65	3	4	9	14	20	27	47
B. *Operated*										
65-69 YRS	384	16.5	147	3	5	14	22	32	41	63
70-74	415	17.2	169	3	5	14	23	33	42	70
75-79	368	20.0	209	4	6	17	26	40	52	98
80-84	260	18.0	163	4	6	14	23	36	42	67
85+	176	17.3	138	5	7	15	21	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	8.4	54	1	1	7	11	18	22	37
B. *Operated*	29	9.7	141	<1	<1	5	12	25	34	54
2. MULTIPLE DX										
A. *Not Operated*	3178	10.3	58	3	4	8	13	19	25	42
B. *Operated*	1603	17.8	170	4	5	15	24	35	44	82
1. SINGLE DX	81	8.9	84	<1	1	6	12	20	27	49
2. MULTIPLE DX	4781	12.8	108	3	4	10	16	25	33	58
A. NOT OPERATED	3230	10.2	58	2	4	8	13	19	25	42
B. OPERATED	1632	17.7	170	3	5	15	23	34	44	81
TOTAL 65-69 YRS	809	12.5	106	2	3	9	17	25	33	53
70-74	1043	12.7	109	2	4	10	16	26	33	54
75-79	1073	13.4	134	3	4	10	17	27	36	73
80-84	956	12.8	102	3	4	10	16	25	33	55
85+	981	12.1	84	3	4	10	15	23	30	55
GRAND TOTAL	**4862**	**12.7**	**108**	**3**	**4**	**10**	**16**	**25**	**33**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	4.8	5	2	2	5	6	8	9	11
70-74	48	4.6	4	2	2	4	6	7	8	9
75-79	42	5.4	10	2	2	5	6	9	12	16
80-84	27	4.5	3	1	2	5	6	7	8	8
85+	27	4.0	4	2	2	3	5	7	8	11
B. *Operated*										
65-69 YRS	3	6.3	10	4	4	5	9	10	10	10
70-74	6	3.2	7	1	1	2	4	8	8	8
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	882	6.8	22	3	3	6	8	11	14	24
70-74	971	7.0	24	3	3	6	8	11	14	24
75-79	1016	7.4	24	3	3	6	9	12	15	24
80-84	780	7.5	21	3	3	7	9	13	16	26
85+	839	7.8	37	3	3	6	9	13	17	33
B. *Operated*										
65-69 YRS	181	12.3	119	4	5	9	15	20	26	61
70-74	196	13.3	103	4	5	11	16	25	32	44
75-79	188	12.6	89	4	5	10	16	24	28	98
80-84	152	12.9	61	3	5	11	16	25	31	38
85+	99	13.6	122	5	5	11	15	22	29	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.7	6	2	2	4	6	8	8	13
B. *Operated*	13	5.2	12	1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	4488	7.3	26	3	3	6	9	12	15	26
B. *Operated*	816	12.9	98	4	5	11	15	23	30	58
1. SINGLE DX	221	4.7	6	2	2	4	6	8	9	13
2. MULTIPLE DX	5304	8.1	41	3	3	7	10	14	18	33
A. NOT OPERATED	4696	7.2	25	3	3	6	9	12	15	26
B. OPERATED	829	12.8	97	4	5	10	15	23	30	57
TOTAL 65-69 YRS	1130	7.5	41	3	3	6	9	13	16	29
70-74	1221	7.9	41	3	3	6	9	13	18	33
75-79	1248	8.1	37	3	3	7	9	14	18	33
80-84	960	8.3	31	3	3	7	10	15	19	32
85+	966	8.3	48	3	3	7	10	14	19	40
GRAND TOTAL	**5525**	**8.0**	**40**	**3**	**3**	**7**	**9**	**14**	**18**	**33**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.1	11	2	2	4	6	10	13	16
70-74	34	5.9	7	2	3	6	8	9	10	14
75-79	40	4.9	11	2	2	4	6	8	9	21
80-84	22	5.7	16	2	2	5	6	10	15	20
85+	16	5.9	10	1	2	6	8	10	11	12
B. *Operated*										
65-69 YRS	11	9.2	23	<1	2	10	13	15	15	15
70-74	7	7.1	20	2	2	8	11	13	13	13
75-79	7	5.0	9	1	1	4	7	9	10	10
80-84	2	3.5	1	3	3	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	420	6.4	11	2	3	6	8	10	13	17
70-74	498	7.1	21	2	3	6	9	12	15	27
75-79	459	7.5	29	3	3	6	9	13	16	52
80-84	405	7.4	24	2	3	6	9	13	15	26
85+	375	8.0	22	3	3	7	10	13	17	26
B. *Operated*										
65-69 YRS	179	13.2	79	3	4	12	16	25	31	43
70-74	186	12.0	82	2	4	10	15	20	27	46
75-79	165	15.3	107	3	5	14	19	29	36	53
80-84	98	16.3	175	4	5	13	20	30	43	73
85+	69	15.2	86	4	5	14	19	26	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.4	10	2	2	5	7	9	11	20
B. *Operated*	27	7.1	20	1	2	6	10	14	15	15
2 MULTIPLE DX										
A. *Not Operated*	2157	7.2	22	2	3	6	9	12	15	26
B. *Operated*	697	14.0	103	3	5	12	17	25	34	50
1. SINGLE DX	174	5.7	12	2	2	5	7	10	13	19
2. MULTIPLE DX	2854	8.9	50	3	3	7	11	16	22	40
A. NOT OPERATED	2304	7.1	21	2	3	6	9	12	15	25
B. OPERATED	724	13.7	101	3	4	12	17	25	33	50
TOTAL 65-69 YRS	645	8.2	39	2	3	6	10	15	20	35
70-74	725	8.3	41	2	3	7	10	15	18	33
75-79	671	9.2	59	3	3	7	11	18	24	52
80-84	527	8.9	63	2	3	7	10	16	22	45
85+	460	9.0	38	3	4	7	11	17	21	33
GRAND TOTAL	**3028**	**8.7**	**48**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	207	2.6	5	1	1	2	3	5	7	11
70-74	116	2.4	2	<1	1	2	3	4	5	7
75-79	58	2.8	3	1	1	2	4	5	6	7
80-84	22	2.0	1	<1	<1	2	3	4	4	4
85+	13	2.2	2	1	1	2	2	4	6	6
B. *Operated*										
65-69 YRS	210	6.1	13	1	2	6	8	11	13	17
70-74	155	6.4	14	1	2	6	8	11	15	20
75-79	84	6.6	16	2	2	6	9	12	14	21
80-84	29	6.0	9	2	2	6	8	10	12	15
85+	15	4.9	14	1	1	4	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	509	3.7	8	1	1	3	5	7	9	14
70-74	382	3.9	19	1	1	3	4	7	9	19
75-79	210	4.6	17	1	1	3	6	9	10	22
80-84	152	5.2	36	1	2	4	6	9	14	27
85+	104	5.3	19	1	2	4	7	10	17	57
B. *Operated*										
65-69 YRS	641	9.0	41	2	3	8	11	17	21	34
70-74	485	9.9	66	2	3	8	12	19	25	42
75-79	326	10.4	56	2	3	9	13	20	25	38
80-84	167	11.2	73	2	3	9	14	21	31	39
85+	90	11.0	63	3	4	9	13	22	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	2.5	3	1	1	2	3	5	6	8
B. *Operated*	493	6.2	14	1	2	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	1357	4.2	17	1	1	3	5	8	10	21
B. *Operated*	1709	9.8	56	2	3	8	12	19	24	38
1. SINGLE DX	909	4.5	13	1	1	4	6	9	11	17
2. MULTIPLE DX	3066	7.3	47	1	2	5	9	15	20	35
A. NOT OPERATED	1773	3.8	14	1	1	3	5	7	9	19
B. OPERATED	2202	9.0	49	2	3	7	11	17	21	36
TOTAL 65-69 YRS	1567	6.0	29	1	1	4	8	13	16	28
70-74	1138	6.6	46	1	1	5	8	13	18	37
75-79	678	7.5	43	1	2	6	9	15	20	35
80-84	370	7.8	59	1	2	6	10	16	21	35
85+	222	7.4	45	1	2	5	10	16	22	38
GRAND TOTAL	**3975**	**6.7**	**40**	**1**	**1**	**5**	**9**	**14**	**18**	**34**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	641	2.1	2	1	1	2	3	4	5	7
70-74	338	2.2	2	1	1	2	3	4	4	8
75-79	167	2.3	3	1	1	2	3	4	6	10
80-84	58	2.2	2	1	1	2	3	4	5	9
85+	33	2.7	3	1	1	2	4	4	7	9
B. *Operated*										
65-69 YRS	614	4.8	9	1	2	4	6	9	11	14
70-74	355	5.4	15	1	2	5	7	10	13	19
75-79	164	5.6	20	1	1	4	8	11	13	22
80-84	56	4.9	8	2	2	4	8	8	10	14
85+	25	4.7	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	918	2.8	4	1	1	2	3	5	6	9
70-74	629	2.9	4	1	1	2	4	5	7	10
75-79	340	3.6	17	1	1	3	4	6	8	16
80-84	176	3.8	6	1	1	3	5	7	8	12
85+	89	4.7	34	1	2	3	6	7	11	38
B. *Operated*										
65-69 YRS	1306	7.1	24	2	2	6	9	13	16	23
70-74	952	7.7	32	2	2	6	10	15	18	28
75-79	596	8.6	50	2	3	7	11	17	22	33
80-84	279	9.5	49	2	3	8	13	19	23	34
85+	141	9.7	66	2	3	7	12	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1237	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1214	5.1	12	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	2152	3.1	8	1	1	3	4	6	7	11
B. *Operated*	3274	7.9	36	2	2	6	10	15	19	29
1. SINGLE DX	2451	3.6	9	1	1	3	5	8	10	14
2. MULTIPLE DX	5426	6.0	30	1	1	4	8	12	16	26
A. NOT OPERATED	3389	2.8	6	1	1	2	3	5	6	10
B. OPERATED	4488	7.1	31	2	2	6	9	14	17	27
TOTAL 65-69 YRS	3479	4.6	16	1	1	3	6	10	12	19
70-74	2274	5.2	23	1	1	4	7	11	15	23
75-79	1267	6.0	38	1	1	4	8	12	18	27
80-84	569	6.5	35	1	2	5	8	14	18	28
85+	288	6.9	52	1	2	5	8	14	21	47
GRAND TOTAL	**7877**	**5.3**	**25**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	2.1	2	<1	<1	2	3	5	5	5
70-74	24	4.4	13	1	1	3	6	8	11	17
75-79	5	2.2		2	2	2	3	3	3	3
80-84	7	5.7	30	1	1	3	10	14	15	15
85+	5	4.8	6	3	3	4	5	9	9	9
B. *Operated*										
65-69 YRS	110	4.4	14	<1	1	3	7	10	12	16
70-74	119	4.4	11	<1	1	3	7	9	11	16
75-79	53	5.5	27	<1	<1	3	8	12	16	22
80-84	30	4.9	23	1	1	3	7	11	15	21
85+	17	5.4	40	<1	<1	3	7	15	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	5.5	20	1	1	5	7	11	13	24
70-74	280	7.0	48	1	2	5	9	13	16	38
75-79	238	6.9	30	1	2	6	8	13	18	32
80-84	169	7.0	32	2	2	6	8	14	19	35
85+	196	8.4	60	2	3	6	10	16	20	46
B. *Operated*										
65-69 YRS	796	8.6	53	1	2	7	11	18	22	36
70-74	708	10.2	104	1	2	8	13	21	25	58
75-79	520	9.2	75	1	2	7	12	18	23	50
80-84	307	11.0	111	1	2	8	14	23	30	56
85+	187	12.2	85	2	3	10	16	24	32	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.6	11	1	1	2	5	7	10	17
B. *Operated*	329	4.7	17	<1	1	3	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1123	6.9	38	1	2	5	8	13	18	34
B. *Operated*	2518	9.7	82	1	2	8	13	20	25	49
1. SINGLE DX	393	4.5	16	<1	1	3	7	9	13	19
2. MULTIPLE DX	3641	8.8	71	1	2	7	11	18	23	46
A. NOT OPERATED	1187	6.7	37	1	2	5	8	13	17	33
B. OPERATED	2847	9.1	77	1	2	7	12	19	24	47
TOTAL 65-69 YRS	1169	7.4	45	1	1	6	10	15	21	35
70-74	1131	8.7	83	1	2	6	11	17	23	50
75-79	816	8.2	60	1	2	6	11	17	22	45
80-84	513	9.2	83	1	2	7	12	19	27	55
85+	405	10.0	74	2	3	8	13	19	27	45
GRAND TOTAL	**4034**	**8.4**	**67**	**1**	**2**	**6**	**11**	**17**	**23**	**44**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	2.1	2	<1	<1	2	3	4	5	6
70-74	12	1.9	3	1	1	2	2	4	7	7
75-79	8	2.1	1	1	1	2	3	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	53	3.8	6	1	1	3	5	7	9	11
70-74	61	4.0	16	<1	1	3	5	7	9	27
75-79	49	3.5	7	1	1	3	4	7	8	13
80-84	25	4.2	42	<1	1	2	4	7	16	33
85+	18	4.9	14	<1	1	3	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	3.5	8	1	1	3	4	7	9	16
70-74	55	4.1	14	1	1	3	5	9	12	19
75-79	30	3.5	6	1	1	3	4	7	8	12
80-84	16	4.8	8	1	1	4	6	8	11	12
85+	21	5.0	12	1	1	4	6	10	12	15
B. *Operated*										
65-69 YRS	316	5.9	27	1	1	4	8	13	16	23
70-74	370	6.1	21	1	2	5	8	12	15	21
75-79	284	6.7	30	1	2	5	8	13	17	26
80-84	187	7.2	41	1	2	5	9	15	21	35
85+	169	8.3	60	2	2	7	10	15	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	206	3.9	14	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	178	4.0	10	1	1	3	5	8	11	16
B. *Operated*	1326	6.6	33	1	2	5	9	13	17	25
1. SINGLE DX	255	3.6	12	1	1	3	4	7	9	13
2. MULTIPLE DX	1504	6.3	31	1	2	5	8	13	16	24
A. NOT OPERATED	227	3.6	9	1	1	3	4	7	10	15
B. OPERATED	1532	6.3	31	1	2	5	8	13	16	25
TOTAL 65-69 YRS	453	5.1	22	1	1	4	7	11	14	21
70-74	498	5.5	20	1	1	4	7	11	14	21
75-79	371	5.9	26	1	1	5	8	12	15	24
80-84	229	6.7	40	1	2	5	9	14	21	35
85+	208	7.7	53	1	2	6	10	14	17	33
GRAND TOTAL	**1759**	**5.9**	**29**	**1**	**1**	**4**	**8**	**12**	**15**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.2	2	<1	1	2	3	4	5	5
70-74	11	3.2	4	1	1	2	4	7	7	7
75-79	11	3.3	4	1	1	3	5	6	7	7
80-84	6	3.0	2	1	1	3	4	4	4	4
85+	12	3.8	5	1	1	3	5	7	9	9
B. *Operated*										
65-69 YRS	118	2.5	4	<1	<1	2	3	5	6	12
70-74	128	2.5	3	<1	1	2	3	4	6	9
75-79	85	3.0	4	<1	1	2	4	6	7	11
80-84	53	3.6	7	<1	1	3	5	8	9	11
85+	43	4.3	14	<1	1	3	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	226	5.6	34	1	2	5	7	9	11	23
70-74	258	5.6	14	1	2	5	7	10	12	19
75-79	349	6.4	23	2	2	5	8	11	14	23
80-84	270	6.4	39	2	3	5	8	11	13	27
85+	341	7.2	28	2	3	6	8	13	16	29
B. *Operated*										
65-69 YRS	684	5.5	30	1	1	4	7	11	16	26
70-74	803	5.6	34	1	1	4	7	11	15	37
75-79	768	6.3	38	1	2	5	8	12	16	28
80-84	610	7.1	45	1	2	5	9	13	18	38
85+	578	8.0	51	2	2	6	10	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*	427	2.9	5	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1444	6.3	27	2	2	5	8	11	14	24
B. *Operated*	3443	6.4	39	1	2	5	8	13	17	34
1. SINGLE DX	485	2.9	5	<1	1	2	4	6	7	12
2. MULTIPLE DX	4887	6.4	36	1	2	5	8	12	16	31
A. NOT OPERATED	1502	6.2	27	2	2	5	8	11	14	24
B. OPERATED	3870	6.0	37	1	1	4	7	12	16	32
TOTAL 65-69 YRS	1046	5.1	28	1	1	4	6	10	14	24
70-74	1200	5.3	27	1	1	4	7	10	13	28
75-79	1213	6.1	31	1	2	5	7	11	15	28
80-84	939	6.7	41	1	2	5	8	12	16	34
85+	974	7.5	42	2	2	6	9	14	19	34
GRAND TOTAL	**5372**	**6.1**	**34**	**1**	**2**	**5**	**7**	**12**	**15**	**30**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.5	1	<1	<1	1	2	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	6	2.7	5	<1	<1	2	3	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+	6	3.8	5	<1	<1	4	5	7	7	7
B. *Operated*										
65-69 YRS	147	2.8	5	<1	1	2	4	6	8	16
70-74	160	3.0	5	1	1	2	4	5	7	12
75-79	115	3.0	6	<1	1	2	4	6	8	13
80-84	68	3.6	13	<1	1	3	4	7	9	23
85+	23	2.9	3	<1	1	3	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	4.0	13	<1	1	3	6	10	12	14
70-74	43	4.1	10	1	1	3	6	8	11	15
75-79	40	4.6	10	1	2	4	6	9	10	16
80-84	40	4.6	16	1	1	3	6	8	12	22
85+	45	5.0	10	1	1	5	7	9	11	15
B. *Operated*										
65-69 YRS	593	4.3	15	1	1	3	6	9	11	20
70-74	684	4.6	17	1	1	4	6	9	12	21
75-79	659	4.5	14	1	1	4	6	9	11	19
80-84	455	6.1	35	1	2	4	8	12	15	31
85+	338	6.5	44	1	2	5	8	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.5	4	<1	<1	2	3	6	7	7
B. *Operated*	513	3.0	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	194	4.5	11	1	1	4	6	9	11	16
B. *Operated*	2729	5.0	23	1	1	4	6	10	13	22
1. SINGLE DX	534	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	2923	5.0	22	1	1	4	6	10	13	21
A. NOT OPERATED	215	4.3	11	1	1	3	6	9	11	16
B. OPERATED	3242	4.7	21	1	1	3	6	9	12	21
TOTAL 65-69 YRS	772	4.0	13	1	1	3	5	8	11	19
70-74	889	4.3	15	1	1	3	5	8	11	20
75-79	820	4.3	12	1	1	3	5	9	11	17
80-84	564	5.7	32	1	2	4	7	11	15	30
85+	412	6.1	38	1	2	5	8	12	15	28
GRAND TOTAL	**3457**	**4.7**	**20**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	4.5	13	1	2	4	5	8	10	20
70-74	149	4.2	16	1	1	4	5	7	9	26
75-79	178	5.1	22	1	1	4	6	9	12	27
80-84	126	4.9	18	2	2	4	6	8	10	21
85+	155	5.4	13	1	2	4	7	10	11	18
B. *Operated*										
65-69 YRS	343	3.2	8	<1	1	2	4	6	8	14
70-74	313	3.9	29	<1	1	3	5	7	9	16
75-79	252	3.6	8	1	1	3	5	7	10	13
80-84	163	3.4	6	<1	1	3	5	6	8	13
85+	105	4.7	14	1	1	4	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3026	6.9	34	2	2	6	8	12	15	30
70-74	4041	7.2	31	2	3	6	9	13	17	29
75-79	5101	7.7	39	2	3	6	9	14	18	33
80-84	5058	8.1	44	2	3	7	10	14	18	36
85+	6294	8.5	48	2	3	7	10	15	19	39
B. *Operated*										
65-69 YRS	2669	7.1	52	1	2	5	9	15	19	42
70-74	3124	7.5	52	1	2	5	9	15	20	38
75-79	3025	8.6	72	1	2	6	11	17	23	47
80-84	2213	9.3	81	2	2	7	12	20	26	58
85+	1814	10.8	104	2	3	8	13	21	29	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	4.8	17	1	1	4	6	9	10	23
B. *Operated*	1176	3.6	14	<1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	23520	7.8	41	2	3	6	9	14	18	34
B. *Operated*	12845	8.4	71	1	2	6	10	17	23	47
1. SINGLE DX	1928	4.1	15	1	1	3	5	8	10	17
2. MULTIPLE DX	36365	8.0	51	2	3	6	10	15	20	39
A. NOT OPERATED	24272	7.7	40	2	3	6	9	14	18	34
B. OPERATED	14021	8.0	68	1	2	6	10	16	22	45
TOTAL 65-69 YRS	6182	6.7	41	1	2	5	8	13	17	36
70-74	7627	7.1	40	1	2	6	9	13	18	33
75-79	8556	7.8	50	2	2	6	10	15	20	38
80-84	7560	8.3	55	2	3	7	10	15	21	43
85+	8368	8.9	60	2	3	7	11	16	21	48
GRAND TOTAL	**38293**	**7.8**	**50**	**2**	**2**	**6**	**10**	**14**	**19**	**38**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.0	5	<1	<1	2	4	7	8	9
70-74	30	4.1	11	1	1	3	5	8	13	15
75-79	13	2.8	5	<1	<1	2	4	6	7	7
80-84	13	4.2	11	<1	<1	3	7	9	11	12
85+	5	21.0	623	4	4	10	28	65	65	65
B. *Operated*										
65-69 YRS	2917	4.8	7	1	2	5	6	7	9	12
70-74	2691	4.9	6	1	2	5	6	8	9	13
75-79	1752	5.2	7	1	2	5	6	8	10	15
80-84	797	5.5	8	2	3	5	7	8	11	16
85+	354	6.4	12	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	345	3.9	23	<1	1	3	5	8	11	19
70-74	385	4.0	15	<1	1	3	5	8	11	19
75-79	378	4.8	27	1	1	3	6	9	14	30
80-84	241	5.3	29	1	1	4	6	11	14	30
85+	223	7.0	41	1	2	5	9	13	21	37
B. *Operated*										
65-69 YRS	10935	6.1	14	2	3	5	7	10	13	19
70-74	11368	6.6	19	2	3	6	8	11	14	23
75-79	8849	7.2	26	2	3	6	8	12	16	27
80-84	5027	7.9	33	3	3	6	9	14	18	30
85+	2857	9.2	49	3	4	7	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.7	57	<1	1	3	5	9	12	50
B. *Operated*	8511	5.0	7	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1572	4.8	26	<1	1	3	6	10	13	30
B. *Operated*	39036	6.9	24	2	3	6	8	12	15	26
1. SINGLE DX	8592	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX	40608	6.9	24	2	3	6	8	12	15	26
A. NOT OPERATED	1653	4.8	28	<1	1	3	6	10	13	30
B. OPERATED	47547	6.6	22	2	3	6	8	11	14	24
TOTAL 65-69 YRS	14217	5.8	13	2	3	5	7	10	12	18
70-74	14474	6.2	17	2	3	5	7	10	13	22
75-79	10992	6.8	24	2	3	6	8	11	15	25
80-84	6078	7.5	30	2	3	6	9	13	17	28
85+	3439	8.8	47	3	4	7	11	16	21	37
GRAND TOTAL	**49200**	**6.5**	**22**	**2**	**3**	**5**	**8**	**11**	**14**	**24**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	4.4	3	2	2	4	5	7	8	9
70-74	21	3.5	2	1	2	3	4	5	6	6
75-79	14	4.1	2	1	2	4	5	7	7	7
80-84	3	2.3		2	2	2	3	3	3	3
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	33	2.5	3	<1	1	2	3	5	7	8
70-74	30	3.5	7	<1	1	3	5	6	10	12
75-79	20	3.8	6	1	1	3	4	8	9	10
80-84	6	3.8	2	2	2	4	5	5	5	5
85+	5	3.0	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	238	4.9	6	2	2	4	6	8	10	14
70-74	185	5.5	11	2	2	5	7	9	12	18
75-79	143	5.4	9	1	2	5	7	9	11	15
80-84	73	4.8	10	2	2	4	6	8	12	17
85+	61	6.1	23	2	2	5	8	10	15	30
B. *Operated*										
65-69 YRS	304	5.4	18	1	1	4	7	11	14	19
70-74	271	5.8	17	1	2	5	8	12	14	18
75-79	211	6.1	28	1	2	5	7	12	15	32
80-84	142	7.0	31	2	3	6	8	12	16	36
85+	82	8.6	64	2	3	7	10	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.0	3	2	2	4	5	6	7	9
B. *Operated*	94	3.2	5	<1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	700	5.3	10	2	2	5	7	9	11	16
B. *Operated*	1010	6.1	26	1	2	5	8	12	14	27
1. SINGLE DX	159	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX	1710	5.8	20	1	2	5	7	11	14	21
A. NOT OPERATED	765	5.2	9	2	2	4	7	9	10	16
B. OPERATED	1104	5.9	25	1	2	5	7	12	14	25
TOTAL 65-69 YRS	600	5.0	12	1	2	4	6	9	12	17
70-74	507	5.4	14	1	2	5	7	11	13	18
75-79	388	5.6	19	1	2	5	7	10	13	22
80-84	224	6.1	25	2	2	5	7	12	14	31
85+	150	7.3	47	2	2	6	9	13	19	31
GRAND TOTAL	**1869**	**5.6**	**19**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	181	2.4	2	1	1	2	3	4	4	8
70-74	108	2.3	1	<1	1	2	3	4	4	5
75-79	58	2.2	2	<1	1	2	3	4	6	7
80-84	25	2.5	4	<1	<1	2	3	[illegible]	6	10
85+	13	2.2	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	4.4	32	<1	<1	2	6	14	18	18
70-74	5	2.0	2	<1	<1	1	3	4	4	4
75-79	5	4.0	4	2	2	3	5	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
65-69 YRS	274	3.6	8	1	1	3	4	7	10	14
70-74	224	3.6	7	1	1	3	4	7	8	13
75-79	175	3.4	5	1	1	3	4	6	8	9
80-84	85	4.2	12	1	1	3	5	7	10	21
85+	31	5.4	27	1	1	4	6	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	385	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	23	3.9	15	<1	<1	3	6	7	11	18
B. *Operated*	789	3.7	8	1	1	3	4	7	9	14
1. SINGLE DX	386	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	812	3.7	8	1	1	3	4	7	9	14
A. NOT OPERATED	24	3.8	14	<1	<1	3	6	7	11	18
B. OPERATED	1174	3.2	6	1	1	3	4	6	8	13
TOTAL 65-69 YRS	464	3.1	6	1	1	3	4	5	8	13
70-74	338	3.1	5	1	1	3	4	6	8	10
75-79	238	3.1	4	1	1	3	4	6	8	9
80-84	111	3.9	11	1	1	3	5	7	10	19
85+	47	4.5	20	1	1	3	5	9	15	25
GRAND TOTAL	**1198**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	5.6	7	1	2	6	7	9	10	15
70-74	52	5.3	5	2	3	5	6	9	10	13
75-79	22	4.5	6	1	2	5	5	7	9	13
80-84	12	6.4	15	3	3	6	8	12	15	16
85+	6	6.0	7	3	3	6	9	9	9	9
B. *Operated*										
65-69 YRS	38	3.6	6	1	1	3	5	7	9	10
70-74	30	3.7	8	1	1	3	4	8	10	13
75-79	19	5.1	15	1	1	4	6	12	14	14
80-84	7	4.6	12	1	1	4	7	9	10	10
85+	5	4.8	8	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	6.0	9	2	3	5	8	10	11	15
70-74	216	6.4	15	3	3	6	8	10	13	21
75-79	177	6.4	15	2	3	5	8	11	14	22
80-84	89	6.9	14	2	3	6	9	11	13	19
85+	58	7.5	15	3	4	7	9	13	15	21
B. *Operated*										
65-69 YRS	151	7.3	65	1	2	5	9	13	20	31
70-74	154	7.7	36	2	2	7	10	14	19	37
75-79	125	7.2	30	1	2	6	10	15	18	25
80-84	70	7.3	32	1	1	6	11	14	20	27
85+	32	10.8	36	2	4	11	14	17	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	5.4	7	2	3	5	7	9	10	15
B. *Operated*	99	4.0	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	774	6.4	13	2	3	6	8	10	13	21
B. *Operated*	532	7.6	43	1	2	6	10	14	19	31
1. SINGLE DX	271	4.9	8	1	2	5	6	9	10	14
2. MULTIPLE DX	1306	6.9	26	2	3	6	9	12	15	25
A. NOT OPERATED	946	6.2	12	2	3	6	8	10	13	18
B. OPERATED	631	7.0	39	1	2	5	9	14	18	29
TOTAL 65-69 YRS	503	6.1	26	2	2	5	8	10	12	24
70-74	452	6.6	22	2	2	6	8	12	14	25
75-79	343	6.5	20	2	2	5	8	13	15	22
80-84	178	6.9	21	1	2	6	9	12	15	23
85+	101	8.3	23	2	4	7	11	14	17	26
GRAND TOTAL	**1577**	**6.6**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	34	1.7	1	<1	1	1	2	3	3	6
70-74	22	2.1	6	<1	<1	1	2	3	8	13
75-79	14	1.3		<1	<1	1	1	2	3	3
80-84	14	1.6	1	<1	<1	1	2	3	4	4
85+	7	2.3	3	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	1.6	1	<1	<1	1	2	3	3	3
70-74	13	6.0	33	1	2	4	7	17	19	19
75-79	9	4.2	13	1	1	3	7	10	11	11
80-84	5	5.8	20	2	2	3	10	12	12	12
85+	7	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
65-69 YRS	94	2.9	7	<1	1	2	3	6	8	14
70-74	88	2.8	15	1	1	2	3	4	7	27
75-79	75	3.7	17	1	1	2	4	8	11	24
80-84	48	3.7	14	1	1	2	5	8	12	18
85+	41	4.6	25	1	1	3	6	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	91	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	44	4.1	17	<1	1	3	4	9	13	19
B. *Operated*	346	3.3	14	1	1	2	4	7	9	19
1. SINGLE DX	92	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX	390	3.4	15	1	1	2	4	7	10	19
A. NOT OPERATED	45	4.1	17	<1	1	3	4	9	13	19
B. OPERATED	437	3.0	12	<1	1	2	3	6	8	18
TOTAL 65-69 YRS	138	2.5	5	<1	1	2	3	5	7	13
70-74	123	3.0	16	<1	1	2	3	5	8	22
75-79	98	3.4	15	<1	1	2	4	8	10	22
80-84	68	3.4	13	<1	1	2	4	8	12	18
85+	55	4.1	20	1	1	3	5	8	12	28
GRAND TOTAL	**482**	**3.1**	**13**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	2.7	6	<1	1	2	3	5	9	10
70-74	12	2.8	3	<1	1	2	4	5	6	6
75-79	3	5.3	16	1	1	6	8	9	9	9
80-84	2	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	261	2.7	3	1	1	2	3	5	6	8
70-74	140	3.2	5	1	1	3	4	6	7	13
75-79	54	3.3	11	1	1	3	4	5	8	23
80-84	13	2.4	2	<1	<1	3	3	4	6	6
85+	8	3.1	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	3.7	12	1	1	3	4	7	10	18
70-74	53	5.6	18	<1	1	5	8	12	13	19
75-79	40	8.3	127	<1	1	6	10	14	25	67
80-84	26	6.4	13	1	2	6	8	11	12	17
85+	22	7.3	15	3	4	7	10	15	47	99+
B. *Operated*										
65-69 YRS	689	4.4	28	1	1	3	5	8	11	26
70-74	420	4.9	50	1	1	3	5	9	14	45
75-79	213	5.5	44	1	1	3	6	10	22	37
80-84	93	6.6	63	1	2	3	8	15	27	43
85+	55	7.4	63	1	1	4	9	17	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	5	<1	1	2	4	6	9	10
B. *Operated*	476	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	196	5.9	40	1	1	5	8	11	15	52
B. *Operated*	1470	4.9	41	1	1	3	5	9	14	36
1. SINGLE DX	507	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX	1666	5.1	41	1	1	3	5	9	14	36
A. NOT OPERATED	227	5.5	36	1	1	4	7	10	14	42
B. OPERATED	1946	4.5	32	1	1	3	5	8	12	31
TOTAL 65-69 YRS	1019	3.9	21	1	1	3	5	7	9	21
70-74	625	4.5	37	1	1	3	5	8	12	37
75-79	310	5.5	50	1	1	3	6	10	18	37
80-84	134	6.1	48	1	1	4	7	12	19	41
85+	85	7.0	46	1	1	5	9	16	27	77
GRAND TOTAL	**2173**	**4.6**	**33**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
65-69 YRS	368	1.8	1	<1	<1	2	2	3	4	7
70-74	282	1.9	2	<1	<1	2	2	3	4	5
75-79	123	2.1	3	<1	<1	2	2	3	5	10
80-84	57	2.1	3	<1	<1	2	2	3	4	12
85+	22	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	1.8	1	<1	<1	1	2	3	3	3
70-74	11	3.2	4	<1	<1	3	4	6	7	7
75-79	3	5.7	20	1	1	6	9	10	10	10
80-84	2	7.5	61	2	2	7	13	13	13	13
85+										
B. *Operated*										
65-69 YRS	537	2.7	5	<1	1	2	3	5	7	11
70-74	453	2.8	5	<1	1	2	3	5	7	10
75-79	243	2.7	4	1	1	2	3	5	6	10
80-84	127	3.0	12	1	1	2	3	5	7	16
85+	60	3.1	4	1	1	2	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	9	1	1	1	4	8	8	8
B. *Operated*	852	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.7	11	<1	<1	3	5	8	11	13
B. *Operated*	1420	2.8	5	<1	1	2	3	5	7	11
1. SINGLE DX	857	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1440	2.8	6	<1	1	2	3	5	7	11
A. NOT OPERATED	25	3.5	10	<1	1	2	5	8	11	13
B. OPERATED	2272	2.5	4	<1	<1	2	3	4	6	10
TOTAL 65-69 YRS	910	2.4	4	<1	<1	2	3	4	6	10
70-74	746	2.5	4	<1	<1	2	3	4	6	9
75-79	370	2.5	4	<1	1	2	3	4	6	10
80-84	187	2.7	10	<1	1	2	3	4	7	13
85+	84	2.9	4	1	1	2	4	5	7	10
GRAND TOTAL	**2297**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.8	10	1	1	3	6	8	8	8
70-74	5	4.0	14	<1	<1	2	7	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	3	5.7	17	1	1	7	8	9	9	9
B. *Operated*										
65-69 YRS	177	2.3	2	<1	<1	2	3	4	4	9
70-74	107	2.5	5	<1	<1	2	3	5	6	12
75-79	69	2.0	1	<1	<1	2	2	3	4	6
80-84	30	2.0	1	<1	<1	2	3	4	4	5
85+	20	3.5	14	<1	<1	2	4	8	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	3.3	9	<1	<1	2	5	8	10	12
70-74	38	4.8	108	<1	<1	1	5	8	14	64
75-79	23	3.9	26	<1	1	2	4	8	17	23
80-84	16	4.9	42	<1	<1	2	6	14	21	24
85+	16	6.7	90	1	1	4	7	13	32	40
B. *Operated*										
65-69 YRS	293	3.6	12	1	1	3	4	6	9	16
70-74	235	3.5	10	1	1	3	4	6	8	17
75-79	125	3.5	11	<1	1	2	5	7	9	18
80-84	75	4.5	35	1	1	2	5	10	14	35
85+	48	4.8	22	<1	1	3	6	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.1	10	<1	<1	3	7	9	9	9
B. *Operated*	403	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	134	4.4	53	<1	<1	2	5	9	14	44
B. *Operated*	776	3.7	14	1	1	3	4	7	9	21
1. SINGLE DX	418	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	910	3.8	20	1	1	3	4	7	10	23
A. NOT OPERATED	149	4.4	49	<1	<1	2	5	9	13	40
B. OPERATED	1179	3.2	11	<1	1	2	4	6	8	16
TOTAL 65-69 YRS	515	3.1	9	<1	1	2	4	5	8	13
70-74	385	3.4	18	<1	1	2	4	6	8	17
75-79	219	3.1	10	<1	<1	2	4	6	8	18
80-84	122	3.9	28	<1	1	2	4	8	14	30
85+	87	4.9	32	<1	1	3	5	11	15	33
GRAND TOTAL	**1328**	**3.4**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	43	6.6	6	2	4	6	8	9	11	14
70-74	24	6.3	5	2	3	6	7	9	11	11
75-79	16	7.2	7	2	4	7	9	10	11	11
80-84	11	5.7	8	2	2	6	7	10	11	11
85+	9	5.0	19	2	2	3	7	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	4.1	15	1	1	3	4	11	13	13
70-74	5	5.8	13	2	2	5	9	10	10	10
75-79	6	9.0	93	1	1	6	12	25	27	27
80-84	5	5.4	11	2	2	5	7	11	11	11
85+	8	7.9	23	2	3	9	12	67	99+	99+
B. *Operated*										
65-69 YRS	176	7.1	10	4	4	6	8	10	15	18
70-74	138	8.2	19	4	5	7	9	12	16	26
75-79	95	9.2	30	4	5	8	11	14	21	32
80-84	45	10.7	71	4	6	9	11	16	21	59
85+	35	10.4	23	3	5	10	14	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.9	2	1	1	2	4	5	5	5
B. *Operated*	103	6.4	7	2	3	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	34	6.3	29	1	2	5	10	13	24	99+
B. *Operated*	489	8.4	24	4	5	7	9	14	17	25
1. SINGLE DX	110	6.2	8	2	2	6	8	10	11	14
2. MULTIPLE DX	523	8.3	25	3	4	7	9	14	17	28
A. NOT OPERATED	41	5.7	26	1	2	4	9	12	21	99+
B. OPERATED	592	8.1	22	3	4	7	9	13	16	24
TOTAL 65-69 YRS	231	6.8	10	3	4	6	8	10	14	18
70-74	169	7.8	17	3	5	7	9	11	15	23
75-79	118	8.9	30	3	4	8	10	14	21	31
80-84	62	9.3	59	2	4	8	11	15	19	55
85+	53	9.0	27	2	2	8	14	17	18	97
GRAND TOTAL	**633**	**7.9**	**22**	**2**	**4**	**7**	**9**	**13**	**16**	**26**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.4	15	2	2	5	7	12	12	12
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	3	5.3	10	3	3	4	8	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
65-69 YRS	13	3.8	12	<1	<1	2	7	9	10	10
70-74	10	5.2	8	1	1	6	7	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	15.0		15	15	15	15	15	15	15
85+	3	5.0	16	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	5.7	8	2	3	5	7	10	11	12
70-74	19	6.9	39	1	2	7	8	11	22	30
75-79	19	8.7	14	3	4	8	12	14	15	15
80-84	11	7.9	25	2	3	7	10	15	20	21
85+	18	10.5	114	2	3	5	11	28	34	38
B. *Operated*										
65-69 YRS	82	10.4	100	1	3	8	13	21	28	91
70-74	66	11.4	137	3	5	8	15	20	23	82
75-79	30	12.6	77	4	5	11	15	25	27	44
80-84	29	11.5	74	1	2	9	17	28	34	99+
85+	17	10.5	177	1	1	7	13	19	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	8	1	2	4	5	9	11	12
B. *Operated*	28	4.8	14	1	1	4	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	90	7.8	40	2	3	6	9	13	21	35
B. *Operated*	224	11.1	109	2	3	8	14	22	26	95
1. SINGLE DX	42	4.7	12	1	1	4	7	9	11	15
2. MULTIPLE DX	314	10.2	91	2	3	7	13	20	26	80
A. NOT OPERATED	104	7.4	37	2	3	6	8	12	21	34
B. OPERATED	252	10.4	102	1	2	8	14	20	25	92
TOTAL 65-69 YRS	123	8.6	76	1	2	6	11	17	22	80
70-74	97	9.8	107	2	3	7	12	18	22	63
75-79	53	10.6	55	3	4	8	13	18	26	43
80-84	42	10.5	61	1	2	9	15	22	33	99+
85+	41	9.5	126	1	2	5	9	23	33	58
GRAND TOTAL	**356**	**9.5**	**85**	**1**	**2**	**7**	**12**	**19**	**23**	**72**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	5.0	9	2	2	5	7	8	8	8
70-74	4	6.5	2	5	5	6	7	8	8	8
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	75	7.6	9	5	5	7	8	11	15	18
70-74	44	7.8	19	4	5	7	8	11	16	26
75-79	22	7.2	7	4	4	7	8	11	12	13
80-84	8	12.4	217	2	3	7	11	37	48	48
85+	12	6.6	3	4	5	6	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	5.7	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	161	7.8	21	4	5	7	8	11	14	26
1. SINGLE DX	9	5.7	5	2	2	6	7	8	8	8
2. MULTIPLE DX	162	7.7	21	4	5	7	8	11	14	26
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	170	7.7	20	4	5	7	8	11	13	26
TOTAL 65-69 YRS	79	7.5	9	5	5	7	8	11	15	18
70-74	48	7.7	17	4	5	7	8	11	14	26
75-79	22	7.2	7	4	4	7	8	11	12	13
80-84	9	11.3	200	2	2	7	11	34	48	48
85+	13	6.6	2	4	5	6	8	9	10	10
GRAND TOTAL	**171**	**7.6**	**20**	**4**	**5**	**7**	**8**	**11**	**13**	**26**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.3		1	1	1	2	2	2	2
70-74	9	1.6	1	<1	<1	1	2	3	3	3
75-79	4	2.5	1	<1	<1	3	3	3	3	3
80-84	3	7.0	31	1	1	8	11	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	5	2	2	5	6	7	7	7
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	3	13.0	13	10	10	12	16	17	17	17
B. *Operated*										
65-69 YRS	56	4.2	8	<1	1	3	6	8	8	15
70-74	29	4.4	14	<1	1	3	6	10	14	14
75-79	32	4.1	14	<1	1	3	6	11	12	14
80-84	9	4.8	3	2	2	5	6	7	7	7
85+	3	13.0	3	11	11	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	2.5	8	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	8	7.4	29	<1	1	6	11	15	17	17
B. *Operated*	129	4.4	12	<1	1	3	6	9	12	15
1. SINGLE DX	20	2.5	8	<1	<1	2	3	6	10	12
2. MULTIPLE DX	137	4.6	13	<1	1	3	7	10	13	15
A. NOT OPERATED	8	7.4	29	<1	1	6	11	15	17	17
B. OPERATED	149	4.2	12	<1	1	3	6	9	12	14
TOTAL 65-69 YRS	64	4.0	8	<1	1	3	6	7	8	14
70-74	39	3.6	12	<1	<1	2	4	9	12	14
75-79	36	3.9	12	<1	1	3	5	10	12	14
80-84	12	5.3	9	1	2	5	7	9	12	12
85+	6	13.0	6	10	10	13	14	17	17	17
GRAND TOTAL	**157**	**4.4**	**13**	**<1**	**1**	**3**	**6**	**10**	**12**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	4.3		4	4	4	5	5	5	5
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
65-69 YRS	26	2.5	4	<1	<1	2	3	5	7	9
70-74	15	3.4	15	<1	<1	2	4	9	13	15
75-79	4	3.0	7	<1	<1	2	5	7	7	7
80-84	6	2.5	1	2	2	2	3	4	4	4
85+	4	2.3	4	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	6.6	14	1	2	6	8	11	13	19
70-74	27	10.3	46	3	4	8	13	21	26	28
75-79	17	6.7	38	<1	1	4	9	14	21	25
80-84	23	8.0	19	2	3	7	12	15	16	17
85+	29	8.9	57	2	2	6	12	20	23	35
B. *Operated*										
65-69 YRS	66	5.4	35	<1	1	3	7	13	17	32
70-74	51	6.1	89	1	1	4	6	14	31	99
75-79	49	6.5	30	<1	1	5	8	16	19	22
80-84	31	7.6	47	1	1	5	14	18	26	99+
85+	34	6.2	17	2	2	5	9	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	4	2	2	5	7	8	8	8
B. *Operated*	55	2.7	6	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	127	8.2	36	2	3	7	10	17	21	30
B. *Operated*	231	6.2	45	1	1	4	8	15	19	67
1. SINGLE DX	62	3.0	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	358	6.9	42	1	1	5	9	15	19	35
A. NOT OPERATED	134	8.0	34	2	3	7	10	16	21	29
B. OPERATED	286	5.5	39	<1	1	3	7	14	17	50
TOTAL 65-69 YRS	124	5.1	25	<1	1	4	7	11	14	26
70-74	96	6.8	67	1	1	4	8	15	25	81
75-79	70	6.3	30	<1	1	4	8	15	19	24
80-84	61	7.3	33	1	2	6	12	16	18	91
85+	69	7.1	35	2	2	5	9	15	18	33
GRAND TOTAL	**420**	**6.3**	**39**	**1**	**1**	**5**	**8**	**14**	**18**	**34**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.0	4	2	2	4	5	7	7	7
70-74	4	5.5	10	1	1	6	7	8	8	8
75-79	3	4.0	1	3	3	4	5	5	5	5
80-84	6	4.0	8	1	1	3	5	9	9	9
85+										
B. *Operated*										
65-69 YRS	1015	6.0	5	3	3	6	7	8	9	13
70-74	755	6.3	4	3	4	6	7	9	10	12
75-79	434	6.5	5	4	4	6	7	9	10	14
80-84	194	6.3	7	3	3	6	8	9	11	14
85+	48	6.5	5	3	4	6	8	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	3.0	7	<1	<1	2	4	7	8	13
70-74	64	3.7	19	<1	<1	2	5	8	13	23
75-79	61	4.7	17	<1	1	4	7	12	14	16
80-84	20	4.2	11	<1	1	3	6	8	11	14
85+	37	5.4	31	1	1	4	6	14	16	28
B. *Operated*										
65-69 YRS	3218	7.0	9	3	4	7	8	10	12	17
70-74	2635	7.2	9	4	4	7	8	10	12	18
75-79	1732	7.5	12	4	4	7	9	11	13	21
80-84	765	7.8	19	4	4	7	9	12	14	28
85+	254	8.0	16	3	4	7	10	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.3	5	1	1	4	6	8	9	9
B. *Operated*	2446	6.2	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	246	4.1	17	<1	1	3	5	9	13	20
B. *Operated*	8604	7.2	11	4	4	7	8	10	13	19
1. SINGLE DX	2464	6.2	5	3	4	6	7	9	10	13
2. MULTIPLE DX	8850	7.2	11	3	4	7	8	10	13	19
A. NOT OPERATED	264	4.1	16	<1	1	3	5	8	13	20
B. OPERATED	11050	7.0	9	3	4	7	8	10	12	18
TOTAL 65-69 YRS	4302	6.7	8	3	4	6	8	10	11	17
70-74	3458	6.9	8	3	4	7	8	10	12	18
75-79	2230	7.2	11	3	4	7	8	10	13	20
80-84	985	7.4	17	3	4	7	9	11	13	26
85+	339	7.5	17	2	3	7	9	13	15	26
GRAND TOTAL	**11314**	**6.9**	**10**	**3**	**4**	**7**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.8	3	1	1	1	2	5	5	5
70-74	4	1.5		<1	<1	1	2	2	2	2
75-79	4	2.0	4	<1	<1	1	3	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	212	1.7	2	<1	<1	1	2	2	3	9
70-74	151	1.6	1	<1	<1	1	2	2	3	6
75-79	100	1.8	1	<1	<1	2	2	3	4	7
80-84	60	1.9	2	<1	<1	1	2	3	4	10
85+	22	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	3.6	18	1	1	2	4	8	16	18
70-74	30	2.9	5	<1	<1	2	4	6	9	9
75-79	25	4.4	14	1	1	3	6	9	12	17
80-84	26	3.5	7	<1	1	3	5	9	10	10
85+	33	4.0	6	1	2	3	5	7	9	12
B. *Operated*										
65-69 YRS	649	3.4	11	<1	1	2	5	8	10	16
70-74	516	3.3	10	<1	1	2	4	7	9	16
75-79	372	3.5	30	<1	1	2	4	7	9	16
80-84	198	3.8	15	<1	1	2	5	8	11	21
85+	138	3.8	11	1	1	2	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*	545	1.7	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	146	3.7	10	1	1	3	5	8	9	17
B. *Operated*	1873	3.5	15	<1	1	2	4	7	10	17
1. SINGLE DX	564	1.7	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2019	3.5	15	<1	1	2	4	7	10	17
A. NOT OPERATED	165	3.5	10	<1	1	2	5	7	9	17
B. OPERATED	2418	3.1	13	<1	<1	2	3	7	9	15
TOTAL 65-69 YRS	899	3.0	10	<1	<1	2	3	7	9	16
70-74	701	2.9	8	<1	<1	2	3	6	8	15
75-79	501	3.2	24	<1	1	2	3	7	9	15
80-84	286	3.3	12	<1	1	2	4	7	10	20
85+	196	3.6	9	1	1	2	5	7	10	15
GRAND TOTAL	**2583**	**3.1**	**12**	**<1**	**1**	**2**	**3**	**7**	**9**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.0	1	<1	<1	2	2	3	3	3
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
65-69 YRS	156	3.0	6	<1	<1	2	5	7	8	11
70-74	105	3.8	19	<1	1	2	5	9	12	22
75-79	59	2.8	5	<1	<1	2	3	7	8	10
80-84	39	3.0	11	<1	<1	2	3	6	10	18
85+	15	6.5	26	<1	2	5	9	14	18	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	4.5	15	<1	1	3	6	9	13	18
70-74	55	5.9	31	1	1	4	8	11	14	30
75-79	52	6.2	31	1	2	5	7	12	16	32
80-84	54	5.7	26	1	1	5	8	10	14	32
85+	58	5.3	19	2	2	4	7	11	13	23
B. *Operated*										
65-69 YRS	829	6.5	48	<1	1	5	8	13	17	33
70-74	612	6.2	42	1	1	4	8	13	19	39
75-79	420	7.0	66	1	1	5	9	14	19	40
80-84	236	7.4	70	1	1	5	10	17	21	83
85+	151	6.9	52	1	1	5	9	16	18	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.7	9	<1	<1	2	3	6	11	12
B. *Operated*	374	3.3	11	<1	<1	2	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	255	5.6	25	1	1	4	7	11	14	30
B. *Operated*	2248	6.6	53	1	1	5	8	14	19	39
1. SINGLE DX	387	3.3	11	<1	<1	2	5	7	10	19
2. MULTIPLE DX	2503	6.5	50	1	1	5	8	14	19	38
A. NOT OPERATED	268	5.4	24	1	1	4	7	11	14	29
B. OPERATED	2622	6.2	48	<1	1	4	8	13	18	36
TOTAL 65-69 YRS	1026	5.9	42	<1	1	5	7	11	16	30
70-74	772	5.9	39	1	1	4	8	13	18	35
75-79	532	6.4	58	1	1	4	8	13	19	38
80-84	331	6.6	57	1	1	4	8	15	20	56
85+	229	6.4	42	1	1	5	8	15	18	34
GRAND TOTAL	**2890**	**6.1**	**46**	**<1**	**1**	**4**	**8**	**13**	**18**	**34**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	4	3.5	3	2	2	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	261	6.0	6	2	3	6	7	9	11	14
70-74	194	6.5	6	3	3	6	8	10	11	13
75-79	103	6.7	7	3	4	7	8	9	10	15
80-84	41	6.9	8	2	3	7	8	10	12	14
85+	9	6.0	5	<1	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	3.4	10	<1	<1	2	5	7	10	15
70-74	24	3.7	8	<1	<1	3	5	8	10	10
75-79	18	5.4	21	<1	1	4	7	11	16	19
80-84	15	5.1	7	<1	1	5	7	9	9	9
85+	9	3.2	4	1	1	3	4	7	7	7
B. *Operated*										
65-69 YRS	594	7.1	10	3	4	7	8	11	13	19
70-74	429	7.3	12	3	4	7	9	11	14	20
75-79	314	7.5	13	3	4	7	9	12	14	21
80-84	135	8.1	14	3	4	7	10	13	16	19
85+	56	7.3	16	2	3	7	9	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.4	2	1	1	2	3	5	5	5
B. *Operated*	608	6.3	6	3	3	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	93	4.1	11	<1	1	3	6	8	10	17
B. *Operated*	1528	7.4	12	3	4	7	9	11	14	20
1. SINGLE DX	618	6.3	7	2	3	6	8	9	10	14
2. MULTIPLE DX	1621	7.2	13	2	3	7	9	11	14	20
A. NOT OPERATED	103	3.9	10	<1	1	3	5	8	9	17
B. OPERATED	2136	7.1	11	3	3	7	8	11	13	18
TOTAL 65-69 YRS	887	6.7	10	2	3	6	8	10	12	17
70-74	647	6.9	11	3	3	7	8	10	12	18
75-79	436	7.2	12	2	3	7	9	11	14	20
80-84	195	7.5	13	2	3	7	9	13	14	18
85+	74	6.6	15	1	2	6	8	12	14	21
GRAND TOTAL	**2239**	**6.9**	**11**	**2**	**3**	**7**	**8**	**11**	**13**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating [illegible]ncy, childbirth, and the puerperium not delivered this admission ([illegible]ith 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84		CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.								
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84		CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.								
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	267	5.2	8	2	2	5	7	9	9	13
70-74	206	6.0	15	2	3	5	8	11	13	21
75-79	178	5.9	12	2	3	5	7	10	12	17
80-84	144	6.3	17	2	3	5	8	11	14	22
85+	139	6.4	14	2	3	6	8	11	15	19
B. *Operated*										
65-69 YRS	97	6.1	19	1	2	5	8	12	13	24
70-74	72	6.4	33	1	2	5	8	13	14	35
75-79	67	8.8	131	1	1	6	9	24	28	71
80-84	45	6.7	18	1	2	6	9	12	15	21
85+	38	9.1	49	3	3	7	10	18	28	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2262	7.7	27	3	3	6	9	13	17	27
70-74	2390	8.2	36	3	3	7	10	14	18	31
75-79	2213	8.3	33	3	3	7	10	15	19	33
80-84	1961	8.7	49	3	3	7	11	15	19	33
85+	2201	9.2	54	3	4	7	11	16	21	42
B. *Operated*										
65-69 YRS	1140	12.4	117	2	3	9	16	24	33	58
70-74	1039	13.7	143	3	4	10	17	28	36	76
75-79	902	14.1	137	3	4	10	18	31	39	96
80-84	693	14.0	149	3	4	10	17	27	39	77
85+	661	14.0	123	3	4	11	18	28	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	934	5.9	12	2	3	5	7	10	12	19
B. *Operated*	319	7.2	50	1	2	6	9	13	20	31
2. MULTIPLE DX										
A. *Not Operated*	11027	8.4	40	3	3	7	10	15	19	33
B. *Operated*	4435	13.6	133	3	4	10	17	28	37	71
1. SINGLE DX	1253	6.2	22	2	2	5	8	10	13	26
2. MULTIPLE DX	15462	9.9	72	3	3	8	12	18	25	51
A. NOT OPERATED	11961	8.2	38	3	3	7	10	14	18	31
B. OPERATED	4754	13.1	130	3	4	10	17	27	36	70
TOTAL 65-69 YRS	3766	8.9	58	2	3	7	11	17	22	43
70-74	3707	9.6	72	3	3	7	11	18	24	45
75-79	3360	9.7	69	3	3	7	11	19	27	51
80-84	2843	9.9	77	3	4	7	12	18	24	50
85+	3039	10.1	72	3	4	8	12	19	25	57
GRAND TOTAL	**16715**	**9.6**	**69**	**3**	**3**	**7**	**11**	**18**	**24**	**49**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	5.6	10	2	2	5	6	9	11	18
70-74	26	5.3	23	1	2	4	8	9	14	24
75-79	18	6.3	39	1	2	5	8	13	22	27
80-84	10	5.7	24	2	2	4	6	13	19	19
85+	13	5.1	8	2	2	5	7	9	10	10
B. *Operated*										
65-69 YRS	38	7.9	193	<1	1	4	7	17	24	84
70-74	27	4.6	9	1	1	4	7	8	9	12
75-79	14	5.4	22	<1	<1	4	8	13	15	16
80-84	11	4.8	10	<1	1	4	6	10	11	11
85+	12	6.7	24	1	1	5	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	274	7.5	43	2	3	6	9	12	20	37
70-74	263	7.6	24	3	3	6	10	14	18	25
75-79	230	7.6	36	2	3	6	9	13	18	28
80-84	170	8.6	39	2	3	7	10	16	20	39
85+	172	8.6	50	3	3	7	10	14	17	33
B. *Operated*										
65-69 YRS	261	9.8	79	2	3	8	12	21	24	45
70-74	227	10.6	84	2	3	8	13	23	29	52
75-79	164	10.0	76	1	2	8	14	21	28	56
80-84	144	10.6	69	3	3	8	13	19	25	47
85+	95	11.5	98	2	2	9	15	24	33	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	5.6	19	2	2	5	7	9	14	26
B. *Operated*	102	6.2	82	<1	1	4	7	12	16	54
2. MULTIPLE DX										
A. *Not Operated*	1109	7.9	38	2	3	6	9	14	19	33
B. *Operated*	891	10.4	80	2	3	8	13	21	28	50
1. SINGLE DX	196	5.9	52	1	1	4	7	10	16	27
2. MULTIPLE DX	2000	9.0	58	2	3	7	11	17	24	43
A. NOT OPERATED	1203	7.7	37	2	3	6	9	14	19	33
B. OPERATED	993	9.9	82	2	2	8	13	21	27	50
TOTAL 65-69 YRS	600	8.4	68	2	2	6	10	16	23	40
70-74	543	8.6	51	2	3	7	10	18	24	37
75-79	426	8.4	53	2	3	6	11	16	23	44
80-84	335	9.3	52	2	3	7	11	17	22	42
85+	292	9.3	65	2	3	7	11	16	24	55
GRAND TOTAL	**2196**	**8.7**	**58**	**2**	**3**	**7**	**11**	**17**	**23**	**43**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	2.9	6	<1	<1	2	4	6	8	9
70-74	11	3.8	11	1	1	3	4	8	13	13
75-79	2	10.5	61	5	5	10	16	16	16	16
80-84	3	3.7		3	3	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	6.7	5	4	4	8	8	8	8	8
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	23	5.7	19	1	2	4	7	14	16	16
70-74	14	4.9	13	1	2	4	6	8	14	16
75-79	8	5.0	12	1	1	4	7	11	12	12
80-84	3	34.0	2281	3	3	10	69	89	89	89
85+	5	6.8	9	4	4	7	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	31	3.7	12	<1	<1	3	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*	7	5.6	6	2	2	7	8	8	8	8
B. *Operated*	53	7.1	146	1	2	4	7	12	16	87
1. SINGLE DX	32	3.9	12	<1	1	3	4	9	13	16
2. MULTIPLE DX	60	6.9	130	1	2	4	7	11	16	82
A. NOT OPERATED	8	6.0	7	2	2	7	8	9	9	9
B. OPERATED	84	5.8	98	1	1	4	6	11	16	64
TOTAL 65-69 YRS	39	4.5	15	<1	1	3	5	10	15	16
70-74	29	4.8	12	1	1	4	6	9	13	16
75-79	10	6.1	22	1	2	4	7	14	16	16
80-84	7	17.1	1010	3	3	4	9	73	89	89
85+	7	6.0	11	1	2	7	8	10	11	11
GRAND TOTAL	**92**	**5.9**	**90**	**1**	**1**	**4**	**7**	**10**	**15**	**58**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	47	1.5	1	<1	<1	<1	1	3	4	7
70-74	27	1.3		<1	<1	<1	1	2	2	3
75-79	22	1.5	1	<1	<1	<1	1	3	4	5
80-84	12	1.5	1	<1	<1	<1	1	3	5	5
85+	7	1.9	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	66	3.0	9	<1	<1	2	4	7	8	18
70-74	52	3.5	10	<1	1	2	4	9	12	13
75-79	31	3.8	12	<1	1	3	4	8	13	15
80-84	24	6.5	152	1	1	3	7	9	26	63
85+	15	7.9	184	1	2	3	7	9	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	27	<1	<1	1	8	10	10	10
B. *Operated*	115	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	2	2	2	3	4	6	6	6
B. *Operated*	188	4.1	43	<1	<1	2	5	8	10	42
1. SINGLE DX	118	1.5	2	<1	<1	<1	1	3	4	8
2. MULTIPLE DX	194	4.1	41	<1	<1	2	5	8	10	40
A. NOT OPERATED	9	3.7	8	<1	<1	3	4	8	10	10
B. OPERATED	303	3.1	28	<1	<1	2	3	7	9	17
TOTAL 65-69 YRS	116	2.4	6	<1	<1	1	3	5	7	14
70-74	81	2.9	8	<1	<1	2	3	8	10	13
75-79	57	2.8	8	<1	<1	2	3	5	9	15
80-84	36	4.9	106	<1	<1	2	5	8	10	63
85+	22	6.0	131	<1	1	3	6	8	28	56
GRAND TOTAL	**312**	**3.1**	**28**	**<1**	**<1**	**2**	**3**	**7**	**9**	**17**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	7.4	52	1	2	5	9	19	25	33
70-74	73	8.0	80	1	2	6	11	17	20	57
75-79	66	8.2	40	1	2	7	11	17	20	31
80-84	51	7.7	38	1	1	6	11	15	22	28
85+	55	6.4	16	1	2	6	8	12	15	17
B. *Operated*										
65-69 YRS	279	4.7	52	<1	1	2	5	12	16	34
70-74	223	6.4	76	<1	1	2	8	17	26	41
75-79	148	9.3	164	<1	1	5	11	23	37	59
80-84	115	7.3	64	<1	1	5	9	19	25	38
85+	99	9.9	81	<1	1	7	14	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1005	9.1	64	2	3	7	11	17	24	41
70-74	1088	9.9	76	2	3	8	12	20	27	63
75-79	1234	10.7	112	2	3	8	13	20	30	67
80-84	1064	10.5	91	2	3	8	13	19	27	55
85+	1156	10.7	86	3	3	9	12	19	28	56
B. *Operated*										
65-69 YRS	1435	15.2	258	1	2	10	21	38	50	95
70-74	1462	16.1	251	1	2	11	21	40	55	99+
75-79	1444	17.2	256	2	3	13	22	40	56	99+
80-84	1327	17.9	233	2	4	14	24	40	55	99+
85+	1435	16.8	210	3	4	14	22	39	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	7.6	48	1	2	6	10	16	20	30
B. *Operated*	864	6.8	86	<1	1	3	9	16	25	45
2. MULTIPLE DX										
A. *Not Operated*	5547	10.2	87	2	3	8	12	19	27	57
B. *Operated*	7103	16.6	243	2	3	12	22	39	55	99+
1. SINGLE DX	1196	7.0	75	<1	1	4	9	16	23	41
2. MULTIPLE DX	12650	13.8	185	2	3	10	17	31	44	96
A. NOT OPERATED	5879	10.1	85	2	3	8	12	19	26	57
B. OPERATED	7967	15.6	235	1	2	11	21	37	51	99+
TOTAL 65-69 YRS	2806	11.7	176	1	2	8	15	27	39	83
70-74	2846	12.8	179	1	2	9	16	29	44	88
75-79	2892	13.8	196	2	3	10	17	31	46	95
80-84	2557	14.2	178	2	3	10	18	31	43	93
85+	2745	13.8	160	2	3	10	17	31	43	99+
GRAND TOTAL	**13846**	**13.2**	**179**	**1**	**2**	**9**	**17**	**30**	**43**	**92**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.3	11	2	2	4	8	10	12	13
70-74	15	5.9	22	2	2	5	7	15	17	18
75-79	6	3.8	7	<1	<1	4	6	7	7	7
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	12	7.6	21	1	2	7	9	14	17	18
70-74	10	7.6	26	2	2	7	11	14	15	15
75-79	5	9.0	88	1	1	7	12	25	25	25
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	8.9	75	2	3	7	10	16	20	34
70-74	189	8.1	30	2	3	7	10	14	19	32
75-79	136	9.6	66	2	3	8	12	19	26	49
80-84	76	10.0	58	3	3	8	12	21	24	38
85+	30	9.8	148	2	3	7	11	14	35	65
B. *Operated*										
65-69 YRS	111	14.5	160	3	4	11	17	35	44	82
70-74	133	15.4	175	4	6	12	18	27	46	90
75-79	85	16.5	181	3	5	12	21	30	43	68
80-84	38	14.8	121	3	4	14	19	26	36	56
85+	9	14.3	37	3	5	17	17	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.3	14	1	2	4	7	9	14	18
B. *Operated*	29	8.0	30	1	2	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	608	9.0	60	2	3	7	11	16	21	36
B. *Operated*	376	15.3	162	3	5	12	19	30	44	74
1. SINGLE DX	64	6.5	23	1	2	5	8	13	16	24
2. MULTIPLE DX	984	11.4	109	2	3	9	14	22	31	59
A. NOT OPERATED	643	8.8	58	2	3	7	11	16	21	36
B. OPERATED	405	14.8	156	3	4	11	18	30	42	73
TOTAL 65-69 YRS	313	10.7	109	2	3	8	12	20	32	62
70-74	347	10.8	98	2	3	9	13	19	27	59
75-79	232	12.0	119	2	3	9	15	26	30	58
80-84	115	11.5	82	3	3	8	16	22	30	45
85+	41	10.7	119	2	3	8	13	18	28	65
GRAND TOTAL	**1048**	**11.1**	**105**	**2**	**3**	**8**	**13**	**21**	**30**	**58**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	6.0	11	2	2	5	7	9	11	20
70-74	95	6.5	18	2	2	5	8	10	15	25
75-79	55	6.1	63	1	1	5	7	9	11	58
80-84	22	6.5	7	1	2	8	8	9	10	11
85+	12	4.3	8	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	340	7.8	35	1	2	6	11	16	18	27
70-74	215	8.6	41	2	2	8	12	16	18	25
75-79	115	9.2	38	1	2	9	13	17	19	28
80-84	15	6.9	25	1	2	4	12	14	15	15
85+	4	12.0	74	1	1	13	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	613	7.9	44	2	3	7	10	14	20	44
70-74	617	8.0	36	2	3	7	10	14	18	30
75-79	476	8.4	46	2	3	7	11	15	22	50
80-84	291	8.8	52	3	3	7	10	17	19	38
85+	134	8.7	60	2	3	6	10	16	25	42
B. *Operated*										
65-69 YRS	805	10.0	76	2	2	9	13	18	26	79
70-74	691	11.2	84	2	3	10	14	20	26	47
75-79	356	12.4	80	2	3	11	16	22	30	47
80-84	160	14.1	131	2	3	12	17	30	39	68
85+	42	12.6	166	3	4	10	15	19	27	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	6.1	24	1	2	5	8	9	12	22
B. *Operated*	689	8.3	38	2	2	7	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	2131	8.2	44	2	3	7	10	15	20	37
B. *Operated*	2054	11.2	87	2	3	10	14	20	28	59
1. SINGLE DX	954	7.7	35	2	2	6	11	15	17	25
2. MULTIPLE DX	4185	9.7	67	2	3	8	12	18	24	48
A. NOT OPERATED	2396	8.0	42	2	3	7	10	14	19	35
B. OPERATED	2743	10.5	76	2	2	9	14	19	25	50
TOTAL 65-69 YRS	1839	8.7	56	2	2	7	11	16	21	49
70-74	1618	9.4	59	2	3	8	12	17	22	37
75-79	1002	9.8	62	2	3	8	13	18	24	46
80-84	488	10.4	82	2	3	8	13	19	27	56
85+	192	9.4	83	2	3	7	12	17	25	50
GRAND TOTAL	**5139**	**9.3**	**62**	**2**	**3**	**8**	**12**	**17**	**22**	**45**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	4.9	14	<1	1	4	6	11	13	15
70-74	66	5.2	16	1	1	4	8	11	13	17
75-79	57	5.0	11	1	1	5	7	8	10	17
80-84	51	6.1	16	1	2	5	8	12	15	18
85+	50	5.4	31	1	1	4	7	9	11	36
B. *Operated*										
65-69 YRS	2554	10.3	21	2	4	10	13	15	17	23
70-74	2332	10.8	21	3	6	11	13	16	18	23
75-79	1802	11.7	21	4	7	11	14	16	19	25
80-84	833	12.0	19	5	7	12	15	17	19	25
85+	242	12.5	19	6	8	12	15	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	5.3	21	<1	1	4	7	11	14	24
70-74	705	5.8	30	1	1	5	8	11	15	24
75-79	782	6.6	46	1	1	5	8	13	17	48
80-84	730	7.6	63	1	2	6	9	14	21	41
85+	769	7.7	48	2	2	6	9	15	20	43
B. *Operated*										
65-69 YRS	5004	11.6	43	2	4	11	14	18	22	35
70-74	5403	12.6	39	3	6	12	15	19	22	35
75-79	4532	13.6	54	4	7	13	16	21	25	41
80-84	2322	14.6	65	5	8	13	17	23	28	51
85+	826	15.5	84	5	8	14	18	25	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	5.3	17	1	1	4	7	10	13	18
B. *Operated*	7763	11.0	21	3	6	11	14	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	3534	6.7	44	1	1	5	8	13	17	33
B. *Operated*	18087	13.0	50	3	6	12	16	20	24	39
1. SINGLE DX	8025	10.8	22	2	5	11	14	16	18	24
2. MULTIPLE DX	21621	12.0	55	2	4	11	15	19	23	39
A. NOT OPERATED	3796	6.6	42	1	1	5	8	13	17	31
B. OPERATED	25850	12.4	42	3	6	12	15	19	22	36
TOTAL 65-69 YRS	8144	10.7	37	2	3	10	14	17	20	31
70-74	8506	11.5	37	2	4	11	15	18	21	32
75-79	7173	12.3	49	3	5	12	15	19	23	38
80-84	3936	12.7	62	3	4	12	16	20	25	45
85+	1887	11.6	74	2	3	10	15	20	26	51
GRAND TOTAL	**29646**	**11.7**	**46**	**2**	**4**	**11**	**15**	**18**	**22**	**36**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.2	12	<1	1	4	7	9	13	15
70-74	28	5.4	21	2	2	4	6	8	13	26
75-79	31	5.3	31	<1	1	4	6	9	14	31
80-84	25	6.0	14	1	2	5	8	10	14	17
85+	17	4.3	3	2	3	4	5	7	7	7
B. *Operated*										
65-69 YRS	137	7.9	31	1	1	7	11	15	16	25
70-74	107	9.3	32	1	2	9	12	17	20	25
75-79	68	9.9	36	1	2	10	13	16	20	31
80-84	29	12.3	161	2	3	10	13	19	29	72
85+	15	11.7	50	2	3	11	15	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	8.2	50	2	2	6	10	17	22	40
70-74	268	8.0	42	2	3	6	10	16	20	41
75-79	281	7.5	46	2	2	6	9	15	21	31
80-84	217	9.0	71	2	3	7	11	18	23	46
85+	225	9.8	164	2	3	6	11	19	28	89
B. *Operated*										
65-69 YRS	424	12.9	151	2	2	10	15	28	39	62
70-74	361	14.7	140	2	3	12	18	29	40	63
75-79	259	16.4	160	2	4	13	20	32	44	65
80-84	151	17.7	179	3	6	15	22	34	41	93
85+	106	18.1	155	5	6	16	25	39	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.3	17	1	2	4	6	9	13	27
B. *Operated*	356	9.2	45	1	2	9	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	1241	8.4	72	2	2	6	10	17	22	43
B. *Operated*	1301	15.1	156	2	3	12	19	31	42	67
1. SINGLE DX	492	8.1	40	1	2	7	11	15	18	27
2. MULTIPLE DX	2542	11.8	126	2	3	9	15	25	35	60
A. NOT OPERATED	1377	8.1	67	2	2	6	10	16	22	43
B. OPERATED	1657	13.8	138	2	3	11	17	28	39	64
TOTAL 65-69 YRS	846	10.4	102	1	2	8	13	21	30	57
70-74	764	11.2	97	2	3	9	14	22	30	55
75-79	639	11.2	109	2	2	9	15	23	31	58
80-84	422	12.1	130	2	3	9	15	26	34	71
85+	363	12.0	165	2	3	8	15	27	38	93
GRAND TOTAL	**3034**	**11.2**	**114**	**2**	**2**	**8**	**14**	**23**	**32**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	108	2.5	7	<1	<1	2	3	5	8	14
70-74	74	2.8	21	<1	1	2	3	4	7	32
75-79	47	2.5	5	<1	<1	1	3	5	8	11
80-84	19	2.6	5	<1	1	2	3	6	8	9
85+	11	2.4	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	3.2	11	<1	<1	2	5	7	10	15
70-74	16	3.4	5	<1	1	3	5	6	8	9
75-79	12	7.6	94	<1	1	4	9	20	34	36
80-84	9	6.1	6	3	3	6	8	9	9	9
85+	7	3.3	6	1	1	3	5	7	8	8
B. *Operated*										
65-69 YRS	529	3.1	21	<1	1	2	4	6	8	16
70-74	338	3.2	14	<1	1	2	4	6	9	21
75-79	205	3.3	9	1	1	2	4	7	9	17
80-84	84	4.3	19	1	1	3	5	11	15	20
85+	22	6.9	38	<1	1	5	10	16	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	259	2.6	10	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	70	4.4	24	<1	<1	3	5	9	10	32
B. *Operated*	1178	3.3	17	<1	1	2	4	7	9	18
1. SINGLE DX	262	2.6	10	<1	<1	2	3	5	8	13
2. MULTIPLE DX	1248	3.4	18	<1	1	2	4	7	9	18
A. NOT OPERATED	73	4.3	23	<1	<1	3	5	9	10	31
B. OPERATED	1437	3.2	16	<1	1	2	4	7	9	18
TOTAL 65-69 YRS	663	3.0	18	<1	1	2	3	6	8	16
70-74	429	3.2	15	<1	1	2	3	6	9	21
75-79	265	3.3	13	<1	1	2	4	8	9	17
80-84	112	4.1	16	1	1	3	5	9	13	19
85+	41	5.0	26	<1	<1	3	7	13	17	22
GRAND TOTAL	**1510**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	3.3	6	1	1	3	4	6	9	12
70-74	36	4.8	77	1	1	2	4	10	19	50
75-79	26	3.5	6	<1	1	3	4	7	9	11
80-84	43	3.7	9	1	1	3	5	7	8	17
85+	38	5.2	17	<1	1	4	7	10	13	21
B. *Operated*										
65-69 YRS	111	4.5	26	1	1	3	6	11	12	26
70-74	96	5.7	42	1	1	3	7	15	19	33
75-79	59	6.7	172	<1	1	4	7	14	16	92
80-84	37	6.1	30	1	1	5	8	12	19	26
85+	22	3.9	16	<1	1	3	5	7	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	6.8	41	1	2	5	8	14	21	30
70-74	280	7.7	64	1	2	5	9	18	24	47
75-79	346	8.8	92	1	2	5	10	20	29	53
80-84	299	9.0	113	2	2	6	10	20	27	56
85+	337	9.0	92	2	2	6	11	18	27	48
B. *Operated*										
65-69 YRS	338	7.0	39	1	2	5	10	15	19	31
70-74	301	8.3	82	1	1	5	10	18	24	41
75-79	252	9.9	82	1	1	8	14	21	33	49
80-84	149	10.9	109	2	2	8	14	25	34	72
85+	81	9.8	86	2	2	7	14	20	26	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.2	24	1	1	3	5	8	11	22
B. *Operated*	325	5.4	57	1	1	3	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	1515	8.4	83	1	2	6	10	18	26	49
B. *Operated*	1121	8.7	75	1	2	6	12	19	26	44
1. SINGLE DX	494	5.0	46	1	1	3	6	11	14	26
2. MULTIPLE DX	2636	8.5	79	1	2	6	11	18	26	48
A. NOT OPERATED	1684	8.0	79	1	2	5	9	17	24	48
B. OPERATED	1446	8.0	73	1	1	5	11	17	24	42
TOTAL 65-69 YRS	728	6.4	37	1	1	4	8	14	18	30
70-74	713	7.6	70	1	1	5	9	17	23	43
75-79	683	8.8	94	1	2	6	11	19	29	52
80-84	528	8.9	101	1	2	6	11	20	27	58
85+	478	8.6	83	1	2	6	11	18	25	49
GRAND TOTAL	**3130**	**8.0**	**76**	**1**	**2**	**5**	**10**	**17**	**24**	**46**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	5	9.0	76	<1	<1	7	14	23	23	23
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	8.8	23	3	3	9	10	13	19	23
70-74	18	7.9	23	1	2	8	10	15	17	17
75-79	20	12.4	132	4	5	8	11	31	42	47
80-84	10	10.9	141	1	1	8	12	30	41	41
85+	5	6.4	21	3	3	5	9	14	14	14
B. *Operated*										
65-69 YRS	12	12.0	124	2	3	9	15	26	41	43
70-74	9	18.1	213	5	5	15	24	43	48	48
75-79	5	14.0	92	3	3	16	27	93	99+	99+
80-84	1	45.0		45	45	45	45	45	45	45
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	1	2	2	3	3	4	4	4
B. *Operated*	6	8.2	65	<1	<1	5	11	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	71	9.7	70	2	3	8	11	17	25	46
B. *Operated*	27	15.6	174	3	3	11	20	44	53	99+
1. SINGLE DX	12	5.4	38	<1	1	3	6	15	22	23
2. MULTIPLE DX	98	11.3	104	2	3	9	13	24	42	74
A. NOT OPERATED	77	9.2	68	2	3	8	10	17	24	45
B. OPERATED	33	14.3	160	2	3	10	20	43	47	99+
TOTAL 65-69 YRS	38	9.3	62	2	3	8	11	18	23	43
70-74	28	11.0	103	2	2	9	14	19	36	48
75-79	27	12.1	116	3	4	8	15	35	52	99+
80-84	12	13.0	224	1	1	8	15	42	45	45
85+	5	6.4	21	3	3	5	9	14	14	14
GRAND TOTAL	**110**	**10.7**	**100**	**2**	**3**	**8**	**12**	**23**	**41**	**68**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	5.6	13	1	2	5	8	10	13	16
70-74	98	5.8	12	1	2	5	8	10	13	16
75-79	96	5.4	12	1	2	5	7	11	12	15
80-84	57	6.0	13	1	2	5	8	10	12	21
85+	36	7.3	40	2	2	6	10	14	17	35
B. *Operated*										
65-69 YRS	326	5.5	23	1	1	4	8	12	14	23
70-74	253	6.4	27	1	1	5	9	13	16	23
75-79	128	6.4	25	1	1	5	9	13	16	23
80-84	44	6.5	45	1	1	5	9	13	18	36
85+	23	7.8	58	1	1	6	11	14	22	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	980	6.8	24	2	2	6	8	12	15	30
70-74	1090	6.9	21	2	2	6	9	12	16	23
75-79	997	7.3	27	2	3	6	9	13	17	27
80-84	847	7.6	30	2	3	6	10	14	18	30
85+	795	7.9	55	2	3	6	9	14	19	39
B. *Operated*										
65-69 YRS	1012	8.8	67	1	2	7	11	17	23	42
70-74	915	9.6	70	1	2	8	13	20	26	46
75-79	580	11.1	83	2	2	9	14	23	29	43
80-84	273	12.3	112	2	3	10	16	24	32	72
85+	106	16.0	137	2	3	13	21	31	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	5.8	15	1	2	5	8	11	13	17
B. *Operated*	774	6.1	27	1	1	5	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	4709	7.2	30	2	3	6	9	13	17	29
B. *Operated*	2886	10.1	80	1	2	8	13	20	28	47
1. SINGLE DX	1177	6.0	23	1	1	5	8	12	14	23
2. MULTIPLE DX	7595	8.3	51	2	2	7	10	16	21	38
A. NOT OPERATED	5112	7.1	29	2	2	6	9	13	16	29
B. OPERATED	3660	9.2	72	1	2	7	12	19	25	44
TOTAL 65-69 YRS	2434	7.4	43	1	2	6	9	14	18	34
70-74	2356	7.8	42	1	2	6	10	15	20	33
75-79	1801	8.3	48	2	2	7	10	16	21	37
80-84	1221	8.5	52	2	2	7	11	16	22	37
85+	960	8.7	70	2	3	7	10	17	23	48
GRAND TOTAL	**8772**	**8.0**	**48**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	310	7.0	19	1	2	6	9	13	15	19
70-74	200	6.9	14	2	2	7	9	12	13	18
75-79	122	8.3	33	2	3	7	10	15	18	33
80-84	40	7.8	29	2	3	6	10	14	18	29
85+	26	6.5	14	1	2	6	9	12	13	15
B. *Operated*										
65-69 YRS	939	7.0	27	1	1	6	9	13	17	22
70-74	560	7.0	29	1	1	6	9	13	18	24
75-79	219	7.3	33	1	1	6	10	14	18	25
80-84	81	7.6	28	1	1	7	11	15	17	21
85+	36	8.3	32	1	2	7	12	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1090	7.6	23	2	3	7	10	13	16	27
70-74	1055	8.4	34	2	3	7	11	15	18	28
75-79	864	8.3	37	2	3	7	10	15	18	28
80-84	531	9.0	55	3	3	7	11	15	20	37
85+	329	8.7	55	2	3	7	10	15	18	50
B. *Operated*										
65-69 YRS	1986	10.1	58	2	2	9	13	19	24	38
70-74	1382	10.9	63	2	3	9	14	20	26	39
75-79	793	11.5	77	2	3	10	15	22	28	49
80-84	331	13.1	99	2	3	10	17	25	31	51
85+	92	15.6	232	2	3	11	20	31	52	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	7.2	21	1	2	7	9	13	15	21
B. *Operated*	1835	7.1	28	1	1	6	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	3869	8.2	36	2	3	7	10	14	18	31
B. *Operated*	4584	10.9	70	2	2	9	14	21	26	44
1. SINGLE DX	2533	7.1	26	1	1	6	10	14	17	23
2. MULTIPLE DX	8453	9.7	57	2	3	8	12	18	23	38
A. NOT OPERATED	4567	8.1	34	2	3	7	10	14	17	30
B. OPERATED	6419	9.8	61	1	2	8	13	19	24	38
TOTAL 65-69 YRS	4325	8.5	42	1	2	7	11	16	20	31
70-74	3197	9.1	47	1	2	8	12	17	22	35
75-79	1998	9.4	55	2	3	8	12	18	23	36
80-84	983	10.2	70	2	3	8	13	20	25	43
85+	483	9.9	92	2	3	8	11	18	24	60
GRAND TOTAL	**10986**	**9.1**	**51**	**1**	**2**	**8**	**11**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	6.6	20	1	2	6	8	12	15	21
70-74	29	5.4	6	2	2	5	7	9	9	11
75-79	13	5.6	7	2	3	5	8	10	10	10
80-84	4	6.5	10	2	2	7	8	9	9	9
85+	7	5.9	33	2	2	4	7	16	18	18
B. *Operated*										
65-69 YRS	131	5.9	22	1	1	5	9	12	17	21
70-74	42	5.3	22	1	1	3	8	13	14	17
75-79	7	6.3	5	3	3	6	8	9	9	9
80-84	6	5.0	44	1	1	2	6	17	18	18
85+	7	6.9	46	1	1	4	11	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	6.3	21	2	2	6	8	10	11	24
70-74	185	7.5	35	2	2	6	9	14	17	47
75-79	167	7.4	54	2	3	6	8	12	16	40
80-84	85	6.6	20	2	2	6	9	12	16	23
85+	70	7.3	19	2	3	7	10	13	18	84
B. *Operated*										
65-69 YRS	289	9.0	74	1	2	7	11	19	26	46
70-74	156	9.0	80	1	2	7	12	19	21	54
75-79	93	10.5	58	1	2	9	15	21	26	72
80-84	33	9.3	44	1	2	8	13	20	22	22
85+	12	14.1	93	2	3	12	21	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.1	15	2	2	5	8	10	13	21
B. *Operated*	193	5.8	23	1	1	5	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	717	7.0	32	2	3	6	8	12	15	39
B. *Operated*	583	9.4	72	1	2	7	13	20	25	51
1. SINGLE DX	293	5.9	20	1	1	5	8	12	15	21
2. MULTIPLE DX	1300	8.1	51	1	2	6	10	16	21	41
A. NOT OPERATED	817	6.9	30	2	2	6	8	12	15	32
B. OPERATED	776	8.5	62	1	1	7	11	18	22	41
TOTAL 65-69 YRS	677	7.4	46	1	2	6	9	14	20	35
70-74	412	7.7	50	1	2	6	10	15	19	52
75-79	280	8.3	54	2	3	7	10	16	21	40
80-84	128	7.2	28	1	2	6	9	15	18	23
85+	96	8.0	35	2	2	7	11	17	22	67
GRAND TOTAL	**1593**	**7.7**	**46**	**1**	**2**	**6**	**9**	**15**	**20**	**39**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.5	12	<1	1	5	9	10	11	11
70-74	8	6.1	28	1	1	5	8	15	17	17
75-79	8	4.1	13	1	1	2	8	9	9	9
80-84	4	6.8	23	3	3	6	10	13	13	13
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	9	6.1	17	1	1	6	9	12	12	12
70-74	4	6.3	38	<1	<1	4	10	15	15	15
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	6.9	22	2	2	6	9	13	15	23
70-74	56	6.9	18	2	3	6	8	12	17	21
75-79	39	7.3	30	2	2	6	9	14	18	30
80-84	25	7.3	16	2	4	6	9	14	16	16
85+	26	7.5	29	2	2	6	10	13	17	27
B. *Operated*										
65-69 YRS	23	11.1	58	1	2	11	16	21	27	31
70-74	15	7.8	53	1	1	7	12	22	23	23
75-79	7	10.1	33	3	3	12	13	18	19	19
80-84	6	9.7	109	1	1	5	14	27	29	29
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.4	16	1	1	4	8	10	13	17
B. *Operated*	15	6.1	20	<1	1	6	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	213	7.1	22	2	3	6	9	13	16	25
B. *Operated*	52	9.8	56	1	2	10	13	21	25	31
1. SINGLE DX	48	5.6	17	1	1	5	9	11	13	17
2. MULTIPLE DX	265	7.6	30	2	2	6	10	14	19	29
A. NOT OPERATED	246	6.9	22	2	2	6	9	13	16	23
B. OPERATED	67	9.0	50	1	1	8	12	19	23	31
TOTAL 65-69 YRS	111	7.6	31	1	2	6	11	14	17	27
70-74	83	6.9	25	1	2	6	9	14	18	23
75-79	56	7.2	29	1	2	6	9	13	18	29
80-84	35	7.6	30	2	3	6	9	14	16	29
85+	28	7.4	28	2	2	6	10	13	15	27
GRAND TOTAL	**313**	**7.3**	**28**	**1**	**2**	**6**	**10**	**14**	**17**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	6.6	17	1	1	7	9	11	12	23
70-74	40	5.3	10	<1	1	5	8	10	11	13
75-79	28	7.3	14	2	2	7	10	12	13	17
80-84	9	5.2	10	1	1	4	8	10	10	10
85+	12	9.3	72	2	2	6	14	22	28	29
B. *Operated*										
65-69 YRS	26	4.4	21	1	1	2	5	12	14	16
70-74	10	2.2	5	1	1	1	2	6	8	8
75-79	6	3.8	5	2	2	3	5	8	8	8
80-84	4	2.0	4	1	1	1	3	5	5	5
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	7.7	25	2	3	6	10	14	17	26
70-74	239	8.1	21	3	3	7	10	15	17	23
75-79	225	7.5	19	2	3	7	9	14	16	20
80-84	146	8.0	24	3	3	7	10	14	17	28
85+	112	8.8	43	3	3	7	11	15	20	39
B. *Operated*										
65-69 YRS	66	8.4	30	2	2	7	12	17	18	21
70-74	60	10.6	81	1	2	8	15	23	32	37
75-79	30	11.6	75	1	2	10	16	21	31	37
80-84	25	12.0	68	2	4	10	15	23	31	36
85+	12	13.6	100	2	2	12	19	29	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	6.5	19	1	2	6	9	12	13	24
B. *Operated*	47	3.7	15	1	1	2	5	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	945	7.9	25	2	3	7	10	14	17	25
B. *Operated*	193	10.4	63	1	2	9	14	19	26	37
1. SINGLE DX	183	5.8	19	1	1	5	8	11	13	22
2. MULTIPLE DX	1138	8.3	32	2	3	7	11	15	19	30
A. NOT OPERATED	1081	7.7	24	2	3	7	10	14	17	25
B. OPERATED	240	9.1	61	1	1	7	13	18	24	37
TOTAL 65-69 YRS	362	7.4	26	1	2	6	10	14	17	24
70-74	349	8.0	32	2	2	7	10	15	19	32
75-79	289	7.8	25	2	3	7	10	14	17	25
80-84	184	8.3	32	2	3	7	10	15	19	30
85+	137	9.2	51	2	3	7	11	18	22	37
GRAND TOTAL	**1321**	**8.0**	**31**	**2**	**2**	**7**	**10**	**15**	**18**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	262	5.4	17	1	1	4	8	11	15	20
70-74	230	6.0	23	1	1	5	8	11	14	28
75-79	160	6.0	20	1	1	6	8	11	14	20
80-84	91	5.7	18	1	1	4	8	12	15	20
85+	56	5.3	17	1	1	5	7	12	15	19
B. *Operated*										
65-69 YRS	632	5.7	30	1	1	5	8	11	13	19
70-74	498	6.5	25	1	1	6	9	13	16	22
75-79	325	7.1	34	1	1	7	10	15	17	25
80-84	107	7.1	35	1	1	6	10	13	19	29
85+	36	7.1	32	1	1	5	11	16	17	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1408	6.8	28	1	2	6	9	12	15	25
70-74	1434	6.7	22	1	2	6	9	12	15	24
75-79	1239	7.2	29	2	2	6	9	13	16	29
80-84	910	7.6	36	2	2	6	9	14	17	33
85+	696	7.7	42	2	3	6	9	14	18	29
B. *Operated*										
65-69 YRS	1771	8.9	57	1	2	8	12	17	22	40
70-74	1660	10.0	66	1	2	8	13	19	24	40
75-79	1052	11.5	95	1	2	9	15	23	31	57
80-84	534	12.9	97	2	2	11	17	25	33	53
85+	179	12.4	86	2	3	10	16	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	5.7	20	1	1	5	8	11	14	21
B. *Operated*	1598	6.4	30	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	5687	7.1	30	2	2	6	9	13	16	27
B. *Operated*	5196	10.3	75	1	2	9	13	20	27	45
1. SINGLE DX	2397	6.1	27	1	1	5	9	12	15	22
2. MULTIPLE DX	10883	8.6	54	1	2	7	11	17	22	38
A. NOT OPERATED	6486	6.9	29	1	2	6	9	13	16	26
B. OPERATED	6794	9.4	67	1	1	8	12	19	24	42
TOTAL 65-69 YRS	4073	7.4	42	1	1	6	10	14	18	32
70-74	3822	8.1	45	1	2	7	11	16	20	32
75-79	2776	8.8	59	1	2	7	11	17	23	41
80-84	1642	9.2	62	2	2	7	12	18	24	39
85+	967	8.4	52	1	2	7	10	16	21	39
GRAND TOTAL	**13280**	**8.2**	**50**	**1**	**2**	**7**	**11**	**16**	**21**	**36**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	4.1	8	1	2	3	5	8	10	14
70-74	35	4.3	7	1	2	4	6	7	8	15
75-79	25	3.2	2	1	1	3	4	5	6	7
80-84	19	3.6	5	1	1	3	6	7	7	7
85+	15	4.7	9	<1	1	4	6	7	11	13
B. *Operated*										
65-69 YRS	311	2.8	5	<1	<1	2	3	5	7	12
70-74	190	2.9	6	<1	<1	2	3	6	8	15
75-79	98	3.0	6	<1	<1	2	4	6	9	11
80-84	32	2.9	3	<1	1	2	4	5	7	7
85+	21	5.2	126	<1	<1	2	4	8	29	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	5.4	11	1	2	5	7	10	12	16
70-74	255	6.1	24	1	2	5	7	11	15	19
75-79	235	5.5	11	2	2	5	7	10	13	16
80-84	191	5.5	15	1	2	5	7	10	13	21
85+	170	6.5	18	2	2	5	8	12	16	25
B. *Operated*										
65-69 YRS	612	4.7	28	1	1	3	5	9	13	28
70-74	438	4.8	19	1	1	4	6	10	14	23
75-79	257	6.3	55	1	1	4	7	14	22	33
80-84	126	8.3	83	<1	1	5	9	19	28	47
85+	64	7.0	71	1	2	5	8	14	17	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	4.0	6	1	1	3	5	7	8	14
B. *Operated*	652	2.9	9	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1093	5.8	16	1	2	5	7	11	13	19
B. *Operated*	1497	5.4	38	1	1	4	6	11	16	32
1. SINGLE DX	793	3.1	9	<1	<1	2	4	6	8	13
2. MULTIPLE DX	2590	5.6	29	1	1	4	7	11	15	28
A. NOT OPERATED	1234	5.6	15	1	2	5	7	10	13	18
B. OPERATED	2149	4.7	30	<1	1	3	5	9	14	29
TOTAL 65-69 YRS	1212	4.3	19	<1	1	3	5	8	12	20
70-74	918	4.8	19	<1	1	4	6	9	13	20
75-79	615	5.3	29	1	1	4	7	11	14	31
80-84	368	6.1	39	1	1	5	7	13	16	33
85+	270	6.4	38	1	2	5	8	12	16	47
GRAND TOTAL	**3383**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	3	1.7	1	<1	<1	1	2	3	3	3
75-79	2	3.0		3	3	3	3	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	411	3.1	6	<1	1	3	4	5	6	10
70-74	244	2.8	3	<1	1	3	4	5	6	8
75-79	117	2.7	3	<1	1	2	4	5	6	9
80-84	70	2.4	2	<1	<1	2	3	5	5	8
85+	30	2.8	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	2.7	15	<1	<1	1	2	6	12	19
70-74	21	1.8	2	<1	<1	1	2	3	5	7
75-79	5	1.6		<1	<1	2	2	2	2	2
80-84	5	8.0	81	<1	<1	3	14	22	22	22
85+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
65-69 YRS	2012	3.5	5	1	1	3	4	6	7	11
70-74	1410	3.8	10	1	1	3	5	6	8	13
75-79	708	3.9	7	1	1	3	5	7	8	13
80-84	296	4.1	15	1	1	3	5	7	10	22
85+	101	4.3	8	1	1	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	3	<1	<1	3	4	6	6	6
B. *Operated*	872	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	62	2.8	16	<1	<1	1	2	6	12	22
B. *Operated*	4527	3.7	7	1	1	3	5	6	8	13
1. SINGLE DX	881	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	4589	3.7	8	1	1	3	5	6	8	13
A. NOT OPERATED	71	2.8	14	<1	<1	1	3	6	12	21
B. OPERATED	5399	3.6	7	1	1	3	4	6	8	13
TOTAL 65-69 YRS	2454	3.4	5	1	1	3	4	6	7	11
70-74	1678	3.7	9	1	1	3	4	6	8	13
75-79	832	3.7	6	1	1	3	5	6	8	12
80-84	372	3.8	14	1	1	3	4	7	10	22
85+	134	4.0	8	1	1	3	5	8	9	15
GRAND TOTAL	**5470**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	4	2.8	2	<1	<1	3	4	4	4	4
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	91	2.3	2	<1	<1	2	3	5	5	7
70-74	65	2.8	4	<1	<1	2	4	5	7	9
75-79	33	3.2	17	<1	<1	2	4	5	14	21
80-84	15	2.1	1	<1	<1	2	3	3	4	4
85+	7	2.9	3	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.9	16	1	1	3	8	11	13	13
70-74	15	3.9	7	1	1	4	5	7	9	10
75-79	15	4.9	18	<1	2	3	6	9	16	18
80-84	11	5.4	13	<1	1	4	8	10	12	12
85+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
65-69 YRS	141	3.9	11	<1	1	3	5	6	9	20
70-74	103	4.3	12	<1	1	3	5	9	12	17
75-79	61	4.0	9	<1	1	3	5	8	10	15
80-84	38	4.2	25	1	1	3	4	9	16	26
85+	19	4.4	16	<1	1	3	4	9	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*	211	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	58	4.7	12	1	1	4	7	9	12	18
B. *Operated*	362	4.1	13	<1	1	3	5	8	11	20
1. SINGLE DX	221	2.6	5	<1	<1	2	4	5	6	11
2. MULTIPLE DX	420	4.2	13	<1	1	3	5	8	11	19
A. NOT OPERATED	68	4.5	11	1	1	4	6	9	11	17
B. OPERATED	573	3.5	10	<1	<1	3	4	6	9	19
TOTAL 65-69 YRS	249	3.3	9	<1	<1	3	4	6	8	16
70-74	187	3.7	9	<1	<1	3	5	7	10	15
75-79	111	3.9	12	<1	<1	3	5	8	11	19
80-84	64	3.9	18	<1	1	3	4	8	10	25
85+	30	4.2	12	<1	<1	3	5	8	9	18
GRAND TOTAL	**641**	**3.6**	**11**	**<1**	**<1**	**3**	**4**	**7**	**9**	**18**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	11.6	113	2	3	9	13	28	37	45
70-74	22	9.6	31	2	4	9	12	14	20	29
75-79	17	10.6	52	3	4	9	14	19	27	31
80-84	12	12.0	171	<1	1	8	12	35	44	46
85+	8	10.4	19	2	3	11	13	15	16	16
B. *Operated*										
65-69 YRS	57	10.6	117	1	2	8	14	22	30	62
70-74	48	10.3	63	1	2	8	13	24	26	34
75-79	50	12.8	86	2	2	11	16	24	36	38
80-84	33	11.1	78	2	3	8	15	26	30	32
85+	17	9.1	35	1	2	8	12	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	201	14.1	137	3	5	10	16	30	38	52
70-74	167	15.1	158	2	4	12	19	31	41	58
75-79	185	16.1	172	3	4	12	21	32	44	65
80-84	107	15.2	115	4	5	13	19	31	36	76
85+	105	12.9	81	4	5	10	17	29	38	99+
B. *Operated*										
65-69 YRS	581	18.2	245	2	5	14	23	40	51	82
70-74	503	19.5	254	3	5	14	27	45	53	92
75-79	391	19.1	228	3	4	16	25	43	49	70
80-84	242	20.1	309	3	5	15	25	44	65	97
85+	221	17.8	232	3	4	14	24	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	10.8	76	2	3	9	13	20	30	46
B. *Operated*	205	11.0	83	2	2	9	14	23	28	39
2. MULTIPLE DX										
A. *Not Operated*	765	14.8	139	3	4	11	18	31	40	65
B. *Operated*	1938	18.9	250	3	5	14	24	42	53	88
1. SINGLE DX	289	11.0	81	2	2	9	14	23	30	43
2. MULTIPLE DX	2703	17.7	222	3	5	14	23	39	50	83
A. NOT OPERATED	849	14.4	134	3	4	11	18	31	39	60
B. OPERATED	2143	18.2	240	2	4	14	23	41	51	84
TOTAL 65-69 YRS	864	16.6	213	2	4	12	21	34	47	77
70-74	740	17.6	222	3	4	13	24	41	49	81
75-79	643	17.5	201	2	4	14	23	38	46	68
80-84	394	17.8	242	3	4	14	23	37	54	96
85+	351	15.7	180	3	4	12	19	35	48	99+
GRAND TOTAL	**2992**	**17.1**	**213**	**3**	**4**	**13**	**22**	**37**	**48**	**82**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	5.0	18	1	1	4	6	10	12	24
70-74	113	7.3	30	2	2	6	9	14	18	26
75-79	140	6.6	18	2	2	6	9	13	16	18
80-84	125	7.0	15	1	3	7	9	12	14	18
85+	117	6.6	14	2	2	6	9	12	14	16
B. *Operated*										
65-69 YRS	266	7.2	31	1	2	6	10	14	16	28
70-74	208	7.7	31	1	2	6	11	15	17	24
75-79	163	7.9	44	1	2	7	11	15	17	30
80-84	80	11.4	57	1	3	11	15	21	26	35
85+	64	11.0	48	2	3	11	16	20	25	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1552	8.0	44	2	2	6	10	15	19	35
70-74	2091	8.2	35	2	3	7	10	15	19	32
75-79	2596	8.7	48	2	3	7	11	15	20	38
80-84	2474	8.7	43	2	3	7	11	15	20	35
85+	2521	8.9	50	2	3	7	11	16	21	39
B. *Operated*										
65-69 YRS	1223	12.1	97	2	3	10	15	23	31	54
70-74	1256	13.0	98	2	3	11	16	24	32	51
75-79	1166	14.5	116	3	5	12	18	26	36	65
80-84	838	15.1	116	4	6	13	18	27	34	90
85+	628	16.0	129	4	6	14	19	29	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	6.5	19	1	2	6	9	12	15	23
B. *Operated*	781	8.2	40	1	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	11234	8.5	45	2	3	7	11	15	20	35
B. *Operated*	5111	13.8	110	3	4	12	17	25	34	68
1. SINGLE DX	1390	7.5	31	1	2	6	10	15	17	27
2. MULTIPLE DX	16345	10.2	71	2	3	8	13	19	25	46
A. NOT OPERATED	11843	8.4	43	2	3	7	10	15	20	35
B. OPERATED	5892	13.1	105	2	3	11	16	24	32	62
TOTAL 65-69 YRS	3155	9.4	68	2	2	8	12	18	23	42
70-74	3668	9.8	61	2	3	8	13	18	24	40
75-79	4065	10.3	73	2	3	8	13	19	24	51
80-84	3517	10.2	68	2	3	8	13	19	24	45
85+	3330	10.2	72	2	3	8	13	19	25	54
GRAND TOTAL	**17735**	**10.0**	**69**	**2**	**3**	**8**	**13**	**19**	**24**	**45**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	47	5.2	29	<1	1	4	6	10	12	35
70-74	15	5.1	17	<1	2	4	5	11	15	17
75-79	11	6.4	21	1	1	4	11	12	14	14
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	18.1	297	1	1	12	29	43	50	68
70-74	46	13.4	113	1	2	11	18	27	37	50
75-79	33	20.1	193	4	7	16	25	37	41	72
80-84	17	16.3	93	2	4	17	21	29	35	37
85+	12	12.8	79	2	3	10	19	26	29	30
B. *Operated*										
65-69 YRS	174	6.2	27	1	2	5	8	11	14	28
70-74	117	8.0	76	1	2	6	9	16	25	82
75-79	68	11.1	133	2	2	7	14	20	39	59
80-84	25	12.0	140	1	2	7	14	31	36	41
85+	9	8.6	58	1	2	4	14	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	75	5.4	24	<1	1	4	6	11	13	30
2. MULTIPLE DX										
A. *Not Operated*	145	16.4	177	1	3	14	21	36	43	68
B. *Operated*	393	8.0	71	1	2	5	9	16	24	53
1. SINGLE DX	75	5.4	24	<1	1	4	6	11	13	30
2. MULTIPLE DX	538	10.3	113	1	2	7	13	23	34	57
A. NOT OPERATED	145	16.4	177	1	3	14	21	36	43	68
B. OPERATED	468	7.6	65	1	2	5	9	15	22	46
TOTAL 65-69 YRS	258	7.7	83	1	2	5	9	16	28	43
70-74	178	9.2	87	1	2	6	12	19	27	66
75-79	112	13.3	159	2	3	10	16	27	38	64
80-84	43	13.5	122	2	2	10	20	31	36	41
85+	22	10.9	68	2	2	9	18	23	26	30
GRAND TOTAL	**613**	**9.7**	**105**	**1**	**2**	**6**	**12**	**21**	**31**	**55**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.3	9	3	3	6	9	10	10	10
70-74	7	8.9	58	2	2	6	14	21	22	22
75-79	5	5.6	24	<1	<1	3	9	13	13	13
80-84	2	5.0	18	2	2	5	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	8	3.3	11	1	1	2	4	9	11	11
70-74	5	4.6	5	2	2	4	7	7	7	7
75-79	4	5.0	18	1	1	4	8	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	7.4	20	2	2	6	10	13	16	22
70-74	68	6.1	26	1	2	5	7	13	17	29
75-79	46	5.6	11	1	2	5	8	10	11	14
80-84	31	6.4	22	2	2	5	9	12	14	24
85+	28	7.4	19	2	2	7	10	12	17	19
B. *Operated*										
65-69 YRS	36	7.3	46	1	1	5	10	15	18	35
70-74	14	10.6	115	1	2	7	10	31	36	37
75-79	14	8.4	89	1	3	6	8	14	34	40
80-84	5	6.4	27	1	1	7	9	14	14	14
85+	2	5.5	13	3	3	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.9	29	1	2	5	9	14	19	22
B. *Operated*	17	4.1	10	1	1	3	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	240	6.6	21	1	2	5	9	12	15	22
B. *Operated*	71	8.0	65	1	1	6	9	16	29	39
1. SINGLE DX	37	5.6	22	1	1	4	8	11	15	22
2. MULTIPLE DX	311	6.9	31	1	2	5	9	13	17	33
A. NOT OPERATED	260	6.6	21	1	2	5	9	12	15	22
B. OPERATED	88	7.3	56	1	1	5	9	14	19	39
TOTAL 65-69 YRS	117	7.0	28	1	2	6	10	14	17	26
70-74	94	6.9	42	1	2	5	8	14	20	34
75-79	69	6.1	28	1	1	5	8	11	12	35
80-84	38	6.3	22	2	2	5	8	13	14	24
85+	30	7.3	19	2	2	7	10	12	17	19
GRAND TOTAL	**348**	**6.8**	**30**	**1**	**2**	**5**	**9**	**13**	**17**	**31**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	4.1	10	1	1	3	5	8	12	16
70-74	70	5.4	16	1	2	4	8	10	12	22
75-79	60	4.4	14	1	1	3	5	9	13	20
80-84	29	4.9	19	1	1	3	6	11	15	19
85+	32	4.6	31	<1	1	3	5	9	22	24
B. *Operated*										
65-69 YRS	404	2.8	6	<1	1	2	3	6	8	12
70-74	290	3.0	25	<1	1	2	3	5	9	16
75-79	159	2.9	7	<1	1	2	4	7	8	13
80-84	48	3.3	15	1	1	2	4	6	9	24
85+	16	3.8	10	1	1	3	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	619	5.9	30	1	1	4	7	12	16	28
70-74	636	6.0	25	1	2	5	8	11	16	31
75-79	562	6.4	31	1	2	5	8	13	17	30
80-84	422	6.5	32	1	2	5	8	12	16	23
85+	336	6.7	26	2	2	5	8	12	17	30
B. *Operated*										
65-69 YRS	894	6.4	70	1	1	3	8	14	19	52
70-74	666	7.0	75	1	1	4	9	15	19	52
75-79	449	7.2	75	1	1	4	10	16	23	47
80-84	209	8.1	81	1	1	6	11	16	19	50
85+	92	10.6	137	1	2	7	12	26	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	4.6	16	1	1	3	6	10	13	22
B. *Operated*	917	2.9	13	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	2575	6.3	29	1	2	5	8	12	16	28
B. *Operated*	2310	7.1	77	1	1	4	9	15	21	52
1. SINGLE DX	1185	3.3	14	<1	1	2	4	7	9	17
2. MULTIPLE DX	4885	6.6	52	1	1	5	8	14	18	37
A. NOT OPERATED	2843	6.1	28	1	2	5	8	12	16	26
B. OPERATED	3227	5.9	62	1	1	3	7	13	18	47
TOTAL 65-69 YRS	1994	5.4	44	1	1	3	6	12	16	33
70-74	1662	5.9	47	1	1	4	7	12	17	33
75-79	1230	6.2	45	1	1	4	8	13	18	35
80-84	708	6.7	46	1	2	5	8	13	16	28
85+	476	7.2	50	1	2	5	9	14	22	48
GRAND TOTAL	**6070**	**6.0**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	5.5	11	2	2	5	6	11	14	14
70-74	13	5.4	11	2	2	4	6	12	12	12
75-79	8	4.5	6	1	1	4	7	8	8	8
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	8	4.8	5	2	2	4	6	8	9	9
B. *Operated*										
65-69 YRS	4	8.3	13	3	3	9	10	11	11	11
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79										
80-84										
85+	1	42.0		42	42	42	42	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.0	28	4	4	6	12	14	14	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	52	5.2	9	2	2	5	6	9	12	14
B. *Operated*	8	10.9	174	1	1	9	10	33	42	42
1. SINGLE DX	3	8.0	28	4	4	6	12	14	14	14
2. MULTIPLE DX	60	6.0	32	1	2	5	7	10	13	39
A. NOT OPERATED	55	5.3	10	2	2	5	6	9	13	14
B. OPERATED	8	10.9	174	1	1	9	10	33	42	42
TOTAL 65-69 YRS	26	5.9	12	2	3	5	8	11	14	14
70-74	16	5.1	12	1	2	4	7	11	12	12
75-79	8	4.5	6	1	1	4	7	8	8	8
80-84	3	5.0	1	4	4	5	6	6	6	6
85+	10	9.4	144	2	2	5	9	28	42	42
GRAND TOTAL	**63**	**6.0**	**31**	**2**	**2**	**5**	**7**	**11**	**14**	**38**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74	3	4.7	6	2	2	5	6	7	7	7
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	7.3	50	1	1	6	13	16	16	16
70-74	5	6.2	21	1	1	5	9	13	13	13
75-79	11	3.8	3	2	2	4	5	6	6	6
80-84	5	3.2	4	1	1	4	5	5	5	5
85+	7	3.1	7	1	1	2	5	8	8	8
B. *Operated*										
65-69 YRS	17	12.9	138	3	5	10	13	23	44	54
70-74	8	13.4	33	6	6	14	17	21	22	22
75-79	8	9.3	64	1	2	7	15	22	22	22
80-84	3	17.0	172	5	5	15	27	31	31	31
85+	6	9.3	129	1	1	5	8	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	6	<1	<1	3	6	7	7	7
B. *Operated*	5	4.2	5	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	32	4.4	13	1	1	4	6	9	13	16
B. *Operated*	42	12.1	99	2	4	9	16	23	31	54
1. SINGLE DX	11	3.8	5	<1	1	3	6	7	7	7
2. MULTIPLE DX	74	8.8	76	1	1	6	11	18	24	49
A. NOT OPERATED	38	4.2	12	1	1	3	6	8	12	16
B. OPERATED	47	11.3	95	2	2	8	15	22	31	54
TOTAL 65-69 YRS	22	11.5	121	1	2	9	13	19	37	54
70-74	18	9.2	35	1	3	7	13	18	20	22
75-79	20	5.9	34	<1	1	4	6	15	21	22
80-84	9	7.7	94	1	1	5	8	25	31	31
85+	16	5.4	56	1	1	3	6	8	25	32
GRAND TOTAL	**85**	**8.1**	**70**	**1**	**1**	**6**	**10**	**17**	**23**	**46**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	31	1.9	1	<1	<1	2	3	3	4	4
70-74	17	1.8	1	<1	<1	2	2	3	4	4
75-79	22	1.7	1	<1	<1	1	2	3	4	4
80-84	18	1.6	1	<1	<1	1	2	3	3	3
85+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	50	2.5	4	<1	<1	2	3	4	7	11
70-74	48	2.4	3	1	1	2	2	5	8	9
75-79	35	2.6	18	1	1	2	2	2	3	27
80-84	30	2.3	2	1	1	2	2	4	7	8
85+	21	2.6	2	1	1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	92	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*	184	2.5	6	<1	1	2	2	4	7	11
1. SINGLE DX	92	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX	190	2.4	6	<1	1	2	2	4	7	11
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	276	2.2	4	<1	<1	2	2	3	5	10
TOTAL 65-69 YRS	83	2.2	3	<1	1	2	3	4	5	11
70-74	66	2.2	3	<1	<1	2	2	3	7	9
75-79	59	2.2	11	<1	<1	2	2	2	3	25
80-84	49	2.0	2	<1	<1	2	2	3	4	8
85+	25	2.4	2	<1	1	2	3	4	5	7
GRAND TOTAL	**282**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	23	6.0	34	1	1	2	10	12	16	24
70-74	8	3.0	6	2	2	2	3	7	9	9
75-79	4	9.8	128	2	2	6	17	26	26	26
80-84										
85+	3	12.7	137	4	4	8	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	5.7	22	1	2	4	7	11	15	24
70-74	40	6.6	37	1	1	5	7	18	23	24
75-79	42	5.5	15	2	2	4	8	11	14	17
80-84	38	7.0	18	2	3	6	10	11	16	21
85+	24	6.8	34	1	2	6	8	11	19	29
B. *Operated*										
65-69 YRS	124	8.5	82	1	1	5	11	19	24	44
70-74	102	10.6	108	1	2	8	13	24	31	53
75-79	62	9.2	52	1	2	8	13	19	22	34
80-84	28	15.1	418	2	2	8	14	38	63	95
85+	17	12.5	112	3	4	8	18	39	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	7	<1	<1	2	5	7	8	8
B. *Operated*	38	6.3	46	1	1	2	9	12	25	26
2. MULTIPLE DX										
A. *Not Operated*	190	6.2	24	1	2	5	8	11	17	24
B. *Operated*	333	10.0	116	1	2	8	12	22	32	60
1. SINGLE DX	45	5.8	41	1	1	2	9	12	24	26
2. MULTIPLE DX	523	8.6	86	1	2	6	11	19	24	52
A. NOT OPERATED	197	6.1	24	1	2	5	8	11	17	24
B. OPERATED	371	9.6	110	1	2	7	12	22	31	59
TOTAL 65-69 YRS	193	7.5	63	1	1	5	10	17	24	37
70-74	152	9.0	88	1	2	6	11	22	27	51
75-79	110	7.8	42	2	2	6	10	17	20	33
80-84	67	10.3	198	2	2	7	11	20	36	89
85+	46	9.1	73	2	2	7	11	25	33	99+
GRAND TOTAL	**568**	**8.4**	**83**	**1**	**2**	**6**	**10**	**18**	**24**	**50**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. NOT OPERATED										
B. OPERATED	5	4.0	3	2	2	4	5	6	6	6
TOTAL 65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	3	4.3	2	3	3	4	5	6	6	6
GRAND TOTAL	**5**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**6**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	4	1.8	2	<1	<1	1	3	4	4	4
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	13	5.6	20	1	1	3	9	12	14	15
70-74	10	3.8	15	1	1	2	5	10	14	14
75-79	9	5.7	27	<1	1	3	11	14	14	14
80-84	2	8.0	18	5	5	8	11	11	11	11
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	4.7	14	1	2	4	6	9	14	17
70-74	26	4.6	13	1	1	4	6	10	12	16
75-79	28	5.0	11	1	2	4	7	9	11	17
80-84	16	4.9	11	1	1	5	7	9	11	12
85+	16	7.4	29	2	2	6	10	15	19	21
B. *Operated*										
65-69 YRS	62	12.0	136	1	2	9	16	23	39	52
70-74	59	11.3	103	1	3	9	14	24	43	95
75-79	48	10.3	90	1	2	8	15	19	34	46
80-84	27	11.9	181	1	2	8	12	36	46	51
85+	16	6.3	26	1	1	5	10	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*	35	5.2	19	1	1	3	9	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	116	5.2	15	1	1	4	7	10	14	19
B. *Operated*	212	11.0	114	1	2	8	14	22	39	52
1. SINGLE DX	44	4.5	17	<1	1	3	6	11	14	15
2. MULTIPLE DX	328	8.9	86	1	2	6	11	19	28	51
A. NOT OPERATED	125	4.9	14	1	1	4	6	9	13	18
B. OPERATED	247	10.1	104	1	2	8	14	21	34	52
TOTAL 65-69 YRS	106	9.1	97	1	2	6	11	20	26	52
70-74	96	8.6	79	1	1	6	11	16	28	77
75-79	89	7.8	62	<1	1	6	10	16	19	42
80-84	47	8.9	119	1	1	5	10	21	41	51
85+	34	6.5	26	1	1	5	10	14	17	21
GRAND TOTAL	**372**	**8.4**	**80**	**1**	**1**	**6**	**11**	**17**	**24**	**51**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	3.7	4	2	2	3	5	6	6	6
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	6	2.8	1	2	2	3	3	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	10	2.8	2	1	1	3	3	5	6	6
1. SINGLE DX	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX	11	2.6	2	1	1	2	3	5	6	6
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	16	2.8	2	<1	1	2	3	6	6	6
TOTAL 65-69 YRS	9	3.1	2	2	2	3	4	5	6	6
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79										
80-84	2	1.0		1	1	1	1	1	1	1
85+	4	1.8		<1	<1	2	2	2	2	2
GRAND TOTAL	**17**	**2.6**	**2**	**<1**	**1**	**2**	**3**	**5**	**6**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	5	2.2	3	1	1	2	3	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	5.0	8	3	3	5	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	9	5.6	16	1	1	6	8	11	12	12
70-74	7	4.9	27	1	1	2	6	14	16	16
75-79	10	6.7	32	2	2	6	8	15	21	21
80-84	2	8.5	85	2	2	8	15	15	15	15
85+	2	14.0	2	13	13	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	4.6	8	1	2	4	6	9	11	11
70-74	13	3.7	5	1	1	4	5	7	8	8
75-79	12	5.6	15	1	1	5	8	12	13	13
80-84	13	8.6	120	<1	1	5	8	23	38	42
85+	10	6.3	100	1	1	3	5	21	34	34
B. *Operated*										
65-69 YRS	51	7.6	23	2	3	7	10	14	18	21
70-74	55	7.6	39	1	2	6	10	15	20	33
75-79	37	6.8	44	1	1	4	10	16	22	27
80-84	18	11.4	120	2	3	8	14	24	40	48
85+	4	5.8	7	2	2	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	4	1	1	2	4	6	7	7
B. *Operated*	30	6.5	28	1	1	6	8	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	69	5.6	43	1	1	4	7	10	13	40
B. *Operated*	165	7.8	44	1	2	6	10	15	21	32
1. SINGLE DX	41	5.5	24	1	1	4	7	14	16	21
2. MULTIPLE DX	234	7.1	44	1	2	5	9	15	19	35
A. NOT OPERATED	80	5.2	38	1	1	4	6	9	12	40
B. OPERATED	195	7.6	41	1	2	6	10	15	20	31
TOTAL 65-69 YRS	84	6.4	20	1	2	6	8	12	15	21
70-74	80	6.4	33	1	1	5	8	14	17	30
75-79	60	6.5	35	1	1	5	8	15	20	27
80-84	35	9.8	109	2	2	7	11	18	38	48
85+	16	7.1	69	1	1	5	8	15	28	34
GRAND TOTAL	**275**	**6.9**	**42**	**1**	**2**	**5**	**8**	**15**	**18**	**34**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.0	4	1	1	3	4	6	6	6
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	5	3.6	3	<1	<1	4	5	5	5	5
80-84										
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	48	3.9	4	1	1	4	5	7	7	11
70-74	39	3.6	3	1	1	3	5	6	7	8
75-79	10	4.0	3	1	1	4	5	6	7	7
80-84	7	3.1	3	1	1	2	5	5	5	5
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	16	2.8	3	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	105	3.8	4	1	1	4	5	6	7	9
1. SINGLE DX	16	2.8	3	<1	1	3	4	5	6	6
2. MULTIPLE DX	106	3.7	4	1	1	4	5	6	7	9
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	121	3.6	4	1	1	3	5	6	7	9
TOTAL 65-69 YRS	54	3.8	4	1	1	4	5	6	7	11
70-74	42	3.4	3	<1	1	3	4	6	7	8
75-79	15	3.9	3	<1	1	4	5	6	7	7
80-84	7	3.1	3	1	1	2	5	5	5	5
85+	4	2.8	3	1	1	2	4	5	5	5
GRAND TOTAL	**122**	**3.6**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	9	4.4	15	<1	<1	4	7	11	12	12
75-79	7	4.3	33	1	1	2	4	14	17	17
80-84	1	4.0		4	4	4	4	4	4	4
85+	6	5.2	9	2	2	4	7	10	10	10
B. *Operated*										
65-69 YRS	38	5.8	86	1	1	3	7	11	13	57
70-74	22	5.2	16	1	1	4	8	11	14	15
75-79	20	6.2	27	1	2	4	8	15	19	19
80-84	3	4.3	24	1	1	2	8	10	10	10
85+	4	5.3	62	1	1	2	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.0	17	2	2	5	8	11	12	22
70-74	50	7.4	25	1	2	7	10	12	15	28
75-79	35	8.9	59	2	3	5	13	19	24	34
80-84	24	8.5	35	1	3	8	10	15	22	28
85+	24	7.4	29	1	1	6	11	14	18	19
B. *Operated*										
65-69 YRS	129	7.6	39	1	1	6	10	15	18	31
70-74	80	9.1	111	1	2	7	11	18	25	65
75-79	54	9.7	47	2	2	8	15	20	23	97
80-84	19	8.9	40	2	3	7	14	19	21	22
85+	5	10.8	154	1	1	6	18	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.2	15	<1	1	3	5	10	13	17
B. *Operated*	87	5.7	50	1	1	3	7	11	15	43
2. MULTIPLE DX										
A. *Not Operated*	182	7.5	31	1	2	6	10	14	19	28
B. *Operated*	287	8.6	62	1	2	7	12	17	22	36
1. SINGLE DX	113	5.3	42	1	1	3	7	11	15	33
2. MULTIPLE DX	469	8.1	51	1	2	7	11	17	20	34
A. NOT OPERATED	208	7.1	31	1	2	6	10	13	19	28
B. OPERATED	374	7.9	61	1	1	6	11	17	20	36
TOTAL 65-69 YRS	219	6.9	42	1	1	5	10	13	17	32
70-74	161	7.8	68	1	1	6	10	15	20	36
75-79	116	8.5	48	2	2	6	12	19	22	56
80-84	47	8.3	36	1	2	7	11	17	21	28
85+	39	7.3	42	1	1	5	11	16	19	31
GRAND TOTAL	**582**	**7.6**	**50**	**1**	**2**	**6**	**10**	**16**	**20**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CHPA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	3.3	5	1	1	3	4	6	6	9
70-74	155	3.4	6	1	1	3	4	6	9	12
75-79	119	3.5	5	1	1	3	5	7	8	11
80-84	81	3.9	6	1	1	3	5	8	9	10
85+	60	3.1	4	<1	1	2	5	6	7	12
B. *Operated*										
65-69 YRS	7	3.4	7	1	1	2	4	8	9	9
70-74	7	5.3	1	4	4	5	6	7	7	7
75-79	8	3.8	5	2	2	3	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1593	5.6	22	1	2	4	7	11	14	25
70-74	1602	6.1	34	1	2	5	7	11	16	28
75-79	1428	6.2	40	1	2	5	7	12	15	30
80-84	1091	7.1	45	2	2	5	8	14	19	40
85+	871	7.0	51	2	2	5	8	13	17	44
B. *Operated*										
65-69 YRS	161	10.6	142	2	2	7	13	23	33	94
70-74	137	11.5	146	3	3	8	14	21	28	74
75-79	138	12.4	184	2	3	8	14	22	52	87
80-84	95	13.6	103	3	4	12	17	26	43	99+
85+	54	11.8	83	3	4	10	15	25	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.4	5	1	1	3	5	6	8	11
B. *Operated*	23	4.3	5	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	6585	6.3	37	1	2	5	8	12	16	32
B. *Operated*	585	11.8	141	2	3	8	15	23	40	99
1. SINGLE DX	593	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX	7170	6.7	48	1	2	5	8	13	18	40
A. NOT OPERATED	7155	6.1	35	1	2	5	7	11	15	30
B. OPERATED	608	11.6	138	2	3	8	14	23	36	99
TOTAL 65-69 YRS	1916	5.8	33	1	2	4	7	11	15	29
70-74	1901	6.3	42	1	2	5	7	12	16	30
75-79	1693	6.5	52	1	2	5	8	12	16	48
80-84	1268	7.3	50	2	2	5	9	15	20	44
85+	985	7.0	52	2	2	5	8	13	18	48
GRAND TOTAL	**7763**	**6.5**	**45**	**1**	**2**	**5**	**8**	**12**	**17**	**38**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.8	9	1	2	4	6	9	12	14
70-74	53	5.4	8	2	2	4	7	9	12	13
75-79	38	4.6	6	2	2	4	6	9	10	11
80-84	39	4.8	9	2	2	4	6	8	11	15
85+	25	5.6	29	1	1	4	7	10	19	26
B. *Operated*										
65-69 YRS	2	7.5	1	7	7	7	8	8	8	8
70-74	3	6.0	3	4	4	7	7	7	7	7
75-79	3	17.7	60	9	9	20	23	24	24	24
80-84	5	10.8	26	6	6	9	14	19	19	19
85+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	819	5.9	17	2	2	5	7	11	13	23
70-74	843	6.2	22	2	2	5	8	11	15	23
75-79	822	6.9	41	2	2	5	8	13	17	35
80-84	592	7.1	42	2	3	5	8	13	16	39
85+	530	7.1	49	2	3	6	8	12	16	30
B. *Operated*										
65-69 YRS	187	12.5	99	3	4	9	15	24	34	55
70-74	173	11.9	81	3	4	9	16	25	32	52
75-79	129	12.8	101	3	4	10	16	24	37	54
80-84	89	14.4	134	3	4	11	19	26	35	64
85+	70	15.9	106	3	6	14	22	28	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.0	11	2	2	4	6	9	11	16
B. *Operated*	14	11.9	52	4	6	8	19	24	26	26
2. MULTIPLE DX										
A. *Not Operated*	3606	6.6	33	2	2	5	8	12	15	28
B. *Operated*	648	13.0	101	3	4	10	16	25	34	54
1. SINGLE DX	212	5.5	16	2	2	4	7	9	13	25
2. MULTIPLE DX	4254	7.6	48	2	3	6	9	14	19	38
A. NOT OPERATED	3804	6.5	32	2	2	5	8	12	15	27
B. OPERATED	662	13.0	100	3	4	10	16	25	34	54
TOTAL 65-69 YRS	1051	7.0	38	2	2	5	8	13	17	36
70-74	1072	7.1	35	2	2	6	8	13	19	33
75-79	992	7.7	52	2	3	6	9	14	20	41
80-84	725	7.9	58	2	3	6	9	14	21	43
85+	626	8.1	63	2	3	6	9	15	22	44
GRAND TOTAL	**4466**	**7.5**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	3.1	2	1	2	3	4	5	7	7
70-74	31	3.2	4	1	1	3	5	6	8	8
75-79	11	3.5	4	1	1	3	5	6	7	7
80-84	10	4.2	8	1	1	4	7	8	9	9
85+	4	2.3		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	12	3.0	15	<1	<1	2	3	7	14	15
70-74	8	3.3	8	1	1	2	3	8	10	10
75-79	7	5.4	56	<1	<1	3	5	19	22	22
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	274	4.5	14	1	1	4	5	8	10	19
70-74	243	5.1	15	1	2	4	6	9	14	20
75-79	196	4.9	15	1	2	4	6	10	13	22
80-84	164	4.4	9	1	2	4	5	8	10	13
85+	105	4.6	11	2	2	4	6	8	11	18
B. *Operated*										
65-69 YRS	60	4.9	9	1	2	4	6	10	10	14
70-74	59	7.1	28	1	2	5	9	15	19	21
75-79	37	6.6	16	1	2	6	8	11	15	19
80-84	26	7.7	29	2	3	6	11	16	21	22
85+	11	8.4	11	4	5	7	11	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.3	4	1	1	3	4	7	7	9
B. *Operated*	30	3.7	21	<1	<1	2	4	8	15	22
2. MULTIPLE DX										
A. *Not Operated*	982	4.7	13	1	2	4	6	9	12	19
B. *Operated*	193	6.5	20	1	2	5	8	12	16	21
1. SINGLE DX	110	3.4	8	1	1	3	4	7	8	18
2. MULTIPLE DX	1175	5.0	15	1	2	4	6	10	12	21
A. NOT OPERATED	1062	4.6	13	1	2	4	6	8	12	19
B. OPERATED	223	6.1	21	1	2	5	8	12	15	21
TOTAL 65-69 YRS	370	4.4	13	1	1	4	5	8	10	17
70-74	341	5.2	17	1	1	4	7	11	14	21
75-79	251	5.1	16	1	2	4	6	10	13	22
80-84	202	4.8	12	1	2	4	6	8	12	21
85+	121	4.9	12	2	2	4	7	9	12	18
GRAND TOTAL	**1285**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	3.4	5	1	1	3	4	6	7	11
70-74	74	3.3	4	1	1	3	5	7	8	9
75-79	82	3.0	3	1	1	3	4	6	7	8
80-84	55	3.1	5	<1	1	3	4	5	6	14
85+	45	2.4	2	1	1	2	3	4	5	6
B. *Operated*										
65-69 YRS	114	4.2	7	1	1	4	5	8	8	14
70-74	81	4.2	6	1	1	4	5	7	10	11
75-79	60	3.5	3	<1	1	3	4	6	7	8
80-84	54	3.9	7	1	1	4	5	6	8	17
85+	36	3.6	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	374	3.7	7	1	1	3	5	6	8	13
70-74	385	4.2	12	1	1	3	5	8	10	17
75-79	354	3.8	8	1	1	3	5	7	9	16
80-84	274	3.8	7	1	1	3	5	6	9	15
85+	253	4.1	32	1	1	3	5	8	9	21
B. *Operated*										
65-69 YRS	400	5.4	26	1	2	4	6	9	13	31
70-74	349	5.6	21	1	2	4	7	11	15	22
75-79	300	5.5	22	1	2	4	7	10	13	30
80-84	193	5.3	23	1	1	4	6	10	13	28
85+	148	6.0	34	1	2	5	7	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	3.1	4	1	1	3	4	6	7	10
B. *Operated*	345	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1640	3.9	13	1	1	3	5	7	9	16
B. *Operated*	1390	5.5	24	1	2	4	7	10	14	28
1. SINGLE DX	686	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX	3030	4.6	19	1	1	4	6	8	11	20
A. NOT OPERATED	1981	3.8	11	1	1	3	5	7	9	16
B. OPERATED	1735	5.2	21	1	2	4	6	10	13	22
TOTAL 65-69 YRS	973	4.4	15	1	1	4	5	8	10	19
70-74	889	4.7	15	1	1	4	6	8	12	19
75-79	796	4.3	14	1	1	3	5	8	11	18
80-84	576	4.2	13	1	1	3	5	8	10	18
85+	482	4.5	29	1	1	3	5	9	11	25
GRAND TOTAL	**3716**	**4.4**	**16**	**1**	**1**	**4**	**5**	**8**	**11**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	2.8	3	<1	1	2	4	4	7	8
70-74	15	3.1	6	<1	<1	2	5	6	8	9
75-79	14	3.8	8	1	1	3	5	9	10	10
80-84	6	3.0	1	2	2	3	4	4	4	4
85+	7	4.3	9	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	37	2.6	7	<1	<1	2	3	4	9	14
70-74	26	2.2	5	<1	1	1	2	6	8	9
75-79	16	2.4	6	<1	<1	1	3	5	9	10
80-84	15	7.1	278	<1	<1	2	2	19	53	65
85+	7	3.1	16	<1	<1	2	3	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	258	6.0	44	1	1	4	7	12	18	29
70-74	308	6.5	41	1	1	5	8	14	18	30
75-79	278	7.4	48	1	2	5	9	16	21	26
80-84	228	8.2	54	1	2	7	11	17	21	28
85+	231	8.5	56	2	2	7	11	16	20	37
B. *Operated*										
65-69 YRS	164	7.4	100	1	1	4	9	15	22	78
70-74	147	10.6	142	1	1	7	13	25	36	62
75-79	107	10.0	71	1	2	8	14	22	28	70
80-84	70	13.3	152	1	2	9	19	32	47	91
85+	40	13.7	117	2	3	11	17	24	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.3	5	<1	1	3	4	6	9	10
B. *Operated*	101	3.2	47	<1	<1	2	3	6	10	41
2. MULTIPLE DX										
A. *Not Operated*	1303	7.3	49	1	2	5	9	15	20	30
B. *Operated*	528	10.1	118	1	2	7	14	22	33	74
1. SINGLE DX	160	3.2	32	<1	<1	2	3	6	9	18
2. MULTIPLE DX	1831	8.1	70	1	2	6	10	17	22	50
A. NOT OPERATED	1362	7.1	47	1	2	5	9	15	19	29
B. OPERATED	629	9.0	113	1	1	5	12	21	29	66
TOTAL 65-69 YRS	476	6.1	61	1	1	4	7	13	18	50
70-74	496	7.4	73	1	1	5	10	17	22	45
75-79	415	7.8	54	1	2	5	10	17	22	32
80-84	319	9.2	89	1	2	7	12	19	25	59
85+	285	9.0	66	1	2	7	11	17	21	61
GRAND TOTAL	**1991**	**7.7**	**69**	**1**	**1**	**5**	**10**	**17**	**22**	**50**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	3	1.7	1	<1	<1	1	2	3	3	3
75-79	2	15.0	18	12	12	15	18	18	18	18
80-84	5	8.0	12	4	4	9	10	12	12	12
85+	4	8.3	29	2	2	8	12	15	15	15
B. *Operated*										
65-69 YRS	40	12.5	61	1	2	12	18	23	26	30
70-74	54	11.0	103	2	3	9	15	17	25	64
75-79	40	12.1	101	2	3	11	13	22	30	59
80-84	42	11.3	64	1	3	11	14	19	24	43
85+	60	11.0	62	2	4	9	13	20	31	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	106	9.5	49	2	3	8	13	16	21	40
70-74	125	8.6	39	2	2	7	10	16	22	30
75-79	117	9.3	63	2	3	7	11	16	26	43
80-84	131	8.2	44	2	2	7	10	15	21	58
85+	185	9.9	81	2	3	8	12	20	26	50
B. *Operated*										
65-69 YRS	847	17.7	178	3	5	14	24	36	47	72
70-74	999	17.6	175	4	5	14	22	35	44	77
75-79	924	17.0	169	4	5	14	22	34	45	79
80-84	770	17.4	199	4	6	13	21	36	49	99
85+	1049	15.6	139	4	5	13	19	30	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.3	27	<1	1	7	11	15	17	18
B. *Operated*	236	11.5	77	2	3	10	15	21	28	45
2. MULTIPLE DX										
A. *Not Operated*	664	9.2	58	2	3	7	11	16	24	43
B. *Operated*	4589	17.0	171	4	5	14	21	34	44	77
1. SINGLE DX	252	11.2	75	2	3	10	14	20	27	43
2. MULTIPLE DX	5253	16.0	163	3	5	13	20	33	43	74
A. NOT OPERATED	680	9.1	57	2	2	7	11	16	24	43
B. OPERATED	4825	16.7	167	4	5	13	21	34	44	75
TOTAL 65-69 YRS	995	16.6	167	3	4	13	22	34	44	70
70-74	1181	16.3	166	3	4	13	21	33	42	71
75-79	1083	16.0	160	3	5	13	20	32	43	74
80-84	948	15.8	181	3	5	12	19	33	46	97
85+	1298	14.5	132	3	5	11	18	29	38	64
GRAND TOTAL	**5505**	**15.8**	**160**	**3**	**5**	**13**	**20**	**32**	**42**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	713	2.8	4	1	1	2	3	5	6	9
70-74	534	2.7	3	1	1	2	3	5	6	9
75-79	290	2.8	4	1	1	2	4	5	6	10
80-84	173	3.1	5	1	1	2	4	6	8	11
85+	125	2.9	6	1	1	2	4	5	6	17
B. *Operated*										
65-69 YRS	311	2.1	2	1	1	2	2	4	5	7
70-74	178	2.5	4	1	1	2	2	5	7	10
75-79	42	2.7	5	1	1	2	3	5	7	12
80-84	6	2.5	5	1	1	2	2	7	7	7
85+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5833	3.7	9	1	1	3	5	6	8	13
70-74	4881	3.8	8	1	1	3	5	7	9	14
75-79	3502	4.0	9	1	2	3	5	7	9	14
80-84	2350	4.1	10	1	2	3	5	7	9	16
85+	1562	4.3	13	1	2	3	5	8	10	18
B. *Operated*										
65-69 YRS	1535	4.0	13	1	1	2	5	8	10	18
70-74	904	4.7	23	1	1	3	6	10	13	24
75-79	417	5.6	27	1	1	4	7	11	15	26
80-84	175	7.9	36	2	2	6	10	17	20	26
85+	85	7.9	26	1	2	7	9	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1835	2.8	4	1	1	2	3	5	6	9
B. *Operated*	541	2.3	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	13128	3.9	9	1	1	3	5	7	9	14
B. *Operated*	3116	4.7	21	1	1	3	6	10	13	23
1. SINGLE DX	2376	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	21244	4.0	11	1	1	3	5	7	9	16
A. NOT OPERATED	19963	3.8	9	1	1	3	5	7	9	14
B. OPERATED	3657	4.4	19	1	1	3	6	9	12	21
TOTAL 65-69 YRS	8392	3.6	9	1	1	3	4	7	8	14
70-74	6497	3.8	10	1	1	3	5	7	9	16
75-79	4251	4.0	11	1	1	3	5	7	9	15
80-84	2704	4.3	12	1	2	3	5	8	10	19
85+	1776	4.3	14	1	1	3	5	8	10	19
GRAND TOTAL	**23620**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	3.6	15	1	1	2	4	6	13	21
70-74	43	4.7	42	<1	1	3	5	9	14	41
75-79	29	3.7	7	1	1	3	5	7	8	13
80-84	22	2.5	4	1	1	2	4	5	7	8
85+	20	5.4	16	1	1	4	7	11	14	16
B. *Operated*										
65-69 YRS	68	3.2	11	<1	<1	2	4	7	10	19
70-74	48	4.6	24	1	1	3	7	9	15	27
75-79	30	3.0	12	<1	<1	2	4	6	8	18
80-84	12	3.0	7	<1	<1	2	4	6	9	10
85+	7	5.9	39	1	1	5	7	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1275	6.2	28	1	2	5	8	12	16	29
70-74	1286	6.1	30	1	2	5	8	11	15	29
75-79	1045	6.2	25	1	2	5	8	12	16	24
80-84	651	6.2	23	1	2	5	8	12	15	22
85+	523	6.1	27	1	2	5	8	12	16	28
B. *Operated*										
65-69 YRS	454	6.1	35	1	2	4	7	12	17	31
70-74	483	7.1	53	1	2	5	9	15	20	33
75-79	349	7.4	42	1	2	6	9	16	21	34
80-84	172	7.5	38	1	2	6	10	15	20	42
85+	101	9.3	88	1	2	7	12	19	23	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	4.0	20	1	1	3	5	7	12	21
B. *Operated*	165	3.7	16	<1	<1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	4780	6.2	27	1	2	5	8	12	15	27
B. *Operated*	1559	7.1	46	1	2	5	9	15	21	34
1. SINGLE DX	327	3.8	18	<1	1	2	5	8	12	20
2. MULTIPLE DX	6339	6.4	32	1	2	5	8	12	17	29
A. NOT OPERATED	4942	6.1	27	1	2	5	8	12	15	26
B. OPERATED	1724	6.7	44	1	1	5	9	15	19	33
TOTAL 65-69 YRS	1845	6.0	29	1	1	4	8	12	16	30
70-74	1860	6.3	36	1	2	5	8	12	16	32
75-79	1453	6.4	29	1	2	5	8	12	17	25
80-84	857	6.3	26	1	2	5	8	13	16	25
85+	651	6.6	37	1	2	5	9	13	17	42
GRAND TOTAL	**6666**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	2.5	4	1	1	2	3	5	6	11
70-74	95	2.5	3	1	1	2	3	5	6	7
75-79	58	2.6	3	<1	<1	2	4	4	5	10
80-84	47	3.3	37	<1	1	2	4	5	6	43
85+	19	4.1	11	1	1	3	5	10	12	13
B. *Operated*										
65-69 YRS	44	5.0	14	1	2	4	7	10	12	20
70-74	51	5.0	15	1	1	4	7	11	11	21
75-79	28	6.0	15	1	2	5	8	11	15	16
80-84	23	6.1	23	1	1	5	9	12	17	20
85+	15	3.9	11	<1	1	3	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	536	4.3	13	1	1	3	5	8	11	17
70-74	582	4.6	23	1	1	3	6	9	11	22
75-79	538	5.2	36	1	1	4	6	9	12	29
80-84	405	5.8	23	1	2	5	7	11	14	22
85+	418	6.1	32	1	2	5	7	11	14	24
B. *Operated*										
65-69 YRS	492	7.5	58	1	2	6	9	15	19	40
70-74	603	8.0	39	1	2	7	10	15	19	30
75-79	570	8.0	33	2	2	7	10	15	18	28
80-84	454	8.8	91	2	3	7	10	16	22	44
85+	340	9.0	48	2	3	7	12	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	2.8	9	1	1	2	3	5	6	11
B. *Operated*	161	5.2	16	1	1	4	7	11	12	20
2. MULTIPLE DX										
A. *Not Operated*	2479	5.1	25	1	1	4	6	10	13	23
B. *Operated*	2459	8.2	52	2	2	6	10	16	20	34
1. SINGLE DX	486	3.6	12	1	1	3	4	7	10	16
2. MULTIPLE DX	4938	6.6	41	1	2	5	8	13	17	30
A. NOT OPERATED	2804	4.8	24	1	1	4	6	9	12	22
B. OPERATED	2620	8.0	51	1	2	6	10	15	19	34
TOTAL 65-69 YRS	1178	5.5	34	1	1	4	7	11	15	27
70-74	1331	6.0	32	1	1	4	8	12	16	26
75-79	1194	6.4	35	1	2	5	8	13	16	28
80-84	929	7.1	60	1	2	5	9	13	17	34
85+	792	7.3	40	1	2	6	9	14	19	33
GRAND TOTAL	**5424**	**6.4**	**39**	**1**	**2**	**5**	**8**	**13**	**16**	**29**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	336	3.0	5	1	1	2	4	6	7	12
70-74	257	2.9	4	1	1	2	4	6	7	10
75-79	206	3.2	7	<1	1	3	4	6	8	11
80-84	141	3.6	9	1	1	3	4	8	10	15
85+	114	3.3	6	1	1	3	4	6	8	12
B. *Operated*										
65-69 YRS	37	4.4	11	1	2	4	6	9	12	14
70-74	22	3.8	7	<1	1	3	5	8	9	9
75-79	17	5.2	10	1	2	4	7	11	11	11
80-84	13	5.2	13	1	1	4	7	11	12	12
85+	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1828	4.3	9	1	1	4	6	8	10	15
70-74	1944	4.6	13	1	2	4	6	8	10	16
75-79	1563	4.9	14	1	2	4	6	9	11	20
80-84	1266	4.9	14	1	2	4	6	9	11	20
85+	1128	5.3	27	1	2	4	7	10	12	24
B. *Operated*										
65-69 YRS	405	7.6	67	1	2	6	9	14	20	46
70-74	352	7.9	39	1	2	7	10	15	20	37
75-79	263	8.5	62	2	2	7	11	16	19	37
80-84	179	9.3	50	2	2	7	12	19	25	41
85+	112	9.5	47	2	3	8	11	18	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	3.1	6	1	1	3	4	6	8	12
B. *Operated*	92	4.5	10	1	1	4	6	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	7729	4.7	14	1	2	4	6	9	11	18
B. *Operated*	1311	8.2	55	2	2	6	10	16	20	37
1. SINGLE DX	1146	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9040	5.3	22	1	2	4	7	10	13	23
A. NOT OPERATED	8783	4.6	14	1	1	4	6	8	11	17
B. OPERATED	1403	8.0	53	2	2	6	10	16	20	36
TOTAL 65-69 YRS	2606	4.7	19	1	1	4	6	9	12	21
70-74	2575	4.9	17	1	1	4	6	9	12	20
75-79	2049	5.2	22	1	2	4	6	10	13	21
80-84	1599	5.3	19	1	2	4	6	10	14	24
85+	1357	5.5	28	1	2	4	7	10	13	27
GRAND TOTAL	**10186**	**5.0**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	2.8	6	<1	<1	2	3	7	9	11
70-74	31	4.0	9	1	1	3	6	8	9	12
75-79	43	3.7	8	<1	1	3	5	6	9	16
80-84	30	4.6	41	<1	<1	3	5	9	10	36
85+	27	4.1	8	<1	1	4	5	9	11	11
B. *Operated*										
65-69 YRS	29	4.6	13	<1	1	3	8	10	11	11
70-74	23	5.0	14	1	1	4	7	9	12	16
75-79	21	3.9	10	<1	<1	3	5	9	11	13
80-84	7	4.6	3	<1	1	5	6	6	6	6
85+	7	8.3	55	<1	1	4	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	976	5.1	17	1	1	4	6	10	13	22
70-74	1086	5.5	23	1	1	4	7	10	14	24
75-79	976	5.7	21	1	2	5	7	11	15	25
80-84	772	5.9	24	1	2	5	8	12	15	26
85+	731	6.0	25	1	2	5	8	11	15	31
B. *Operated*										
65-69 YRS	342	7.2	53	1	1	5	9	15	21	34
70-74	337	9.0	91	1	1	7	11	19	26	47
75-79	295	9.8	98	1	1	8	13	21	28	57
80-84	197	9.5	109	1	1	7	11	20	29	51
85+	194	9.6	60	1	2	8	13	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.7	13	<1	1	3	5	7	10	15
B. *Operated*	87	4.8	15	<1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	4541	5.6	22	1	2	4	7	11	14	24
B. *Operated*	1365	8.9	82	1	1	7	11	19	26	43
1. SINGLE DX	266	4.1	14	<1	1	3	5	9	10	18
2. MULTIPLE DX	5906	6.4	38	1	2	5	8	13	17	32
A. NOT OPERATED	4720	5.5	22	1	2	4	7	11	14	24
B. OPERATED	1452	8.6	79	1	1	6	11	18	25	42
TOTAL 65-69 YRS	1395	5.5	27	1	1	4	7	11	15	28
70-74	1477	6.2	41	1	1	5	8	12	17	35
75-79	1335	6.5	41	1	2	5	8	13	18	31
80-84	1006	6.6	43	1	2	5	8	13	17	34
85+	959	6.7	34	1	2	5	8	13	18	31
GRAND TOTAL	**6172**	**6.3**	**37**	**1**	**1**	**5**	**8**	**12**	**17**	**31**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	929	5.7	48	1	1	3	6	12	20	35
70-74	972	5.9	46	1	1	4	7	12	17	41
75-79	862	6.2	51	1	1	4	7	13	19	35
80-84	597	7.0	60	1	1	4	9	16	23	42
85+	535	6.3	39	1	1	4	8	14	19	30
B. *Operated*										
65-69 YRS	243	7.0	97	1	1	4	9	16	21	98
70-74	229	7.8	101	1	1	4	10	18	30	51
75-79	174	8.9	106	1	1	6	12	17	29	60
80-84	117	10.3	119	1	1	6	14	29	35	46
85+	62	10.8	67	1	1	10	14	22	25	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8201	6.4	34	1	2	5	8	13	17	29
70-74	9603	6.4	33	1	2	5	8	12	17	29
75-79	9001	6.4	33	1	2	5	8	12	16	28
80-84	7112	6.3	32	1	2	5	8	12	15	28
85+	6380	6.2	39	1	2	5	7	11	15	32
B. *Operated*										
65-69 YRS	1581	10.7	160	1	2	7	14	24	36	91
70-74	1689	11.5	155	1	2	8	14	28	41	81
75-79	1448	10.6	117	1	2	8	13	23	33	69
80-84	929	11.2	135	2	2	8	14	22	34	65
85+	730	11.4	147	1	2	8	14	26	35	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3895	6.2	49	1	1	4	7	13	20	35
B. *Operated*	825	8.4	102	1	1	5	11	19	28	59
2. MULTIPLE DX										
A. *Not Operated*	40297	6.3	34	1	2	5	8	12	16	29
B. *Operated*	6377	11.0	144	1	2	8	14	25	36	79
1. SINGLE DX	4720	6.5	59	1	1	4	8	14	21	39
2. MULTIPLE DX	46674	7.0	51	1	2	5	8	14	19	38
A. NOT OPERATED	44192	6.3	35	1	2	5	8	12	16	29
B. OPERATED	7202	10.7	140	1	2	7	14	24	35	77
TOTAL 65-69 YRS	10954	6.9	57	1	2	5	9	14	20	38
70-74	12493	7.1	55	1	2	5	9	14	20	40
75-79	11485	6.9	48	1	2	5	8	14	19	36
80-84	8755	6.9	48	1	2	5	8	14	19	36
85+	7707	6.8	52	1	2	5	8	13	18	40
GRAND TOTAL	**51394**	**6.9**	**52**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4		2	2	2	3	3	3	3
70-74	5	2.0	2	1	1	2	3	4	4	4
75-79	3	4.3	5	3	3	3	6	7	7	7
80-84	5	2.6	3	1	1	2	4	5	5	5
85+	5	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*										
65-69 YRS	3	6.3	70	1	1	2	12	16	16	16
70-74										
75-79										
80-84	2	7.5	61	2	2	7	13	13	13	13
85+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	9.1	93	1	1	6	13	19	22	50
70-74	21	8.3	49	1	2	6	12	21	23	24
75-79	22	9.3	128	1	2	6	9	23	37	51
80-84	23	7.3	59	1	1	6	10	12	22	37
85+	34	9.6	38	2	2	8	14	17	23	24
B. *Operated*										
65-69 YRS	31	12.7	109	1	2	11	18	23	38	44
70-74	30	29.2	726	2	4	19	59	65	77	96
75-79	20	19.3	168	2	2	18	26	37	45	51
80-84	13	21.2	591	2	3	13	23	49	85	93
85+	16	11.0	57	1	2	10	14	21	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	2	<1	1	2	3	4	6	7
B. *Operated*	6	10.2	109	1	1	8	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	132	8.8	70	1	2	7	12	18	23	50
B. *Operated*	110	19.1	375	2	2	14	22	47	62	94
1. SINGLE DX	29	4.2	31	1	1	2	4	11	17	27
2. MULTIPLE DX	242	13.5	234	1	2	9	17	28	50	78
A. NOT OPERATED	155	7.9	65	1	1	5	11	16	23	49
B. OPERATED	116	18.7	364	1	2	14	22	44	61	94
TOTAL 65-69 YRS	71	10.1	98	1	1	7	15	21	24	49
70-74	56	18.9	527	1	2	8	22	60	66	95
75-79	45	13.4	164	2	2	9	19	30	42	51
80-84	43	11.0	250	1	1	7	12	23	38	93
85+	56	9.7	49	2	2	8	14	21	24	28
GRAND TOTAL	**271**	**12.5**	**221**	**1**	**2**	**7**	**16**	**26**	**44**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	8.4	151	<1	1	5	6	27	41	41
70-74	8	4.6	9	1	2	4	5	9	11	11
75-79	6	4.5	10	1	1	4	7	9	9	9
80-84	5	5.4	14	3	3	4	7	12	12	12
85+	7	10.9	358	1	1	2	13	45	52	52
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	7.1	36	1	2	5	9	14	22	29
70-74	35	9.0	140	1	1	6	11	14	19	71
75-79	44	6.9	27	1	1	6	11	14	17	21
80-84	39	9.1	57	1	2	7	11	20	22	38
85+	37	11.6	340	2	2	6	11	17	56	96
B. *Operated*										
65-69 YRS	25	22.8	300	3	4	20	38	52	66	99+
70-74	21	15.4	226	3	4	11	27	74	99+	99+
75-79	23	19.2	207	3	5	14	30	43	47	48
80-84	26	20.8	398	3	4	15	28	66	82	99+
85+	6	13.5	100	1	2	13	25	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.9	110	1	1	4	6	12	35	52
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	205	8.6	111	1	2	6	11	16	21	66
B. *Operated*	101	19.4	276	3	4	15	30	52	83	99+
1. SINGLE DX	36	6.8	108	1	1	4	6	12	33	52
2. MULTIPLE DX	306	12.1	191	1	2	8	15	30	48	99+
A. NOT OPERATED	240	8.3	111	1	2	5	10	16	21	63
B. OPERATED	102	19.2	276	3	4	15	30	51	82	99+
TOTAL 65-69 YRS	84	11.9	173	1	2	6	15	34	47	85
70-74	65	10.4	161	1	2	7	13	27	68	99+
75-79	73	10.6	115	1	2	7	13	23	37	48
80-84	70	13.2	212	2	3	9	17	31	59	96
85+	50	11.7	304	1	2	6	13	33	61	99+
GRAND TOTAL	**342**	**11.6**	**184**	**1**	**2**	**7**	**14**	**29**	**47**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	1.8		1	1	2	2	2	2	2
75-79	3	3.3	5	2	2	2	5	6	6	6
80-84	4	2.8	1	2	2	3	3	4	4	4
85+	7	1.9	1	1	1	2	2	4	4	4
B. *Operated*										
65-69 YRS	30	2.0	1	<1	1	2	3	3	3	3
70-74	21	2.8	4	<1	1	2	3	6	7	8
75-79	19	2.6	4	1	1	2	3	6	7	7
80-84	11	3.7	6	1	1	4	4	7	10	10
85+	8	2.9	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	3.9	10	<1	1	3	5	8	11	15
70-74	79	4.6	29	1	1	3	6	10	14	33
75-79	79	5.0	14	1	1	4	7	11	13	14
80-84	84	5.3	28	1	1	4	6	14	18	77
85+	104	5.5	19	1	1	4	7	11	16	57
B. *Operated*										
65-69 YRS	171	5.5	40	1	1	4	7	10	14	41
70-74	148	6.3	38	1	1	4	8	14	21	30
75-79	123	8.4	83	1	2	6	10	19	23	43
80-84	103	8.2	81	1	1	6	10	18	22	53
85+	98	6.9	49	1	1	5	9	13	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.2	2	1	1	2	2	4	5	6
B. *Operated*	89	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	404	4.9	21	1	1	4	6	11	14	28
B. *Operated*	643	6.9	57	1	1	5	9	15	20	38
1. SINGLE DX	109	2.5	3	1	1	2	3	5	7	9
2. MULTIPLE DX	1047	6.1	44	1	1	4	7	13	18	35
A. NOT OPERATED	424	4.8	20	1	1	4	6	11	14	25
B. OPERATED	732	6.4	52	1	1	4	8	13	19	36
TOTAL 65-69 YRS	261	4.7	30	1	1	3	6	9	13	36
70-74	252	5.4	33	1	1	3	7	12	17	30
75-79	224	6.6	55	1	1	5	9	14	20	28
80-84	202	6.6	56	1	1	4	8	16	20	53
85+	217	5.9	33	1	1	4	7	12	17	35
GRAND TOTAL	**1156**	**5.8**	**41**	**1**	**1**	**4**	**7**	**13**	**17**	**34**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	183	6.3	11	2	3	5	8	11	13	16
70-74	230	6.6	23	1	2	6	9	12	14	23
75-79	216	6.9	20	2	2	6	9	12	15	20
80-84	197	7.3	17	2	3	7	9	13	15	20
85+	174	7.2	14	2	3	7	10	12	14	16
B. *Operated*										
65-69 YRS	16	9.3	57	1	1	7	12	23	25	26
70-74	9	13.2	79	3	3	10	20	26	29	29
75-79	14	15.3	321	3	3	13	15	25	64	75
80-84	6	9.3	17	5	5	9	14	14	14	14
85+	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1076	8.3	36	2	3	7	10	15	18	31
70-74	1535	9.1	49	3	3	8	11	16	20	34
75-79	1895	9.2	49	3	3	8	11	16	21	36
80-84	1933	9.3	47	3	3	8	11	16	21	35
85+	2151	9.4	59	3	3	8	11	17	22	50
B. *Operated*										
65-69 YRS	167	15.8	209	3	4	11	20	32	38	84
70-74	185	16.6	221	3	5	12	20	35	58	98
75-79	221	16.9	214	3	5	13	21	33	45	92
80-84	173	17.9	172	5	7	14	22	36	45	67
85+	196	16.1	135	4	6	13	20	31	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	6.9	18	2	2	6	9	12	14	20
B. *Operated*	47	11.9	135	2	3	9	15	21	26	75
2. MULTIPLE DX										
A. *Not Operated*	8590	9.1	49	3	3	8	11	16	21	38
B. *Operated*	942	16.7	190	4	5	13	21	33	44	90
1. SINGLE DX	1047	7.1	24	2	2	6	9	13	15	21
2. MULTIPLE DX	9532	9.9	68	3	3	8	12	18	24	47
A. NOT OPERATED	9590	8.9	46	2	3	7	11	16	20	36
B. OPERATED	989	16.4	188	3	5	13	20	33	44	88
TOTAL 65-69 YRS	1442	8.9	59	2	3	7	11	16	22	38
70-74	1959	9.6	68	2	3	8	12	17	22	52
75-79	2346	9.8	69	3	3	8	12	17	24	45
80-84	2309	9.8	59	3	3	8	12	17	23	43
85+	2523	9.7	65	3	3	8	12	18	23	54
GRAND TOTAL	**10579**	**9.6**	**64**	**2**	**3**	**8**	**12**	**17**	**23**	**45**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	6	14.5	218	3	3	9	20	40	42	42
75-79	4	6.8	27	2	2	6	11	13	13	13
80-84										
85+	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
65-69 YRS	2	16.0		16	16	16	16	16	16	16
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79										
80-84	2	18.5	5	17	17	18	20	20	20	20
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	11.6	95	2	3	9	14	22	35	42
70-74	20	10.9	80	1	3	8	12	26	33	34
75-79	23	13.1	65	4	5	11	18	25	31	32
80-84	23	11.4	108	3	3	9	15	20	33	52
85+	33	11.2	49	2	4	10	13	21	23	36
B. *Operated*										
65-69 YRS	24	27.6	491	7	8	17	47	62	67	76
70-74	13	31.5	513	9	11	27	39	71	81	83
75-79	21	20.6	256	6	8	12	34	48	52	55
80-84	10	24.1	225	2	2	27	36	41	44	44
85+	7	14.7	64	5	6	13	19	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.0	121	2	3	9	12	27	40	42
B. *Operated*	6	15.3	16	8	9	16	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	116	11.6	74	3	4	9	15	21	32	45
B. *Operated*	75	24.6	362	5	8	16	36	54	63	81
1. SINGLE DX	18	12.4	87	2	3	10	16	20	33	42
2. MULTIPLE DX	191	16.7	226	3	4	11	21	38	50	73
A. NOT OPERATED	128	11.6	77	3	4	9	14	21	32	44
B. OPERATED	81	23.9	342	6	8	16	34	52	62	81
TOTAL 65-69 YRS	43	20.7	367	4	5	12	27	55	62	76
70-74	41	18.0	308	3	4	11	22	40	55	83
75-79	48	15.9	161	3	5	11	19	36	47	55
80-84	35	15.5	163	3	3	12	21	36	42	52
85+	42	11.7	50	3	5	10	14	21	25	36
GRAND TOTAL	**209**	**16.4**	**215**	**3**	**4**	**11**	**20**	**37**	**50**	**71**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	3.5	6	1	1	3	5	7	9	11
70-74	73	3.5	9	1	1	2	4	7	11	14
75-79	49	4.0	7	1	1	4	5	7	8	15
80-84	44	4.5	13	1	1	4	6	9	10	21
85+	65	4.5	12	1	1	4	6	8	10	21
B. *Operated*										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	2	15.0	72	9	9	15	21	21	21	21
75-79	2	10.5	41	6	6	10	15	15	15	15
80-84	3	7.0	39	2	2	5	12	14	14	14
85+	1	21.0		21	21	60	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	810	6.2	25	1	2	5	8	11	15	24
70-74	897	6.7	37	1	2	5	8	12	16	32
75-79	891	6.7	37	2	2	5	8	12	16	36
80-84	919	7.7	43	2	2	6	9	14	19	33
85+	1096	7.4	44	2	2	6	9	13	18	40
B. *Operated*										
65-69 YRS	177	12.9	181	2	3	9	15	27	37	74
70-74	166	12.7	169	2	3	9	15	32	50	99+
75-79	145	13.0	155	2	3	9	15	28	49	66
80-84	94	16.5	259	3	4	11	19	36	61	95
85+	137	15.3	166	3	4	12	21	32	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.0	9	1	1	3	5	8	9	15
B. *Operated*	11	9.2	55	1	2	7	18	45	92	99+
2. MULTIPLE DX										
A. *Not Operated*	4613	7.0	38	2	2	6	9	13	17	33
B. *Operated*	719	13.8	181	2	3	9	17	30	47	91
1. SINGLE DX	307	4.1	12	1	1	3	5	8	11	21
2. MULTIPLE DX	5332	7.9	63	2	2	6	9	15	21	47
A. NOT OPERATED	4909	6.8	37	1	2	5	8	12	17	32
B. OPERATED	730	13.7	180	2	3	9	17	30	47	99+
TOTAL 65-69 YRS	1055	7.2	57	1	2	5	9	13	18	41
70-74	1138	7.4	60	1	2	5	9	14	19	50
75-79	1087	7.4	57	1	2	6	9	14	19	50
80-84	1060	8.4	68	2	2	6	10	16	22	44
85+	1299	8.1	62	2	2	6	10	16	23	46
GRAND TOTAL	**5639**	**7.7**	**61**	**2**	**2**	**6**	**9**	**15**	**21**	**45**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	137	8.8	76	2	3	6	10	15	23	55
70-74	164	8.2	30	2	3	7	10	16	18	26
75-79	196	8.5	54	2	3	7	10	15	19	36
80-84	216	8.4	63	2	3	7	10	13	16	44
85+	305	8.0	25	2	3	7	11	14	18	24
B. *Operated*										
65-69 YRS										
70-74	4	11.8	55	2	2	13	17	18	18	18
75-79	3	8.7	2	7	7	9	10	10	10	10
80-84	2	9.0		9	9	9	9	9	9	9
85+	3	16.7	36	11	11	16	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	489	12.1	105	3	4	9	15	22	31	52
70-74	712	11.1	72	3	4	9	13	20	28	50
75-79	1114	11.8	81	3	4	10	15	22	27	46
80-84	1321	11.4	75	3	4	9	14	20	27	52
85+	2121	11.6	90	3	4	9	14	21	29	67
B. *Operated*										
65-69 YRS	111	22.9	322	4	6	17	33	49	65	90
70-74	129	21.4	254	4	6	17	30	50	61	99+
75-79	162	21.1	282	5	7	17	25	48	58	92
80-84	171	19.9	263	6	7	15	23	38	53	83
85+	169	21.6	314	5	6	16	27	49	60	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	8.3	46	2	3	7	11	14	18	37
B. *Operated*	12	11.8	33	2	5	10	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*	5757	11.6	84	3	4	9	14	21	28	52
B. *Operated*	742	21.3	285	5	6	16	27	48	59	93
1. SINGLE DX	1030	8.4	46	2	3	7	11	15	18	37
2. MULTIPLE DX	6499	12.7	116	3	4	10	15	24	34	70
A. NOT OPERATED	6775	11.1	80	3	4	9	13	20	27	51
B. OPERATED	754	21.1	283	5	6	16	27	48	58	92
TOTAL 65-69 YRS	737	13.2	151	3	4	9	16	28	39	70
70-74	1009	12.0	102	3	4	9	14	23	33	59
75-79	1475	12.4	110	3	4	10	15	23	31	61
80-84	1710	11.8	100	3	4	9	14	21	30	61
85+	2598	11.8	105	3	4	9	14	22	30	68
GRAND TOTAL	**7529**	**12.1**	**109**	**3**	**4**	**9**	**14**	**23**	**32**	**65**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	3.6	8	1	1	3	5	7	9	15
70-74	127	3.8	26	1	1	2	4	7	10	25
75-79	149	4.3	21	1	1	3	5	8	10	30
80-84	109	3.6	8	1	1	3	5	8	9	50
85+	167	4.3	16	1	1	3	5	9	12	25
B. *Operated*										
65-69 YRS	184	4.4	9	1	1	4	5	8	10	17
70-74	198	5.0	22	1	1	4	6	9	13	25
75-79	206	5.0	15	1	1	4	7	10	13	23
80-84	111	6.0	38	1	1	4	8	12	14	38
85+	113	5.1	15	1	1	4	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	334	6.6	58	1	2	5	7	12	20	42
70-74	480	6.4	43	1	2	5	8	12	15	33
75-79	587	6.9	42	1	2	5	9	14	18	36
80-84	678	7.4	84	1	2	5	9	14	20	43
85+	830	7.9	76	1	2	6	10	16	23	63
B. *Operated*										
65-69 YRS	499	8.5	77	1	2	6	11	18	26	45
70-74	541	9.0	73	2	2	7	11	17	26	49
75-79	619	9.3	92	2	2	7	12	19	26	74
80-84	507	10.5	143	2	3	7	12	21	32	87
85+	467	10.6	94	2	3	8	13	23	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	632	4.0	17	1	1	3	5	8	10	19
B. *Operated*	812	5.0	19	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2909	7.2	64	1	2	5	9	14	20	45
B. *Operated*	2633	9.6	96	2	2	7	11	20	28	61
1. SINGLE DX	1444	4.6	18	1	1	4	6	9	12	18
2. MULTIPLE DX	5542	8.3	81	1	2	6	10	17	24	54
A. NOT OPERATED	3541	6.6	57	1	2	5	8	13	18	41
B. OPERATED	3445	8.5	81	1	2	6	10	17	25	53
TOTAL 65-69 YRS	1097	6.9	58	1	2	5	8	14	20	42
70-74	1346	7.0	53	1	2	5	8	14	18	41
75-79	1561	7.3	60	1	2	5	9	15	20	46
80-84	1405	8.1	100	1	2	5	9	16	24	63
85+	1577	8.1	75	1	2	6	10	17	24	57
GRAND TOTAL	**6986**	**7.5**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**49**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	2.0	4	<1	1	1	2	4	7	9
70-74	24	2.4	3	1	1	2	4	5	5	6
75-79	20	2.9	5	<1	1	2	4	5	8	10
80-84	12	4.9	51	1	1	3	5	12	25	27
85+	28	2.3	3	<1	1	2	3	5	6	9
B. *Operated*										
65-69 YRS	577	2.4	3	1	1	2	3	4	5	10
70-74	409	2.7	5	1	1	2	3	5	6	11
75-79	371	2.5	3	1	1	2	3	5	6	9
80-84	235	2.8	4	1	1	2	3	5	7	11
85+	163	3.2	7	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	4.7	28	1	1	3	6	9	13	33
70-74	96	5.9	89	1	1	4	7	11	13	57
75-79	123	7.0	65	1	2	5	8	15	21	47
80-84	121	6.8	44	1	1	5	8	14	19	37
85+	163	6.3	59	1	1	4	7	13	19	60
B. *Operated*										
65-69 YRS	699	5.3	35	1	1	4	6	10	15	33
70-74	666	5.3	31	1	1	4	7	11	16	24
75-79	641	6.0	41	1	1	4	7	13	18	26
80-84	532	6.6	63	1	1	4	7	14	22	52
85+	468	7.7	105	1	2	5	8	14	25	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.7	9	1	1	2	3	5	6	18
B. *Operated*	1755	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	587	6.3	58	1	1	4	7	13	18	42
B. *Operated*	3006	6.1	52	1	1	4	7	12	18	41
1. SINGLE DX	1859	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	3593	6.1	53	1	1	4	7	12	18	41
A. NOT OPERATED	691	5.7	52	1	1	4	7	11	17	39
B. OPERATED	4761	4.8	37	1	1	3	6	10	14	31
TOTAL 65-69 YRS	1380	4.0	23	1	1	3	5	8	12	27
70-74	1195	4.4	28	1	1	3	5	9	13	22
75-79	1155	5.0	34	1	1	3	6	10	15	25
80-84	900	5.6	48	1	1	4	6	12	18	39
85+	822	6.3	77	1	1	4	7	13	19	66
GRAND TOTAL	**5452**	**4.9**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	3	1	1	1	3	4	4	4
70-74	5	1.6	2	1	1	1	2	4	4	4
75-79	4	9.3	131	<1	<1	5	16	26	26	26
80-84	3	4.0		4	4	4	4	4	4	4
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	67	2.2	4	1	1	1	3	4	6	12
70-74	39	1.9	2	<1	1	1	3	4	5	6
75-79	43	3.3	9	1	1	3	4	7	8	18
80-84	16	2.4	3	1	1	2	3	4	6	7
85+	9	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	6.0	13	1	2	5	8	11	12	15
70-74	21	6.3	83	1	1	4	6	11	28	43
75-79	33	4.9	27	1	1	4	6	7	11	31
80-84	31	6.2	25	1	1	5	7	17	17	18
85+	51	7.0	112	1	1	4	8	13	16	74
B. *Operated*										
65-69 YRS	142	3.4	11	1	1	2	4	8	10	17
70-74	116	3.1	8	1	1	2	4	6	9	16
75-79	83	5.5	83	1	1	4	7	10	15	59
80-84	52	5.8	31	1	1	3	8	16	17	21
85+	54	5.5	30	1	1	4	7	11	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.1	35	<1	1	3	4	6	19	26
B. *Operated*	174	2.4	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	162	6.2	58	1	1	5	7	12	16	42
B. *Operated*	447	4.3	29	1	1	3	5	9	14	20
1. SINGLE DX	191	2.6	7	1	1	2	3	5	7	16
2. MULTIPLE DX	609	4.8	37	1	1	3	6	10	15	21
A. NOT OPERATED	179	6.0	56	1	1	4	7	11	16	40
B. OPERATED	621	3.7	23	1	1	2	4	8	12	20
TOTAL 65-69 YRS	238	3.3	10	1	1	2	4	8	10	15
70-74	181	3.2	16	1	1	2	4	6	8	17
75-79	163	4.9	53	1	1	3	6	8	14	30
80-84	102	5.4	25	1	1	4	7	14	17	20
85+	116	5.8	65	1	1	4	7	12	16	45
GRAND TOTAL	**800**	**4.2**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	7.0	23	<1	1	7	10	13	16	20
70-74	65	6.6	27	1	1	5	9	15	19	88
75-79	93	6.4	34	1	1	5	8	12	19	33
80-84	119	6.7	22	1	1	7	9	12	15	50
85+	203	7.6	57	1	1	6	10	14	19	34
B. *Operated*										
65-69 YRS	913	11.2	28	5	6	10	13	17	20	30
70-74	1180	12.0	27	6	7	11	14	17	20	28
75-79	1669	12.9	46	6	7	12	15	19	22	37
80-84	1851	13.3	45	6	7	12	16	19	23	38
85+	2558	13.1	46	6	7	12	15	20	24	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	232	10.9	106	1	3	8	13	23	32	57
70-74	354	10.9	105	2	3	8	13	20	35	71
75-79	504	11.4	130	2	3	8	14	22	34	80
80-84	617	11.5	109	2	3	9	15	24	34	56
85+	1156	11.3	124	2	3	8	14	22	33	94
B. *Operated*										
65-69 YRS	3212	15.3	104	6	8	13	17	25	33	63
70-74	5072	15.6	96	7	8	13	18	25	34	66
75-79	7823	16.1	100	7	8	14	18	27	35	74
80-84	9404	16.5	117	7	8	14	19	28	38	81
85+	13928	16.4	113	7	8	14	19	28	38	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	7.0	39	1	1	6	9	14	18	33
B. *Operated*	8171	12.7	41	6	7	12	15	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	2863	11.3	118	2	3	8	14	22	33	73
B. *Operated*	39439	16.2	108	7	8	14	18	27	36	79
1. SINGLE DX	8694	12.4	43	5	6	11	15	19	22	36
2. MULTIPLE DX	42302	15.8	111	6	7	13	18	27	36	79
A. NOT OPERATED	3386	10.6	108	1	2	8	13	21	31	70
B. OPERATED	47610	15.6	99	6	8	13	18	26	34	72
TOTAL 65-69 YRS	4400	14.1	91	5	7	12	16	23	30	59
70-74	6671	14.6	87	6	7	13	17	24	32	60
75-79	10089	15.2	95	6	7	13	17	25	33	67
80-84	11991	15.7	108	6	7	13	18	26	35	73
85+	17845	15.5	107	6	7	13	18	26	35	86
GRAND TOTAL	**50996**	**15.2**	**101**	**6**	**7**	**13**	**18**	**25**	**34**	**72**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	16.4	423	2	2	7	15	54	57	75
70-74	34	13.2	311	1	2	6	11	39	62	67
75-79	33	12.0	175	1	2	8	12	39	45	47
80-84	35	11.7	187	1	1	8	12	35	48	53
85+	54	9.9	104	1	1	6	14	22	35	98
B. *Operated*										
65-69 YRS	58	15.9	168	6	7	12	17	25	55	65
70-74	68	13.0	58	3	5	12	16	23	26	46
75-79	75	16.0	138	4	7	12	19	30	37	69
80-84	82	14.9	95	5	6	14	17	25	28	65
85+	128	13.6	107	2	4	11	16	28	34	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	18.6	348	2	3	11	27	49	62	99+
70-74	156	19.3	455	2	3	10	22	58	72	90
75-79	169	15.6	284	2	3	9	19	46	63	99+
80-84	231	15.8	263	2	3	10	21	39	55	92
85+	358	15.6	328	2	3	9	18	39	60	90
B. *Operated*										
65-69 YRS	324	19.9	254	5	7	15	24	41	61	87
70-74	381	20.8	233	6	8	16	26	46	59	99+
75-79	487	19.7	220	6	7	16	23	42	60	99+
80-84	469	19.6	202	6	7	16	24	41	55	99+
85+	703	18.1	177	5	7	15	21	34	47	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	12.3	219	1	2	7	12	37	53	72
B. *Operated*	411	14.5	111	4	6	12	17	26	33	59
2. MULTIPLE DX										
A. *Not Operated*	1043	16.6	329	2	3	10	21	46	62	93
B. *Operated*	2364	19.4	211	5	7	15	23	41	57	99+
1. SINGLE DX	596	13.8	145	2	3	11	16	28	41	65
2. MULTIPLE DX	3407	18.5	249	3	5	14	23	42	59	99+
A. NOT OPERATED	1228	15.9	314	2	3	9	19	45	60	91
B. OPERATED	2775	18.7	199	5	7	15	22	38	53	99+
TOTAL 65-69 YRS	540	19.0	276	3	5	14	23	44	60	93
70-74	639	19.2	279	3	5	14	24	46	64	99+
75-79	764	18.1	228	3	5	14	22	42	59	99+
80-84	817	17.7	213	3	5	14	22	39	52	99+
85+	1243	16.6	214	3	4	13	20	34	51	83
GRAND TOTAL	**4003**	**17.8**	**236**	**3**	**5**	**14**	**22**	**40**	**56**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	5.7	19	1	2	5	7	10	13	26
70-74	70	5.6	30	1	2	4	6	11	14	36
75-79	67	7.0	59	2	2	5	8	11	13	55
80-84	59	8.4	54	2	2	6	11	17	27	34
85+	58	5.8	20	1	1	5	8	12	17	17
B. *Operated*										
65-69 YRS	205	7.1	27	2	2	6	9	14	17	26
70-74	144	6.9	19	2	2	6	9	12	15	25
75-79	94	8.4	23	2	3	7	11	15	19	22
80-84	49	9.3	62	2	3	8	10	17	22	49
85+	56	8.1	98	1	1	6	10	14	17	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	209	7.7	57	2	2	6	9	15	27	46
70-74	214	9.4	112	2	3	6	10	17	27	62
75-79	238	9.3	74	2	3	7	11	18	24	50
80-84	221	9.9	97	2	3	8	11	18	26	58
85+	268	9.3	89	2	3	7	12	19	31	96
B. *Operated*										
65-69 YRS	445	12.0	101	3	3	9	15	25	32	58
70-74	371	13.4	150	3	4	10	16	27	37	78
75-79	293	16.1	191	3	5	12	20	31	57	87
80-84	217	14.6	186	2	4	11	18	31	38	91
85+	165	15.5	253	2	3	10	20	33	61	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	6.4	36	1	2	5	8	12	16	34
B. *Operated*	548	7.6	35	2	2	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	1150	9.1	86	2	3	7	11	18	27	56
B. *Operated*	1491	13.9	162	3	4	10	17	29	40	83
1. SINGLE DX	895	7.1	35	1	2	6	9	13	17	29
2. MULTIPLE DX	2641	11.8	134	2	3	8	15	24	36	71
A. NOT OPERATED	1497	8.5	76	2	2	6	10	16	24	52
B. OPERATED	2039	12.2	135	2	3	9	15	24	35	71
TOTAL 65-69 YRS	952	9.4	73	2	2	7	12	19	27	48
70-74	799	10.5	114	2	3	7	13	20	30	61
75-79	692	11.8	128	2	3	9	14	22	32	67
80-84	546	11.6	130	2	3	8	14	24	33	63
85+	547	10.6	143	1	2	7	13	23	35	83
GRAND TOTAL	**3536**	**10.6**	**114**	**2**	**3**	**8**	**13**	**21**	**31**	**65**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	4.2	60	1	1	3	4	6	9	53
70-74	88	4.8	13	1	1	4	7	9	12	17
75-79	62	4.6	17	1	1	3	6	8	14	23
80-84	56	5.0	12	1	2	4	6	8	10	22
85+	50	4.5	6	1	2	4	6	7	8	14
B. *Operated*										
65-69 YRS	817	5.5	11	2	2	5	7	9	11	18
70-74	532	6.1	20	2	2	5	8	10	13	25
75-79	324	6.1	16	2	2	5	7	10	13	23
80-84	171	7.4	68	2	3	6	9	12	15	25
85+	98	7.4	25	2	3	6	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	289	5.7	25	1	2	4	7	10	13	31
70-74	318	6.6	46	2	2	5	8	11	17	31
75-79	324	7.6	82	2	2	5	8	14	19	56
80-84	273	6.7	34	2	2	5	8	13	16	26
85+	272	7.7	52	2	2	6	9	15	21	42
B. *Operated*										
65-69 YRS	1207	8.0	42	2	3	6	10	14	19	35
70-74	983	8.7	55	2	3	7	10	16	22	42
75-79	766	10.2	65	3	4	8	12	20	24	48
80-84	437	12.1	116	3	4	10	14	21	33	62
85+	325	10.8	81	2	4	8	13	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.6	26	1	1	4	6	8	11	23
B. *Operated*	1942	6.0	20	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1476	6.8	49	2	2	5	8	13	17	35
B. *Operated*	3718	9.3	64	2	3	7	11	17	23	45
1. SINGLE DX	2300	5.8	22	1	2	5	7	10	13	21
2. MULTIPLE DX	5194	8.6	61	2	3	7	10	16	22	44
A. NOT OPERATED	1834	6.4	45	1	2	5	8	12	16	35
B. OPERATED	5660	8.2	52	2	3	6	10	15	20	39
TOTAL 65-69 YRS	2415	6.7	32	2	2	5	8	12	16	32
70-74	1921	7.5	43	2	3	6	9	13	18	33
75-79	1476	8.5	60	2	3	7	10	16	22	42
80-84	937	9.2	84	2	3	7	11	17	22	48
85+	745	8.8	62	2	3	7	11	17	23	45
GRAND TOTAL	**7494**	**7.8**	**51**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.1	2	1	1	2	3	5	5	5
70-74	5	3.8	13	1	1	2	5	10	10	10
75-79	6	4.3	15	<1	<1	3	6	10	11	11
80-84	4	3.0	5	1	1	2	4	6	6	6
85+	5	3.6	6	<1	<1	4	6	6	6	6
B. *Operated*										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74	2	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	5.8	28	1	1	5	7	11	15	31
70-74	100	5.7	24	1	1	4	7	11	15	26
75-79	100	6.7	28	1	2	5	9	13	19	24
80-84	93	6.7	23	1	2	5	9	14	17	22
85+	98	7.9	68	2	3	6	10	15	18	50
B. *Operated*										
65-69 YRS	26	5.6	25	1	1	3	7	12	15	22
70-74	34	12.9	208	1	1	8	17	38	51	55
75-79	31	10.2	101	1	2	6	15	23	27	48
80-84	21	13.2	173	3	3	9	17	28	46	58
85+	19	12.8	129	1	2	10	18	34	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.3	8	<1	1	2	5	6	10	11
B. *Operated*	7	3.1	3	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	472	6.6	35	1	2	5	8	13	17	24
B. *Operated*	131	10.8	134	1	2	7	14	23	38	56
1. SINGLE DX	34	3.3	7	<1	1	2	5	6	9	11
2. MULTIPLE DX	603	7.5	59	1	2	5	9	15	20	39
A. NOT OPERATED	499	6.4	34	1	2	5	8	12	17	24
B. OPERATED	138	10.4	130	1	2	7	12	23	38	55
TOTAL 65-69 YRS	117	5.4	26	1	1	4	7	11	14	27
70-74	141	7.3	77	1	1	4	9	16	22	54
75-79	137	7.4	46	1	2	6	9	15	22	30
80-84	119	7.7	54	1	2	6	10	17	18	43
85+	123	8.4	78	2	2	6	10	16	21	49
GRAND TOTAL	**637**	**7.3**	**57**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	10	3	3	8	9	9	9	9
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	16.0		16	16	16	16	16	16	16
80-84	2	13.5	61	8	8	13	19	19	19	19
85+	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	9.4	41	3	3	10	12	19	21	21
70-74	7	8.1	14	3	3	9	10	13	14	14
75-79	2	15.0	128	7	7	15	23	23	23	23
80-84	5	11.0	174	2	2	5	16	34	34	34
85+	6	7.0	6	3	3	7	9	10	10	10
B. *Operated*										
65-69 YRS	6	28.2	494	9	10	19	32	67	71	71
70-74	3	29.3	108	21	21	26	37	41	41	41
75-79	7	44.1	857	18	19	28	70	89	91	91
80-84	2	19.5	145	11	11	19	28	28	28	28
85+	5	20.8	275	2	2	23	30	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.7	6	3	3	5	8	9	9	9
B. *Operated*	7	10.3	41	2	3	8	16	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	27	9.3	50	3	3	8	10	20	25	34
B. *Operated*	23	30.8	506	6	9	25	39	73	84	91
1. SINGLE DX	13	8.2	28	2	3	7	10	17	19	19
2. MULTIPLE DX	50	19.2	372	3	3	11	25	41	71	91
A. NOT OPERATED	33	8.6	44	3	3	7	10	15	23	34
B. OPERATED	30	26.0	470	2	6	20	28	58	80	91
TOTAL 65-69 YRS	16	15.9	279	3	3	11	19	31	59	71
70-74	13	12.3	121	3	4	9	16	29	39	41
75-79	11	32.6	792	4	6	23	38	84	90	91
80-84	9	13.4	126	2	3	10	21	32	34	34
85+	14	12.1	139	2	2	8	15	27	41	45
GRAND TOTAL	**63**	**16.9**	**319**	**3**	**3**	**10**	**22**	**35**	**54**	**90**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	[illegible]	2	<1	<1	1	3	3	3	3
70-74	5	2.2	3	<1	<1	1	3	5	5	5
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84										
85+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	41	1.8	2	<1	<1	1	2	4	5	7
70-74	33	2.0	3	<1	<1	1	2	3	6	9
75-79	30	2.1	5	<1	<1	1	2	6	8	9
80-84	17	2.0	7	<1	<1	1	2	3	9	12
85+	18	2.7	7	<1	<1	2	3	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	5.5	18	<1	1	5	7	11	15	18
70-74	12	4.0	3	<1	1	4	5	6	7	7
75-79	22	7.9	169	1	1	3	7	23	44	53
80-84	18	5.4	15	1	1	4	8	11	13	14
85+	27	4.1	8	<1	<1	4	6	7	8	13
B. *Operated*										
65-69 YRS	73	3.9	26	1	1	2	4	7	14	28
70-74	87	5.6	46	1	1	3	7	14	19	34
75-79	78	4.9	23	1	1	4	6	10	14	24
80-84	61	7.4	99	1	1	4	9	15	30	49
85+	73	6.1	71	1	1	4	7	13	23	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	139	2.0	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	100	5.5	46	<1	1	4	6	10	14	45
B. *Operated*	372	5.5	51	1	1	3	7	13	18	45
1. SINGLE DX	151	2.0	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX	472	5.5	50	1	1	4	6	12	17	45
A. NOT OPERATED	112	5.1	43	<1	1	4	6	9	13	44
B. OPERATED	511	4.6	41	<1	1	2	5	10	15	38
TOTAL 65-69 YRS	137	3.5	19	<1	<1	2	4	7	12	25
70-74	137	4.4	32	1	1	2	5	9	17	32
75-79	132	4.7	45	1	1	3	5	9	15	41
80-84	96	6.1	71	1	1	3	8	13	16	47
85+	121	5.1	47	<1	1	3	6	11	14	72
GRAND TOTAL	**623**	**4.7**	**41**	**<1**	**1**	**3**	**5**	**10**	**14**	**40**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.2	2	<1	<1	2	2	5	5	5
70-74	3	2.7	2	<1	<1	3	4	4	4	4
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	119	2.5	3	<1	<1	2	3	5	6	9
70-74	71	2.9	6	<1	<1	2	4	5	9	13
75-79	32	3.6	9	<1	1	3	5	8	10	14
80-84	12	2.0	3	<1	<1	1	3	5	6	6
85+	13	2.1	2	<1	<1	1	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	3.6	15	<1	<1	1	5	10	11	12
70-74	23	4.3	16	<1	1	3	5	10	14	17
75-79	9	4.8	19	1	1	4	6	12	15	15
80-84	12	5.4	11	2	2	4	8	11	11	11
85+	7	6.1	24	1	1	5	10	13	14	14
B. *Operated*										
65-69 YRS	409	3.1	10	<1	1	2	4	7	9	16
70-74	282	3.2	11	<1	1	2	4	7	8	17
75-79	156	4.4	22	<1	1	3	5	9	14	27
80-84	60	3.9	11	1	1	3	5	9	11	16
85+	34	6.4	71	1	1	4	8	13	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	5	<1	<1	3	5	7	8	8
B. *Operated*	247	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	67	4.6	15	<1	1	3	6	11	13	17
B. *Operated*	941	3.5	15	<1	1	2	4	7	10	21
1. SINGLE DX	259	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1008	3.6	15	<1	1	2	4	8	11	20
A. NOT OPERATED	79	4.4	14	<1	<1	3	6	10	13	16
B. OPERATED	1188	3.3	13	<1	1	2	4	7	10	17
TOTAL 65-69 YRS	550	3.0	9	<1	1	2	3	6	9	15
70-74	379	3.2	10	<1	<1	2	4	7	9	17
75-79	198	4.3	20	<1	1	3	5	9	14	27
80-84	85	3.8	11	1	1	3	5	8	11	15
85+	55	5.4	50	<1	1	3	6	11	20	41
GRAND TOTAL	**1267**	**3.4**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.9	8	1	1	4	7	9	10	10
70-74	4	5.0	9	<1	<1	5	7	8	8	8
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	7	3.3	16	1	1	2	3	10	12	12
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	47	4.4	30	<1	1	3	5	11	15	27
70-74	36	4.7	22	1	1	3	7	12	14	20
75-79	29	5.3	24	1	1	3	7	13	15	20
80-84	19	4.5	18	<1	1	3	6	12	15	16
85+	11	3.5	14	1	1	3	4	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	6.5	23	1	2	6	8	11	16	25
70-74	43	7.7	30	1	2	7	10	16	19	24
75-79	46	7.2	25	1	1	7	10	15	17	21
80-84	28	6.9	43	1	2	5	8	14	18	35
85+	30	8.3	179	2	2	5	9	12	18	76
B. *Operated*										
65-69 YRS	122	8.1	118	1	1	4	9	18	29	65
70-74	103	6.8	49	1	1	5	8	14	20	37
75-79	81	10.3	124	1	1	7	13	25	37	52
80-84	52	12.3	163	1	2	8	17	27	39	62
85+	30	13.0	198	2	2	8	15	30	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	11	<1	1	4	7	10	12	12
B *Operated*	142	4.6	24	1	1	3	[illegible]	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	189	7.3	52	1	2	6	9	14	18	31
B. *Operated*	388	9.2	117	1	1	5	11	21	31	59
1. SINGLE DX	166	4.6	22	1	1	3	6	12	14	23
2. MULTIPLE DX	577	8.5	96	1	1	6	10	18	26	54
A. NOT OPERATED	213	7.0	48	1	2	6	9	13	17	29
B. OPERATED	530	7.9	96	1	1	4	10	18	27	51
TOTAL 65-69 YRS	221	6.8	78	1	1	4	8	15	24	46
70-74	186	6.6	39	1	1	5	9	14	18	27
75-79	158	8.4	79	1	1	6	11	20	26	44
80-84	106	8.9	107	1	1	5	11	19	32	55
85+	72	9.6	167	1	2	6	11	20	36	74
GRAND TOTAL	**743**	**7.7**	**82**	**1**	**1**	**5**	**10**	**16**	**23**	**48**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	4.1	4	<1	2	4	6	7	7	7
70-74	9	3.1	2	1	1	3	4	5	6	6
75-79	17	4.8	11	<1	1	4	6	11	12	12
80-84	7	3.7	7	2	2	3	5	8	9	9
85+	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	27	4.7	5	1	2	4	6	8	9	10
70-74	25	5.7	12	1	1	5	8	11	13	15
75-79	10	3.8	3	1	1	4	5	6	6	6
80-84	10	8.1	15	2	3	8	12	13	13	13
85+	4	5.3	9	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	73	6.3	28	2	2	5	7	14	16	30
70-74	70	5.1	22	1	1	4	6	9	11	26
75-79	80	5.3	14	2	2	4	6	11	15	17
80-84	96	7.0	85	1	2	5	8	10	15	66
85+	105	6.2	40	1	2	5	7	13	15	37
B. *Operated*										
65-69 YRS	89	6.2	16	2	2	5	8	12	13	18
70-74	65	7.4	30	2	3	6	9	13	18	29
75-79	50	10.2	95	2	3	8	12	21	28	60
80-84	29	10.2	72	3	3	8	12	18	24	45
85+	15	13.6	85	4	5	12	14	30	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.0	6	1	2	3	5	7	9	12
B. *Operated*	76	5.4	10	1	2	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	424	6.0	40	1	2	5	7	11	15	28
B. *Operated*	248	8.2	50	2	2	7	10	15	20	38
1. SINGLE DX	128	4.8	9	1	2	4	6	9	11	14
2. MULTIPLE DX	672	6.8	45	2	2	5	8	13	16	32
A. NOT OPERATED	476	5.8	37	1	2	4	7	11	15	26
B. OPERATED	324	7.6	42	2	2	6	10	13	17	32
TOTAL 65-69 YRS	204	5.9	18	2	2	5	7	11	14	21
70-74	169	6.0	24	1	2	5	8	11	15	27
75-79	157	6.7	44	2	2	5	8	13	17	28
80-84	142	7.5	75	2	2	6	9	13	16	64
85+	128	7.0	48	2	2	5	8	13	16	42
GRAND TOTAL	**800**	**6.5**	**40**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	5.4	8	2	2	5	7	10	11	14
70-74	72	5.1	10	1	1	5	7	9	10	16
75-79	48	4.5	8	1	2	4	5	8	9	17
80-84	24	5.6	10	1	2	4	8	10	12	12
85+	26	6.7	19	2	2	6	9	15	16	17
B. *Operated*										
65-69 YRS	8	8.1	72	1	1	4	17	20	20	20
70-74	2	11.5	5	10	10	11	13	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	619	6.6	17	2	3	6	8	11	14	22
70-74	525	6.6	17	2	2	6	8	12	15	21
75-79	531	7.3	24	2	3	6	9	13	17	23
80-84	370	7.2	38	2	3	6	9	13	16	26
85+	411	7.2	46	2	3	6	8	13	16	48
B. *Operated*										
65-69 YRS	46	11.6	44	4	5	10	15	20	26	34
70-74	30	13.5	164	4	5	10	16	29	69	99+
75-79	42	11.3	60	3	4	9	16	26	30	99+
80-84	29	11.7	66	2	3	10	15	25	39	99+
85+	21	15.6	355	4	4	10	15	30	59	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.3	10	1	2	5	7	9	11	16
B. *Operated*	11	8.4	55	1	1	5	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2456	6.9	27	2	3	6	8	12	15	23
B. *Operated*	168	12.4	111	4	4	10	16	25	34	99+
1. SINGLE DX	294	5.4	12	1	2	5	7	10	12	17
2. MULTIPLE DX	2624	7.3	34	2	3	6	9	13	17	29
A. NOT OPERATED	2739	6.8	25	2	3	6	8	12	15	23
B. OPERATED	179	12.2	108	3	4	10	15	24	34	99+
TOTAL 65-69 YRS	786	6.7	20	2	3	6	8	12	15	24
70-74	629	6.8	25	2	2	6	8	12	16	24
75-79	622	7.4	27	2	3	6	9	13	18	28
80-84	423	7.4	40	2	3	6	9	14	16	34
85+	458	7.5	61	2	3	6	9	14	17	56
GRAND TOTAL	**2918**	**7.1**	**32**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	4.5	9	1	1	4	6	10	11	12
70-74	50	4.4	9	1	1	4	6	8	10	15
75-79	37	4.3	8	1	1	4	6	8	11	12
80-84	20	4.1	9	1	1	3	5	8	11	13
85+	24	4.2	24	1	1	3	4	8	13	25
B. *Operated*										
65-69 YRS	5	2.4	4	1	1	2	3	6	6	6
70-74	2	4.5	25	1	1	4	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	487	5.6	16	1	2	5	7	10	12	18
70-74	427	5.9	16	2	2	5	7	11	13	20
75-79	386	6.0	14	2	2	5	8	11	13	20
80-84	304	6.5	22	2	2	6	8	12	14	27
85+	323	7.0	38	2	2	6	9	13	16	37
B. *Operated*										
65-69 YRS	51	9.6	68	2	2	7	13	21	25	39
70-74	29	10.7	54	1	2	9	13	21	26	32
75-79	22	11.0	149	1	2	6	15	31	41	48
80-84	24	11.4	27	4	5	11	14	19	20	22
85+	20	12.0	136	2	4	8	14	31	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	4.4	10	1	1	4	6	9	11	14
B. *Operated*	7	3.0	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1927	6.1	20	2	2	5	8	11	14	21
B. *Operated*	146	10.6	78	2	3	8	14	21	29	43
1. SINGLE DX	209	4.3	10	1	1	3	6	8	11	14
2. MULTIPLE DX	2073	6.5	26	2	2	5	8	12	15	26
A. NOT OPERATED	2129	6.0	20	1	2	5	8	11	13	20
B. OPERATED	153	10.3	77	1	2	8	14	20	28	43
TOTAL 65-69 YRS	614	5.8	20	1	2	5	7	10	13	23
70-74	508	6.0	19	1	2	5	8	12	14	21
75-79	445	6.1	21	2	2	5	8	11	14	22
80-84	348	6.7	23	2	2	6	9	13	15	26
85+	367	7.1	44	2	2	6	9	14	17	43
GRAND TOTAL	**2282**	**6.3**	**25**	**1**	**2**	**5**	**8**	**12**	**14**	**25**

363: Other sprains and strains (840-843; 845; 848)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.0	5	<1	<1	2	4	7	8	8
70-74	25	2.8	3	<1	1	3	4	5	6	8
75-79	16	3.7	3	1	2	3	5	6	6	6
80-84	16	4.2	8	1	1	4	5	6	11	13
85+	20	4.6	11	<1	1	3	7	10	11	11
B. *Operated*										
65-69 YRS	300	3.9	8	1	2	3	5	6	7	12
70-74	195	4.0	4	1	2	3	5	7	7	11
75-79	100	4.3	6	1	2	4	5	7	8	14
80-84	30	4.7	4	2	2	4	6	8	9	9
85+	13	4.8	17	<1	1	3	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	151	4.3	11	1	1	4	5	9	12	22
70-74	168	6.5	43	1	2	5	8	13	17	37
75-79	178	6.1	21	1	2	5	8	12	15	26
80-84	179	5.7	21	1	2	5	7	11	15	27
85+	203	6.1	24	1	2	5	8	12	15	32
B. *Operated*										
65-69 YRS	374	5.2	25	2	2	4	6	8	10	31
70-74	263	5.9	34	2	2	4	7	10	14	41
75-79	162	5.5	10	2	2	5	7	9	12	16
80-84	71	9.0	55	2	3	7	11	15	25	40
85+	38	7.9	42	2	2	7	12	17	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.5	6	<1	1	3	5	7	8	12
B. *Operated*	638	4.0	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	879	5.8	25	1	2	5	7	11	15	28
B. *Operated*	908	5.9	29	2	2	5	7	10	14	35
1. SINGLE DX	746	4.0	7	1	2	3	5	7	8	12
2. MULTIPLE DX	1787	5.8	27	1	2	5	7	11	14	32
A. NOT OPERATED	987	5.6	23	1	2	4	7	11	14	28
B. OPERATED	1546	5.1	21	2	2	4	6	9	12	25
TOTAL 65-69 YRS	856	4.5	16	1	2	4	5	8	10	17
70-74	651	5.4	27	1	2	4	6	9	13	26
75-79	456	5.4	14	2	2	5	7	10	12	18
80-84	296	6.3	29	1	2	5	8	12	16	33
85+	274	6.2	25	1	2	5	8	12	16	35
GRAND TOTAL	**2533**	**5.3**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**26**

364: Concussion (850)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	2.2	3	1	1	1	3	4	6	8
70-74	41	2.1	3	1	1	1	3	5	6	6
75-79	35	2.3	3	1	1	2	3	4	6	9
80-84	29	2.8	4	1	1	2	3	6	7	10
85+	35	2.1	2	<1	1	2	3	4	4	7
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	510	4.2	14	1	1	3	6	9	10	18
70-74	510	4.4	23	1	1	3	5	9	13	23
75-79	523	5.2	29	1	1	4	6	10	15	28
80-84	449	5.5	26	1	1	4	7	12	16	27
85+	651	5.9	42	1	1	4	7	12	17	40
B. *Operated*										
65-69 YRS	165	5.9	95	1	1	2	5	15	29	66
70-74	161	6.4	83	1	1	3	6	15	26	55
75-79	181	7.1	80	1	1	5	9	15	20	49
80-84	163	6.6	100	1	1	4	8	13	18	63
85+	196	6.1	40	1	1	4	7	14	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	2.3	3	1	1	2	3	5	6	9
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	2643	5.1	28	1	1	4	6	10	15	28
B. *Operated*	866	6.4	78	1	1	4	7	15	21	57
1. SINGLE DX	185	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	3509	5.4	41	1	1	4	7	11	16	36
A. NOT OPERATED	2826	4.9	27	1	1	3	6	10	14	27
B. OPERATED	868	6.4	78	1	1	4	7	14	21	57
TOTAL 65-69 YRS	718	4.4	33	1	1	3	5	9	12	33
70-74	713	4.7	36	1	1	3	5	10	14	32
75-79	740	5.5	41	1	1	4	7	11	16	29
80-84	641	5.7	45	1	1	4	7	12	16	36
85+	882	5.8	41	1	1	4	7	12	17	40
GRAND TOTAL	**3694**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	4.9	53	1	1	2	4	9	26	32
70-74	33	3.7	54	<1	<1	2	3	7	8	43
75-79	33	4.9	41	<1	1	2	6	14	18	30
80-84	27	8.6	238	1	1	3	8	27	42	73
85+	21	3.0	6	<1	1	3	4	6	8	10
B. *Operated*										
65-69 YRS	30	13.7	188	3	3	8	15	36	48	54
70-74	35	12.2	117	4	6	9	13	17	36	61
75-79	30	10.2	54	1	3	9	12	20	29	32
80-84	30	13.5	301	2	4	9	15	20	30	99
85+	11	12.4	68	3	4	10	15	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	284	7.3	108	1	1	4	8	17	29	84
70-74	328	6.8	52	1	1	4	8	15	23	38
75-79	439	8.1	95	1	1	5	10	18	24	60
80-84	412	8.1	67	1	2	6	10	18	27	53
85+	480	7.4	57	1	2	5	9	15	21	74
B. *Operated*										
65-69 YRS	214	15.3	298	1	2	9	21	38	58	87
70-74	264	15.3	232	1	2	11	20	36	52	98
75-79	245	16.3	248	1	2	12	22	43	61	99+
80-84	263	16.7	289	2	3	12	22	39	62	99+
85+	268	14.9	191	1	2	11	21	34	44	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	5.1	80	<1	1	2	5	9	21	46
B. *Operated*	136	12.4	153	3	4	9	14	24	32	66
2. MULTIPLE DX										
A. *Not Operated*	1943	7.6	74	1	1	5	9	17	24	60
B. *Operated*	1254	15.7	249	1	2	11	21	37	57	99+
1. SINGLE DX	276	8.7	129	1	1	6	10	18	31	59
2. MULTIPLE DX	3197	10.8	158	1	2	7	14	26	38	89
A. NOT OPERATED	2083	7.4	75	1	1	5	9	16	24	58
B. OPERATED	1390	15.4	241	1	2	11	20	36	55	99+
TOTAL 65-69 YRS	554	10.6	198	1	1	5	13	28	43	85
70-74	660	10.3	146	1	1	6	13	25	37	70
75-79	747	10.8	156	1	1	7	14	25	36	76
80-84	732	11.4	178	1	2	7	14	28	39	99
85+	780	9.9	115	1	2	6	13	23	33	79
GRAND TOTAL	**3473**	**10.6**	**156**	**1**	**2**	**7**	**13**	**25**	**37**	**88**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.6	2	2	2	3	4	6	7	7
70-74	9	3.3	4	<1	<1	3	5	6	7	7
75-79	9	3.7	8	1	1	3	5	8	9	9
80-84	2	2.5	5	<1	<1	2	4	4	4	4
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	4	8.3	36	3	3	7	13	16	16	16
70-74	6	4.0	7	2	2	3	5	9	9	9
75-79	6	6.2	5	4	4	5	8	10	10	10
80-84	4	7.5	60	3	3	4	12	19	19	19
85+	4	6.3	44	2	2	4	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	145	7.0	36	1	2	5	8	12	18	33
70-74	114	6.6	26	1	2	5	8	13	18	24
75-79	92	6.5	19	2	2	6	8	11	14	25
80-84	93	8.0	32	2	2	7	10	15	20	27
85+	88	8.7	44	2	3	7	11	15	20	40
B. *Operated*										
65-69 YRS	154	13.4	211	3	3	9	15	29	51	94
70-74	133	11.4	145	3	4	8	12	23	35	65
75-79	120	12.3	106	3	4	9	16	30	35	72
80-84	68	12.0	78	2	4	9	16	26	29	92
85+	70	13.9	105	3	4	12	18	26	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.5	4	<1	1	3	4	7	7	9
B. *Operated*	24	6.2	23	2	2	5	8	16	17	19
2. MULTIPLE DX										
A. *Not Operated*	532	7.3	32	1	2	6	9	13	18	28
B. *Operated*	545	12.6	141	3	3	9	15	27	35	71
1. SINGLE DX	55	4.7	14	1	2	4	5	9	14	19
2. MULTIPLE DX	1077	10.0	94	2	3	7	12	20	28	59
A. NOT OPERATED	563	7.1	31	1	2	6	9	13	18	28
B. OPERATED	569	12.3	138	3	3	9	15	27	35	70
TOTAL 65-69 YRS	312	10.1	132	1	3	7	12	19	33	64
70-74	262	8.9	92	2	2	6	10	18	25	53
75-79	227	9.5	73	2	3	7	11	20	31	51
80-84	167	9.5	55	2	3	8	13	19	26	51
85+	164	10.8	76	2	3	9	14	20	26	47
GRAND TOTAL	**1132**	**9.7**	**92**	**2**	**3**	**7**	**12**	**19**	**28**	**59**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74	10	4.3	13	2	2	3	5	10	14	14
75-79	4	3.0	8	1	1	2	5	7	7	7
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	6	2.7	3	1	1	2	3	6	6	6
B. *Operated*										
65-69 YRS	13	6.0	9	1	2	6	7	10	12	13
70-74	6	8.3	12	3	3	8	11	13	13	13
75-79	1	9.0		9	9	9	9	9	9	9
80-84	3	9.7	9	7	7	9	12	13	13	13
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	5.6	14	2	2	4	8	10	13	18
70-74	70	4.9	13	1	1	4	6	11	13	16
75-79	77	5.4	13	1	2	5	7	11	13	18
80-84	54	7.0	28	1	2	6	9	13	20	25
85+	60	6.4	21	1	2	5	9	12	15	24
B. *Operated*										
65-69 YRS	118	15.6	240	3	4	11	18	29	54	79
70-74	113	15.7	204	2	3	11	20	36	48	91
75-79	80	13.7	91	3	5	12	17	29	33	86
80-84	69	17.2	195	2	4	13	21	38	49	67
85+	60	13.8	170	2	3	11	16	24	33	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	7	1	1	3	3	6	8	14
B. *Operated*	24	7.0	12	2	3	7	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	325	5.8	18	1	2	5	8	11	14	20
B. *Operated*	440	15.2	187	2	4	12	19	32	44	82
1. SINGLE DX	51	5.0	13	1	1	3	7	10	13	14
2. MULTIPLE DX	765	11.2	137	2	2	8	14	23	34	69
A. NOT OPERATED	352	5.6	17	1	2	4	7	11	14	20
B. OPERATED	464	14.8	181	2	3	11	18	31	43	81
TOTAL 65-69 YRS	200	11.4	171	2	2	8	13	22	31	77
70-74	199	11.1	149	1	2	7	14	27	37	72
75-79	162	9.4	69	1	2	7	12	21	29	52
80-84	128	12.5	143	1	2	9	15	26	38	63
85+	127	9.7	106	1	2	8	12	20	24	54
GRAND TOTAL	**816**	**10.8**	**131**	**1**	**2**	**8**	**13**	**22**	**33**	**68**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	3	<1	<1	3	4	5	5	5
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	18.0		18	18	18	18	18	18	18
85+										
B. *Operated*										
65-69 YRS	22	2.0	1	<1	<1	2	3	4	5	5
70-74	7	2.3	3	1	1	1	4	4	4	4
75-79	17	3.2	9	<1	1	2	4	7	10	12
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	7	3.7	6	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	1	2	2	3	4	4	4	4
70-74	7	2.3	2	<1	<1	3	3	4	4	4
75-79	5	5.0	9	3	3	4	6	10	10	10
80-84	5	3.4	5	1	1	3	4	7	7	7
85+	4	4.5	6	1	1	5	6	6	6	6
B. *Operated*										
65-69 YRS	53	3.4	7	1	1	3	5	6	7	16
70-74	53	4.7	14	1	1	4	6	10	13	17
75-79	61	4.7	25	1	1	3	6	10	14	30
80-84	47	3.7	16	1	1	3	4	7	14	22
85+	41	6.9	77	1	1	4	6	19	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.7	39	<1	<1	4	5	17	18	18
B. *Operated*	56	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	24	3.5	5	<1	1	3	5	6	8	10
B. *Operated*	255	4.6	27	1	1	3	5	10	15	28
1. SINGLE DX	62	2.9	8	<1	1	2	4	5	8	17
2. MULTIPLE DX	279	4.5	25	1	1	3	5	10	14	28
A. NOT OPERATED	30	4.0	11	<1	1	3	5	7	10	18
B. OPERATED	311	4.3	23	1	1	3	5	8	14	27
TOTAL 65-69 YRS	82	3.0	5	<1	1	2	4	5	6	13
70-74	67	4.2	12	1	1	4	6	9	12	17
75-79	84	4.4	21	1	1	3	6	10	12	27
80-84	56	3.9	18	1	1	3	4	7	14	22
85+	52	6.3	63	1	1	4	6	16	26	42
GRAND TOTAL	**341**	**4.2**	**22**	**1**	**1**	**3**	**5**	**8**	**13**	**27**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	4	1.5		1	1	1	2	2	2	2
75-79	4	1.3		1	1	1	2	2	2	2
80-84	6	4.7	81	<1	<1	1	1	21	23	23
85+	9	2.8	2	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	16	2.6	3	<1	1	2	4	5	6	6
70-74	17	1.5	1	<1	<1	1	2	3	4	5
75-79	12	1.3		<1	<1	1	2	2	2	2
80-84	9	1.9	2	1	1	1	2	4	5	5
85+	13	2.7	6	<1	<1	1	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	3.6	6	1	1	3	5	7	9	11
70-74	89	4.3	14	1	1	3	5	9	12	19
75-79	107	4.7	27	1	1	3	5	10	14	30
80-84	101	5.0	20	1	1	4	7	10	11	26
85+	155	5.4	74	1	1	3	6	10	14	45
B. *Operated*										
65-69 YRS	203	4.6	26	1	1	3	6	9	13	29
70-74	225	4.7	25	1	1	3	6	9	14	28
75-79	198	5.0	33	1	1	3	6	11	17	28
80-84	202	5.2	47	1	1	3	6	11	14	34
85+	260	5.5	55	1	1	4	7	9	14	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	18	<1	1	2	2	5	8	23
B. *Operated*	67	2.0	3	<1	<1	1	2	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	534	4.7	34	1	1	3	6	9	12	24
B. *Operated*	1088	5.0	38	1	1	3	6	10	14	32
1. SINGLE DX	94	2.2	7	<1	<1	1	2	5	5	17
2. MULTIPLE DX	1622	4.9	37	1	1	3	6	10	14	30
A. NOT OPERATED	561	4.6	34	1	1	3	6	9	12	23
B. OPERATED	1155	4.8	36	1	1	3	6	9	14	30
TOTAL 65-69 YRS	305	4.2	19	1	1	3	5	8	11	23
70-74	335	4.4	21	1	1	3	5	9	13	25
75-79	321	4.7	30	1	1	3	5	10	15	27
80-84	318	5.0	38	1	1	3	7	10	14	26
85+	437	5.3	59	1	1	3	6	9	14	52
GRAND TOTAL	**1716**	**4.8**	**36**	**1**	**1**	**3**	**6**	**9**	**14**	**29**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	1.8	1	<1	<1	1	2	4	4	4
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	3	1.3		1	1	1	2	2	2	2
80-84	4	3.5	3	1	1	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	9	3.1	5	1	1	3	4	7	7	7
70-74	6	1.8	1	<1	<1	1	2	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	2	4.5	25	1	1	4	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	3.1	8	<1	<1	2	3	6	10	13
70-74	16	4.6	15	1	1	4	5	11	14	15
75-79	17	6.7	62	<1	1	4	8	15	27	33
80-84	8	7.9	73	<1	1	5	11	23	26	26
85+	10	3.8	8	1	1	3	5	8	11	11
B. *Operated*										
65-69 YRS	38	6.6	59	1	1	5	7	11	22	43
70-74	25	10.1	141	1	1	6	11	25	34	56
75-79	21	8.7	60	1	2	7	10	21	26	31
80-84	15	10.1	222	1	1	6	10	17	50	61
85+	9	7.6	63	3	3	5	8	20	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	19	2.8	5	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	70	5.0	31	<1	1	3	6	12	15	32
B. *Operated*	108	8.4	99	1	1	5	9	20	27	58
1. SINGLE DX	37	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX	178	7.0	75	1	1	5	8	15	26	52
A. NOT OPERATED	88	4.4	26	<1	1	3	5	10	15	30
B. OPERATED	127	7.5	89	1	1	5	8	15	27	57
TOTAL 65-69 YRS	75	4.7	36	<1	1	3	6	9	13	39
70-74	49	7.0	86	1	1	4	7	15	25	56
75-79	43	7.1	57	1	1	5	8	17	25	33
80-84	29	8.2	136	1	1	5	10	16	28	61
85+	19	5.6	36	1	2	4	5	10	20	28
GRAND TOTAL	**215**	**6.3**	**65**	**1**	**1**	**4**	**7**	**13**	**22**	**48**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	2.1	1	1	1	2	3	3	5	5
70-74	12	2.6	1	<1	1	2	3	4	5	5
75-79	10	3.7	4	1	1	4	5	6	7	7
80-84	4	3.3	1	2	2	3	4	4	4	4
85+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	139	2.0	3	1	1	1	2	4	5	11
70-74	85	2.2	5	<1	1	1	2	6	7	11
75-79	56	2.1	5	<1	<1	1	2	5	7	14
80-84	38	2.3	3	1	1	2	3	5	5	9
85+	13	2.8	5	<1	<1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	4.1	4	1	2	4	5	7	8	10
70-74	45	5.0	17	1	2	4	7	9	12	23
75-79	37	5.0	28	1	1	3	6	11	19	24
80-84	34	6.9	35	1	2	5	10	16	18	26
85+	30	6.7	15	3	3	6	8	12	15	19
B. *Operated*										
65-69 YRS	263	3.6	22	1	1	2	4	8	11	25
70-74	190	3.9	23	1	1	2	5	9	12	25
75-79	127	5.1	68	1	1	3	6	9	14	45
80-84	74	5.1	39	1	1	3	6	10	16	38
85+	69	7.8	106	1	1	5	9	17	19	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.7	2	1	1	2	3	5	5	7
B. *Operated*	331	2.1	4	<1	1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	189	5.4	20	1	2	4	7	11	15	24
B. *Operated*	723	4.5	41	1	1	3	5	9	14	30
1. SINGLE DX	376	2.2	4	<1	1	1	3	5	6	10
2. MULTIPLE DX	912	4.7	37	1	1	3	6	10	14	28
A. NOT OPERATED	234	4.9	18	1	1	4	6	9	14	23
B. OPERATED	1054	3.8	31	1	1	2	4	8	11	27
TOTAL 65-69 YRS	460	3.1	14	1	1	2	4	6	9	24
70-74	332	3.6	18	1	1	2	4	8	11	21
75-79	230	4.3	45	1	1	3	5	8	12	36
80-84	150	4.7	30	1	1	3	5	11	16	28
85+	116	6.8	70	1	1	5	8	13	18	45
GRAND TOTAL	**1288**	**4.0**	**29**	**1**	**1**	**2**	**5**	**8**	**12**	**26**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.3	2	1	1	2	3	5	5	5
70-74	13	7.8	159	1	1	4	7	16	43	49
75-79	5	4.4	1	3	3	5	5	5	5	5
80-84	6	7.0	27	2	2	6	11	15	15	15
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	51	5.8	71	1	1	3	6	11	23	50
70-74	45	4.9	31	<1	1	3	6	11	12	33
75-79	29	5.4	26	1	1	3	6	14	19	20
80-84	10	8.3	66	1	1	6	10	22	27	27
85+	22	8.0	44	1	1	6	11	17	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	5.8	12	1	2	5	7	11	14	15
70-74	55	6.6	16	1	2	7	10	12	15	16
75-79	45	7.3	33	1	2	6	10	15	16	31
80-84	38	8.4	48	1	2	6	12	17	21	34
85+	49	10.3	102	2	2	8	12	19	27	62
B. *Operated*										
65-69 YRS	117	9.3	98	1	2	6	10	21	35	73
70-74	108	9.5	71	2	2	8	13	19	26	75
75-79	89	12.5	204	1	1	7	15	34	45	69
80-84	68	12.0	114	2	3	9	16	24	32	57
85+	70	13.1	288	1	2	8	13	31	61	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.6	66	1	1	4	6	8	14	49
B. *Operated*	157	5.9	47	1	1	4	7	13	20	33
2. MULTIPLE DX										
A. *Not Operated*	238	7.6	43	1	2	6	10	15	17	34
B. *Operated*	452	11.0	146	1	2	8	13	25	37	69
1. SINGLE DX	192	5.9	50	1	1	4	7	12	19	42
2. MULTIPLE DX	690	9.8	113	1	2	7	12	20	31	63
A. NOT OPERATED	273	7.4	46	1	2	6	10	14	16	36
B. OPERATED	609	9.7	125	1	1	6	11	22	32	66
TOTAL 65-69 YRS	228	7.4	72	1	1	5	8	15	23	52
70-74	221	7.8	57	1	2	6	10	15	21	51
75-79	168	9.6	130	1	1	6	11	23	34	65
80-84	122	10.4	87	2	2	8	14	22	29	51
85+	143	11.3	185	1	2	8	12	24	37	74
GRAND TOTAL	**882**	**9.0**	**102**	**1**	**2**	**6**	**11**	**18**	**29**	**61**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	18	<1	<1	3	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	4	2.3	2	1	1	2	3	4	4	4
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	4	3.3	2	2	2	3	4	5	5	5
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	13.0	18	10	10	13	16	16	16	16
70-74	7	5.9	46	1	1	4	5	18	21	21
75-79	7	4.9	20	2	2	3	4	13	15	15
80-84	5	5.4	3	4	4	5	6	8	8	8
85+	10	5.6	8	2	3	5	6	10	12	12
B. *Operated*										
65-69 YRS	22	11.6	170	1	2	5	23	39	67	99+
70-74	21	7.0	98	1	1	3	7	20	35	36
75-79	20	9.6	48	1	1	9	14	18	22	25
80-84	7	13.0	93	1	1	12	17	27	30	30
85+	14	3.3	3	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	8	<1	<1	5	6	7	7	7
B. *Operated*	13	3.4	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	31	5.9	21	2	2	4	6	13	16	21
B. *Operated*	84	8.7	94	1	1	5	12	25	35	82
1. SINGLE DX	18	3.6	5	<1	1	3	5	7	8	9
2. MULTIPLE DX	115	8.0	76	1	2	5	10	21	29	66
A. NOT OPERATED	36	5.7	19	1	2	4	6	12	16	21
B. OPERATED	97	8.0	86	1	1	5	10	23	33	75
TOTAL 65-69 YRS	30	10.0	138	1	1	5	15	31	48	99+
70-74	33	6.2	72	1	1	3	6	12	33	36
75-79	32	7.6	40	1	2	5	12	17	19	25
80-84	14	9.5	58	1	3	7	12	18	27	30
85+	24	4.3	6	1	2	4	5	7	10	12
GRAND TOTAL	**133**	**7.4**	**68**	**1**	**1**	**5**	**9**	**18**	**27**	**57**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.0	13	2	2	6	9	9	9	9
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79										
80-84	4	3.8	2	2	2	4	5	5	5	5
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	11	3.0	3	1	1	3	4	6	6	6
70-74	8	3.8	7	1	1	3	5	8	9	9
75-79	3	5.7	22	2	2	4	9	11	11	11
80-84	6	7.3	33	3	3	6	8	17	18	18
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	18.5	342	1	1	14	30	47	53	53
70-74	21	10.9	121	1	2	6	22	34	61	99+
75-79	16	8.0	64	1	1	5	10	19	27	31
80-84	14	5.9	24	1	2	4	8	11	18	20
85+	21	9.1	58	1	2	7	12	21	27	29
B. *Operated*										
65-69 YRS	41	8.5	101	1	1	4	10	20	26	54
70-74	28	8.5	61	1	1	7	12	21	26	28
75-79	21	8.0	83	1	1	6	9	17	32	40
80-84	14	14.1	199	2	3	8	21	35	45	48
85+	13	12.3	51	4	5	11	20	35	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.9	7	1	1	3	5	9	9	9
B. *Operated*	28	4.4	14	1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	80	9.8	103	1	2	6	12	29	32	85
B. *Operated*	117	9.5	95	1	1	7	12	23	30	69
1. SINGLE DX	40	4.3	12	1	1	3	5	9	10	18
2. MULTIPLE DX	197	9.6	98	1	1	7	12	26	32	77
A. NOT OPERATED	92	9.0	94	1	2	5	10	27	32	80
B. OPERATED	145	8.5	83	1	1	6	10	21	28	56
TOTAL 65-69 YRS	64	8.6	122	1	1	4	9	20	30	54
70-74	59	8.5	78	1	1	5	11	25	31	93
75-79	40	7.9	69	1	1	6	9	17	28	40
80-84	38	8.9	99	2	2	5	9	21	33	48
85+	36	9.9	57	1	2	8	14	25	29	99+
GRAND TOTAL	**237**	**8.7**	**87**	**1**	**1**	**6**	**10**	**22**	**30**	**59**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	17	1	1	3	7	9	9	9
70-74	3	3.3	2	2	2	3	4	5	5	5
75-79	3	2.3	2	<1	<1	2	3	4	4	4
80-84	3	3.3	4	<1	<1	4	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	3.5	5	1	1	3	4	6	9	10
70-74	25	5.2	9	1	2	5	7	8	11	13
75-79	16	6.8	178	1	1	4	5	9	42	56
80-84	15	6.1	44	2	2	4	6	10	24	29
85+	28	6.4	34	1	2	5	9	16	31	99+
B. *Operated*										
65-69 YRS	14	4.1	25	1	1	2	6	10	17	19
70-74	4	3.8	8	1	1	3	6	7	7	7
75-79	7	7.7	90	1	1	4	9	24	28	28
80-84	6	5.3	46	1	1	3	4	18	19	19
85+	7	3.6	18	1	1	2	3	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	5	<1	<1	3	4	6	8	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	100	5.7	47	1	2	4	6	10	16	78
B. *Operated*	38	4.8	35	1	1	2	6	12	19	28
1. SINGLE DX	14	3.1	5	<1	<1	3	4	6	8	9
2. MULTIPLE DX	138	5.4	43	1	1	4	6	10	18	61
A. NOT OPERATED	113	5.4	42	1	1	4	6	10	15	72
B. OPERATED	39	4.7	35	1	1	2	6	11	19	28
TOTAL 65-69 YRS	33	3.8	14	1	1	3	5	9	10	19
70-74	32	4.8	8	1	2	5	7	8	10	13
75-79	26	6.5	131	<1	1	4	5	9	34	56
80-84	24	5.6	38	1	2	4	5	11	22	29
85+	37	5.6	31	1	2	3	8	15	23	99+
GRAND TOTAL	**152**	**5.2**	**40**	**1**	**1**	**3**	**6**	**10**	**16**	**55**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	2.7	4	1	1	2	3	5	7	9
70-74	79	3.9	11	1	1	3	5	9	11	16
75-79	97	3.7	9	<1	1	3	6	8	10	14
80-84	84	4.2	19	1	1	3	5	7	16	22
85+	124	3.7	8	1	1	3	5	7	9	15
B. *Operated*										
65-69 YRS	24	4.5	23	<1	<1	3	5	12	15	19
70-74	16	2.3	5	<1	<1	2	3	4	8	10
75-79	17	3.8	4	1	2	4	5	7	8	9
80-84	13	6.4	61	2	2	4	7	13	28	31
85+	12	5.9	13	1	2	6	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	759	5.0	21	1	1	4	6	9	13	25
70-74	940	5.4	28	1	1	4	7	11	15	26
75-79	1243	5.8	35	1	1	4	7	11	14	32
80-84	1340	6.1	28	1	2	5	8	12	15	28
85+	1846	6.7	49	1	2	5	8	13	17	40
B. *Operated*										
65-69 YRS	121	7.7	39	1	2	5	11	16	20	30
70-74	174	7.9	60	1	1	6	10	16	23	40
75-79	173	11.0	101	2	2	8	16	25	35	91
80-84	136	11.0	82	2	3	9	15	22	27	71
85+	189	11.1	97	1	2	8	15	25	33	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	3.6	10	1	1	3	5	7	10	16
B. *Operated*	82	4.4	21	<1	1	3	5	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	6128	6.0	35	1	2	4	7	12	15	31
B. *Operated*	793	9.8	80	1	2	7	13	22	29	54
1. SINGLE DX	558	3.7	12	1	1	3	5	8	10	18
2. MULTIPLE DX	6921	6.4	42	1	2	5	8	13	18	35
A. NOT OPERATED	6604	5.8	34	1	1	4	7	11	15	28
B. OPERATED	875	9.3	77	1	2	7	12	21	28	51
TOTAL 65-69 YRS	996	5.1	23	1	1	4	6	10	14	25
70-74	1209	5.6	32	1	1	4	7	11	16	29
75-79	1530	6.2	44	1	1	5	8	12	17	39
80-84	1573	6.4	34	1	2	5	8	13	17	31
85+	2171	6.9	53	1	2	5	9	14	19	42
GRAND TOTAL	**7479**	**6.2**	**40**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	3	5.7	2	4	4	6	7	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	6	4.5	30	1	1	1	10	13	13	13
70-74	6	3.0	5	1	1	2	4	7	7	7
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85+	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	4.4	12	1	1	4	6	9	13	13
70-74	13	4.6	17	1	1	3	7	11	13	14
75-79	7	6.3	11	4	4	5	10	74	99+	99+
80-84	3	3.3	2	2	2	3	4	5	5	5
85+	5	9.0	65	1	1	8	15	20	20	20
B. *Operated*										
65-69 YRS	27	10.8	125	1	1	7	15	28	38	41
70-74	10	5.3	18	<1	<1	4	9	12	13	13
75-79	12	13.5	210	2	2	9	16	32	52	55
80-84	7	8.4	39	3	3	6	14	18	18	18
85+	3	10.3	14	6	6	12	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	6	<1	<1	3	5	7	7	7
B. *Operated*	20	3.2	11	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	39	5.3	20	1	1	4	7	13	17	99+
B. *Operated*	59	10.1	110	1	1	7	13	21	34	54
1. SINGLE DX	27	3.2	9	<1	1	2	4	7	10	13
2. MULTIPLE DX	98	8.2	79	1	1	5	12	18	28	78
A. NOT OPERATED	46	5.0	18	1	1	4	7	13	15	99+
B. OPERATED	79	8.4	94	1	1	5	12	18	28	51
TOTAL 65-69 YRS	45	8.2	91	<1	1	4	12	19	31	41
70-74	30	4.5	14	1	1	3	6	10	13	14
75-79	24	9.4	122	1	2	6	12	22	66	99+
80-84	13	5.7	30	1	2	3	7	16	18	18
85+	13	6.8	38	1	1	5	12	15	19	20
GRAND TOTAL	**125**	**7.1**	**68**	**1**	**1**	**4**	**9**	**16**	**23**	**66**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	1.3		<1	1	1	2	2	3	3
70-74	59	1.5	1	<1	1	1	1	3	5	6
75-79	56	1.4	1	<1	<1	1	1	3	4	5
80-84	41	1.3		<1	<1	1	2	2	3	3
85+	41	1.7	1	<1	1	1	2	4	5	5
B. *Operated*										
65-69 YRS	22	2.7	8	<1	<1	1	2	8	9	9
70-74	16	1.9	4	1	1	1	2	5	7	8
75-79	14	1.9	4	1	1	1	2	3	8	9
80-84	10	2.3	4	1	1	2	2	6	7	7
85+	6	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	3.1	9	<1	1	2	4	7	9	15
70-74	176	3.2	15	1	1	2	4	6	10	17
75-79	228	3.5	13	1	1	2	4	8	11	20
80-84	168	3.6	9	1	1	2	5	8	10	15
85+	194	3.8	14	1	1	2	4	9	12	19
B. *Operated*										
65-69 YRS	136	5.7	49	1	1	3	7	12	19	36
70-74	145	5.9	39	1	1	4	8	15	18	29
75-79	107	5.6	34	1	1	3	7	12	19	30
80-84	99	6.1	35	1	1	3	9	16	18	24
85+	116	6.3	66	1	1	4	8	13	18	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	68	2.2	5	<1	1	1	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	955	3.5	12	1	1	2	4	7	11	17
B. *Operated*	603	5.9	45	1	1	3	8	14	19	35
1. SINGLE DX	355	1.6	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	1558	4.4	26	1	1	3	5	10	14	27
A. NOT OPERATED	1242	3.0	10	1	1	2	4	6	9	16
B. OPERATED	671	5.5	42	1	1	3	7	13	18	35
TOTAL 65-69 YRS	437	3.5	22	<1	1	2	4	8	11	30
70-74	396	3.9	24	1	1	2	4	9	14	25
75-79	405	3.7	18	1	1	2	4	8	12	22
80-84	318	4.0	18	1	1	2	5	10	14	20
85+	357	4.3	32	1	1	2	5	10	13	35
GRAND TOTAL	**1913**	**3.9**	**23**	**1**	**1**	**2**	**5**	**9**	**13**	**25**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	15.8	41	8	8	16	20	25	25	25
70-74	4	8.8	28	<1	<1	11	12	12	12	12
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84										
85+	3	6.3	21	1	1	9	9	9	9	9
B. *Operated*										
65-69 YRS	11	7.2	19	1	2	7	9	13	18	18
70-74	5	8.4	50	1	1	9	13	18	18	18
75-79	6	12.7	246	2	2	7	11	41	44	44
80-84	9	13.0	64	2	4	11	17	25	29	29
85+	5	16.0	85	9	9	14	19	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	8.2	54	2	2	7	10	15	18	42
70-74	35	11.5	87	2	4	8	15	26	31	42
75-79	35	13.5	86	3	6	13	17	21	23	56
80-84	21	8.3	44	1	2	5	11	20	21	22
85+	13	12.2	142	<1	1	8	16	29	40	42
B. *Operated*										
65-69 YRS	127	17.9	162	2	4	16	26	38	43	99+
70-74	99	22.8	343	3	5	19	34	60	94	99+
75-79	91	21.4	302	2	5	18	29	46	75	99+
80-84	65	27.8	441	6	8	21	40	63	90	99+
85+	35	28.8	320	9	11	23	42	58	64	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.9	48	<1	1	10	12	19	24	25
B. *Operated*	36	10.9	81	1	2	9	14	18	31	44
2. MULTIPLE DX										
A. *Not Operated*	141	10.7	79	2	2	8	14	21	26	44
B. *Operated*	417	22.3	304	3	5	19	31	51	70	99+
1. SINGLE DX	50	10.6	71	1	2	9	14	18	29	44
2. MULTIPLE DX	558	19.4	272	2	4	15	27	44	61	99+
A. NOT OPERATED	155	10.6	76	2	2	9	14	20	26	42
B. OPERATED	453	21.4	295	3	5	18	30	48	67	99+
TOTAL 65-69 YRS	180	15.2	146	2	3	12	21	37	40	87
70-74	143	19.1	290	2	4	15	27	46	74	99+
75-79	134	18.7	254	2	4	14	24	39	59	99+
80-84	95	22.1	388	2	4	17	31	56	73	99+
85+	56	22.6	305	2	6	18	29	53	61	67
GRAND TOTAL	**608**	**18.6**	**261**	**2**	**3**	**14**	**25**	**42**	**59**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.8	16	1	1	2	4	11	13	13
70-74	9	6.8	41	1	1	3	13	16	18	18
75-79	6	5.7	19	2	2	4	8	12	13	13
80-84	5	19.0	296	1	1	14	29	46	46	46
85+	6	4.5	5	2	2	5	5	8	8	8
B. *Operated*										
65-69 YRS	5	10.4	67	1	1	10	15	23	23	23
70-74	3	20.3	217	9	9	15	31	37	37	37
75-79										
80-84	3	10.0	109	3	3	5	18	22	22	22
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	7.6	49	1	1	5	12	17	19	33
70-74	94	7.8	56	1	1	5	10	18	24	36
75-79	77	7.6	48	1	2	6	9	17	20	37
80-84	74	9.0	44	1	2	8	12	20	26	82
85+	78	9.6	104	1	1	7	11	18	24	62
B. *Operated*										
65-69 YRS	49	15.4	146	2	3	13	22	30	40	55
70-74	60	16.3	260	3	4	10	21	35	42	87
75-79	36	19.9	184	4	6	16	29	37	47	60
80-84	23	21.0	319	3	4	15	26	50	64	68
85+	18	17.9	113	5	6	16	29	37	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.3	79	1	1	4	10	15	23	46
B. *Operated*	12	12.9	104	1	2	11	18	27	36	37
2. MULTIPLE DX										
A. *Not Operated*	436	8.2	60	1	1	6	11	18	22	39
B. *Operated*	186	17.5	208	3	4	14	24	36	47	83
1. SINGLE DX	46	8.7	89	1	1	5	13	22	27	46
2. MULTIPLE DX	622	11.0	122	1	2	8	14	25	33	64
A. NOT OPERATED	470	8.2	61	1	1	6	11	18	22	39
B. OPERATED	198	17.2	203	3	4	13	23	36	47	81
TOTAL 65-69 YRS	175	9.7	88	1	1	7	14	22	28	47
70-74	166	11.1	148	1	2	7	14	26	34	69
75-79	119	11.2	120	1	2	8	14	27	35	53
80-84	105	12.1	139	2	2	9	16	26	41	82
85+	103	10.8	110	1	2	8	13	22	37	84
GRAND TOTAL	**668**	**10.9**	**120**	**1**	**2**	**8**	**14**	**24**	**33**	**62**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	2	9.0	8	7	7	9	11	11	11	11
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS	7	3.9	11	1	1	3	6	9	10	10
70-74	7	2.3	5	<1	<1	1	3	6	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	7.0	34	1	1	6	9	15	19	27
70-74	29	7.2	77	<1	1	4	9	13	15	48
75-79	29	7.4	33	1	2	7	9	13	23	26
80-84	19	10.3	158	1	2	8	12	40	78	99+
85+	39	8.8	32	3	3	8	11	17	26	99+
B. *Operated*										
65-69 YRS	47	8.7	153	1	1	4	11	21	39	59
70-74	27	10.2	155	1	2	6	15	34	59	99+
75-79	16	12.9	139	<1	1	11	22	37	79	99+
80-84	8	13.6	340	1	1	10	26	83	99+	99+
85+	5	28.8	683	7	7	21	37	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	9	1	1	4	6	9	11	11
B. *Operated*	18	3.3	7	<1	1	2	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	147	8.0	57	1	2	7	10	15	26	99+
B. *Operated*	103	11.1	199	1	1	5	16	36	57	99+
1. SINGLE DX	29	3.8	8	1	1	3	5	8	10	11
2. MULTIPLE DX	250	9.3	117	1	1	6	12	23	39	99+
A. NOT OPERATED	158	7.8	54	1	2	6	10	14	25	95
B. OPERATED	121	9.9	178	1	1	5	14	27	55	99+
TOTAL 65-69 YRS	89	7.4	95	1	1	4	9	18	24	55
70-74	65	8.0	103	1	1	5	9	19	40	93
75-79	47	9.0	75	1	1	7	11	25	32	99+
80-84	31	10.4	183	1	2	7	13	57	93	99+
85+	47	10.7	126	3	4	8	12	24	31	99+
GRAND TOTAL	**279**	**8.7**	**109**	**1**	**1**	**6**	**11**	**21**	**37**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	5.1	133	1	1	2	3	5	33	51
70-74	32	2.8	4	1	1	2	4	6	6	9
75-79	24	4.3	16	<1	1	3	6	8	12	19
80-84	18	3.3	6	1	1	3	5	7	9	9
85+	29	2.9	5	1	1	2	4	6	7	11
B. *Operated*										
65-69 YRS	7	4.0	12	1	1	2	7	9	9	9
70-74	10	7.4	14	1	1	7	10	12	13	13
75-79	2	20.5	41	16	16	20	25	25	25	25
80-84	2	3.0		3	3	3	3	3	3	3
85+	4	10.5	150	2	2	6	19	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	213	5.4	15	1	1	4	7	11	14	17
70-74	207	5.8	25	1	2	5	7	11	16	26
75-79	223	6.5	58	1	2	5	7	12	17	37
80-84	207	7.6	70	2	2	6	9	14	17	71
85+	286	7.2	59	2	2	5	8	13	18	50
B. *Operated*										
65-69 YRS	78	12.1	185	1	2	8	16	28	45	66
70-74	72	11.9	148	1	2	9	15	28	36	66
75-79	79	13.8	264	2	3	9	15	35	57	98
80-84	32	13.9	156	1	3	11	18	28	33	66
85+	45	10.8	85	2	3	8	15	24	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.5	26	1	1	3	4	7	8	28
B. *Operated*	25	7.6	49	1	2	7	10	16	26	28
2. MULTIPLE DX										
A. *Not Operated*	1136	6.5	47	1	2	5	8	12	16	34
B. *Operated*	306	12.5	178	1	2	9	15	28	44	81
1. SINGLE DX	146	4.2	32	1	1	3	5	9	11	29
2. MULTIPLE DX	1442	7.8	81	1	2	5	9	15	22	55
A. NOT OPERATED	1257	6.2	46	1	2	5	8	12	16	34
B. OPERATED	331	12.1	170	1	2	8	15	27	42	76
TOTAL 65-69 YRS	316	7.0	71	1	1	5	9	14	17	52
70-74	321	6.9	58	1	1	5	8	14	22	37
75-79	328	8.2	115	1	2	5	9	16	25	73
80-84	259	8.1	81	1	2	6	10	15	19	65
85+	364	7.3	62	1	2	5	9	14	22	52
GRAND TOTAL	**1588**	**7.5**	**77**	**1**	**2**	**5**	**9**	**15**	**22**	**54**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	2.3	2	1	1	2	3	4	5	8
70-74	56	3.4	34	<1	<1	2	3	6	10	39
75-79	33	4.5	99	<1	1	2	4	6	7	59
80-84	36	2.5	4	1	1	2	3	5	6	10
85+	28	4.5	65	1	1	2	4	7	13	44
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79	3	9.3	30	4	4	9	13	15	15	15
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1005	5.9	49	1	1	4	7	12	17	36
70-74	1063	6.2	53	1	2	4	7	12	16	34
75-79	1066	5.8	26	1	2	4	7	11	15	24
80-84	823	6.6	47	1	2	5	8	12	17	37
85+	695	6.3	30	1	2	5	8	12	16	32
B. *Operated*										
65-69 YRS	90	12.8	143	2	3	9	15	26	40	68
70-74	97	11.3	70	1	2	9	15	22	27	39
75-79	70	13.0	239	1	2	8	17	23	34	91
80-84	57	13.7	65	3	5	12	18	25	28	39
85+	48	13.6	205	3	4	10	17	26	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	3.2	33	1	1	2	4	5	7	41
B. *Operated*	6	5.5	30	1	1	3	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	4652	6.2	42	1	2	5	8	12	16	32
B. *Operated*	362	12.7	137	2	3	10	16	24	31	79
1. SINGLE DX	222	3.3	33	1	1	2	4	5	8	41
2. MULTIPLE DX	5014	6.6	51	1	2	5	8	13	18	35
A. NOT OPERATED	4868	6.0	42	1	1	4	7	12	16	32
B. OPERATED	368	12.6	136	1	2	10	16	24	31	78
TOTAL 65-69 YRS	1160	6.3	58	1	1	4	8	13	18	41
70-74	1216	6.5	56	1	1	4	8	13	18	35
75-79	1172	6.2	44	1	2	5	8	13	17	30
80-84	916	6.9	50	1	2	5	8	13	19	37
85+	772	6.7	45	1	2	5	8	13	18	34
GRAND TOTAL	**5236**	**6.5**	**51**	**1**	**1**	**5**	**8**	**13**	**18**	**35**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	1.6	1	<1	1	1	2	3	4	7
70-74	36	1.3	1	<1	<1	1	1	2	3	4
75-79	27	2.0	1	<1	1	2	3	3	4	6
80-84	12	1.8	5	1	1	1	2	4	8	9
85+	13	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	16.0		16	16	16	16	16	16	16
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	221	4.0	31	1	1	2	4	9	14	29
70-74	199	4.5	23	1	1	3	6	10	14	26
75-79	146	3.8	18	1	1	3	4	9	10	21
80-84	115	4.7	55	1	1	3	5	8	14	47
85+	86	4.7	25	1	1	3	6	9	13	28
B. *Operated*										
65-69 YRS	22	10.3	107	2	3	6	11	24	35	45
70-74	15	10.6	120	<1	2	5	17	25	35	38
75-79	11	16.9	453	2	2	9	22	49	72	74
80-84	13	20.2	531	3	5	11	19	67	72	73
85+	4	11.8	210	2	2	6	21	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	1.6	1	<1	1	1	2	3	4	7
B. *Operated*	5	6.4	32	3	3	3	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	767	4.3	29	1	1	3	5	9	13	29
B. *Operated*	65	13.6	258	2	2	9	15	33	50	74
1. SINGLE DX	156	1.8	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	832	5.0	53	1	1	3	5	10	16	36
A. NOT OPERATED	918	3.8	26	1	1	2	4	8	12	27
B. OPERATED	70	13.0	245	2	2	8	15	32	45	74
TOTAL 65-69 YRS	307	4.0	34	1	1	2	4	9	14	29
70-74	251	4.4	29	<1	1	2	5	10	16	29
75-79	186	4.3	49	1	1	2	4	9	12	35
80-84	140	5.9	114	1	1	3	5	11	20	66
85+	104	4.6	30	1	1	3	6	9	13	30
GRAND TOTAL	**988**	**4.5**	**47**	**1**	**1**	**2**	**5**	**9**	**15**	**34**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	2.4	4	1	1	2	3	6	7	10
70-74	77	2.9	5	1	1	2	3	6	8	11
75-79	63	2.6	5	1	1	2	3	6	7	11
80-84	45	3.3	6	1	1	2	5	7	8	12
85+	47	2.7	5	<1	1	2	4	6	7	11
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	5	5.0	19	1	1	4	7	12	12	12
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	937	5.2	27	1	1	4	6	10	15	26
70-74	1093	5.5	21	1	1	4	7	10	14	25
75-79	1043	6.0	35	1	2	5	7	11	15	26
80-84	856	6.3	28	1	2	5	8	12	16	30
85+	759	6.6	41	1	2	5	8	12	17	36
B. *Operated*										
65-69 YRS	150	8.4	65	1	1	7	11	20	27	99
70-74	142	11.6	164	1	1	8	15	31	42	81
75-79	103	11.8	164	1	1	8	17	29	50	99+
80-84	83	11.5	147	1	1	8	15	25	37	66
85+	78	12.1	111	1	2	9	16	25	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	2.8	5	1	1	2	3	6	7	11
B. *Operated*	10	4.5	14	1	1	3	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	4688	5.9	30	1	2	5	7	11	15	27
B. *Operated*	556	10.8	129	1	1	8	14	26	39	97
1. SINGLE DX	321	2.8	5	1	1	2	3	6	8	11
2. MULTIPLE DX	5244	6.4	43	1	1	5	8	12	18	37
A. NOT OPERATED	4999	5.7	29	1	1	4	7	11	15	26
B. OPERATED	566	10.7	127	1	1	8	14	26	39	95
TOTAL 65-69 YRS	1167	5.4	32	1	1	4	7	11	16	31
70-74	1317	6.0	39	1	1	4	7	12	17	34
75-79	1210	6.3	47	1	2	5	8	12	17	39
80-84	985	6.6	39	1	2	5	8	12	17	37
85+	886	6.8	48	1	2	5	8	13	19	39
GRAND TOTAL	**5565**	**6.2**	**41**	**1**	**1**	**5**	**7**	**12**	**17**	**36**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	66	5.2	31	<1	1	3	6	12	20	26
70-74	58	6.5	61	1	1	4	9	15	20	47
75-79	79	7.1	86	1	1	4	8	16	29	47
80-84	53	6.2	35	1	1	4	8	11	16	34
85+	40	4.4	18	1	1	3	5	8	11	25
B. *Operated*										
65-69 YRS	845	7.0	34	1	1	5	10	15	18	26
70-74	902	7.3	45	1	1	5	11	15	19	34
75-79	752	7.1	53	1	1	4	10	15	18	35
80-84	549	6.4	36	1	1	4	9	14	18	28
85+	397	5.7	31	1	1	4	7	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	525	6.4	34	1	1	5	8	13	18	28
70-74	494	6.6	56	1	1	4	8	13	18	43
75-79	470	7.1	48	1	2	5	9	14	19	42
80-84	396	7.5	47	1	2	6	9	15	19	36
85+	351	7.1	43	1	2	6	9	14	18	31
B. *Operated*										
65-69 YRS	4148	10.0	114	1	2	7	13	22	30	60
70-74	4140	10.0	112	1	2	7	13	21	31	58
75-79	3408	10.4	115	1	2	8	14	23	31	59
80-84	2297	10.5	142	1	2	7	14	23	35	71
85+	1704	9.8	110	1	2	7	13	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.0	50	1	1	4	7	12	20	41
B. *Operated*	3445	6.8	41	1	1	5	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	2236	6.9	46	1	1	5	9	14	18	33
B. *Operated*	15697	10.2	117	1	2	7	13	22	31	61
1. SINGLE DX	3741	6.8	42	1	1	5	10	15	18	32
2. MULTIPLE DX	17933	9.7	110	1	2	7	13	21	30	59
A. NOT OPERATED	2532	6.8	46	1	1	5	9	13	18	34
B. OPERATED	19142	9.6	105	1	2	7	13	20	29	56
TOTAL 65-69 YRS	5584	9.2	96	1	1	6	12	19	27	52
70-74	5594	9.2	97	1	2	6	12	20	28	54
75-79	4709	9.5	100	1	2	7	13	20	29	55
80-84	3295	9.4	114	1	2	6	12	20	29	64
85+	2492	8.7	89	1	2	6	11	19	25	49
GRAND TOTAL	**21674**	**9.2**	**99**	**1**	**2**	**6**	**12**	**20**	**28**	**55**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	3.0	3	1	1	3	4	5	6	11
70-74	210	3.1	6	1	1	3	4	6	7	13
75-79	161	3.2	3	1	1	3	4	6	6	8
80-84	87	3.6	5	1	1	3	5	7	7	13
85+	56	3.2	4	1	1	3	4	5	6	12
B. *Operated*										
65-69 YRS	112	3.7	8	1	1	3	5	8	11	12
70-74	88	4.2	10	1	1	3	6	8	9	17
75-79	71	3.8	10	1	1	3	5	9	12	14
80-84	28	3.3	6	1	1	2	5	8	8	9
85+	23	4.7	11	1	1	4	6	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	397	3.8	9	1	1	3	5	7	9	14
70-74	428	4.1	16	1	1	3	5	8	9	18
75-79	379	4.4	32	1	1	3	5	8	10	18
80-84	215	5.0	30	1	1	3	6	9	16	32
85+	131	5.1	34	1	2	4	6	8	11	27
B. *Operated*										
65-69 YRS	426	5.1	37	1	1	3	6	11	17	31
70-74	412	5.1	53	1	1	3	6	11	15	37
75-79	321	5.0	36	1	1	3	6	11	15	28
80-84	210	5.3	55	1	1	3	7	10	13	48
85+	120	5.5	46	1	1	3	7	12	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	3.2	4	1	1	3	4	6	7	11
B. *Operated*	322	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1550	4.3	22	1	1	3	5	8	10	20
B. *Operated*	1489	5.1	44	1	1	3	6	11	16	33
1. SINGLE DX	1066	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX	3039	4.7	33	1	1	3	6	9	13	28
A. NOT OPERATED	2294	3.9	16	1	1	3	5	7	9	17
B. OPERATED	1811	4.9	38	1	1	3	6	10	14	30
TOTAL 65-69 YRS	1165	4.1	19	1	1	3	5	8	11	27
70-74	1138	4.3	27	1	1	3	5	8	12	24
75-79	932	4.4	27	1	1	3	5	8	11	21
80-84	540	4.8	35	1	1	3	6	9	13	31
85+	330	4.9	32	1	1	4	6	9	12	30
GRAND TOTAL	**4105**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	6.8	36	2	3	6	8	12	15	39
70-74	65	7.0	59	2	2	5	8	12	16	47
75-79	38	8.1	29	2	2	7	11	16	19	24
80-84	29	6.9	29	<1	2	5	9	16	19	21
85+	16	6.1	23	1	2	4	9	15	16	16
B. *Operated*										
65-69 YRS	99	10.0	86	1	2	8	12	23	28	48
70-74	67	8.5	53	2	2	5	12	19	26	29
75-79	52	9.7	100	<1	1	7	12	22	34	48
80-84	19	9.6	36	2	3	8	13	17	22	26
85+	14	9.7	47	2	3	7	15	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	449	8.6	46	2	3	7	10	16	23	37
70-74	391	8.9	54	3	3	7	11	16	19	33
75-79	289	9.5	64	3	3	7	12	18	24	51
80-84	175	9.0	48	2	3	8	11	17	22	86
85+	100	9.5	70	2	3	7	11	17	21	52
B. *Operated*										
65-69 YRS	521	15.3	174	2	3	11	21	32	44	68
70-74	475	15.5	190	2	4	11	20	33	45	78
75-79	310	15.7	177	3	4	11	19	33	45	63
80-84	180	18.1	281	3	5	13	23	40	49	91
85+	116	20.2	273	3	5	15	25	45	55	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	7.0	39	2	2	5	9	13	17	42
B. *Operated*	251	9.5	74	1	2	7	12	20	28	45
2. MULTIPLE DX										
A. *Not Operated*	1404	9.0	54	2	3	7	11	17	22	46
B. *Operated*	1602	16.1	200	3	4	12	21	34	46	73
1. SINGLE DX	487	8.3	58	2	2	6	10	17	24	44
2. MULTIPLE DX	3006	12.8	144	2	3	9	15	26	38	68
A. NOT OPERATED	1640	8.7	52	2	3	7	10	16	21	45
B. OPERATED	1853	15.2	188	2	3	11	19	33	45	70
TOTAL 65-69 YRS	1157	11.6	118	2	3	8	14	25	33	59
70-74	998	11.9	131	2	3	8	15	25	34	69
75-79	689	12.2	125	2	3	9	15	26	34	57
80-84	403	13.0	172	2	3	9	15	26	43	87
85+	246	14.3	192	3	3	10	17	32	46	65
GRAND TOTAL	**3493**	**12.1**	**135**	**2**	**3**	**8**	**15**	**25**	**35**	**66**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	4.5	10	1	1	4	6	9	10	15
70-74	86	4.9	19	1	1	4	7	10	12	23
75-79	77	4.7	21	1	1	3	6	10	13	24
80-84	31	5.2	36	1	1	3	7	10	16	31
85+	17	4.1	15	<1	1	3	5	12	13	13
B. *Operated*										
65-69 YRS	176	6.2	45	1	1	4	8	13	20	31
70-74	150	5.9	29	1	1	5	8	14	16	24
75-79	109	4.6	21	1	1	3	7	10	14	22
80-84	52	5.5	29	<1	1	3	9	13	17	25
85+	30	4.7	17	<1	<1	3	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	636	6.0	45	1	1	4	8	11	15	36
70-74	615	5.5	28	1	1	4	7	11	14	22
75-79	549	6.5	63	1	1	4	8	13	16	49
80-84	330	6.7	57	1	1	5	9	14	17	38
85+	244	6.5	38	1	1	5	8	14	19	36
B. *Operated*										
65-69 YRS	1450	8.6	127	1	1	5	11	22	32	69
70-74	1334	8.4	108	1	1	5	11	20	28	58
75-79	1079	8.3	99	1	1	5	11	20	29	50
80-84	616	8.1	93	1	1	5	11	20	27	55
85+	392	9.4	122	1	1	6	13	20	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	4.7	18	1	1	3	6	10	12	22
B. *Operated*	517	5.6	32	1	1	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	2374	6.1	46	1	1	4	8	12	16	36
B. *Operated*	4871	8.5	111	1	1	5	11	21	29	61
1. SINGLE DX	816	5.3	27	1	1	4	7	11	15	25
2. MULTIPLE DX	7245	7.7	91	1	1	5	10	18	25	53
A. NOT OPERATED	2673	6.0	43	1	1	4	8	12	16	34
B. OPERATED	5388	8.2	104	1	1	5	11	20	28	57
TOTAL 65-69 YRS	2350	7.6	96	1	1	4	9	17	26	59
70-74	2185	7.3	79	1	1	5	9	16	23	45
75-79	1814	7.4	81	1	1	4	9	17	25	48
80-84	1029	7.4	77	1	1	5	10	17	23	48
85+	683	8.1	87	1	1	5	11	18	24	51
GRAND TOTAL	**8061**	**7.5**	**85**	**1**	**1**	**5**	**10**	**17**	**24**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	1	<1	<1	2	3	3	3	3
70-74	5	2.2	1	1	1	2	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85+	4	4.3	16	1	1	3	7	10	10	10
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	4.5	13	1	1	3	7	10	10	17
70-74	73	4.0	9	1	1	3	6	8	9	14
75-79	57	3.9	19	1	1	2	6	8	10	27
80-84	40	2.9	6	1	1	2	4	7	8	9
85+	30	3.6	10	1	1	2	6	9	11	11
B. *Operated*										
65-69 YRS	29	7.6	29	2	2	7	10	16	19	21
70-74	22	12.0	207	1	1	8	20	25	45	63
75-79	16	6.4	32	1	1	4	12	15	16	16
80-84	11	9.3	32	3	3	8	12	18	19	19
85+	9	9.1	39	2	2	8	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.5	5	<1	1	2	3	4	8	10
B. *Operated*	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	249	3.9	12	1	1	3	6	9	10	14
B. *Operated*	87	8.9	77	1	2	7	12	19	21	52
1. SINGLE DX	20	2.5	4	<1	1	2	3	4	7	10
2. MULTIPLE DX	336	5.1	33	1	1	3	7	11	15	23
A. NOT OPERATED	266	3.8	11	1	1	3	6	8	10	14
B. OPERATED	90	8.7	76	1	2	7	12	19	21	51
TOTAL 65-69 YRS	83	5.5	20	1	1	4	8	12	16	20
70-74	102	5.6	61	1	1	3	7	11	20	47
75-79	74	4.4	22	1	1	3	6	11	14	25
80-84	54	4.1	17	1	1	3	6	9	12	19
85+	43	4.8	21	1	1	3	7	11	15	18
GRAND TOTAL	**356**	**5.0**	**32**	**1**	**1**	**3**	**7**	**11**	**15**	**22**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	2.4	1	2	2	2	3	4	4	4
1. SINGLE DX	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	5	2.4	1	2	2	2	3	4	4	4
A. NOT OPERATED										
B. OPERATED	9	1.8	1	1	1	2	2	3	4	4
TOTAL 65-69 YRS										
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85+	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**9**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	3	3.0	3	<1	<1	4	4	4	4	4
80-84	2	2.5	1	2	2	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	182	2.6	4	<1	<1	2	3	5	7	11
70-74	150	3.4	17	<1	1	2	4	6	8	13
75-79	107	3.1	9	<1	1	2	4	5	7	18
80-84	65	3.0	4	<1	<1	3	4	6	8	8
85+	50	4.8	18	1	1	3	6	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.5	13	<1	<1	3	4	9	13	13
70-74	5	2.8	9	1	1	2	4	8	8	8
75-79	9	5.7	13	2	2	4	9	11	11	11
80-84	5	13.0	68	1	1	17	19	20	20	20
85+	5	2.0	3	1	1	1	3	5	5	5
B. *Operated*										
65-69 YRS	187	3.8	11	1	1	3	5	7	9	20
70-74	122	4.8	33	1	1	3	5	11	14	33
75-79	115	5.4	48	1	1	3	7	9	14	39
80-84	73	7.6	108	1	2	5	8	17	21	68
85+	62	6.0	23	1	2	5	8	12	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	2	<1	<1	2	4	5	5	5
B. *Operated*	554	3.2	10	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	35	5.1	28	<1	1	3	8	13	18	20
B. *Operated*	559	5.1	39	1	1	3	6	10	15	27
1. SINGLE DX	563	3.2	10	<1	<1	2	4	6	8	15
2. MULTIPLE DX	594	5.1	38	1	1	3	6	10	15	27
A. NOT OPERATED	44	4.6	24	<1	1	3	6	11	18	20
B. OPERATED	1113	4.1	25	<1	1	3	5	8	12	23
TOTAL 65-69 YRS	382	3.2	8	<1	1	2	4	6	8	15
70-74	279	4.0	25	<1	1	3	4	8	12	30
75-79	234	4.4	29	<1	1	3	5	8	12	25
80-84	145	5.6	65	<1	1	3	6	14	18	36
85+	117	5.3	20	1	1	4	7	12	15	21
GRAND TOTAL	**1157**	**4.2**	**25**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79	3	3.3	5	2	2	2	5	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	99	1.7	1	1	1	2	2	2	4	6
70-74	67	1.5	2	1	1	1	2	2	5	7
75-79	85	1.8	2	1	1	2	2	2	3	9
80-84	18	2.0	2	1	1	2	2	3	5	7
85+	10	2.3		2	2	2	2	3	4	4
B. *Operated*										
65-69 YRS	94	3.5	17	<1	<1	2	4	8	14	20
70-74	51	3.2	12	<1	<1	2	4	7	10	19
75-79	18	3.9	14	<1	<1	3	5	10	13	14
80-84	17	4.1	15	<1	<1	3	6	11	12	13
85+	3	1.7	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	3	2	2	2	3	6	6	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	279	1.7	1	1	1	2	2	2	4	7
B. *Operated*	183	3.5	15	<1	<1	2	4	8	12	19
1. SINGLE DX	6	2.7	3	2	2	2	2	6	6	6
2. MULTIPLE DX	462	2.4	7	<1	<1	2	2	5	7	15
A. NOT OPERATED	284	1.8	1	1	1	2	2	2	4	7
B. OPERATED	184	3.5	15	<1	<1	2	4	8	12	19
TOTAL 65-69 YRS	195	2.6	9	<1	<1	2	2	5	8	17
70-74	118	2.2	7	<1	<1	1	2	5	7	16
75-79	107	2.2	4	1	1	2	2	4	6	12
80-84	35	3.0	9	<1	<1	2	3	8	10	13
85+	13	2.2	1	<1	1	2	3	3	4	4
GRAND TOTAL	**468**	**2.4**	**7**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	510	3.3	31	<1	<1	2	3	7	11	30
70-74	401	4.5	58	<1	<1	2	4	13	22	40
75-79	286	4.8	54	<1	<1	2	4	17	25	44
80-84	189	5.5	79	<1	<1	2	7	18	22	62
85+	140	6.0	57	<1	<1	2	8	16	23	38
B. *Operated*										
65-69 YRS	350	5.4	21	<1	1	4	8	11	13	21
70-74	272	5.4	35	<1	<1	4	8	11	13	17
75-79	212	6.5	41	<1	1	6	10	13	14	29
80-84	90	6.1	25	1	1	5	9	12	15	23
85+	42	9.1	216	1	1	7	9	16	39	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14548	4.4	46	1	1	2	5	7	15	37
70-74	11589	5.1	60	1	1	3	5	11	21	43
75-79	6661	6.6	85	1	1	3	6	18	26	46
80-84	2934	9.0	129	1	1	4	12	25	34	56
85+	1682	10.4	129	1	1	6	16	25	34	74
B. *Operated*										
65-69 YRS	3473	6.7	71	1	1	4	8	14	20	45
70-74	2912	7.3	88	1	1	4	9	15	24	54
75-79	1970	7.8	104	1	1	4	10	17	27	55
80-84	1057	8.0	105	1	1	4	11	18	26	57
85+	522	7.8	102	1	1	4	10	20	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1526	4.4	51	<1	<1	2	4	12	20	38
B. *Operated*	966	5.9	39	<1	1	5	9	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	37414	5.6	71	1	1	3	5	14	23	45
B. *Operated*	9934	7.3	88	1	1	4	9	15	24	53
1. SINGLE DX	2492	5.0	47	<1	<1	2	7	12	17	33
2. MULTIPLE DX	47348	6.0	75	1	1	3	6	15	23	46
A. NOT OPERATED	38940	5.6	70	1	1	3	5	14	23	45
B. OPERATED	10900	7.2	84	1	1	4	9	15	23	52
TOTAL 65-69 YRS	18881	4.8	51	1	1	3	5	10	16	39
70-74	15174	5.5	66	1	1	3	5	12	21	44
75-79	9129	6.8	88	1	1	3	7	18	26	49
80-84	4270	8.5	120	1	1	4	11	23	32	56
85+	2386	9.5	122	1	1	5	14	24	33	74
GRAND TOTAL	**49840**	**5.9**	**73**	**1**	**1**	**3**	**6**	**14**	**23**	**46**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61350	5.3	23	1	1	4	7	11	14	22
70-74	51615	5.5	27	1	1	4	8	12	15	24
75-79	38101	5.9	33	1	1	4	8	12	16	26
80-84	23547	6.2	37	1	1	4	9	13	17	28
85+	16862	6.8	42	1	1	5	10	14	18	30
2. MULTIPLE DX										
65-69 YRS	344066	8.8	73	1	2	7	11	17	24	46
70-74	348109	9.3	78	2	2	7	12	18	25	48
75-79	300823	9.8	85	2	2	7	12	19	26	52
80-84	218915	10.4	93	2	3	8	13	21	28	57
85+	183392	10.9	97	2	3	8	14	21	29	63
TOT. SINGLE DX	191475	5.7	30	1	1	4	8	12	15	25
" MULTIPLE DX	1395305	9.6	84	2	2	7	12	19	26	52
TOTAL 65-69 YRS	405416	8.2	67	1	2	6	10	16	22	44
70-74	399724	8.8	73	1	2	7	11	18	24	46
75-79	338924	9.4	81	1	2	7	12	19	25	50
80-84	242462	10.0	89	2	2	8	13	20	27	55
85+	200254	10.6	94	2	2	8	13	21	28	60
GRAND TOTAL	**1586780**	**9.2**	**79**	**1**	**2**	**7**	**12**	**18**	**25**	**49**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	203	12.3	70	3	5	10	15	25	29	44
70-74	170	12.6	97	4	5	10	14	23	30	58
75-79	120	13.5	123	3	4	10	16	25	32	65
80-84	75	12.7	155	3	5	10	15	21	29	85
85+	25	13.4	53	3	6	11	17	23	28	31
2. MULTIPLE DX										
65-69 YRS	787	19.2	212	5	7	15	24	40	55	99+
70-74	718	20.8	232	5	7	17	26	43	59	99+
75-79	581	20.7	200	5	7	18	27	42	53	99+
80-84	366	20.6	222	5	7	17	26	39	55	99
85+	203	19.8	204	5	7	17	26	43	63	99+
TOT. SINGLE DX	593	12.7	98	4	5	10	15	24	30	54
" MULTIPLE DX	2655	20.2	217	5	7	16	26	41	56	99+
TOTAL 65-69 YRS	990	17.8	191	5	6	14	22	35	50	99+
70-74	888	19.2	217	5	6	15	25	40	55	96
75-79	701	19.4	195	5	6	16	25	39	51	97
80-84	441	19.3	220	5	7	15	24	37	52	99
85+	228	19.1	192	5	7	16	25	40	62	99+
GRAND TOTAL	**3248**	**18.8**	**203**	**5**	**6**	**15**	**24**	**38**	**53**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	40	11.6	92	3	5	9	12	22	31	54
70-74	47	12.4	105	4	7	10	14	19	25	73
75-79	30	17.2	208	3	5	13	20	36	54	63
80-84	19	10.0	19	4	5	10	13	17	19	19
85+	11	12.0	71	2	3	10	19	25	27	27
2. MULTIPLE DX										
65-69 YRS	191	21.5	235	7	8	17	29	42	63	99+
70-74	181	22.1	311	5	7	17	28	48	66	98
75-79	137	21.5	288	6	7	16	26	49	67	99+
80-84	116	23.0	277	7	9	17	28	45	57	84
85+	79	21.7	228	8	9	18	25	47	65	91
TOT. SINGLE DX	147	12.8	112	3	5	10	14	23	29	63
" MULTIPLE DX	704	21.9	270	6	8	17	28	46	64	99+
TOTAL 65-69 YRS	231	19.7	224	6	7	15	25	41	60	99+
70-74	228	20.1	284	5	7	15	25	42	62	96
75-79	167	20.7	276	5	7	16	25	48	64	99
80-84	135	21.1	261	5	7	16	27	42	55	81
85+	90	20.5	218	4	8	17	24	42	64	88
GRAND TOTAL	**851**	**20.3**	**255**	**5**	**7**	**16**	**25**	**42**	**62**	**99**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	5.8	10	2	3	6	6	9	14	16
70-74	6	7.3	50	2	2	5	8	20	21	21
75-79	3	7.0	16	3	3	7	10	11	11	11
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	34	11.8	67	3	4	9	15	22	31	38
70-74	28	11.5	140	4	4	7	12	26	34	60
75-79	11	25.1	596	6	7	17	31	60	88	91
80-84	6	20.7	408	4	4	14	22	56	60	60
85+	6	9.8	59	4	4	7	10	23	25	25
TOT. SINGLE DX	25	6.2	19	2	2	6	7	11	17	21
" MULTIPLE DX	85	13.9	195	4	4	9	16	28	38	80
TOTAL 65-69 YRS	49	9.9	57	3	3	8	13	20	24	38
70-74	34	10.8	125	3	4	7	12	22	30	60
75-79	14	21.2	521	4	6	11	27	44	81	91
80-84	7	18.0	390	2	2	13	20	52	60	60
85+	6	9.8	59	4	4	7	10	23	25	25
GRAND TOTAL	**110**	**12.1**	**165**	**3**	**3**	**8**	**14**	**25**	**33**	**73**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	8.6	27	3	3	7	11	15	20	24
70-74	54	10.8	39	4	5	9	13	17	23	35
75-79	41	11.5	37	5	6	10	14	21	23	31
80-84	15	10.7	49	2	3	8	15	23	25	26
85+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	158	21.3	280	5	6	15	29	46	55	84
70-74	199	19.2	219	5	6	16	24	40	57	99+
75-79	210	19.6	201	5	7	16	25	35	46	97
80-84	96	24.3	376	7	8	18	32	63	81	99+
85+	41	20.6	164	5	7	18	30	43	77	99+
TOT. SINGLE DX	136	10.6	38	3	4	9	13	19	23	33
" MULTIPLE DX	704	20.6	247	5	7	16	28	42	62	99+
TOTAL 65-69 YRS	182	19.7	266	4	5	14	25	46	52	83
70-74	253	17.4	193	5	6	14	21	36	53	99+
75-79	251	18.3	183	5	7	15	23	32	42	96
80-84	111	22.4	353	5	7	16	29	54	80	99+
85+	43	20.1	162	6	7	18	30	41	74	99+
GRAND TOTAL	**840**	**19.0**	**227**	**5**	**6**	**15**	**24**	**38**	**55**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	8.9	31	1	2	8	13	16	18	19
70-74	14	6.6	36	<1	1	5	9	16	18	19
75-79	13	10.8	56	2	2	10	16	22	23	23
80-84	5	6.6	8	4	4	5	9	11	11	11
85+	5	11.4	30	5	5	11	14	20	20	20
2. MULTIPLE DX										
65-69 YRS	132	18.7	354	2	3	13	24	42	60	98
70-74	111	17.1	260	1	3	13	26	38	63	99+
75-79	97	18.8	197	3	5	15	26	40	59	99+
80-84	38	16.4	117	3	4	15	24	35	43	99+
85+	29	16.7	278	4	5	13	20	36	90	99+
TOT. SINGLE DX	52	8.8	38	1	2	7	14	18	20	23
" MULTIPLE DX	407	17.9	262	2	3	14	25	40	61	99+
TOTAL 65-69 YRS	147	17.7	330	2	3	12	23	41	58	98
70-74	125	16.0	246	1	2	11	24	37	62	99+
75-79	110	17.8	186	3	4	15	24	37	49	99+
80-84	43	15.3	114	3	4	13	23	32	43	99+
85+	34	15.9	244	4	5	12	20	30	78	99+
GRAND TOTAL	**459**	**16.9**	**245**	**2**	**3**	**13**	**23**	**38**	**51**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	396	9.2	36	4	5	8	10	14	19	28
70-74	331	9.0	17	4	5	8	11	15	17	23
75-79	186	10.6	27	5	5	9	13	16	19	30
80-84	68	11.3	42	4	6	10	12	19	27	36
85+	26	13.4	37	7	8	12	16	20	25	35
2. MULTIPLE DX										
65-69 YRS	1306	13.7	107	5	6	10	16	25	33	60
70-74	1228	14.8	116	5	6	12	18	28	37	66
75-79	790	15.8	112	6	7	13	19	30	37	64
80-84	347	18.0	135	6	8	15	23	32	37	77
85+	89	19.9	128	8	9	17	25	34	46	56
TOT. SINGLE DX	1007	9.6	30	4	5	8	12	16	19	28
" MULTIPLE DX	3760	15.0	117	5	6	12	18	28	36	63
TOTAL 65-69 YRS	1702	12.7	95	4	5	10	14	23	30	58
70-74	1559	13.6	101	5	6	10	16	25	34	58
75-79	976	14.8	101	5	6	12	18	28	35	58
80-84	415	16.9	126	6	7	13	21	31	37	70
85+	115	18.4	114	7	8	15	22	32	43	55
GRAND TOTAL	**4767**	**13.9**	**103**	**5**	**6**	**11**	**16**	**26**	**34**	**59**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	6.4	35	1	1	4	8	16	17	30
70-74	40	9.2	77	1	2	7	11	20	31	39
75-79	21	9.1	131	<1	1	5	13	21	37	49
80-84	14	8.9	120	1	1	4	14	24	35	38
85+	6	6.8	22	2	2	5	11	14	14	14
2. MULTIPLE DX										
65-69 YRS	253	16.0	180	2	4	13	21	31	45	67
70-74	203	17.2	234	2	3	12	24	37	48	71
75-79	123	15.1	147	2	3	13	20	33	45	70
80-84	50	17.6	179	1	3	15	27	40	46	99+
85+	32	17.2	159	2	4	12	23	39	43	52
TOT. SINGLE DX	146	7.8	68	1	1	5	10	17	23	40
" MULTIPLE DX	661	16.4	189	2	3	13	22	35	45	70
TOTAL 65-69 YRS	318	14.1	166	1	2	11	19	27	39	66
70-74	243	15.9	217	2	3	11	22	36	44	71
75-79	144	14.2	149	1	2	13	19	33	45	61
80-84	64	15.7	178	1	2	13	24	38	43	93
85+	38	15.6	151	2	3	12	22	35	42	52
GRAND TOTAL	**807**	**14.8**	**178**	**2**	**2**	**11**	**20**	**33**	**42**	**66**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	133	2.9	9	<1	<1	2	3	6	8	17
70-74	105	3.4	13	<1	<1	2	4	7	11	19
75-79	52	3.4	13	1	1	2	4	8	10	22
80-84	32	2.8	4	1	1	2	4	5	6	11
85+	20	3.2	4	1	1	3	4	5	8	11
2. MULTIPLE DX										
65-69 YRS	208	6.8	100	1	1	3	8	13	26	48
70-74	174	7.7	126	1	1	4	9	23	28	94
75-79	99	7.2	55	1	1	4	10	18	23	35
80-84	63	6.9	59	1	1	3	9	16	24	36
85+	21	7.3	45	2	2	4	11	18	23	24
TOT. SINGLE DX	342	3.2	10	<1	1	2	4	7	9	16
" MULTIPLE DX	565	7.2	93	1	1	3	9	17	26	65
TOTAL 65-69 YRS	341	5.3	68	<1	1	3	6	10	17	40
70-74	279	6.1	88	<1	1	3	7	14	25	76
75-79	151	5.9	44	1	1	3	8	15	22	29
80-84	95	5.5	44	1	1	3	6	13	17	36
85+	41	5.3	29	1	2	3	6	12	18	24
GRAND TOTAL	**907**	**5.7**	**66**	**1**	**1**	**3**	**7**	**13**	**22**	**39**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	2.3	4	<1	<1	2	2	4	7	13
70-74	314	2.0	2	<1	<1	2	2	3	5	9
75-79	213	1.9	3	<1	<1	1	2	3	5	11
80-84	121	2.1	2	<1	<1	2	2	4	6	9
85+	67	1.9	1	<1	<1	1	2	4	4	5
2. MULTIPLE DX										
65-69 YRS	622	3.7	17	<1	1	2	4	8	12	21
70-74	499	3.9	40	<1	1	2	4	9	12	26
75-79	404	4.0	27	<1	1	2	4	9	13	36
80-84	198	5.2	57	<1	1	2	6	13	20	40
85+	110	4.8	35	1	1	3	5	12	17	28
TOT. SINGLE DX	1072	2.1	3	<1	<1	2	2	4	6	11
" MULTIPLE DX	1833	4.0	31	<1	1	2	4	9	14	28
TOTAL 65-69 YRS	979	3.2	13	<1	1	2	3	7	10	18
70-74	813	3.1	27	<1	<1	2	3	7	10	21
75-79	617	3.3	20	<1	<1	2	3	7	11	24
80-84	319	4.0	39	<1	<1	2	4	9	14	30
85+	177	3.7	24	<1	<1	2	3	9	15	27
GRAND TOTAL	**2905**	**3.3**	**22**	**<1**	**<1**	**2**	**3**	**7**	**11**	**23**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	10.6	259	2	3	6	10	15	48	77
70-74	6	6.8	23	1	1	6	8	14	15	15
75-79	16	11.3	39	5	5	9	15	22	25	26
80-84	7	6.7	20	1	1	7	11	12	12	12
85+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	127	10.2	54	3	4	8	12	21	23	40
70-74	147	12.4	61	4	5	11	15	23	28	40
75-79	118	13.4	85	4	5	11	17	23	31	51
80-84	81	16.3	190	6	6	12	19	35	47	71
85+	34	16.1	219	5	8	12	19	33	76	99+
TOT. SINGLE DX	51	9.6	119	2	3	8	10	17	22	76
" MULTIPLE DX	507	12.9	100	4	5	10	15	23	33	61
TOTAL 65-69 YRS	147	10.3	81	3	4	8	12	20	23	57
70-74	153	12.2	61	4	5	10	15	22	28	40
75-79	134	13.1	80	5	5	11	17	23	30	49
80-84	88	15.6	183	5	6	11	18	32	45	70
85+	36	15.5	212	4	7	12	18	31	71	99+
GRAND TOTAL	**558**	**12.6**	**102**	**4**	**5**	**10**	**15**	**22**	**32**	**62**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	7.1	43	<1	<1	6	10	17	19	19
70-74	5	4.4	16	1	1	3	6	11	11	11
75-79	13	2.8	4	<1	<1	2	4	6	6	6
80-84	3	9.0	19	4	4	11	12	12	12	12
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	87	8.7	125	1	1	6	11	18	22	71
70-74	93	8.3	43	2	2	7	10	17	23	31
75-79	47	10.3	70	1	2	9	14	19	22	51
80-84	37	9.7	66	1	2	7	15	22	24	34
85+	23	11.7	180	1	2	8	15	29	41	60
TOT. SINGLE DX	33	4.8	23	<1	<1	3	7	11	15	19
" MULTIPLE DX	287	9.2	86	1	2	7	12	18	24	48
TOTAL 65-69 YRS	97	8.6	117	1	1	6	11	18	20	66
70-74	98	8.1	43	2	2	7	10	17	23	31
75-79	60	8.7	65	<1	1	7	11	18	21	48
80-84	40	9.6	62	1	2	7	14	21	24	34
85+	25	10.9	174	1	2	5	14	28	38	60
GRAND TOTAL	**320**	**8.7**	**82**	**1**	**1**	**6**	**11**	**18**	**23**	**45**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	3.7	2	1	2	4	4	5	6	10
70-74	214	3.7	2	2	2	4	4	5	7	9
75-79	147	4.1	2	2	2	4	5	7	7	9
80-84	41	5.2	29	1	1	4	6	8	15	33
85+	21	5.6	11	2	2	4	7	11	13	14
2. MULTIPLE DX										
65-69 YRS	614	6.2	52	2	2	4	6	11	17	38
70-74	484	6.5	32	2	3	5	7	13	17	39
75-79	309	7.6	71	2	3	5	8	18	24	67
80-84	134	10.7	108	3	4	7	14	24	33	99+
85+	49	12.9	99	3	4	9	17	27	32	48
TOT. SINGLE DX	780	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	1590	7.2	59	2	3	5	8	15	22	43
TOTAL 65-69 YRS	971	5.3	36	2	2	4	5	9	13	31
70-74	698	5.6	25	2	2	4	6	10	14	25
75-79	456	6.5	52	2	2	4	7	12	20	42
80-84	175	9.4	96	2	3	6	11	23	28	94
85+	70	10.7	84	3	3	7	14	24	31	46
GRAND TOTAL	**2370**	**6.1**	**43**	**2**	**2**	**4**	**6**	**11**	**18**	**39**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	4.2	5	1	2	3	5	8	9	10
70-74	41	4.5	6	1	1	4	6	8	9	11
75-79	25	4.1	5	1	2	4	5	8	9	11
80-84	13	6.5	67	2	2	4	6	17	29	32
85+	5	3.6	3	1	1	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	287	7.1	54	2	2	5	8	15	19	36
70-74	259	9.5	117	2	3	6	10	20	31	72
75-79	161	8.9	86	2	3	5	11	18	24	46
80-84	84	11.1	120	3	3	6	16	25	36	89
85+	39	10.8	65	2	2	10	15	21	23	40
TOT. SINGLE DX	142	4.5	11	1	2	4	5	8	9	15
" MULTIPLE DX	830	8.8	89	2	3	5	10	19	27	58
TOTAL 65-69 YRS	345	6.6	47	2	2	5	7	13	17	34
70-74	300	8.8	106	2	3	6	9	18	30	66
75-79	186	8.2	78	2	3	5	10	18	23	42
80-84	97	10.5	115	3	3	6	16	25	34	85
85+	44	10.0	63	2	2	7	13	21	22	40
GRAND TOTAL	**972**	**8.1**	**80**	**2**	**3**	**5**	**9**	**17**	**25**	**57**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	10.3	23	4	6	9	13	18	20	20
70-74	21	9.3	35	2	3	9	11	16	22	29
75-79	13	8.2	20	2	4	8	9	12	19	21
80-84	3	10.7	30	7	7	8	15	17	17	17
85+	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	141	15.0	142	3	5	13	18	28	38	64
70-74	103	14.0	147	3	5	11	17	26	37	70
75-79	62	17.1	178	6	7	13	19	38	46	71
80-84	13	11.9	59	3	4	10	14	25	28	29
85+	3	16.0	61	7	7	20	21	21	21	21
TOT. SINGLE DX	67	9.6	26	2	5	9	11	17	20	28
" MULTIPLE DX	322	15.0	147	3	5	12	18	28	39	66
TOTAL 65-69 YRS	169	14.2	125	3	5	12	17	27	34	62
70-74	124	13.2	131	3	5	10	16	24	32	59
75-79	75	15.6	162	5	6	12	18	30	43	69
80-84	16	11.7	52	4	5	10	15	23	27	29
85+	5	13.8	43	7	7	13	20	21	21	21
GRAND TOTAL	**389**	**14.0**	**130**	**3**	**5**	**11**	**17**	**26**	**36**	**62**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	1.7	1	<1	<1	1	2	3	5	5
70-74	41	1.9	2	<1	<1	1	2	3	4	11
75-79	41	2.2	2	<1	<1	2	2	4	7	8
80-84	33	1.8	1	<1	<1	2	2	3	5	6
85+	22	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
65-69 YRS	81	3.6	28	<1	1	2	4	8	12	34
70-74	97	5.1	52	<1	1	2	6	12	18	41
75-79	88	5.3	69	1	1	2	6	12	18	52
80-84	73	7.2	173	<1	1	3	8	15	26	84
85+	79	5.8	114	1	1	2	7	11	18	70
TOT. SINGLE DX	167	1.9	2	<1	<1	2	2	3	5	9
" MULTIPLE DX	416	5.3	84	<1	1	2	6	12	18	49
TOTAL 65-69 YRS	111	3.1	22	<1	<1	2	3	6	10	26
70-74	138	4.1	40	<1	<1	2	4	9	14	34
75-79	129	4.3	50	<1	1	2	5	8	15	39
80-84	106	5.5	126	<1	<1	2	5	11	17	69
85+	101	5.0	92	<1	1	2	5	10	17	56
GRAND TOTAL	585	4.4	63	<1	<1	2	4	9	15	40

518: Miscellaneous operations on eyelid (08.0; 08.3-08.9; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	89	1.8	2	<1	<1	1	2	3	3	11
70-74	91	1.6	1	<1	<1	1	2	2	4	7
75-79	77	1.6	1	<1	<1	1	2	2	4	7
80-84	63	1.6		<1	<1	2	2	2	3	4
85+	37	1.6	1	<1	<1	1	2	2	5	7
2. MULTIPLE DX										
65-69 YRS	343	4.3	75	<1	1	2	4	8	17	52
70-74	325	4.4	28	1	1	2	5	11	16	26
75-79	319	4.8	51	1	1	2	5	11	15	32
80-84	248	6.4	82	1	1	3	7	16	28	47
85+	223	6.9	86	1	1	3	8	17	27	69
TOT. SINGLE DX	357	1.7	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	1458	5.2	63	1	1	2	5	12	18	47
TOTAL 65-69 YRS	432	3.8	61	<1	<1	2	3	7	13	47
70-74	416	3.8	23	<1	1	2	4	9	14	25
75-79	396	4.2	43	<1	1	2	4	9	14	30
80-84	311	5.4	69	<1	1	2	5	13	23	47
85+	260	6.1	78	<1	1	3	8	14	24	59
GRAND TOTAL	1815	4.5	53	<1	1	2	4	10	17	43

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	1.6		1	1	2	2	3	3	3
70-74	55	1.9		1	1	2	2	3	3	5
75-79	42	1.7		<1	1	2	2	3	3	3
80-84	25	1.9	1	<1	1	2	2	3	4	6
85+	17	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
65-69 YRS	80	2.0	1	1	1	2	2	3	4	8
70-74	104	2.3	4	1	1	2	2	4	6	12
75-79	100	2.5	4	1	1	2	3	5	7	13
80-84	83	2.4	3	1	1	2	3	3	6	11
85+	50	3.0	12	1	1	2	3	6	12	20
TOT. SINGLE DX	189	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	417	2.4	5	1	1	2	3	4	6	13
TOTAL 65-69 YRS	130	1.9	1	1	1	2	2	3	4	6
70-74	159	2.2	3	1	1	2	2	3	4	10
75-79	142	2.2	4	1	1	2	2	3	6	13
80-84	108	2.3	3	1	1	2	3	3	5	11
85+	67	2.7	10	1	1	2	3	4	9	19
GRAND TOTAL	606	2.2	3	1	1	2	2	3	4	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	3.0	6	<1	<1	2	4	7	8	8
70-74	6	2.2	3	<1	<1	1	2	6	6	6
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	5	8.0	48	2	2	6	13	18	18	18
2. MULTIPLE DX										
65-69 YRS	12	3.8	8	1	1	3	5	8	11	11
70-74	17	5.2	42	<1	1	3	6	10	22	28
75-79	13	5.2	60	<1	1	2	5	13	27	30
80-84	11	3.3	13	1	1	2	4	9	13	13
85+	11	5.5	46	1	1	2	6	17	22	23
TOT. SINGLE DX	24	3.9	17	<1	<1	2	5	8	14	18
" MULTIPLE DX	64	4.7	34	1	1	3	5	10	16	30
TOTAL 65-69 YRS	19	3.5	7	<1	1	3	4	8	10	11
70-74	23	4.4	34	<1	<1	2	6	10	16	28
75-79	15	4.9	53	<1	1	2	5	9	25	30
80-84	15	3.3	11	1	1	2	4	7	11	13
85+	16	6.3	46	1	1	4	9	17	21	23
GRAND TOTAL	88	4.4	29	<1	1	2	5	10	14	29

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	123	2.5	2	1	1	2	3	4	5	9
70-74	135	2.4	2	1	1	2	3	4	5	8
75-79	158	2.4	1	1	1	2	3	4	5	7
80-84	133	2.5	1	1	1	2	3	4	5	7
85+	72	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	312	3.1	3	1	1	3	4	5	6	11
70-74	501	3.1	5	1	1	3	4	5	6	13
75-79	505	3.4	8	1	1	3	4	6	8	15
80-84	374	3.3	14	1	1	3	4	5	7	24
85+	219	3.1	4	1	1	3	4	5	7	11
TOT. SINGLE DX	621	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	1911	3.2	8	1	1	3	4	5	7	13
TOTAL 65-69 YRS	435	2.9	4	1	1	3	4	5	6	11
70-74	636	2.9	5	1	1	3	4	5	6	11
75-79	663	3.2	7	1	1	3	4	5	7	12
80-84	507	3.1	11	1	1	3	4	5	6	17
85+	291	3.0	4	1	1	3	4	5	7	11
GRAND TOTAL	**2532**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	2.1	6	<1	<1	1	2	4	10	11
70-74	38	2.2	4	<1	<1	1	2	6	7	9
75-79	28	2.0	2	<1	<1	1	2	4	6	6
80-84	18	1.3		<1	<1	1	2	2	3	3
85+	10	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	62	3.4	10	<1	1	2	5	7	10	17
70-74	62	5.2	113	<1	1	3	5	8	12	75
75-79	88	3.8	23	<1	1	2	4	10	12	27
80-84	51	3.1	7	1	1	2	4	7	9	14
85+	40	4.1	20	1	1	3	4	8	11	27
TOT. SINGLE DX	127	2.0	3	<1	<1	1	2	4	6	11
" MULTIPLE DX	303	3.9	36	1	1	2	4	8	12	26
TOTAL 65-69 YRS	95	3.0	10	<1	1	2	4	7	10	16
70-74	100	4.0	74	<1	<1	2	5	8	9	54
75-79	116	3.3	19	<1	1	2	3	9	12	24
80-84	69	2.7	6	<1	<1	2	3	7	8	13
85+	50	3.7	17	1	1	3	4	7	9	27
GRAND TOTAL	**430**	**3.4**	**27**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	123	2.6	4	<1	1	2	3	4	6	12
70-74	142	2.4	3	<1	1	2	3	4	6	10
75-79	135	2.3	1	1	1	2	3	4	5	7
80-84	54	2.4	3	<1	1	2	3	4	7	11
85+	37	2.5	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
65-69 YRS	284	3.5	7	1	1	3	4	7	8	16
70-74	321	3.8	14	1	1	3	4	8	10	20
75-79	301	3.6	18	1	1	3	4	6	9	23
80-84	190	4.1	20	1	1	3	4	8	12	31
85+	133	3.8	27	1	1	2	4	7	11	22
TOT. SINGLE DX	491	2.4	3	<1	1	2	3	4	6	10
" MULTIPLE DX	1229	3.7	16	1	1	3	4	7	10	21
TOTAL 65-69 YRS	407	3.2	7	1	1	2	4	6	8	15
70-74	463	3.4	12	1	1	2	4	7	9	17
75-79	436	3.2	14	1	1	2	4	6	8	19
80-84	244	3.7	17	1	1	2	4	7	11	30
85+	170	3.5	22	1	1	2	4	6	10	16
GRAND TOTAL	**1720**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	64	2.5	5	1	1	2	3	4	7	15
70-74	56	2.1	3	<1	<1	2	2	4	6	9
75-79	53	2.6	3	1	1	2	3	6	7	10
80-84	40	3.1	21	<1	1	2	3	5	9	29
85+	31	2.7	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
65-69 YRS	148	4.0	32	1	1	2	4	9	15	25
70-74	180	4.8	40	1	1	3	6	10	15	28
75-79	183	3.9	24	1	1	3	5	8	9	26
80-84	129	4.2	24	1	1	2	5	10	13	32
85+	103	4.7	50	1	1	3	6	9	13	42
TOT. SINGLE DX	244	2.6	7	<1	1	2	3	5	7	12
" MULTIPLE DX	743	4.3	34	1	1	3	5	9	13	28
TOTAL 65-69 YRS	212	3.6	25	1	1	2	4	7	12	24
70-74	236	4.1	33	1	1	3	5	8	12	22
75-79	236	3.6	20	1	1	2	4	7	9	24
80-84	169	3.9	24	1	1	2	4	9	12	31
85+	134	4.2	41	1	1	2	5	9	13	30
GRAND TOTAL	**987**	**3.9**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**24**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	670	1.8		<1	<1	2	2	2	3	4
70-74	882	1.9	1	<1	<1	2	2	3	3	4
75-79	921	1.9		<1	<1	2	2	3	3	4
80-84	765	1.9		<1	1	2	2	3	3	4
85+	616	1.9		<1	1	2	2	3	3	4
2. MULTIPLE DX										
65-69 YRS	1040	2.6	12	1	1	2	2	3	5	14
70-74	1484	2.6	11	1	1	2	3	4	6	15
75-79	1665	2.6	11	1	1	2	2	3	5	15
80-84	1350	2.9	22	1	1	2	3	4	7	24
85+	1131	3.0	27	1	1	2	3	4	7	22
TOT. SINGLE DX	3854	1.9	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	6670	2.7	17	1	1	2	2	4	6	18
TOTAL 65-69 YRS	1710	2.3	8	<1	1	2	2	3	4	12
70-74	2366	2.3	8	<1	1	2	2	3	4	13
75-79	2586	2.3	8	<1	1	2	2	3	4	11
80-84	2115	2.5	15	1	1	2	2	3	5	16
85+	1747	2.6	19	1	1	2	2	3	5	19
GRAND TOTAL	**10524**	**2.4**	**11**	**<1**	**1**	**2**	**2**	**3**	**4**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1908	1.7		<1	<1	2	2	2	2	4
70-74	2705	1.7		<1	<1	2	2	2	2	3
75-79	2803	1.7		<1	<1	2	2	2	2	3
80-84	2298	1.7		<1	<1	2	2	2	3	4
85+	1683	1.8	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
65-69 YRS	3138	2.3	6	<1	1	2	2	3	5	13
70-74	4149	2.2	7	<1	1	2	2	3	4	12
75-79	4685	2.3	9	<1	1	2	2	3	4	12
80-84	3843	2.3	9	<1	1	2	2	3	4	13
85+	2989	2.4	13	<1	1	2	2	3	5	15
TOT. SINGLE DX	11397	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	18804	2.3	9	<1	1	2	2	3	4	13
TOTAL 65-69 YRS	5046	2.1	5	<1	<1	2	2	3	4	10
70-74	6854	2.0	5	<1	<1	2	2	3	3	9
75-79	7488	2.0	6	<1	<1	2	2	3	3	10
80-84	6141	2.1	6	<1	<1	2	2	3	4	10
85+	4672	2.2	9	<1	1	2	2	3	4	13
GRAND TOTAL	**30201**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	190	1.6		<1	<1	2	2	2	3	4
70-74	244	1.8	1	<1	<1	2	2	2	3	7
75-79	218	1.7		<1	<1	2	2	2	3	4
80-84	142	1.8	1	<1	<1	2	2	2	3	5
85+	101	1.7		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
65-69 YRS	270	2.1	1	<1	<1	2	2	3	4	7
70-74	305	2.2	3	<1	1	2	2	3	4	8
75-79	329	2.6	9	1	1	2	2	4	8	19
80-84	268	2.4	8	<1	1	2	2	3	5	18
85+	146	2.4	6	1	1	2	2	3	7	19
TOT. SINGLE DX	895	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	1318	2.3	6	<1	1	2	2	3	5	15
TOTAL 65-69 YRS	460	1.9	1	<1	<1	2	2	3	4	6
70-74	549	2.0	3	<1	<1	2	2	3	3	8
75-79	547	2.2	6	<1	<1	2	2	3	5	15
80-84	410	2.2	6	<1	<1	2	2	3	4	14
85+	247	2.1	4	<1	1	2	2	3	5	15
GRAND TOTAL	**2213**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	542	3.3	3	1	1	3	4	6	7	9
70-74	382	3.2	6	1	1	3	4	5	6	9
75-79	242	3.4	2	1	1	3	4	6	6	9
80-84	111	3.1	2	1	1	3	4	5	6	7
85+	47	3.5	3	1	2	3	4	5	6	12
2. MULTIPLE DX										
65-69 YRS	1032	3.9	5	1	2	3	5	6	8	13
70-74	930	4.0	5	1	2	3	5	7	8	14
75-79	606	4.1	6	1	2	4	5	7	9	14
80-84	299	4.0	6	1	2	3	5	7	9	14
85+	128	4.2	6	1	2	4	5	8	9	14
TOT. SINGLE DX	1324	3.3	4	1	1	3	4	5	6	9
" MULTIPLE DX	2995	4.0	6	1	2	3	5	7	8	13
TOTAL 65-69 YRS	1574	3.6	5	1	2	3	4	6	8	12
70-74	1312	3.8	6	1	2	3	5	6	8	13
75-79	848	3.9	5	1	2	3	5	6	8	13
80-84	410	3.8	5	1	2	3	5	6	8	13
85+	175	4.0	6	1	2	3	5	7	9	13
GRAND TOTAL	**4319**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	2.9	3	<1	1	2	4	5	7	10
70-74	114	2.8	3	<1	1	2	3	5	6	9
75-79	99	3.0	6	<1	<1	2	3	5	9	15
80-84	49	3.0	6	<1	<1	2	3	7	8	12
85+	47	3.1	4	<1	<1	3	4	6	7	11
2. MULTIPLE DX										
65-69 YRS	455	3.7	8	1	1	3	4	7	9	16
70-74	455	4.0	14	1	1	3	5	8	10	17
75-79	397	4.2	22	1	1	3	5	8	12	24
80-84	217	4.1	30	1	1	3	4	7	12	19
85+	144	4.0	17	1	1	3	5	8	10	26
TOT. SINGLE DX	394	2.9	5	<1	1	2	3	5	8	11
" MULTIPLE DX	1668	4.0	17	1	1	3	5	8	11	18
TOTAL 65-69 YRS	540	3.6	8	1	1	3	4	7	9	14
70-74	569	3.8	12	1	1	3	4	7	9	16
75-79	496	3.9	20	1	1	3	5	8	11	18
80-84	266	3.9	26	1	1	3	4	7	11	18
85+	191	3.8	14	<1	1	3	5	7	8	22
GRAND TOTAL	**2062**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**16**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.5		<1	<1	1	2	2	2	2
70-74	14	1.6		<1	1	2	2	2	3	3
75-79	7	1.6		<1	<1	1	2	3	3	3
80-84	3	1.7		1	1	2	2	2	2	2
85+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	33	1.7		1	1	2	2	2	3	3
70-74	37	1.8	1	<1	1	2	2	3	3	7
75-79	17	2.2	1	1	1	2	3	4	5	5
80-84	6	2.8	9	1	1	2	2	8	9	9
85+	5	2.0		1	1	2	2	3	3	3
TOT. SINGLE DX	38	1.6		<1	<1	2	2	2	3	3
" MULTIPLE DX	98	1.9	1	1	1	2	2	3	3	8
TOTAL 65-69 YRS	44	1.7		<1	1	2	2	2	3	3
70-74	51	1.8	1	<1	1	2	2	3	3	7
75-79	24	2.0	1	<1	<1	2	2	3	4	5
80-84	9	2.4	6	1	1	2	2	6	9	9
85+	8	2.0	1	<1	<1	2	3	3	3	3
GRAND TOTAL	**136**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.0	13	2	2	7	8	9	9	9
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	17.0		17	17	17	17	17	17	17
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	3.0		3	3	3	3	3	3	3
85+	3	3.7	5	1	1	5	5	5	5	5
TOT. SINGLE DX	5	4.4	11	2	2	2	7	9	9	9
" MULTIPLE DX	8	5.0	25	1	1	4	5	13	17	17
TOTAL 65-69 YRS	4	5.5	10	2	2	5	8	9	9	9
70-74	1	17.0		17	17	17	17	17	17	17
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	3.0		3	3	3	3	3	3	3
85+	4	3.3	4	1	1	3	5	5	5	5
GRAND TOTAL	**13**	**4.8**	**19**	**1**	**1**	**3**	**6**	**11**	**16**	**17**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	59	2.7	4	1	1	2	3	4	8	12
70-74	50	2.6	2	1	1	2	3	4	5	9
75-79	39	3.4	13	<1	1	2	4	7	13	18
80-84	26	2.5	2	<1	1	2	3	4	6	6
85+	23	3.3	3	1	2	3	4	6	8	9
2. MULTIPLE DX										
65-69 YRS	153	4.3	17	1	1	3	5	9	12	24
70-74	168	4.6	27	1	1	3	5	10	14	30
75-79	142	4.9	35	1	1	3	6	10	16	29
80-84	145	5.4	37	1	1	3	6	13	19	24
85+	122	6.0	53	1	1	4	7	13	17	46
TOT. SINGLE DX	197	2.9	5	1	1	2	3	5	7	13
" MULTIPLE DX	730	5.0	34	1	1	3	6	11	15	29
TOTAL 65-69 YRS	212	3.9	15	1	1	3	4	8	11	22
70-74	218	4.2	23	1	1	3	4	9	13	30
75-79	181	4.6	31	1	1	3	5	10	15	25
80-84	171	4.9	33	1	1	3	5	10	19	23
85+	145	5.5	46	1	1	4	6	12	16	43
GRAND TOTAL	**927**	**4.5**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**26**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.7	51	<1	<1	2	3	6	16	45
70-74	47	2.1	3	<1	<1	1	2	4	6	9
75-79	44	2.7	20	<1	<1	1	2	6	9	28
80-84	30	2.4	5	<1	<1	2	3	5	8	11
85+	24	2.5	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
65-69 YRS	141	6.7	73	1	1	3	8	16	26	58
70-74	116	6.4	61	<1	1	4	8	15	19	48
75-79	116	7.6	94	1	1	5	9	17	23	57
80-84	117	7.9	93	1	1	5	9	17	28	57
85+	115	8.3	133	1	1	4	9	15	29	61
TOT. SINGLE DX	189	2.7	19	<1	<1	2	3	5	8	24
" MULTIPLE DX	605	7.3	91	1	1	4	9	16	24	54
TOTAL 65-69 YRS	185	6.0	70	<1	1	3	7	15	22	51
70-74	163	5.1	48	<1	<1	3	6	11	17	39
75-79	160	6.2	78	<1	1	3	8	14	21	48
80-84	147	6.8	81	<1	1	3	8	15	23	54
85+	139	7.3	116	1	1	4	8	14	27	53
GRAND TOTAL	**794**	**6.2**	**77**	**<1**	**1**	**3**	**7**	**14**	**21**	**49**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	144	1.9		1	1	2	3	3	4	5
70-74	94	2.0		1	1	2	3	3	4	5
75-79	43	2.0	1	1	1	2	3	3	4	5
80-84	17	2.2	1	1	1	2	3	4	5	6
85+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	140	2.1	1	1	1	2	3	3	4	7
70-74	78	2.1	1	1	1	2	3	3	4	6
75-79	40	2.0	1	1	1	2	3	3	4	6
80-84	9	2.7	10	1	1	2	2	8	11	11
85+	6	1.7		1	1	2	2	3	3	3
TOT. SINGLE DX	302	2.0	1	1	1	2	3	3	4	5
" MULTIPLE DX	273	2.1	2	1	1	2	3	3	4	6
TOTAL 65-69 YRS	284	2.0	1	1	1	2	3	3	4	6
70-74	172	2.1	1	1	1	2	3	3	4	6
75-79	83	2.0	1	1	1	2	3	3	4	6
80-84	26	2.3	5	1	1	2	3	4	7	11
85+	10	1.6		1	1	2	2	3	3	3
GRAND TOTAL	**575**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	116	1.6		1	1	2	2	2	3	5
70-74	64	1.6		<1	1	1	2	2	3	4
75-79	44	1.7		1	1	2	2	2	3	3
80-84	5	1.8		1	1	2	2	3	3	3
85+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	236	2.0	2	1	1	2	2	3	4	9
70-74	128	2.0	2	1	1	2	2	3	4	11
75-79	59	1.9		<1	1	2	2	3	4	4
80-84	30	1.9	1	1	1	2	2	3	3	6
85+	5	1.2		1	1	1	2	2	2	2
TOT. SINGLE DX	232	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	458	2.0	2	1	1	2	2	3	4	8
TOTAL 65-69 YRS	352	1.9	2	1	1	2	2	3	3	8
70-74	192	1.8	2	1	1	2	2	3	4	8
75-79	103	1.8	1	<1	1	2	2	3	3	4
80-84	35	1.9	1	1	1	2	2	3	3	6
85+	8	1.4		1	1	1	2	2	2	2
GRAND TOTAL	**690**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	1.3		<1	<1	1	2	2	3	3
70-74	14	1.5		<1	<1	1	2	3	3	3
75-79	11	2.2	5	<1	<1	<1	2	5	9	9
80-84	8	6.6	194	<1	<1	2	3	30	41	41
85+	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	50	6.9	89	1	1	2	10	22	40	99
70-74	59	6.4	56	<1	1	3	8	15	22	35
75-79	38	9.9	124	<1	1	7	15	21	24	62
80-84	17	8.8	58	1	1	9	12	20	26	28
85+	17	6.1	42	<1	<1	3	10	17	20	21
TOT. SINGLE DX	61	2.2	27	<1	<1	1	2	3	4	37
" MULTIPLE DX	181	7.5	79	<1	1	4	11	20	24	56
TOTAL 65-69 YRS	72	5.2	69	<1	1	2	7	14	25	87
70-74	73	5.5	49	<1	<1	2	7	14	21	34
75-79	49	8.2	108	<1	<1	4	12	20	22	62
80-84	25	8.1	96	<1	1	3	11	21	31	41
85+	23	4.9	36	<1	<1	1	9	13	20	21
GRAND TOTAL	**242**	**6.2**	**71**	**<1**	**<1**	**2**	**9**	**16**	**22**	**44**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	73	2.3	7	1	1	2	3	4	4	20
70-74	40	2.2	2	1	1	2	3	3	5	8
75-79	18	2.3	4	<1	1	2	3	5	7	9
80-84	5	2.0		1	1	2	2	3	3	3
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	237	3.2	15	1	1	2	3	5	7	27
70-74	162	4.1	42	1	1	3	4	6	15	40
75-79	75	4.6	48	1	1	3	4	9	15	45
80-84	31	7.2	58	1	1	3	12	20	22	26
85+	10	16.2	449	1	1	4	26	50	66	66
TOT. SINGLE DX	138	2.3	5	1	1	2	3	4	4	11
" MULTIPLE DX	515	4.2	43	1	1	3	4	7	16	35
TOTAL 65-69 YRS	310	3.0	14	1	1	2	3	5	6	26
70-74	202	3.7	35	1	1	2	3	5	11	38
75-79	93	4.2	41	1	1	3	4	9	14	39
80-84	36	6.5	54	1	1	3	7	20	21	26
85+	12	14.0	394	1	2	3	22	44	63	66
GRAND TOTAL	**653**	**3.8**	**35**	**1**	**1**	**2**	**3**	**6**	**15**	**30**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	2.3	2	<1	1	2	3	5	5	7
70-74	36	2.7	3	<1	1	2	3	5	7	9
75-79	22	3.1	7	1	1	2	3	6	9	13
80-84	5	6.8	12	3	3	8	10	10	10	10
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	130	4.1	24	1	1	2	4	9	16	24
70-74	58	4.4	25	1	1	3	4	10	15	29
75-79	37	7.0	145	1	1	3	5	16	40	56
80-84	24	7.6	51	1	2	4	13	16	22	30
85+	10	6.7	39	1	1	5	10	17	19	19
TOT. SINGLE DX	130	2.7	4	1	1	2	3	5	7	11
" MULTIPLE DX	259	5.0	46	1	1	3	5	13	18	38
TOTAL 65-69 YRS	195	3.5	18	1	1	2	4	6	13	23
70-74	94	3.8	18	1	1	2	4	8	12	25
75-79	59	5.6	96	1	1	3	5	9	29	55
80-84	29	7.4	44	1	2	5	11	15	19	30
85+	12	5.8	37	1	1	3	9	16	19	19
GRAND TOTAL	**389**	**4.2**	**33**	**1**	**1**	**2**	**4**	**9**	**15**	**30**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	2.2	2	<1	1	2	3	3	5	8
70-74	15	2.1	2	<1	<1	2	3	4	5	6
75-79	3	2.7	8	<1	<1	1	5	6	6	6
80-84	6	4.8	17	1	1	3	10	10	10	10
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	184	2.7	8	1	1	2	3	5	7	15
70-74	113	3.1	11	1	1	2	3	5	10	20
75-79	45	2.8	5	<1	1	2	3	4	9	14
80-84	19	4.2	19	1	1	3	5	8	15	20
85+	8	3.4	2	2	2	3	4	6	7	7
TOT. SINGLE DX	73	2.4	4	<1	1	2	3	4	7	10
" MULTIPLE DX	369	2.9	9	1	1	2	3	5	9	16
TOTAL 65-69 YRS	232	2.6	7	1	1	2	3	4	7	13
70-74	128	3.0	11	1	1	2	3	5	8	18
75-79	48	2.8	6	<1	1	2	3	4	9	14
80-84	25	4.4	18	1	1	3	5	10	13	20
85+	9	3.2	2	2	2	3	4	6	7	7
GRAND TOTAL	**442**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	84	1.8	2	<1	1	1	2	3	3	12
70-74	42	2.0	3	<1	1	1	2	4	5	11
75-79	29	3.1	34	<1	1	1	2	6	10	32
80-84	9	2.2	5	<1	<1	1	3	6	7	7
85+	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	430	2.6	7	1	1	2	3	4	8	12
70-74	297	2.9	9	1	1	2	3	6	9	16
75-79	147	4.4	45	1	1	3	5	8	14	28
80-84	77	4.2	15	1	1	3	5	9	11	21
85+	48	4.4	15	1	1	3	5	10	13	19
TOT. SINGLE DX	170	2.1	8	<1	1	1	2	3	5	14
" MULTIPLE DX	999	3.2	15	1	1	2	3	7	10	18
TOTAL 65-69 YRS	514	2.4	7	1	1	2	3	4	6	13
70-74	339	2.8	9	1	1	2	3	6	9	16
75-79	176	4.2	44	1	1	2	4	8	13	31
80-84	86	4.0	14	1	1	3	5	9	11	21
85+	54	4.1	15	1	1	3	5	9	12	19
GRAND TOTAL	**1169**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	128	1.8	1	<1	<1	1	2	3	4	7
70-74	101	2.4	5	<1	<1	2	3	4	8	13
75-79	74	1.9	1	<1	<1	2	2	3	4	6
80-84	50	2.4	3	<1	<1	2	2	5	7	10
85+	44	2.9	10	<1	1	2	3	7	8	19
2. MULTIPLE DX										
65-69 YRS	403	3.3	15	<1	1	2	4	7	10	18
70-74	305	4.2	38	1	1	2	4	9	15	30
75-79	225	5.4	45	1	1	3	6	13	16	33
80-84	180	6.0	57	1	1	3	8	13	19	52
85+	171	7.1	70	1	1	4	9	16	23	66
TOT. SINGLE DX	397	2.1	4	<1	<1	2	2	4	6	11
" MULTIPLE DX	1284	4.8	41	1	1	3	5	11	15	33
TOTAL 65-69 YRS	531	2.9	12	<1	1	2	3	6	9	16
70-74	406	3.7	31	<1	1	2	4	8	13	27
75-79	299	4.5	37	<1	1	2	5	11	15	32
80-84	230	5.2	48	<1	1	2	7	12	17	51
85+	215	6.2	61	1	1	4	8	14	22	55
GRAND TOTAL	**1681**	**4.1**	**33**	**<1**	**1**	**2**	**4**	**9**	**14**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	122	4.2	9	1	1	4	5	7	9	17
70-74	87	4.0	5	1	1	4	5	7	9	11
75-79	57	3.2	2	1	1	3	4	6	6	8
80-84	52	4.1	7	1	1	4	5	7	9	17
85+	36	3.6	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
65-69 YRS	460	5.0	14	1	2	4	6	9	12	21
70-74	398	5.8	53	1	2	4	6	11	15	32
75-79	385	6.2	43	1	2	5	7	12	16	32
80-84	241	5.7	26	1	1	4	7	11	16	33
85+	208	6.4	41	1	1	5	8	13	18	45
TOT. SINGLE DX	354	3.9	7	1	1	3	5	7	8	13
" MULTIPLE DX	1692	5.7	35	1	2	4	7	11	15	30
TOTAL 65-69 YRS	582	4.8	14	1	1	4	6	8	11	20
70-74	485	5.5	45	1	2	4	6	10	14	30
75-79	442	5.8	39	1	2	4	7	11	15	31
80-84	293	5.4	23	1	1	4	6	10	15	30
85+	244	5.9	37	1	1	4	7	12	16	42
GRAND TOTAL	**2046**	**5.4**	**31**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	96	2.3	3	1	1	2	3	4	4	13
70-74	79	2.3	2	1	1	2	3	3	4	11
75-79	26	2.5	1	1	1	2	3	4	5	6
80-84	16	2.6		<1	1	3	3	3	4	4
85+	4	4.5	9	2	2	3	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	258	4.1	32	1	1	3	4	9	13	32
70-74	190	3.7	17	1	1	3	4	7	11	23
75-79	84	5.1	53	1	1	3	4	11	25	38
80-84	36	5.4	18	1	1	4	7	12	15	17
85+	11	7.7	208	1	1	4	5	25	49	51
TOT. SINGLE DX	221	2.4	3	1	1	2	3	4	4	11
" MULTIPLE DX	579	4.3	33	1	1	3	4	9	13	35
TOTAL 65-69 YRS	354	3.6	26	1	1	2	3	7	11	29
70-74	269	3.3	14	1	1	2	4	6	9	18
75-79	110	4.5	42	1	1	3	4	8	18	37
80-84	52	4.6	15	1	1	3	5	11	14	17
85+	15	6.9	153	1	2	4	5	9	40	51
GRAND TOTAL	**800**	**3.7**	**26**	**1**	**1**	**3**	**4**	**7**	**11**	**29**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61	2.7	3	1	1	2	4	5	6	12
70-74	59	3.6	15	1	1	2	5	7	11	23
75-79	31	3.7	16	1	1	3	4	7	11	22
80-84	16	5.9	63	1	1	2	7	18	25	28
85+	6	2.8	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	287	5.1	38	1	1	3	6	12	16	28
70-74	223	6.7	71	1	1	4	8	15	25	47
75-79	145	6.5	64	1	1	3	8	17	25	54
80-84	74	6.4	45	1	1	4	9	15	20	35
85+	35	11.3	239	1	1	5	17	35	65	99+
TOT. SINGLE DX	173	3.5	16	1	1	2	4	7	11	24
" MULTIPLE DX	764	6.2	64	1	1	3	7	15	22	52
TOTAL 65-69 YRS	348	4.7	33	1	1	3	5	11	14	25
70-74	282	6.0	61	1	1	3	7	13	23	43
75-79	176	6.1	57	1	1	3	7	15	24	48
80-84	90	6.3	48	1	1	3	9	15	21	34
85+	41	10.1	214	1	1	5	16	28	62	99+
GRAND TOTAL	**937**	**5.7**	**56**	**1**	**1**	**3**	**7**	**13**	**21**	**45**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	49	2.3	9	<1	<1	1	2	4	5	19
70-74	33	2.2	8	<1	1	2	2	3	4	18
75-79	22	1.9		<1	<1	2	2	3	4	4
80-84	21	3.0	11	<1	<1	2	3	9	50	99+
85+	18	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	519	5.1	75	1	1	2	5	12	19	54
70-74	423	6.8	90	1	1	3	8	17	30	61
75-79	328	6.3	88	1	1	3	8	17	24	99+
80-84	259	6.0	81	1	1	3	8	14	23	99+
85+	236	8.2	180	1	1	3	11	18	29	99+
TOT. SINGLE DX	143	2.2	7	<1	<1	2	2	3	4	24
" MULTIPLE DX	1765	6.3	97	1	1	3	7	16	24	93
TOTAL 65-69 YRS	568	4.9	71	1	1	2	4	11	18	48
70-74	456	6.5	86	1	1	3	7	16	28	60
75-79	350	6.0	84	1	1	2	7	16	23	99
80-84	280	5.8	77	1	1	2	7	14	22	99+
85+	254	7.7	171	1	1	3	10	18	27	99
GRAND TOTAL	**1908**	**6.0**	**92**	**1**	**1**	**2**	**7**	**15**	**23**	**93**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	2.3	1	1	1	2	3	4	4	4
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79										
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	5	3.6	6	1	1	3	5	7	7	7
70-74	5	15.0	411	2	2	6	24	50	50	50
75-79	5	7.6	61	<1	<1	5	14	19	19	19
80-84	3	5.0	27	2	2	2	9	11	11	11
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	10	2.6	2	1	1	3	4	4	4	4
" MULTIPLE DX	19	8.0	130	<1	1	5	10	17	36	50
TOTAL 65-69 YRS	11	2.9	4	1	1	3	4	6	7	7
70-74	7	11.7	306	2	2	4	13	43	50	50
75-79	5	7.6	61	<1	<1	5	14	19	19	19
80-84	5	4.0	17	1	1	2	6	11	11	11
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**29**	**6.1**	**91**	**1**	**1**	**3**	**6**	**14**	**21**	**50**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	57	2.7	4	1	1	2	3	5	6	13
70-74	26	2.8	4	<1	1	2	3	4	6	12
75-79	19	2.8	1	1	1	3	4	4	6	7
80-84	8	3.6	7	<1	<1	3	6	8	8	8
85+	5	3.6	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	170	4.0	23	1	1	2	4	9	14	20
70-74	101	4.6	20	1	1	3	6	10	13	24
75-79	102	4.5	22	1	1	3	6	10	12	26
80-84	38	8.2	170	2	2	3	10	16	30	74
85+	23	5.1	24	1	1	3	8	12	17	18
TOT. SINGLE DX	115	2.8	4	1	1	2	3	5	7	12
" MULTIPLE DX	434	4.7	36	1	1	3	5	10	15	27
TOTAL 65-69 YRS	227	3.7	19	1	1	2	4	8	13	20
70-74	127	4.2	18	1	1	3	5	10	12	24
75-79	121	4.3	20	1	1	3	5	9	11	24
80-84	46	7.4	144	1	2	3	8	15	23	74
85+	28	4.8	20	1	1	3	6	10	17	18
GRAND TOTAL	**549**	**4.3**	**30**	**1**	**1**	**3**	**4**	**10**	**13**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	358	3.0	3	1	1	3	4	5	6	9
70-74	266	3.0	6	1	1	3	4	5	6	13
75-79	181	3.1	3	1	1	3	4	5	7	9
80-84	80	3.8	13	1	1	3	4	7	9	24
85+	46	3.9	9	1	1	3	4	8	13	13
2. MULTIPLE DX										
65-69 YRS	492	4.3	12	1	2	3	5	8	11	20
70-74	436	4.6	18	1	1	4	5	9	12	22
75-79	311	5.2	21	1	2	4	6	10	16	25
80-84	172	5.8	53	1	2	4	6	11	14	51
85+	138	7.4	56	2	2	5	9	16	22	60
TOT. SINGLE DX	931	3.1	5	1	1	3	4	5	7	12
" MULTIPLE DX	1549	5.0	25	1	2	4	5	10	14	29
TOTAL 65-69 YRS	850	3.7	9	1	1	3	4	7	9	16
70-74	702	4.0	14	1	1	3	5	7	11	21
75-79	492	4.4	16	1	1	3	5	8	12	23
80-84	252	5.2	42	1	2	3	6	9	14	32
85+	184	6.6	47	1	2	4	8	15	21	49
GRAND TOTAL	**2480**	**4.3**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	28	4.4	16	1	2	3	5	10	12	20
70-74	7	2.0	1	1	1	2	3	4	4	4
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84	1	14.0		14	14	14	14	14	14	14
85+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	7	5.0	14	2	2	4	6	12	13	13
" MULTIPLE DX	39	4.2	16	1	1	3	5	10	13	20
TOTAL 65-69 YRS	29	4.3	16	1	2	3	5	10	12	20
70-74	8	2.3	2	1	1	2	3	4	4	4
75-79	3	8.3	20	4	4	8	12	13	13	13
80-84	1	14.0		14	14	14	14	14	14	14
85+	5	3.4	3	1	1	3	4	6	6	6
GRAND TOTAL	**46**	**4.3**	**16**	**1**	**1**	**3**	**5**	**11**	**13**	**20**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	222	4.1	31	<1	1	2	4	9	16	29
70-74	158	3.7	16	<1	1	2	4	8	12	22
75-79	109	3.1	6	<1	1	2	4	7	9	12
80-84	68	4.7	51	<1	1	3	5	9	14	49
85+	62	4.1	15	<1	<1	3	5	9	12	19
2. MULTIPLE DX										
65-69 YRS	604	7.6	83	1	1	4	10	18	24	55
70-74	553	8.0	110	1	1	5	9	18	27	67
75-79	425	6.1	51	1	1	4	8	13	21	46
80-84	316	7.4	91	1	1	4	9	15	23	53
85+	196	9.1	158	1	1	5	11	17	35	73
TOT. SINGLE DX	619	3.9	24	<1	1	2	4	8	12	24
" MULTIPLE DX	2094	7.5	93	1	1	4	9	17	24	59
TOTAL 65-69 YRS	826	6.7	72	1	1	3	8	16	23	50
70-74	711	7.0	93	1	1	4	8	16	24	64
75-79	534	5.5	44	1	1	3	7	12	18	40
80-84	384	6.9	86	1	1	4	8	14	22	54
85+	258	7.9	129	1	1	5	9	15	23	70
GRAND TOTAL	**2713**	**6.7**	**80**	**1**	**1**	**4**	**8**	**15**	**22**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	2.1	3	1	1	2	2	4	6	9
70-74	9	3.0	5	1	1	2	4	7	8	8
75-79	8	5.1	41	1	1	3	6	16	20	20
80-84	3	2.0		2	2	2	2	2	2	2
85+	11	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	31	4.1	21	1	1	2	4	9	17	21
70-74	24	5.6	58	1	1	3	7	13	23	34
75-79	11	3.3	2	2	2	3	4	5	7	7
80-84	6	3.7	10	1	1	2	6	9	9	9
85+	3	8.0	127	1	1	2	16	21	21	21
TOT. SINGLE DX	53	2.7	9	1	1	2	3	5	8	20
" MULTIPLE DX	75	4.6	33	1	1	2	5	11	18	31
TOTAL 65-69 YRS	53	3.3	15	1	1	2	3	8	10	21
70-74	33	4.9	45	1	1	2	5	12	18	34
75-79	19	4.1	18	1	1	3	4	8	15	20
80-84	9	3.1	7	1	1	2	3	8	9	9
85+	14	3.4	27	1	1	2	3	6	18	21
GRAND TOTAL	**128**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**13**	**24**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	1.8	1	1	1	2	2	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	14	1.4		<1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	5	1.6	1	1	1	1	2	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	5	1.2		<1	<1	1	1	2	2	2
85+	13	2.1	2	1	1	2	2	4	6	6
TOT. SINGLE DX	23	1.5		<1	1	1	2	2	3	3
" MULTIPLE DX	27	1.8	1	<1	1	1	2	4	5	6
TOTAL 65-69 YRS	9	1.7	1	1	1	1	2	3	3	3
70-74	3	2.0	3	1	1	1	3	4	4	4
75-79	5	1.4		<1	<1	1	2	2	2	2
80-84	6	1.2		<1	<1	1	1	2	2	2
85+	27	1.7	1	<1	1	2	2	2	4	6
GRAND TOTAL	**50**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	2	1.0		<1	<1	<1	1	1	1	1
" MULTIPLE DX	2	3.0	8	1	1	3	5	5	5	5
TOTAL 65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**4**	**2.0**	**4**	**<1**	**<1**	**1**	**3**	**5**	**5**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	4.1	16	1	1	3	4	11	14	19
70-74	63	2.7	8	1	1	2	3	5	8	18
75-79	42	3.2	6	<1	1	3	4	6	8	13
80-84	21	3.0	5	<1	1	2	4	6	8	9
85+	16	6.0	58	<1	1	3	7	15	25	30
2. MULTIPLE DX										
65-69 YRS	241	8.5	109	1	1	4	11	23	33	51
70-74	187	7.6	73	1	1	4	10	17	25	43
75-79	125	9.1	100	1	1	4	14	22	34	42
80-84	69	9.2	88	1	1	6	13	19	33	46
85+	40	9.5	49	1	2	8	12	21	22	30
TOT. SINGLE DX	227	3.6	15	1	1	2	4	8	12	20
" MULTIPLE DX	662	8.5	92	1	1	5	11	21	30	43
TOTAL 65-69 YRS	326	7.4	89	1	1	3	10	18	28	44
70-74	250	6.4	62	1	1	3	9	16	21	40
75-79	167	7.6	83	1	1	4	10	20	27	42
80-84	90	7.7	76	1	1	4	10	17	29	43
85+	56	8.5	54	1	1	7	11	21	23	30
GRAND TOTAL	**889**	**7.2**	**77**	**1**	**1**	**4**	**10**	**18**	**25**	**41**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	25	4.0	5	<1	1	4	5	7	8	10
70-74	18	2.7	3	<1	1	2	4	6	6	6
75-79	28	3.1	4	<1	<1	2	5	7	8	8
80-84	20	3.4	8	<1	1	3	4	6	10	14
85+	18	2.6	2	1	1	2	4	4	5	6
2. MULTIPLE DX										
65-69 YRS	182	5.8	37	1	1	4	7	13	19	29
70-74	154	5.5	33	1	1	4	7	11	14	36
75-79	151	5.2	30	1	1	3	6	10	14	32
80-84	114	5.4	24	1	2	4	6	10	16	27
85+	98	5.8	63	1	1	4	7	11	18	86
TOT. SINGLE DX	109	3.2	5	<1	1	3	4	6	7	12
" MULTIPLE DX	699	5.5	36	1	1	4	7	11	16	33
TOTAL 65-69 YRS	207	5.6	34	1	1	4	7	12	18	29
70-74	172	5.2	31	1	1	4	7	10	14	34
75-79	179	4.9	27	1	1	3	6	9	14	31
80-84	134	5.1	22	1	1	4	6	10	15	25
85+	116	5.3	56	1	1	4	6	10	15	81
GRAND TOTAL	**808**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**15**	**31**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	279	1.5		<1	<1	1	2	2	3	6
70-74	198	1.8	2	<1	<1	1	2	3	4	10
75-79	97	2.2	6	<1	<1	2	2	3	6	16
80-84	52	1.7		<1	1	2	2	2	3	5
85+	25	2.6	7	<1	<1	2	2	5	11	11
2. MULTIPLE DX										
65-69 YRS	476	3.8	27	<1	1	2	4	9	12	30
70-74	348	4.5	36	1	1	2	5	11	17	24
75-79	245	5.5	69	<1	1	2	7	15	28	99+
80-84	93	4.7	57	1	1	2	4	11	17	47
85+	47	7.1	195	<1	1	3	9	14	19	93
TOT. SINGLE DX	651	1.8	3	<1	<1	1	2	2	4	11
" MULTIPLE DX	1209	4.5	48	<1	1	2	4	11	17	45
TOTAL 65-69 YRS	755	2.9	19	<1	1	2	2	7	10	26
70-74	546	3.5	26	<1	1	2	3	9	12	22
75-79	342	4.5	54	<1	1	2	4	13	20	99+
80-84	145	3.6	39	1	1	2	3	9	12	33
85+	72	5.5	134	<1	1	2	5	12	16	79
GRAND TOTAL	**1860**	**3.6**	**34**	**<1**	**1**	**2**	**3**	**9**	**13**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	9.9	46	1	1	10	15	17	23	24
70-74	23	8.0	84	1	1	4	11	18	28	41
75-79	9	10.1	79	2	2	8	16	24	28	28
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	4	7.8	74	1	1	6	14	19	19	19
2. MULTIPLE DX										
65-69 YRS	87	11.7	121	1	2	9	16	25	47	99+
70-74	79	12.0	175	1	2	9	17	26	40	69
75-79	45	13.2	212	1	1	11	18	25	40	82
80-84	13	13.0	240	1	1	9	16	33	53	58
85+	5	11.6	110	2	2	8	21	26	26	26
TOT. SINGLE DX	69	8.9	63	1	1	9	14	18	23	39
" MULTIPLE DX	229	12.1	162	1	2	9	17	26	41	85
TOTAL 65-69 YRS	118	11.2	102	1	1	9	15	23	39	99+
70-74	102	11.1	156	1	1	8	16	24	39	67
75-79	54	12.7	189	1	1	10	18	25	37	80
80-84	15	11.5	223	1	1	8	14	27	50	58
85+	9	9.9	87	1	1	8	19	23	26	26
GRAND TOTAL	**298**	**11.4**	**140**	**1**	**1**	**9**	**16**	**24**	**38**	**76**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	14.7	27	9	10	13	16	22	24	35
70-74	29	13.9	38	8	9	12	15	20	29	37
75-79	16	14.4	41	8	9	13	16	21	31	35
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	20.3	54	12	12	23	25	26	26	26
2. MULTIPLE DX										
65-69 YRS	202	22.0	214	9	10	17	28	43	55	91
70-74	148	21.9	155	10	10	19	27	37	52	99+
75-79	79	19.9	149	10	11	16	22	36	45	67
80-84	34	22.8	243	9	10	17	24	50	61	68
85+	11	26.0	411	10	11	21	28	56	80	82
TOT. SINGLE DX	99	14.5	33	8	9	13	16	22	27	36
" MULTIPLE DX	474	21.8	191	9	10	17	25	40	54	84
TOTAL 65-69 YRS	252	20.6	186	9	10	16	23	40	51	84
70-74	177	20.6	145	9	10	16	25	36	48	95
75-79	95	19.0	135	9	10	15	22	35	42	67
80-84	35	22.4	242	8	10	17	24	50	60	68
85+	14	24.8	331	10	11	22	26	42	73	82
GRAND TOTAL	**573**	**20.5**	**171**	**9**	**10**	**16**	**24**	**38**	**50**	**84**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	12.0	66	1	2	13	19	23	23	23
70-74	4	10.8	19	5	5	11	14	15	15	15
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	139	29.8	488	4	6	26	47	72	99+	99+
70-74	119	34.3	494	7	10	35	57	92	99+	99+
75-79	77	34.4	495	6	8	33	52	82	99+	99+
80-84	43	37.8	792	11	15	27	63	98	99+	99+
85+	29	38.5	665	6	7	37	69	96	99+	99+
TOT. SINGLE DX	12	11.0	45	1	4	11	14	22	23	23
" MULTIPLE DX	407	33.5	539	6	8	32	52	88	99+	99+
TOTAL 65-69 YRS	146	28.9	482	3	6	23	45	70	99	99+
70-74	123	33.6	497	7	10	34	55	91	99+	99+
75-79	78	34.0	501	6	7	32	52	82	99+	99+
80-84	43	37.8	793	11	15	27	63	98	99+	99+
85+	29	38.5	665	6	7	37	69	96	99+	99+
GRAND TOTAL	**419**	**32.8**	**539**	**6**	**7**	**30**	**51**	**87**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	3.8	20	1	1	2	5	11	21	99+
70-74	29	6.6	124	1	1	2	5	22	35	47
75-79	20	11.1	405	1	1	2	11	39	65	79
80-84	6	3.2	28	1	1	1	1	13	14	14
85+	3	3.0	12	1	1	1	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	381	28.6	659	1	2	26	52	91	99+	99+
70-74	350	31.1	611	1	2	30	55	82	99+	99+
75-79	253	31.5	518	2	3	31	51	71	98	99+
80-84	134	37.6	706	2	3	38	63	93	99+	99+
85+	87	36.8	667	5	8	36	63	82	92	99+
TOT. SINGLE DX	89	6.3	144	1	1	2	5	15	34	92
" MULTIPLE DX	1205	31.5	628	1	2	30	54	84	99+	99+
TOTAL 65-69 YRS	412	26.7	653	1	1	23	51	90	99+	99+
70-74	379	29.3	617	1	2	28	52	80	99+	99+
75-79	273	30.0	537	1	2	29	50	70	97	99+
80-84	140	36.1	726	1	2	34	63	92	99+	99+
85+	90	35.7	682	3	7	34	62	81	91	99+
GRAND TOTAL	**1294**	**29.8**	**636**	**1**	**2**	**27**	**52**	**82**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	360	5.7	25	1	1	4	8	12	15	21
70-74	286	5.9	32	<1	1	4	8	12	18	26
75-79	204	5.7	26	1	1	4	8	13	15	21
80-84	100	7.4	44	1	1	6	10	14	19	35
85+	42	9.3	67	1	2	8	12	17	26	42
2. MULTIPLE DX										
65-69 YRS	3372	10.8	79	2	3	9	14	21	27	47
70-74	3413	11.3	86	2	3	9	15	22	30	50
75-79	2560	11.9	93	2	3	10	15	23	30	52
80-84	1426	12.7	107	2	3	11	16	24	30	69
85+	755	13.8	121	3	4	11	17	26	35	75
TOT. SINGLE DX	992	6.1	32	1	1	4	8	13	16	28
" MULTIPLE DX	11526	11.6	92	2	3	9	15	23	30	53
TOTAL 65-69 YRS	3732	10.3	77	2	2	8	13	21	26	46
70-74	3699	10.9	84	2	2	9	14	22	29	48
75-79	2764	11.5	91	2	3	9	15	23	29	50
80-84	1526	12.4	106	2	3	10	16	24	30	64
85+	797	13.6	120	2	4	11	17	26	35	73
GRAND TOTAL	**12518**	**11.2**	**89**	**2**	**2**	**9**	**15**	**22**	**29**	**51**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	30.0		30	30	30	30	30	30	30
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	19.0	259	1	1	24	30	32	32	32
70-74	3	21.0	613	2	2	12	40	49	49	49
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	1.0		1	1	1	1	1	1	1
85+										
TOT. SINGLE DX	1	30.0		30	30	30	30	30	30	30
" MULTIPLE DX	8	17.1	294	1	1	14	28	44	49	49
TOTAL 65-69 YRS	4	21.8	203	1	1	27	31	32	32	32
70-74	3	21.0	613	2	2	12	40	49	49	49
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	1.0		1	1	1	1	1	1	1
85+										
GRAND TOTAL	**9**	**18.6**	**276**	**1**	**1**	**16**	**30**	**42**	**49**	**49**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	274	7.9	35	1	2	7	10	15	17	25
70-74	192	7.9	34	1	1	7	10	15	18	27
75-79	114	7.2	36	<1	1	7	10	14	18	32
80-84	52	6.8	30	1	1	5	10	16	18	23
85+	16	6.6	38	<1	1	5	9	16	21	23
2. MULTIPLE DX										
65-69 YRS	1712	12.5	117	2	3	10	16	24	34	56
70-74	1614	12.5	97	1	2	10	16	24	30	52
75-79	1040	12.5	99	2	2	10	17	25	32	49
80-84	488	12.2	91	1	2	10	16	24	31	49
85+	193	13.1	100	2	3	10	17	26	36	53
TOT. SINGLE DX	648	7.6	35	1	1	7	10	15	18	27
" MULTIPLE DX	5047	12.5	104	1	2	10	16	24	32	53
TOTAL 65-69 YRS	1986	11.8	109	2	2	9	15	23	32	56
70-74	1806	12.0	93	1	2	10	15	23	29	50
75-79	1154	12.0	96	1	2	10	16	24	31	49
80-84	540	11.7	88	1	2	10	16	23	30	46
85+	209	12.6	98	2	3	10	17	25	33	51
GRAND TOTAL	**5695**	**11.9**	**99**	**1**	**2**	**10**	**15**	**23**	**31**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	154	11.8	27	7	8	10	14	17	21	36
70-74	119	11.2	21	6	7	10	13	19	21	25
75-79	59	13.6	75	6	7	11	15	19	39	48
80-84	24	12.1	29	7	8	11	13	23	24	27
85+	3	8.7	1	8	8	8	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	1021	15.6	92	7	8	13	18	27	32	61
70-74	847	16.3	90	8	9	14	19	27	35	66
75-79	414	16.7	92	7	8	14	20	28	36	64
80-84	108	17.3	132	7	8	14	20	28	38	70
85+	21	18.6	89	6	8	16	29	32	33	33
TOT. SINGLE DX	359	11.9	34	6	7	10	14	18	22	39
" MULTIPLE DX	2411	16.1	94	7	8	13	19	27	34	63
TOTAL 65-69 YRS	1175	15.1	85	7	8	12	18	25	31	57
70-74	966	15.7	85	7	8	13	19	26	32	60
75-79	473	16.3	92	7	8	14	19	28	37	60
80-84	132	16.4	118	7	8	13	19	26	37	68
85+	24	17.4	89	6	8	14	27	32	33	33
GRAND TOTAL	**2770**	**15.6**	**88**	**7**	**8**	**13**	**18**	**26**	**32**	**60**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	193	5.7	35	<1	1	3	8	14	18	30
70-74	140	6.3	27	1	1	5	9	13	17	23
75-79	102	5.8	31	<1	1	4	9	12	17	28
80-84	59	7.2	30	<1	1	5	10	16	18	23
85+	38	9.1	51	1	1	8	15	19	22	28
2. MULTIPLE DX										
65-69 YRS	2293	11.4	98	2	3	9	15	22	31	50
70-74	2225	12.1	106	2	3	10	15	24	33	57
75-79	1690	13.0	131	2	3	10	16	26	34	66
80-84	1071	14.4	136	2	4	12	18	28	37	68
85+	654	15.3	119	3	4	13	19	30	40	68
TOT. SINGLE DX	532	6.3	34	<1	1	4	9	14	18	26
" MULTIPLE DX	7933	12.7	116	2	3	10	16	25	34	59
TOTAL 65-69 YRS	2486	11.0	96	1	2	9	14	22	30	48
70-74	2365	11.7	104	2	3	9	15	24	32	56
75-79	1792	12.6	129	2	3	10	16	25	34	65
80-84	1130	14.0	133	2	4	11	18	27	36	64
85+	692	14.9	118	3	4	13	19	29	39	67
GRAND TOTAL	**8465**	**12.3**	**113**	**2**	**3**	**10**	**16**	**24**	**33**	**59**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	7.4	37	1	1	5	11	16	21	22
70-74	14	9.0	33	2	3	7	12	17	21	22
75-79	3	4.3		4	4	4	5	5	5	5
80-84	3	9.3	86	3	3	5	16	20	20	20
85+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	113	12.1	94	1	3	10	17	23	29	49
70-74	109	14.5	207	3	4	11	17	24	34	89
75-79	82	12.2	86	3	4	10	15	27	32	83
80-84	41	16.6	170	3	5	13	19	37	54	99+
85+	19	13.3	71	1	3	13	18	25	29	32
TOT. SINGLE DX	33	7.9	33	1	3	5	11	18	21	22
" MULTIPLE DX	364	13.4	135	3	4	11	17	25	33	83
TOTAL 65-69 YRS	124	11.7	91	1	3	10	17	23	28	45
70-74	123	13.8	190	3	4	10	16	24	34	88
75-79	85	11.9	86	3	4	9	15	27	31	81
80-84	44	16.1	166	3	4	13	19	35	50	99+
85+	21	12.7	68	2	4	10	18	25	28	32
GRAND TOTAL	**397**	**13.0**	**129**	**2**	**4**	**10**	**17**	**25**	**32**	**80**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	7.6	29	2	3	6	10	16	18	28
70-74	83	7.7	30	2	2	6	10	16	19	25
75-79	49	7.8	38	2	2	6	9	14	20	33
80-84	36	7.8	37	2	3	6	10	15	19	32
85+	23	7.9	23	2	2	8	11	17	43	99+
2. MULTIPLE DX										
65-69 YRS	1346	12.8	116	3	4	10	16	26	34	60
70-74	1296	13.1	121	3	4	10	15	27	35	58
75-79	919	13.8	148	3	4	10	18	28	34	80
80-84	594	14.1	143	3	4	11	18	27	35	68
85+	387	14.6	99	4	5	12	18	29	34	70
TOT. SINGLE DX	286	7.7	31	2	2	6	10	16	19	31
" MULTIPLE DX	4542	13.4	126	3	4	10	17	27	34	63
TOTAL 65-69 YRS	1441	12.5	112	3	4	9	16	25	34	59
70-74	1379	12.8	118	3	4	9	16	26	34	58
75-79	968	13.5	144	3	4	10	18	28	34	77
80-84	630	13.7	139	3	4	11	18	26	33	67
85+	410	14.2	97	3	5	12	18	28	34	81
GRAND TOTAL	4828	13.1	123	3	4	10	17	27	34	62

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	132	6.7	35	<1	1	5	10	15	18	27
70-74	104	5.8	35	1	1	4	8	12	14	32
75-79	62	5.6	24	1	2	4	7	10	12	28
80-84	25	7.0	36	1	1	6	10	16	21	22
85+	17	9.2	59	1	2	11	13	16	26	31
2. MULTIPLE DX										
65-69 YRS	980	11.6	111	1	2	9	15	24	32	51
70-74	882	12.3	113	2	2	9	17	25	33	55
75-79	660	13.5	159	2	3	10	17	28	35	73
80-84	387	12.8	114	2	3	10	16	27	35	60
85+	232	13.4	116	2	3	11	18	29	37	78
TOT. SINGLE DX	340	6.4	35	1	1	4	9	14	17	28
" MULTIPLE DX	3141	12.5	123	2	2	10	16	26	34	58
TOTAL 65-69 YRS	1112	11.0	105	1	2	9	14	23	31	50
70-74	986	11.6	109	1	2	9	16	23	33	54
75-79	722	12.8	153	2	3	9	16	28	33	70
80-84	412	12.4	111	2	3	10	16	26	34	59
85+	249	13.1	114	2	3	11	17	28	37	74
GRAND TOTAL	3481	11.9	118	1	2	9	16	25	33	57

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	84	12.5	14	8	9	12	14	17	20	24
70-74	51	14.0	21	8	9	13	16	21	23	30
75-79	25	14.6	68	6	8	12	16	26	33	42
80-84	6	15.3	116	2	3	12	22	32	33	33
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	1114	17.4	128	8	9	14	20	29	39	77
70-74	1030	18.8	147	8	9	15	22	35	43	79
75-79	552	18.9	107	9	10	16	23	32	40	66
80-84	169	22.7	200	10	11	18	27	42	54	77
85+	36	22.7	220	9	10	17	29	42	62	65
TOT. SINGLE DX	167	13.4	28	8	9	12	16	19	24	33
" MULTIPLE DX	2901	18.5	138	8	9	15	22	33	42	77
TOTAL 65-69 YRS	1198	17.1	122	8	9	14	19	28	38	75
70-74	1081	18.5	143	8	9	15	22	33	42	78
75-79	577	18.7	107	9	10	16	22	31	39	65
80-84	175	22.4	199	10	11	18	27	40	53	76
85+	37	22.4	218	9	10	16	29	41	62	65
GRAND TOTAL	3068	18.3	134	8	9	15	21	32	41	75

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	375	11.6	18	7	8	11	13	17	19	27
70-74	227	11.8	16	7	8	11	14	17	19	30
75-79	76	13.8	34	8	8	12	15	23	27	35
80-84	13	17.7	27	10	13	17	20	24	30	31
85+	2	14.0	50	9	9	14	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	5871	14.1	65	7	8	12	16	23	28	52
70-74	4013	15.3	81	8	8	13	17	25	32	56
75-79	1685	17.1	106	8	9	14	20	29	37	65
80-84	324	19.5	120	8	9	17	24	33	41	67
85+	31	20.3	152	9	9	17	24	36	45	68
TOT. SINGLE DX	693	12.1	21	7	8	11	14	18	20	30
" MULTIPLE DX	11924	15.1	80	8	8	13	17	24	31	55
TOTAL 65-69 YRS	6246	14.0	63	7	8	12	16	22	28	52
70-74	4240	15.1	79	8	8	12	17	24	32	56
75-79	1761	17.0	104	8	9	14	20	28	36	65
80-84	337	19.4	117	8	9	17	24	33	41	64
85-	33	19.9	147	9	9	17	23	36	44	68
GRAND TOTAL	12617	14.9	78	8	8	12	17	24	31	55

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1937	2.7	6	1	1	2	2	5	9	14
70-74	1071	2.8	7	1	1	2	2	6	9	14
75-79	347	3.2	10	1	1	2	3	7	10	16
80-84	71	3.3	18	1	1	2	3	6	9	29
85+	14	5.2	19	1	1	3	10	11	13	13
2. MULTIPLE DX										
65-69 YRS	14165	4.9	27	1	1	2	7	11	15	24
70-74	9339	5.4	34	1	1	3	7	12	16	27
75-79	4104	6.6	48	1	1	4	9	15	19	33
80-84	1043	8.6	71	1	1	6	12	19	24	44
85+	279	10.1	81	1	2	8	14	21	27	41
TOT. SINGLE DX	3440	2.8	8	1	1	2	2	6	9	14
" MULTIPLE DX	28930	5.5	36	1	1	3	8	12	16	28
TOTAL 65-69 YRS	16102	4.6	26	1	1	2	6	11	14	24
70-74	10410	5.2	33	1	1	3	7	12	16	26
75-79	4451	6.3	46	1	1	4	9	14	19	32
80-84	1114	8.3	70	1	1	6	11	18	24	42
85+	293	9.8	79	1	2	8	13	21	27	41
GRAND TOTAL	**32370**	**5.2**	**34**	**1**	**1**	**2**	**7**	**12**	**16**	**27**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	307	4.8	16	1	1	4	6	10	14	20
70-74	430	4.9	27	1	1	4	6	10	11	20
75-79	484	4.2	11	1	1	3	5	9	11	18
80-84	425	4.8	21	1	1	4	6	9	12	20
85+	378	4.7	18	1	2	4	6	9	12	21
2. MULTIPLE DX										
65-69 YRS	3168	9.8	65	2	3	8	13	19	23	42
70-74	4438	9.6	64	2	3	8	13	19	23	42
75-79	5254	9.7	64	2	3	8	12	19	24	41
80-84	4914	9.9	64	2	3	8	13	19	25	41
85+	4328	10.2	70	2	3	8	13	20	26	45
TOT. SINGLE DX	2024	4.7	19	1	1	4	6	9	12	19
" MULTIPLE DX	22102	9.8	66	2	3	8	13	19	24	42
TOTAL 65-69 YRS	3475	9.3	63	2	2	7	12	18	23	40
70-74	4868	9.2	63	2	2	7	12	18	23	42
75-79	5738	9.2	62	2	2	7	12	18	23	40
80-84	5339	9.5	63	2	2	8	12	18	24	40
85+	4706	9.7	68	2	2	8	13	19	25	43
GRAND TOTAL	**24126**	**9.4**	**64**	**2**	**2**	**7**	**12**	**18**	**24**	**42**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	323	3.9	7	1	2	3	5	8	10	13
70-74	175	4.3	15	1	2	3	5	8	12	21
75-79	63	4.9	18	1	2	3	6	9	14	24
80-84	23	6.0	17	2	2	6	8	13	16	17
85+	4	8.3	11	5	5	7	10	13	13	13
2. MULTIPLE DX										
65-69 YRS	2435	7.1	38	2	2	5	9	14	18	30
70-74	1616	7.9	55	2	2	6	10	16	22	37
75-79	654	9.3	73	2	2	7	12	19	25	45
80-84	178	11.1	113	2	3	8	13	23	29	60
85+	70	13.4	145	3	4	9	18	25	33	75
TOT. SINGLE DX	588	4.3	12	1	2	3	5	8	11	17
" MULTIPLE DX	4953	7.9	54	2	2	6	10	16	21	37
TOTAL 65-69 YRS	2758	6.7	36	2	2	5	9	14	18	30
70-74	1791	7.5	53	2	2	5	10	16	21	36
75-79	717	8.9	71	2	2	6	12	18	24	45
80-84	201	10.5	105	2	3	8	12	22	26	54
85+	74	13.1	139	3	4	9	17	25	32	73
GRAND TOTAL	**5541**	**7.5**	**51**	**2**	**2**	**5**	**10**	**15**	**20**	**36**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	163	3.7	21	<1	1	2	4	9	13	28
70-74	134	4.9	39	<1	1	2	6	13	21	31
75-79	83	4.8	50	<1	1	2	7	10	13	46
80-84	68	5.5	20	<1	1	4	8	12	13	19
85+	50	8.1	41	1	2	6	11	19	22	27
2. MULTIPLE DX										
65-69 YRS	2298	10.1	83	1	2	8	13	20	27	45
70-74	2484	10.6	87	2	2	8	14	21	27	49
75-79	2328	11.3	87	2	3	9	14	22	29	54
80-84	1883	11.9	93	2	3	9	15	23	30	56
85+	2094	12.9	109	2	4	10	16	25	32	63
TOT. SINGLE DX	498	4.9	34	<1	1	2	7	12	15	28
" MULTIPLE DX	11087	11.3	93	2	3	9	15	22	29	53
TOTAL 65-69 YRS	2461	9.6	82	1	2	7	12	20	26	44
70-74	2618	10.3	87	1	2	8	14	21	27	48
75-79	2411	11.1	88	2	2	9	14	22	29	54
80-84	1951	11.7	92	2	3	9	15	23	30	55
85+	2144	12.8	109	2	4	10	16	25	32	63
GRAND TOTAL	**11585**	**11.0**	**92**	**2**	**2**	**9**	**14**	**22**	**29**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	221	3.5	4	1	1	3	4	6	7	11
70-74	142	4.0	12	1	1	3	4	7	9	22
75-79	58	3.8	3	1	1	4	5	6	7	11
80-84	16	6.0	29	1	1	4	7	17	18	18
85+	8	3.5	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
65-69 YRS	333	5.8	38	1	2	4	6	12	17	32
70-74	207	6.4	35	1	2	4	7	14	19	30
75-79	110	12.6	257	2	2	7	15	25	43	88
80-84	59	10.5	113	2	3	7	12	25	34	55
85+	27	14.4	145	2	2	11	23	31	34	46
TOT. SINGLE DX	445	3.8	8	1	1	3	4	6	8	18
" MULTIPLE DX	736	7.7	87	1	2	5	8	17	25	47
TOTAL 65-69 YRS	554	4.9	26	1	2	4	5	9	14	27
70-74	349	5.4	28	1	2	4	6	11	18	29
75-79	168	9.6	187	1	2	5	10	21	27	81
80-84	75	9.5	98	2	2	7	12	20	30	53
85+	35	11.9	134	1	2	7	17	31	32	46
GRAND TOTAL	**1181**	**6.2**	**61**	**1**	**2**	**4**	**6**	**13**	**20**	**38**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	383	8.7	21	2	4	8	11	14	17	25
70-74	313	9.2	24	3	4	9	11	14	18	30
75-79	179	9.7	25	2	3	9	12	16	18	32
80-84	87	11.4	63	2	4	9	15	18	23	50
85+	25	12.2	222	2	5	7	14	18	34	80
2. MULTIPLE DX										
65-69 YRS	3989	14.3	121	4	5	11	17	27	36	68
70-74	3716	15.2	135	4	6	12	18	29	39	70
75-79	2507	16.5	143	5	6	13	20	31	42	73
80-84	1293	17.7	170	6	7	14	22	34	45	75
85+	568	18.6	139	6	7	15	24	34	42	70
TOT. SINGLE DX	987	9.4	32	2	4	9	11	15	18	30
" MULTIPLE DX	12073	15.6	138	4	6	12	19	30	39	70
TOTAL 65-69 YRS	4372	13.8	115	4	5	11	16	26	34	67
70-74	4029	14.7	129	4	6	11	18	28	37	66
75-79	2686	16.0	138	5	6	13	19	31	41	72
80-84	1380	17.3	166	5	7	13	21	33	44	72
85+	593	18.3	145	6	7	15	24	34	42	75
GRAND TOTAL	**13060**	**15.1**	**133**	**4**	**6**	**12**	**18**	**29**	**38**	**69**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	22.0	93	11	11	26	28	29	29	29
70-74	5	20.8	215	9	9	18	26	46	46	46
75-79	2	14.5	41	10	10	14	19	19	19	19
80-84										
85+										
TOT. SINGLE DX	2	12.5	5	11	11	12	14	14	14	14
" MULTIPLE DX	10	19.9	129	9	9	18	26	37	46	46
TOTAL 65-69 YRS	4	19.3	92	11	11	19	27	29	29	29
70-74	5	20.8	216	9	9	18	26	46	46	46
75-79	3	14.3	20	10	10	14	18	19	19	19
80-84										
85+										
GRAND TOTAL	**12**	**18.7**	**115**	**9**	**10**	**16**	**23**	**34**	**44**	**46**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	9.1	154	<1	1	7	9	13	39	58
70-74	10	7.8	266	<1	<1	3	4	30	54	54
75-79	8	6.5	59	1	1	3	8	19	24	24
80-84	4	10.8	63	4	4	9	17	21	21	21
85+										
2. MULTIPLE DX										
65-69 YRS	1674	7.2	56	1	2	5	9	15	21	38
70-74	1376	7.3	48	1	2	5	9	14	20	33
75-79	902	8.6	76	1	2	6	10	18	27	51
80-84	418	9.3	94	2	2	6	11	18	28	56
85+	134	8.4	63	2	2	6	10	16	29	41
TOT. SINGLE DX	41	8.4	146	<1	1	5	9	17	37	58
" MULTIPLE DX	4504	7.7	62	1	2	5	9	16	22	41
TOTAL 65-69 YRS	1693	7.2	57	1	2	5	9	15	21	39
70-74	1386	7.3	50	1	2	5	9	14	20	34
75-79	910	8.5	76	1	2	6	10	18	27	50
80-84	422	9.3	94	2	2	6	11	18	28	56
85+	134	8.4	63	2	2	6	10	16	29	41
GRAND TOTAL	**4545**	**7.7**	**63**	**1**	**2**	**5**	**9**	**16**	**22**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1430	6.4	20	1	2	5	8	11	14	21
70-74	1272	6.7	18	2	3	6	8	12	14	23
75-79	866	7.1	29	2	3	6	9	13	15	27
80-84	396	7.2	26	2	3	6	9	13	17	30
85+	187	7.9	27	2	3	7	10	14	19	25
2. MULTIPLE DX										
65-69 YRS	10461	10.7	90	2	3	8	13	20	28	57
70-74	10497	11.1	98	2	3	9	14	21	30	55
75-79	7691	11.9	105	3	4	9	15	23	32	59
80-84	3875	12.7	119	3	4	10	16	25	33	84
85+	1952	13.7	118	3	4	11	17	27	36	71
TOT. SINGLE DX	4151	6.8	23	2	3	6	9	12	15	25
" MULTIPLE DX	34476	11.5	102	2	3	9	14	22	31	59
TOTAL 65-69 YRS	11891	10.1	84	2	3	8	12	20	27	54
70-74	11769	10.6	92	2	3	8	13	21	29	53
75-79	8557	11.4	100	3	3	9	14	22	30	58
80-84	4271	12.2	113	3	4	10	15	24	32	70
85+	2139	13.2	113	3	4	11	17	26	34	67
GRAND TOTAL	**38627**	**11.0**	**95**	**2**	**3**	**8**	**14**	**21**	**29**	**57**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	276	4.8	15	<1	1	4	6	9	12	22
70-74	206	4.2	11	<1	1	3	6	9	11	15
75-79	139	4.9	19	<1	<1	4	7	10	13	24
80-84	81	4.8	42	<1	1	3	5	10	14	39
85+	34	5.0	27	<1	<1	3	8	9	12	29
2. MULTIPLE DX										
65-69 YRS	1222	8.6	66	1	2	7	11	18	23	42
70-74	1045	9.7	97	1	2	7	13	20	30	47
75-79	742	10.2	97	1	2	8	13	19	26	59
80-84	407	11.3	107	1	2	8	15	25	31	54
85+	280	11.0	89	2	2	9	14	24	28	52
TOT. SINGLE DX	736	4.7	19	<1	1	3	6	9	12	23
" MULTIPLE DX	3696	9.7	88	1	2	7	12	20	27	50
TOTAL 65-69 YRS	1498	7.9	59	1	2	6	10	17	22	40
70-74	1251	8.8	87	1	2	6	11	18	25	47
75-79	881	9.3	89	1	2	7	12	18	25	55
80-84	488	10.3	102	1	2	7	14	24	30	53
85+	314	10.4	86	1	2	8	13	22	28	47
GRAND TOTAL	**4432**	**8.9**	**80**	**1**	**2**	**6**	**11**	**18**	**25**	**46**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	128	6.7	16	2	2	6	8	13	16	20
70-74	78	5.9	18	1	2	5	7	11	14	25
75-79	38	5.7	15	1	2	5	8	10	13	20
80-84	13	5.4	3	2	3	6	6	7	9	9
85+	12	8.8	42	1	3	7	12	18	24	25
2. MULTIPLE DX										
65-69 YRS	489	9.7	80	2	3	7	11	18	26	43
70-74	413	9.7	77	2	3	7	11	19	26	48
75-79	218	10.5	91	2	3	8	12	21	32	48
80-84	103	11.3	106	3	4	8	13	21	35	56
85+	53	9.6	52	3	4	9	11	17	24	45
TOT. SINGLE DX	269	6.4	18	2	2	5	8	12	15	22
" MULTIPLE DX	1276	10.0	82	2	3	7	11	19	27	48
TOTAL 65-69 YRS	617	9.1	68	2	3	7	10	17	23	41
70-74	491	9.1	70	2	3	7	10	19	24	47
75-79	256	9.8	83	2	3	7	11	19	30	43
80-84	116	10.6	98	3	4	7	13	21	32	54
85+	65	9.4	50	3	4	8	11	17	24	43
GRAND TOTAL	**1545**	**9.3**	**73**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	8.0	32	4	4	8	12	12	12	12
70-74	3	24.0	225	9	9	24	35	39	39	39
75-79	4	13.3	164	3	3	9	21	32	32	32
80-84										
85+										
TOT. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
" MULTIPLE DX	9	15.7	166	3	3	9	26	36	39	39
TOTAL 65-69 YRS	4	5.3	22	1	1	4	8	12	12	12
70-74	4	18.5	271	2	2	16	31	39	39	39
75-79	4	13.3	164	3	3	9	21	32	32	32
80-84										
85+										
GRAND TOTAL	**12**	**12.3**	**157**	**1**	**2**	**9**	**18**	**34**	**38**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
TOTAL 65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	222	7.4	45	1	2	6	9	14	19	37
70-74	208	7.5	60	1	2	5	9	14	20	43
75-79	183	7.1	35	1	2	5	9	14	18	35
80-84	103	6.8	26	1	2	6	8	13	16	29
85+	80	7.2	46	2	2	6	8	11	14	43
2. MULTIPLE DX										
65-69 YRS	3171	11.6	104	3	3	9	14	23	31	60
70-74	3697	11.9	98	3	4	9	15	23	31	55
75-79	3530	11.8	99	3	4	9	14	23	30	60
80-84	3042	12.4	111	3	4	9	15	24	32	68
85+	2289	12.3	94	3	4	10	15	23	31	53
TOT. SINGLE DX	796	7.2	45	1	2	6	9	14	18	39
" MULTIPLE DX	15729	12.0	102	3	4	9	15	23	31	61
TOTAL 65-69 YRS	3393	11.3	102	2	3	8	14	22	30	59
70-74	3905	11.6	97	3	3	9	14	23	31	54
75-79	3713	11.6	97	3	3	9	14	22	30	57
80-84	3145	12.2	110	3	4	9	15	23	31	67
85+	2369	12.1	94	3	4	9	15	23	31	52
GRAND TOTAL	**16525**	**11.7**	**100**	**3**	**4**	**9**	**14**	**23**	**31**	**59**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	78	7.8	76	<1	<1	5	10	17	28	46
70-74	47	7.0	53	1	1	4	11	16	18	39
75-79	40	12.2	137	1	2	8	17	28	43	45
80-84	16	7.3	33	1	1	6	11	15	19	21
85+	8	7.3	26	1	2	6	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	1692	13.1	165	1	2	9	17	31	40	60
70-74	1433	14.2	167	2	3	10	19	31	42	71
75-79	1013	15.9	199	2	3	12	21	35	45	77
80-84	583	15.8	163	3	4	12	22	33	42	78
85+	461	15.6	130	4	6	13	19	28	38	92
TOT. SINGLE DX	189	8.5	81	<1	1	5	12	18	28	45
" MULTIPLE DX	5182	14.5	170	2	3	11	19	32	42	68
TOTAL 65-69 YRS	1770	12.9	163	1	2	8	17	30	40	60
70-74	1480	14.0	165	2	3	10	19	30	42	69
75-79	1053	15.8	198	2	3	12	21	35	44	76
80-84	599	15.6	162	3	4	12	21	32	42	77
85+	469	15.5	129	4	5	13	19	28	38	91
GRAND TOTAL	**5371**	**14.3**	**169**	**2**	**3**	**10**	**19**	**31**	**42**	**67**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	164	4.2	25	<1	<1	3	5	9	13	25
70-74	159	4.8	22	<1	<1	3	7	11	14	20
75-79	143	4.7	29	<1	1	3	6	11	12	38
80-84	75	4.8	19	<1	<1	3	7	10	15	19
85+	42	4.1	11	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
65-69 YRS	1717	9.4	89	1	2	7	11	20	28	58
70-74	1722	9.5	87	1	2	7	12	20	28	51
75-79	1556	9.5	78	1	2	7	12	19	25	51
80-84	1117	9.9	89	1	2	7	12	20	29	59
85+	881	10.2	87	2	2	7	13	20	28	54
TOT. SINGLE DX	583	4.6	24	<1	<1	3	6	10	13	21
" MULTIPLE DX	6993	9.6	87	1	2	7	12	20	28	57
TOTAL 65-69 YRS	1881	8.9	86	1	2	6	11	19	27	57
70-74	1881	9.1	84	1	2	7	11	19	28	50
75-79	1699	9.1	76	1	2	7	11	18	24	48
80-84	1192	9.6	87	1	2	7	12	19	28	58
85+	923	9.9	86	2	2	7	13	20	26	53
GRAND TOTAL	**7576**	**9.2**	**84**	**1**	**2**	**7**	**11**	**19**	**27**	**54**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	8.4	5	6	6	8	10	12	12	12
70-74	4	10.5	20	7	7	9	13	17	17	17
75-79	1	12.0		12	12	12	12	12	12	12
80-84	3	11.3	12	8	8	11	14	15	15	15
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	28	14.1	73	3	4	13	21	25	31	34
70-74	43	13.9	95	4	6	11	17	23	36	52
75-79	35	17.3	172	7	7	14	21	32	36	74
80-84	28	18.3	87	7	8	16	24	30	35	45
85+	27	19.1	126	8	8	16	23	43	59	99+
TOT. SINGLE DX	14	10.6	16	6	7	9	12	17	19	19
" MULTIPLE DX	161	16.3	114	5	6	14	21	30	36	72
TOTAL 65-69 YRS	33	13.2	67	3	5	12	21	24	30	34
70-74	47	13.6	90	5	6	11	17	22	34	52
75-79	36	17.2	168	7	7	14	20	32	36	74
80-84	31	17.6	84	7	8	16	22	30	34	45
85+	28	19.1	122	8	9	17	23	41	56	99+
GRAND TOTAL	**175**	**15.9**	**109**	**5**	**7**	**14**	**21**	**29**	**35**	**69**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	9.8	46	2	3	10	12	18	26	29
70-74	18	18.3	336	3	4	16	27	62	91	99+
75-79	12	13.7	85	2	2	12	21	27	28	28
80-84	17	10.9	84	3	3	8	21	73	99+	99+
85+	25	12.6	186	3	4	8	12	28	39	69
2. MULTIPLE DX										
65-69 YRS	510	19.5	240	3	5	16	27	44	64	99+
70-74	644	19.4	226	4	5	16	26	44	63	99+
75-79	774	22.0	298	4	6	18	31	51	77	99+
80-84	903	20.2	251	4	6	16	27	45	65	99+
85+	1250	18.9	227	4	5	15	24	42	63	99+
TOT. SINGLE DX	87	13.1	162	3	3	9	18	29	69	99+
" MULTIPLE DX	4081	19.9	249	4	5	16	26	45	65	99+
TOTAL 65-69 YRS	525	19.2	238	3	5	16	27	43	62	99+
70-74	662	19.3	229	3	5	16	26	44	64	99+
75-79	786	21.8	296	4	5	18	31	51	75	99+
80-84	920	20.0	250	4	5	16	27	45	68	99+
85+	1275	18.8	228	4	5	15	23	41	63	99+
GRAND TOTAL	**4168**	**19.8**	**248**	**4**	**5**	**16**	**26**	**44**	**66**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	138	5.0	18	<1	<1	4	6	9	11	21
70-74	143	5.5	25	<1	<1	4	7	11	15	26
75-79	144	6.2	57	<1	1	5	7	11	14	29
80-84	74	6.7	27	1	2	5	8	14	18	28
85+	58	6.5	22	1	2	5	8	13	16	25
2. MULTIPLE DX										
65-69 YRS	2596	8.8	52	2	3	7	10	16	22	38
70-74	2975	9.3	60	2	3	7	11	17	23	43
75-79	2904	9.7	64	2	3	8	12	18	24	43
80-84	2159	10.2	62	3	4	8	13	19	26	41
85+	1671	10.8	74	3	4	8	13	20	27	52
TOT. SINGLE DX	557	5.8	32	<1	<1	5	7	11	15	26
" MULTIPLE DX	12305	9.7	62	2	3	8	12	18	24	42
TOTAL 65-69 YRS	2734	8.6	52	2	3	7	10	16	21	38
70-74	3118	9.1	60	2	3	7	11	17	22	42
75-79	3048	9.6	65	2	3	8	11	18	24	42
80-84	2233	10.0	61	3	3	8	12	19	26	40
85+	1729	10.7	73	3	4	8	13	19	26	52
GRAND TOTAL	**12862**	**9.5**	**62**	**2**	**3**	**8**	**11**	**18**	**23**	**42**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	92	11.5	22	6	7	10	13	17	19	32
70-74	61	12.8	28	8	8	11	15	18	25	32
75-79	47	13.3	49	7	8	12	15	21	24	49
80-84	32	13.8	39	7	8	12	16	24	29	31
85+	15	15.3	61	7	7	14	18	21	34	39
2. MULTIPLE DX										
65-69 YRS	749	19.6	186	8	9	16	23	34	52	83
70-74	730	18.5	145	8	9	15	22	33	42	90
75-79	640	21.0	176	9	10	17	25	39	49	76
80-84	396	22.1	178	9	10	19	27	39	49	89
85+	236	22.6	144	10	11	20	27	38	46	90
TOT. SINGLE DX	247	12.7	34	7	8	11	15	19	23	33
" MULTIPLE DX	2751	20.3	170	8	9	17	24	36	47	86
TOTAL 65-69 YRS	841	18.7	175	8	8	15	22	33	48	80
70-74	791	18.1	139	8	9	15	21	32	41	89
75-79	687	20.5	171	8	9	16	24	38	48	75
80-84	428	21.5	173	9	10	18	27	38	48	85
85+	251	22.2	142	9	11	20	26	37	45	89
GRAND TOTAL	**2998**	**19.6**	**163**	**8**	**9**	**16**	**24**	**35**	**46**	**84**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	17.7	106	9	9	14	21	32	41	47
70-74	12	15.9	60	9	10	13	18	27	36	37
75-79	12	22.0	53	12	13	22	28	32	33	33
80-84	3	19.7	316	7	7	12	33	40	40	40
85+										
2. MULTIPLE DX										
65-69 YRS	175	23.2	228	10	12	19	27	44	65	99
70-74	140	21.1	133	10	11	18	25	34	46	99+
75-79	102	26.6	350	10	12	22	31	43	79	95
80-84	44	22.7	107	10	12	21	29	36	49	99+
85+	11	23.8	164	12	13	17	36	43	49	49
TOT. SINGLE DX	45	18.5	89	9	10	14	24	33	38	47
" MULTIPLE DX	472	23.3	216	10	12	19	27	39	59	99
TOTAL 65-69 YRS	193	22.7	219	10	11	18	27	40	63	99
70-74	152	20.7	129	10	11	18	24	34	45	99
75-79	114	26.1	321	11	12	22	30	40	72	95
80-84	47	22.5	115	9	11	20	29	38	47	99+
85+	11	23.8	164	12	13	17	36	43	49	49
GRAND TOTAL	**517**	**22.9**	**207**	**10**	**11**	**19**	**27**	**39**	**56**	**98**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	12.0	20	6	7	11	16	21	61	99+
70-74	12	10.5	8	7	7	10	12	15	17	17
75-79	16	12.3	48	6	7	11	14	17	30	35
80-84	6	10.0	6	7	7	10	12	13	13	13
85+	4	16.3	105	8	8	13	23	31	31	31
2. MULTIPLE DX										
65-69 YRS	204	15.3	82	7	8	13	19	28	32	61
70-74	183	17.6	149	7	8	13	22	36	45	72
75-79	139	18.6	112	8	9	16	22	30	49	63
80-84	113	20.5	145	8	9	17	26	36	43	88
85+	54	21.3	159	10	11	19	25	31	58	67
TOT. SINGLE DX	57	11.9	30	6	7	11	14	17	27	95
" MULTIPLE DX	693	17.9	126	7	8	14	22	32	41	71
TOTAL 65-69 YRS	223	15.0	78	7	8	13	18	28	32	85
70-74	195	17.1	143	7	8	13	21	35	44	71
75-79	155	18.0	110	8	8	15	22	29	47	59
80-84	119	19.9	144	8	9	16	25	36	42	87
85+	58	21.0	156	9	10	19	25	31	52	67
GRAND TOTAL	**750**	**17.4**	**121**	**7**	**8**	**14**	**22**	**32**	**41**	**73**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	9.5	39	4	6	8	10	14	17	44
70-74	65	11.0	68	5	6	9	13	15	18	58
75-79	55	11.9	52	4	6	10	12	21	27	37
80-84	38	10.5	14	4	6	10	13	16	17	18
85+	33	10.1	15	5	5	10	13	15	17	20
2. MULTIPLE DX										
65-69 YRS	815	15.7	128	6	7	12	19	29	40	75
70-74	854	17.3	155	6	7	14	20	34	46	76
75-79	680	18.2	151	7	8	15	22	34	44	89
80-84	527	18.9	181	7	8	15	22	33	48	92
85+	448	19.0	157	6	8	16	23	37	50	69
TOT. SINGLE DX	286	10.5	43	5	6	9	12	16	20	41
" MULTIPLE DX	3324	17.6	153	6	7	14	21	33	45	81
TOTAL 65-69 YRS	910	15.1	122	6	7	12	18	27	38	73
70-74	919	16.9	152	6	7	13	20	32	46	75
75-79	735	17.7	147	6	8	14	22	33	44	81
80-84	565	18.3	174	6	8	15	21	33	47	90
85+	481	18.4	152	6	7	15	22	36	49	69
GRAND TOTAL	**3610**	**17.0**	**148**	**6**	**7**	**14**	**20**	**32**	**43**	**77**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	406	4.1	17	<1	<1	2	6	9	11	21
70-74	378	4.1	20	<1	<1	2	6	10	13	22
75-79	248	3.9	18	<1	<1	2	5	9	13	19
80-84	131	4.3	14	<1	1	3	7	9	12	18
85+	75	4.5	28	1	1	2	6	10	14	28
2. MULTIPLE DX										
65-69 YRS	3443	8.3	60	1	2	6	11	16	22	42
70-74	3822	8.4	59	1	2	7	11	16	22	39
75-79	3516	8.9	67	1	2	7	11	18	23	45
80-84	2576	9.8	80	1	2	8	12	19	26	53
85+	1907	10.5	83	2	3	8	14	21	28	53
TOT. SINGLE DX	1238	4.1	19	<1	<1	2	6	9	12	22
" MULTIPLE DX	15264	9.0	69	1	2	7	11	18	24	45
TOTAL 65-69 YRS	3849	7.9	57	1	1	6	10	16	21	41
70-74	4200	8.0	58	1	1	6	10	16	21	38
75-79	3764	8.6	66	1	2	7	11	18	23	45
80-84	2707	9.5	78	1	2	8	12	19	25	52
85+	1982	10.3	83	2	2	8	13	21	27	51
GRAND TOTAL	**16502**	**8.6**	**67**	**1**	**2**	**7**	**11**	**17**	**23**	**44**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	15.3	106	5	7	13	16	25	35	58
70-74	45	11.5	27	6	7	9	14	18	24	28
75-79	46	13.2	96	6	6	11	15	21	27	68
80-84	30	12.1	32	5	7	10	15	21	26	27
85+	20	12.4	24	5	6	12	16	19	20	21
2. MULTIPLE DX										
65-69 YRS	745	18.9	171	7	8	15	23	36	49	76
70-74	765	19.7	194	7	8	16	24	36	51	84
75-79	656	19.4	208	8	8	15	23	36	52	99
80-84	520	19.4	147	8	9	16	24	37	45	99+
85+	421	19.3	157	8	9	16	23	34	46	70
TOT. SINGLE DX	191	13.1	66	6	7	11	15	21	26	56
" MULTIPLE DX	3107	19.4	179	7	8	15	23	36	49	86
TOTAL 65-69 YRS	795	18.7	168	7	8	15	23	35	49	76
70-74	810	19.3	189	7	8	15	23	36	50	83
75-79	702	19.0	204	8	8	14	23	35	51	97
80-84	550	19.0	144	8	9	15	23	35	45	99+
85+	441	19.0	154	7	9	16	22	33	45	68
GRAND TOTAL	**3298**	**19.0**	**175**	**7**	**8**	**15**	**23**	**35**	**48**	**84**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	756	10.4	14	7	7	10	11	15	17	25
70-74	701	11.3	21	7	7	10	12	16	19	27
75-79	496	11.4	26	7	7	10	12	16	20	35
80-84	307	12.0	22	7	8	11	14	18	20	32
85+	156	13.2	54	6	8	11	14	19	27	49
2. MULTIPLE DX										
65-69 YRS	5472	14.8	88	7	8	12	17	24	31	60
70-74	5861	15.7	95	7	8	13	18	26	35	62
75-79	5350	16.8	108	8	9	14	19	28	37	68
80-84	3614	18.0	120	8	9	15	21	31	39	78
85+	2478	19.5	135	9	10	17	23	33	43	76
TOT. SINGLE DX	2416	11.2	23	7	7	10	12	16	19	31
" MULTIPLE DX	22775	16.5	107	8	9	13	19	28	36	67
TOTAL 65-69 YRS	6228	14.2	81	7	8	12	16	23	29	56
70-74	6562	15.2	89	7	8	12	17	25	34	59
75-79	5846	16.3	104	8	9	13	19	28	36	64
80-84	3921	17.6	115	8	9	15	21	30	38	74
85+	2634	19.1	133	8	9	16	23	33	42	75
GRAND TOTAL	**25191**	**16.0**	**102**	**8**	**8**	**13**	**18**	**27**	**35**	**64**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	35	12.0	62	4	6	10	12	18	34	41
70-74	24	9.4	20	5	6	8	10	16	21	22
75-79	20	11.5	30	5	6	10	12	20	24	27
80-84	14	13.6	40	6	8	11	18	21	27	29
85+	8	23.9	811	7	7	16	21	72	93	93
2. MULTIPLE DX										
65-69 YRS	249	17.3	148	6	7	14	20	32	41	76
70-74	290	17.7	127	7	8	14	21	33	43	74
75-79	250	19.2	137	8	9	16	24	36	48	64
80-84	217	19.6	151	7	9	17	25	35	50	99+
85+	204	20.1	176	7	9	16	23	41	51	96
TOT. SINGLE DX	101	12.4	107	5	6	10	14	20	26	66
" MULTIPLE DX	1210	18.7	147	7	8	15	23	35	46	95
TOTAL 65-69 YRS	284	16.6	141	6	7	13	19	31	41	76
70-74	314	17.1	124	7	8	14	20	32	42	71
75-79	270	18.6	134	7	9	15	23	35	47	64
80-84	231	19.2	146	7	8	17	24	35	45	99+
85+	212	20.2	197	7	9	16	23	41	54	96
GRAND TOTAL	**1311**	**18.2**	**147**	**7**	**8**	**15**	**22**	**34**	**44**	**93**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	218	8.8	19	3	4	8	10	14	15	26
70-74	184	9.3	45	3	4	8	10	14	19	36
75-79	140	10.2	22	4	5	10	12	15	18	29
80-84	74	9.1	19	3	4	9	12	14	16	25
85+	41	9.8	35	2	3	8	12	18	20	31
2. MULTIPLE DX										
65-69 YRS	1182	13.4	102	5	6	11	15	23	35	63
70-74	1141	13.8	113	5	6	11	16	24	35	70
75-79	966	13.9	95	5	7	11	16	24	34	58
80-84	642	15.2	133	5	7	12	17	28	38	88
85+	394	14.9	117	4	6	12	17	26	36	86
TOT. SINGLE DX	657	9.3	28	3	4	9	11	14	18	31
" MULTIPLE DX	4325	14.0	110	5	6	11	16	25	35	65
TOTAL 65-69 YRS	1400	12.7	92	4	6	10	14	22	32	61
70-74	1325	13.1	106	4	6	10	15	23	33	66
75-79	1106	13.4	87	5	6	11	15	23	33	56
80-84	716	14.6	125	5	6	12	17	27	36	84
85+	435	14.4	112	4	6	12	17	25	34	82
GRAND TOTAL	4982	13.4	102	5	6	11	15	23	33	63

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	12.9	51	5	8	10	14	26	31	31
70-74	25	13.3	55	6	8	10	15	26	29	36
75-79	18	12.9	29	7	8	11	16	22	24	25
80-84	25	15.3	77	6	8	13	15	30	37	37
85+	19	14.1	48	5	6	14	20	24	26	27
2. MULTIPLE DX										
65-69 YRS	490	20.3	188	7	9	16	25	37	52	78
70-74	601	20.5	192	7	9	17	24	38	51	95
75-79	506	21.8	227	8	9	17	25	41	57	96
80-84	399	21.2	211	7	9	17	25	42	51	95
85+	360	21.1	162	6	8	18	27	39	54	99+
TOT. SINGLE DX	106	13.8	53	6	8	12	16	25	30	37
" MULTIPLE DX	2356	21.0	198	7	9	17	25	40	53	96
TOTAL 65-69 YRS	509	20.0	185	7	9	16	24	37	51	77
70-74	626	20.2	189	7	9	16	24	38	50	95
75-79	524	21.5	223	8	9	17	25	41	56	96
80-84	424	20.9	206	7	9	17	25	41	51	93
85+	379	20.8	159	6	8	18	27	38	53	99+
GRAND TOTAL	2462	20.6	194	7	9	17	25	39	51	95

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	361	6.0	9	2	3	5	8	10	11	16
70-74	223	6.5	10	2	3	6	8	10	13	18
75-79	133	6.9	8	3	3	7	9	10	13	15
80-84	64	6.8	13	2	3	6	8	11	13	23
85+	43	6.3	12	2	3	6	9	11	14	14
2. MULTIPLE DX										
65-69 YRS	768	9.7	44	3	4	8	12	16	20	35
70-74	603	11.1	64	4	4	9	13	21	26	40
75-79	408	10.8	44	4	5	9	13	18	23	35
80-84	253	12.1	45	5	6	11	14	21	26	37
85+	166	13.6	99	4	6	11	16	24	33	80
TOT. SINGLE DX	824	6.3	10	2	3	6	8	10	12	17
" MULTIPLE DX	2198	10.9	56	4	4	9	13	19	24	39
TOTAL 65-69 YRS	1129	8.5	37	3	3	7	10	15	19	32
70-74	826	9.8	54	3	4	8	12	18	24	39
75-79	541	9.9	39	3	4	9	12	17	21	31
80-84	317	11.1	43	4	5	10	14	19	24	36
85+	209	12.1	90	3	4	10	15	21	32	70
GRAND TOTAL	3022	9.6	47	3	4	8	12	17	22	36

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	6.8	27	2	2	6	11	13	13	13
70-74										
75-79										
80-84	3	12.7	154	5	5	6	22	27	27	27
85+										
2. MULTIPLE DX										
65-69 YRS	9	12.0	54	5	5	8	18	24	24	24
70-74	2	13.5	61	8	8	13	19	19	19	19
75-79	6	17.7	73	6	7	17	26	27	27	27
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	11.5	25	8	8	11	15	15	15	15
TOT. SINGLE DX	7	9.3	75	2	2	6	12	24	27	27
" MULTIPLE DX	20	13.7	55	5	6	11	20	25	26	27
TOTAL 65-69 YRS	13	10.4	49	2	3	8	14	23	24	24
70-74	2	13.5	61	8	8	13	19	19	19	19
75-79	6	17.7	73	6	7	17	26	27	27	27
80-84	4	11.8	106	5	5	7	18	27	27	27
85+	2	11.5	25	8	8	11	15	15	15	15
GRAND TOTAL	27	12.5	61	3	5	9	18	28	27	27

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.0	4	4	4	6	7	8	8	8
70-74	3	8.7	4	7	7	8	10	11	11	11
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	15.0		15	15	15	15	15	15	15
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	18	16.4	124	6	7	14	17	38	42	44
70-74	10	12.6	37	4	5	11	16	21	24	24
75-79	7	14.9	11	10	10	15	17	19	19	19
80-84	8	25.8	772	8	9	17	23	72	93	93
85+	11	19.8	262	4	6	13	25	49	54	54
TOT. SINGLE DX	9	9.1	15	4	5	8	12	15	15	15
" MULTIPLE DX	54	17.6	216	6	7	14	19	34	45	91
TOTAL 65-69 YRS	21	15.0	120	5	6	12	16	36	42	44
70-74	13	11.7	31	4	6	11	16	20	23	24
75-79	8	14.0	15	8	9	15	17	19	19	19
80-84	9	24.6	689	8	9	15	23	65	93	93
85+	12	19.4	240	4	6	14	24	48	53	54
GRAND TOTAL	**63**	**16.4**	**196**	**5**	**7**	**13**	**18**	**28**	**44**	**88**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	198	3.4	16	<1	1	2	4	6	9	18
70-74	175	3.8	17	1	1	3	4	7	11	26
75-79	158	3.7	13	1	1	3	4	7	9	22
80-84	161	4.4	14	1	1	3	6	9	11	17
85+	94	4.8	18	1	2	3	5	10	14	23
2. MULTIPLE DX										
65-69 YRS	669	7.8	65	1	2	5	10	16	24	44
70-74	808	7.9	56	1	2	6	10	17	23	38
75-79	776	8.5	76	1	2	6	11	18	24	50
80-84	623	9.1	84	1	2	7	11	19	27	56
85+	622	9.5	75	2	2	7	12	19	24	46
TOT. SINGLE DX	786	3.9	16	1	1	3	5	8	10	22
" MULTIPLE DX	3498	8.5	72	1	2	6	11	18	24	46
TOTAL 65-69 YRS	867	6.8	58	1	1	4	8	15	21	42
70-74	983	7.2	52	1	2	5	9	16	22	37
75-79	934	7.7	69	1	2	5	9	17	23	47
80-84	784	8.1	74	1	2	6	10	17	24	48
85+	716	8.9	71	2	2	7	11	18	24	44
GRAND TOTAL	**4284**	**7.7**	**65**	**1**	**2**	**5**	**10**	**16**	**23**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	40	3.8	10	1	1	3	4	8	11	16
70-74	24	4.1	7	1	2	3	6	9	9	10
75-79	18	4.2	8	2	2	3	5	10	11	11
80-84	6	5.5	10	2	2	6	8	9	9	9
85+	6	3.7	13	<1	<1	2	6	10	10	10
2. MULTIPLE DX										
65-69 YRS	168	7.1	52	1	2	5	8	15	22	37
70-74	124	8.9	69	2	2	5	12	21	27	62
75-79	74	9.7	101	2	2	6	13	20	32	55
80-84	49	9.9	79	2	3	7	13	22	35	99+
85+	23	9.1	35	2	3	7	14	18	19	20
TOT. SINGLE DX	94	4.1	9	1	1	3	5	9	10	15
" MULTIPLE DX	438	8.5	68	2	2	6	10	19	25	50
TOTAL 65-69 YRS	208	6.4	46	1	2	4	7	14	18	35
70-74	148	8.2	63	2	2	5	10	20	24	49
75-79	92	8.6	88	2	2	5	10	20	29	51
80-84	55	9.4	73	2	3	7	12	22	32	97
85+	29	8.0	35	1	1	7	11	18	19	20
GRAND TOTAL	**532**	**7.7**	**61**	**1**	**2**	**5**	**9**	**18**	**23**	**47**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	207	12.1	26	6	7	11	14	18	22	26
70-74	192	12.4	18	7	8	12	14	18	19	26
75-79	142	13.8	46	4	8	13	17	22	26	34
80-84	54	15.0	32	8	9	13	18	23	27	30
85+	38	13.6	34	5	7	13	17	21	26	30
2. MULTIPLE DX										
65-69 YRS	1287	16.8	101	8	9	14	20	28	36	62
70-74	1312	17.1	84	8	10	15	20	28	35	63
75-79	993	19.0	142	8	10	16	22	31	42	80
80-84	660	19.5	121	9	10	17	23	32	39	67
85+	359	20.2	122	9	10	17	24	32	42	61
TOT. SINGLE DX	633	12.9	30	6	8	12	15	19	23	30
" MULTIPLE DX	4611	18.0	111	8	9	15	21	30	38	69
TOTAL 65-69 YRS	1494	16.2	94	8	9	13	19	27	35	59
70-74	1504	16.5	78	8	9	14	19	27	33	61
75-79	1135	18.4	133	8	9	15	21	30	40	79
80-84	714	19.2	116	9	10	16	23	32	38	66
85+	397	19.5	118	8	10	17	23	31	40	61
GRAND TOTAL	**5244**	**17.4**	**104**	**8**	**9**	**15**	**20**	**29**	**36**	**64**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	521	4.3	11	<1	<1	4	6	8	10	18
70-74	500	4.8	27	<1	<1	4	6	9	11	17
75-79	433	5.3	43	<1	<1	4	6	9	11	24
80-84	254	5.6	25	<1	1	5	7	11	13	22
85+	202	5.9	26	1	2	5	7	11	14	27
2. MULTIPLE DX										
65-69 YRS	7872	7.7	49	2	3	6	9	14	19	38
70-74	8611	8.3	54	2	3	6	10	15	21	38
75-79	7895	8.7	54	2	3	7	10	16	21	39
80-84	6093	9.2	61	2	3	7	11	17	23	46
85+	4953	9.6	67	2	3	8	12	18	24	44
TOT. SINGLE DX	1910	5.0	27	<1	<1	4	6	9	11	21
" MULTIPLE DX	35424	8.6	57	2	3	7	10	16	21	41
TOTAL 65-69 YRS	8393	7.5	47	2	2	6	9	14	18	38
70-74	9111	8.1	54	2	3	6	10	15	20	38
75-79	8328	8.5	55	2	3	7	10	16	21	38
80-84	6347	9.1	61	2	3	7	11	17	23	46
85+	5155	9.5	66	2	3	7	11	18	23	43
GRAND TOTAL	**37334**	**8.4**	**56**	**2**	**3**	**7**	**10**	**16**	**21**	**40**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	2.6	1	1	1	2	3	5	5	6
70-74	56	2.7	3	1	1	2	4	5	6	9
75-79	32	3.1	3	1	1	3	4	5	6	10
80-84	7	3.6	2	2	2	4	5	6	6	6
85+	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	275	4.0	10	1	1	3	5	6	9	14
70-74	167	3.9	9	1	1	3	4	7	11	18
75-79	94	5.9	51	1	2	4	6	13	19	43
80-84	39	5.2	14	2	2	4	6	10	14	20
85+	16	8.5	36	3	4	7	8	19	23	25
TOT. SINGLE DX	205	2.8	3	1	1	2	4	5	6	8
" MULTIPLE DX	591	4.5	19	1	2	3	5	8	12	23
TOTAL 65-69 YRS	382	3.6	8	1	1	3	4	6	7	12
70-74	223	3.6	9	1	1	3	4	6	10	17
75-79	126	5.2	41	1	1	3	5	10	17	41
80-84	46	4.9	13	2	2	4	6	9	13	20
85+	19	7.7	35	1	2	7	8	17	22	25
GRAND TOTAL	**796**	**4.0**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	45	3.4	9	<1	1	3	4	5	7	20
70-74	34	3.1	5	1	1	2	4	6	6	13
75-79	27	3.4	4	1	1	3	5	6	7	10
80-84	7	3.3	4	1	1	3	4	6	7	7
85+	6	3.7	3	2	2	3	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	259	4.4	18	1	1	4	5	8	10	19
70-74	211	5.2	45	1	1	4	5	9	14	44
75-79	157	5.7	55	1	1	4	6	9	16	44
80-84	58	6.9	48	1	2	5	8	14	21	41
85+	58	9.0	62	2	3	7	12	17	20	96
TOT. SINGLE DX	119	3.3	7	1	1	3	4	6	7	15
" MULTIPLE DX	743	5.5	41	1	1	4	6	10	15	45
TOTAL 65-69 YRS	304	4.3	17	1	1	4	5	7	10	19
70-74	245	4.9	40	1	1	4	5	8	13	40
75-79	184	5.4	49	1	1	4	6	9	15	39
80-84	65	6.5	45	1	2	4	7	13	20	39
85+	64	8.5	59	2	3	6	11	16	20	93
GRAND TOTAL	**862**	**5.2**	**37**	**1**	**1**	**4**	**6**	**10**	**14**	**42**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	152	3.7	4	1	1	3	5	6	7	10
70-74	97	4.2	2	2	2	4	5	6	7	10
75-79	44	3.5	2	1	2	4	5	6	7	7
80-84	30	4.5	6	1	2	4	5	9	10	10
85+	4	6.0	3	4	4	6	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	1535	4.9	17	1	2	4	6	8	11	21
70-74	1063	5.4	16	2	2	4	6	10	13	22
75-79	571	5.7	16	2	2	5	7	10	13	21
80-84	269	6.6	39	2	3	5	7	12	15	41
85+	153	8.5	69	2	3	6	11	16	21	49
TOT. SINGLE DX	327	3.9	4	1	2	4	5	6	7	10
" MULTIPLE DX	3591	5.5	21	2	2	4	6	10	13	23
TOTAL 65-69 YRS	1687	4.8	16	1	2	4	5	8	11	20
70-74	1160	5.3	15	2	2	4	6	9	13	22
75-79	615	5.5	15	2	2	5	7	10	13	21
80-84	299	6.4	36	2	3	5	7	12	15	36
85+	157	8.5	68	2	3	6	10	16	20	48
GRAND TOTAL	**3918**	**5.3**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	98	3.7	8	<1	1	3	5	6	7	18
70-74	67	3.7	7	1	1	3	5	7	9	16
75-79	52	3.4	4	1	1	3	4	6	8	11
80-84	29	4.0	5	1	1	3	5	7	8	11
85+	24	4.8	24	1	1	3	6	11	43	99+
2. MULTIPLE DX										
65-69 YRS	314	6.9	76	1	2	4	8	15	22	44
70-74	276	5.8	39	1	2	4	7	12	16	31
75-79	189	7.2	60	1	2	5	9	12	20	40
80-84	127	7.5	53	2	2	6	8	13	21	42
85+	127	8.3	42	1	2	7	11	15	22	34
TOT. SINGLE DX	270	3.8	9	1	1	3	5	7	9	23
" MULTIPLE DX	1033	6.9	57	1	2	5	8	13	20	39
TOTAL 65-69 YRS	412	6.1	62	1	1	4	7	12	21	42
70-74	343	5.4	34	1	1	4	6	10	16	26
75-79	241	6.4	51	1	2	4	8	11	17	37
80-84	156	6.8	46	2	2	5	8	13	19	39
85+	151	7.7	41	1	2	6	10	15	22	38
GRAND TOTAL	**1303**	**6.3**	**49**	**1**	**2**	**4**	**7**	**12**	**18**	**37**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	6.5	33	1	1	5	11	15	16	16
70-74	5	16.4	305	1	1	11	32	40	40	40
75-79	3	6.0	16	2	2	6	9	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	55	16.8	129	2	4	14	23	33	37	57
70-74	58	21.3	149	3	4	21	28	38	44	48
75-79	46	21.9	236	3	6	18	31	43	51	64
80-84	43	14.8	141	2	2	12	18	31	46	48
85+	13	16.9	90	2	6	17	22	32	34	35
TOT. SINGLE DX	17	9.0	119	1	1	6	12	26	36	40
" MULTIPLE DX	215	18.7	163	2	4	17	25	37	43	59
TOTAL 65-69 YRS	63	15.5	128	2	3	14	22	32	36	56
70-74	63	20.9	159	2	4	21	29	39	44	48
75-79	49	20.9	237	2	5	17	31	42	50	64
80-84	44	14.5	143	1	2	12	18	31	46	48
85+	13	16.9	90	2	6	17	22	32	34	35
GRAND TOTAL	**232**	**18.0**	**166**	**2**	**3**	**16**	**25**	**37**	**43**	**58**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	188	3.6	18	1	1	2	5	8	14	23
70-74	118	4.2	32	<1	1	1	6	11	16	28
75-79	71	5.3	40	1	1	2	8	13	18	34
80-84	32	7.4	147	<1	<1	5	10	12	13	70
85+	7	10.7	38	3	4	10	13	20	22	22
2. MULTIPLE DX										
65-69 YRS	1346	10.4	99	1	1	8	14	22	29	52
70-74	1266	10.3	84	1	1	8	14	21	28	42
75-79	891	11.6	103	1	2	10	15	23	30	57
80-84	457	12.1	86	2	3	10	16	23	30	54
85+	222	12.8	97	2	3	10	16	24	35	53
TOT. SINGLE DX	416	4.5	38	<1	1	2	6	11	15	26
" MULTIPLE DX	4182	10.9	95	1	2	9	14	22	29	51
TOTAL 65-69 YRS	1534	9.6	95	1	1	7	13	20	27	48
70-74	1384	9.8	83	1	1	8	13	20	27	41
75-79	962	11.1	101	1	1	9	14	23	29	56
80-84	489	11.8	92	1	3	10	15	22	30	54
85+	229	12.7	96	2	3	10	16	23	35	52
GRAND TOTAL	**4598**	**10.4**	**93**	**1**	**1**	**8**	**14**	**21**	**28**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2022	7.0	9	4	4	6	8	10	12	16
70-74	1449	7.4	11	4	4	7	8	11	13	19
75-79	766	8.2	11	4	5	8	10	12	15	19
80-84	374	9.1	13	4	5	8	11	13	16	22
85+	170	10.3	51	4	5	9	12	15	20	27
2. MULTIPLE DX										
65-69 YRS	8782	10.1	46	4	5	8	12	16	21	38
70-74	7851	11.1	51	5	6	9	13	18	23	41
75-79	5591	12.4	58	5	6	10	15	21	27	43
80-84	3442	14.1	90	6	7	12	16	24	31	53
85+	2128	15.8	95	7	8	13	18	27	35	73
TOT. SINGLE DX	4781	7.6	13	4	4	7	9	11	13	20
" MULTIPLE DX	27794	11.8	63	5	6	10	14	20	26	45
TOTAL 65-69 YRS	10804	9.5	41	4	5	8	11	15	20	35
70-74	9300	10.6	47	5	5	9	12	17	22	39
75-79	6357	11.9	55	5	6	10	14	20	26	42
80-84	3816	13.6	85	5	6	11	16	23	30	52
85+	2298	15.4	95	6	7	13	18	26	34	73
GRAND TOTAL	**32575**	**11.2**	**58**	**5**	**5**	**9**	**13**	**19**	**24**	**43**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	95	7.7	28	1	2	7	10	15	18	23
70-74	111	8.3	39	1	1	8	12	17	20	28
75-79	92	9.4	48	1	2	9	13	19	22	31
80-84	57	8.0	35	1	1	8	13	17	18	21
85+	52	9.5	69	1	1	8	15	21	27	35
2. MULTIPLE DX										
65-69 YRS	799	15.3	119	3	5	13	19	29	38	70
70-74	832	15.9	125	3	5	14	20	28	36	70
75-79	793	17.0	158	3	6	14	22	31	42	75
80-84	611	16.7	104	3	6	15	20	30	39	51
85+	580	17.1	120	4	6	16	21	29	38	77
TOT. SINGLE DX	407	8.5	42	1	1	8	12	18	21	2C
" MULTIPLE DX	3615	16.4	127	3	5	14	20	30	38	69
TOTAL 65-69 YRS	894	14.5	116	2	4	12	18	28	37	68
70-74	943	15.0	121	2	4	13	19	27	35	69
75-79	885	16.2	152	2	4	13	21	30	40	72
80-84	668	15.9	105	3	5	14	20	29	38	51
85+	632	16.5	121	2	5	15	21	29	37	76
GRAND TOTAL	**4022**	**15.6**	**124**	**2**	**4**	**13**	**20**	**29**	**37**	**67**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	6.4	47	1	1	4	8	15	22	33
70-74	99	7.2	91	<1	1	4	10	16	22	56
75-79	78	6.2	62	1	1	3	9	14	15	47
80-84	43	6.3	50	1	1	3	9	16	22	35
85+	23	7.3	74	<1	1	5	10	16	25	39
2. MULTIPLE DX										
65-69 YRS	821	14.6	226	2	2	10	18	33	51	88
70-74	792	13.2	133	1	2	10	17	29	37	57
75-79	635	12.9	146	2	2	9	17	27	35	65
80-84	406	12.2	113	2	3	9	16	25	31	49
85+	297	12.7	139	2	2	9	15	26	41	55
TOT. SINGLE DX	340	6.6	65	1	1	4	9	15	21	42
" MULTIPLE DX	2951	13.3	160	2	2	10	17	29	39	67
TOTAL 65-69 YRS	918	13.7	214	1	2	9	17	31	48	86
70-74	891	12.5	132	1	2	9	16	28	36	57
75-79	713	12.1	142	1	2	9	16	26	35	63
80-84	449	11.7	110	1	2	9	15	24	30	49
85+	320	12.4	136	1	2	9	15	25	40	53
GRAND TOTAL	**3291**	**12.6**	**155**	**1**	**2**	**9**	**16**	**28**	**38**	**66**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	490	4.5	15	<1	<1	3	6	9	10	22
70-74	396	4.4	13	<1	1	3	6	9	11	16
75-79	380	4.8	18	<1	1	4	7	9	11	17
80-84	294	5.3	32	1	1	4	6	10	15	32
85+	171	5.0	13	1	1	4	6	11	12	18
2. MULTIPLE DX										
65-69 YRS	4893	7.2	37	2	2	6	9	14	18	32
70-74	6007	7.6	43	2	2	6	9	14	19	35
75-79	5955	8.0	49	2	2	6	10	15	20	38
80-84	4985	8.4	52	2	3	7	10	16	21	41
85+	4452	8.7	56	2	3	7	11	16	22	45
TOT. SINGLE DX	1731	4.7	19	<1	1	4	6	9	12	21
" MULTIPLE DX	26292	7.9	48	2	2	6	10	15	20	37
TOTAL 65-69 YRS	5383	6.9	36	1	2	5	8	13	17	31
70-74	6403	7.4	42	1	2	6	9	14	19	34
75-79	6335	7.8	48	2	2	6	9	14	19	36
80-84	5279	8.2	52	2	2	6	10	16	20	40
85+	4623	8.6	55	2	3	7	11	16	22	43
GRAND TOTAL	**28023**	**7.7**	**47**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2943	2.9	3	1	1	3	4	5	6	8
70-74	2316	3.0	4	1	1	3	4	5	6	8
75-79	1634	3.2	3	1	1	3	4	5	6	9
80-84	917	3.6	5	1	1	3	5	6	7	12
85+	492	3.9	5	1	1	4	5	7	8	12
2. MULTIPLE DX										
65-69 YRS	4925	4.1	12	1	1	3	5	7	10	20
70-74	4775	4.5	18	1	1	4	5	8	11	20
75-79	4070	5.1	24	1	1	4	6	9	13	23
80-84	2473	6.1	44	1	2	4	7	11	16	34
85+	1511	7.2	47	1	2	5	9	15	20	33
TOT. SINGLE DX	8302	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	17754	5.0	25	1	1	4	6	9	13	24
TOTAL 65-69 YRS	7868	3.6	10	1	1	3	4	6	8	16
70-74	7091	4.1	14	1	1	3	5	7	10	18
75-79	5704	4.5	19	1	1	4	5	8	11	20
80-84	3390	5.4	35	1	2	4	6	10	14	30
85+	2003	6.4	39	1	2	5	8	13	18	31
GRAND TOTAL	**26056**	**4.4**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	387	3.5	2	1	2	3	4	5	6	9
70-74	326	3.8	3	1	2	4	5	6	7	9
75-79	206	3.7	4	1	1	3	5	6	7	10
80-84	98	4.1	4	1	2	4	5	6	8	11
85+	61	4.3	7	1	1	4	6	7	9	15
2. MULTIPLE DX										
65-69 YRS	788	4.7	12	1	2	4	5	8	11	18
70-74	661	5.1	25	1	2	4	6	9	12	20
75-79	529	5.6	30	2	2	4	7	10	12	19
80-84	301	6.8	37	1	2	5	8	13	18	38
85+	156	8.6	62	2	3	7	10	17	23	68
TOT. SINGLE DX	1078	3.7	4	1	1	4	5	6	7	10
" MULTIPLE DX	2435	5.5	27	1	2	4	6	10	13	23
TOTAL 65-69 YRS	1175	4.3	10	1	2	4	5	7	9	16
70-74	987	4.6	19	1	2	4	5	8	10	19
75-79	735	5.1	24	1	2	4	6	9	12	18
80-84	399	6.1	30	1	2	5	7	12	15	30
85+	217	7.4	50	1	2	6	9	15	20	49
GRAND TOTAL	**3513**	**4.9**	**21**	**1**	**2**	**4**	**6**	**8**	**12**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	146	3.9	11	1	1	3	5	6	8	17
70-74	139	3.7	3	1	1	3	5	7	7	9
75-79	127	4.4	6	1	1	4	6	7	9	14
80-84	93	5.0	9	1	2	5	6	9	11	15
85+	70	5.5	14	1	2	5	7	10	12	22
2. MULTIPLE DX										
65-69 YRS	265	5.8	35	1	2	4	7	11	16	37
70-74	305	6.4	36	1	2	5	7	12	14	32
75-79	365	7.6	72	1	2	6	9	14	18	80
80-84	301	9.0	72	2	3	7	11	17	23	65
85+	233	9.8	52	2	3	8	13	21	26	99+
TOT. SINGLE DX	575	4.3	9	1	1	4	6	7	9	15
" MULTIPLE DX	1469	7.7	57	1	2	6	9	15	21	53
TOTAL 65-69 YRS	411	5.1	28	1	1	4	5	9	13	31
70-74	444	5.5	28	1	2	4	7	10	13	25
75-79	492	6.8	58	1	2	5	8	12	15	52
80-84	394	8.0	60	2	2	6	9	16	21	55
85+	303	8.8	47	2	3	7	12	19	24	99+
GRAND TOTAL	**2044**	**6.7**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**42**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	148	3.4	5	1	1	3	5	6	8	11
70-74	106	3.6	4	1	1	3	5	7	8	11
75-79	60	3.6	4	1	1	3	5	7	8	12
80-84	28	3.1	5	1	1	3	4	5	9	10
85+	20	4.1	6	1	1	4	6	7	9	10
2. MULTIPLE DX										
65-69 YRS	434	6.1	27	1	1	5	7	12	16	29
70-74	333	6.3	34	1	2	5	8	12	17	31
75-79	269	7.3	50	2	2	6	9	15	21	48
80-84	111	8.8	38	2	3	8	11	16	19	34
85+	80	10.8	162	1	2	7	12	20	30	72
TOT. SINGLE DX	362	3.5	5	1	1	3	5	6	8	11
" MULTIPLE DX	1227	7.0	46	1	2	5	9	14	18	35
TOTAL 65-69 YRS	582	5.4	23	1	1	4	7	11	15	25
70-74	439	5.6	28	1	1	4	7	11	15	28
75-79	329	6.6	44	1	2	5	8	13	18	47
80-84	139	7.7	37	1	2	6	10	15	18	30
85+	100	9.4	138	1	2	6	11	18	27	70
GRAND TOTAL	**1589**	**6.2**	**38**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	599	4.7	6	1	2	4	6	8	9	13
70-74	448	4.8	6	1	2	4	6	8	10	13
75-79	320	5.2	8	1	2	5	7	9	10	13
80-84	162	5.6	9	1	2	5	7	9	11	17
85+	50	6.4	16	1	2	5	8	13	19	99
2. MULTIPLE DX										
65-69 YRS	1659	7.5	44	2	3	6	9	13	17	36
70-74	1446	7.7	30	2	3	7	9	13	17	30
75-79	1019	8.5	55	2	3	7	10	16	21	46
80-84	513	9.3	59	2	3	8	12	17	22	38
85+	276	10.3	68	2	3	8	13	20	27	86
TOT. SINGLE DX	1579	5.0	8	1	2	5	6	8	10	14
" MULTIPLE DX	4913	8.1	46	2	3	7	10	15	19	38
TOTAL 65-69 YRS	2258	6.8	36	2	2	5	6	11	16	28
70-74	1894	7.0	26	2	3	6	9	12	15	28
75-79	1339	7.7	46	2	3	6	9	14	19	42
80-84	675	8.4	50	2	3	7	10	16	20	35
85+	326	9.7	62	2	3	8	13	19	26	99+
GRAND TOTAL	**6492**	**7.4**	**39**	**2**	**2**	**6**	**9**	**13**	**17**	**33**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	8.7	23	1	2	9	12	16	17	19
70-74	27	8.6	31	3	4	7	10	13	20	31
75-79	17	9.1	12	3	3	10	11	14	14	14
80-84	8	10.3	9	6	6	10	13	14	14	14
85+	4	8.5	24	3	3	8	12	14	14	14
2. MULTIPLE DX										
65-69 YRS	235	11.7	72	5	6	9	13	19	23	60
70-74	187	13.0	101	5	6	10	15	23	30	59
75-79	159	14.7	99	5	7	12	17	26	38	65
80-84	104	15.2	66	7	8	12	19	25	33	45
85+	65	20.2	245	6	8	16	24	41	71	97
TOT. SINGLE DX	83	8.9	22	2	3	9	11	14	16	27
" MULTIPLE DX	750	13.9	105	5	6	11	16	24	33	66
TOTAL 65-69 YRS	262	11.4	68	5	6	9	12	18	23	58
70-74	214	12.5	95	5	6	10	14	20	30	56
75-79	176	14.2	94	5	7	12	16	26	37	64
80-84	112	14.8	64	7	8	12	18	24	32	44
85+	69	19.5	240	5	7	15	24	41	70	96
GRAND TOTAL	**833**	**13.4**	**98**	**5**	**6**	**11**	**16**	**23**	**32**	**64**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	185	6.5	29	1	2	5	9	12	15	30
70-74	121	5.6	23	1	1	4	7	12	17	24
75-79	89	6.5	27	1	1	5	9	13	17	26
80-84	54	7.4	38	<1	1	6	10	16	20	31
85+	23	7.7	34	1	2	6	9	18	20	22
2. MULTIPLE DX										
65-69 YRS	1861	11.4	93	2	3	9	15	22	30	50
70-74	1599	12.2	111	2	3	9	15	24	32	56
75-79	1117	12.0	91	2	3	9	15	24	30	50
80-84	717	13.1	119	2	3	11	17	25	31	56
85+	465	13.2	110	2	3	11	17	24	30	71
TOT. SINGLE DX	472	6.4	29	1	1	5	9	13	17	27
" MULTIPLE DX	5759	12.1	103	2	3	9	15	24	31	54
TOTAL 65-69 YRS	2046	10.9	90	1	3	9	14	22	29	49
70-74	1720	11.7	108	2	3	9	15	23	32	55
75-79	1206	11.6	89	2	3	9	15	23	30	49
80-84	771	12.7	116	2	3	10	17	25	31	54
85+	488	12.9	108	2	3	11	17	24	29	69
GRAND TOTAL	**6231**	**11.7**	**100**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	100	10.0	54	2	4	8	11	18	25	42
70-74	84	11.3	40	4	5	10	14	18	23	38
75-79	55	10.8	90	4	5	9	12	17	23	68
80-84	32	15.0	185	5	6	11	15	24	57	65
85+	19	8.9	23	2	4	8	11	15	18	21
2. MULTIPLE DX										
65-69 YRS	800	16.2	162	5	6	12	20	30	45	76
70-74	760	16.1	133	5	6	13	20	30	39	80
75-79	590	17.4	130	5	7	15	22	32	40	71
80-84	363	17.7	128	6	8	14	23	33	42	86
85+	280	18.9	155	6	7	16	24	38	47	71
TOT. SINGLE DX	290	11.0	71	4	5	9	13	19	24	56
" MULTIPLE DX	2793	16.9	143	5	6	14	21	32	42	78
TOTAL 65-69 YRS	900	15.5	154	4	5	12	19	29	44	72
70-74	844	15.6	127	5	6	13	19	30	38	80
75-79	645	16.8	131	5	6	14	21	31	39	70
80-84	395	17.4	133	6	7	14	22	32	42	83
85+	299	18.2	153	6	7	15	22	37	46	70
GRAND TOTAL	**3083**	**16.3**	**140**	**5**	**6**	**13**	**20**	**31**	**41**	**73**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	23	2.9	6	<1	<1	2	4	7	9	9
70-74	9	4.9	29	1	1	2	8	14	16	16
75-79	12	4.3	9	1	1	3	6	10	10	10
80-84	6	2.3		2	2	2	3	3	3	3
85+	6	4.5	10	2	2	4	6	10	10	10
2. MULTIPLE DX										
65-69 YRS	82	7.9	131	1	1	5	9	18	25	72
70-74	64	7.8	56	2	2	5	11	20	29	90
75-79	56	9.8	80	2	2	6	16	22	30	35
80-84	30	9.7	43	1	1	8	12	16	21	29
85+	27	13.5	102	1	1	11	22	29	33	36
TOT. SINGLE DX	56	3.6	11	<1	1	2	5	9	10	16
" MULTIPLE DX	259	8.9	90	1	2	6	12	21	29	37
TOTAL 65-69 YRS	105	6.8	108	<1	1	4	8	15	22	60
70-74	73	7.4	54	1	2	5	10	18	27	84
75-79	68	8.8	72	1	2	5	13	20	29	34
80-84	36	7.6	42	1	2	7	11	16	20	29
85+	33	11.8	97	1	2	9	18	27	33	36
GRAND TOTAL	**315**	**8.0**	**80**	**1**	**1**	**5**	**10**	**19**	**27**	**36**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	232	9.1	29	2	3	8	11	16	20	27
70-74	155	9.5	21	3	5	9	11	15	18	38
75-79	102	10.4	34	4	5	10	12	16	20	36
80-84	81	10.3	20	4	6	9	12	17	19	24
85+	52	10.5	30	4	5	10	13	16	17	39
2. MULTIPLE DX										
65-69 YRS	1350	14.2	112	3	5	11	18	26	36	62
70-74	1293	15.0	136	4	5	12	18	28	38	69
75-79	1009	16.1	132	4	6	13	20	29	41	72
80-84	707	16.9	110	6	8	14	20	29	38	56
85+	511	17.1	97	7	8	15	21	30	38	93
TOT. SINGLE DX	622	9.7	27	2	4	9	12	16	19	27
" MULTIPLE DX	4870	15.5	122	4	6	13	19	28	38	68
TOTAL 65-69 YRS	1582	13.4	103	3	4	11	17	25	34	60
70-74	1448	14.4	127	4	5	11	17	26	37	69
75-79	1111	15.6	126	4	6	12	19	28	40	71
80-84	788	16.2	105	6	7	14	20	29	37	55
85+	563	16.5	95	7	8	14	20	29	37	84
GRAND TOTAL	**5492**	**14.8**	**115**	**4**	**6**	**12**	**18**	**27**	**36**	**65**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	9.4	9	5	6	9	11	13	16	20
70-74	106	10.8	18	6	7	9	13	17	21	24
75-79	77	9.5	6	6	7	9	11	13	14	16
80-84	28	13.7	166	6	6	10	14	23	32	74
85+	12	11.4	8	8	8	10	14	16	16	16
2. MULTIPLE DX										
65-69 YRS	743	14.9	107	6	7	12	17	26	34	63
70-74	703	14.1	59	6	7	12	17	24	30	43
75-79	547	14.8	75	6	7	12	18	26	32	56
80-84	288	16.3	76	7	8	14	20	29	32	55
85+	141	17.1	70	7	9	15	22	29	34	50
TOT. SINGLE DX	330	10.3	26	5	7	9	12	15	17	25
" MULTIPLE DX	2422	15.0	81	6	7	12	18	26	32	54
TOTAL 65-69 YRS	850	14.2	99	6	7	11	16	24	33	60
70-74	809	13.7	55	6	7	11	17	23	28	42
75-79	624	14.2	70	6	7	12	17	25	31	55
80-84	316	16.1	84	7	8	13	20	29	32	56
85+	153	16.7	68	7	9	14	21	28	33	46
GRAND TOTAL	**2752**	**14.4**	**77**	**6**	**7**	**12**	**17**	**25**	**31**	**50**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	221	6.7	32	1	2	6	9	12	14	19
70-74	182	6.6	14	1	2	6	9	11	14	19
75-79	85	6.8	20	1	2	6	9	13	15	21
80-84	39	5.8	21	1	1	5	8	12	15	21
85+	15	7.2	22	1	2	6	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	1081	11.1	77	2	2	9	14	22	28	42
70-74	874	11.6	100	2	2	9	14	24	32	53
75-79	577	13.2	103	2	3	10	18	26	34	48
80-84	312	13.1	129	2	4	10	16	26	32	71
85+	169	14.2	92	3	4	12	18	28	36	48
TOT. SINGLE DX	542	6.6	23	1	2	6	9	12	15	20
" MULTIPLE DX	3013	12.0	96	2	3	10	16	24	31	50
TOTAL 65-69 YRS	1302	10.3	73	1	2	8	13	20	26	41
70-74	1056	10.8	89	2	2	8	13	22	30	50
75-79	662	12.4	97	2	3	10	16	25	32	46
80-84	351	12.3	123	2	3	9	15	24	32	70
85+	184	13.6	90	3	4	11	18	28	36	48
GRAND TOTAL	**3555**	**11.2**	**89**	**2**	**2**	**9**	**14**	**23**	**30**	**49**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	146	7.1	12	1	2	7	9	12	13	17
70-74	111	8.1	24	1	2	8	10	14	16	25
75-79	58	9.0	25	2	3	9	11	16	21	26
80-84	15	6.0	8	2	2	8	8	9	10	10
85+	7	8.1	52	1	1	6	10	20	23	23
2. MULTIPLE DX										
65-69 YRS	553	10.2	54	2	3	9	13	18	23	36
70-74	436	11.3	82	2	3	9	15	20	26	52
75-79	321	11.9	81	2	3	10	15	21	28	53
80-84	167	12.6	78	2	3	12	17	24	29	46
85+	86	13.9	144	4	5	11	16	26	35	73
TOT. SINGLE DX	337	7.7	20	1	2	8	10	12	16	23
" MULTIPLE DX	1563	11.3	76	2	3	9	14	21	26	50
TOTAL 65-69 YRS	699	9.6	47	2	2	8	12	17	22	35
70-74	547	10.6	72	2	2	9	14	18	26	52
75-79	379	11.5	74	2	3	9	15	21	25	50
80-84	182	12.1	76	2	3	11	16	23	29	45
85+	93	13.4	139	4	5	10	15	25	33	72
GRAND TOTAL	**1900**	**10.7**	**68**	**2**	**3**	**9**	**13**	**19**	**25**	**46**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	9.4	51	2	2	7	13	22	24	24
70-74	14	11.4	169	1	3	9	14	20	46	53
75-79	13	10.2	32	4	4	10	15	18	18	18
80-84	3	10.7	70	1	1	15	16	16	16	16
85+										
2. MULTIPLE DX										
65-69 YRS	127	16.3	86	6	8	14	20	29	36	45
70-74	110	16.9	84	6	8	15	20	28	38	47
75-79	99	15.6	63	5	7	13	21	26	31	40
80-84	38	18.3	185	3	4	15	23	35	52	63
85+	12	17.3	71	4	7	16	22	31	32	32
TOT. SINGLE DX	42	10.4	81	2	3	8	14	18	22	53
" MULTIPLE DX	386	16.6	89	5	8	14	20	28	37	47
TOTAL 65-69 YRS	139	15.7	87	4	7	13	20	28	36	45
70-74	124	16.3	96	4	6	14	20	27	39	50
75-79	112	15.0	63	4	5	13	20	25	30	39
80-84	41	17.7	179	2	4	15	20	32	49	63
85+	12	17.3	71	4	7	16	22	31	32	32
GRAND TOTAL	**428**	**15.9**	**92**	**4**	**6**	**14**	**20**	**27**	**36**	**48**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	369	4.1	8	1	1	3	5	7	10	14
70-74	190	4.1	7	1	1	4	6	8	9	13
75-79	81	4.3	11	1	1	4	6	8	10	19
80-84	38	4.8	11	1	1	4	7	9	12	15
85+	12	4.2	3	1	2	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	737	6.6	32	1	2	5	8	13	17	29
70-74	517	7.3	40	1	2	6	9	15	20	32
75-79	370	8.3	46	1	2	6	11	18	20	33
80-84	198	9.7	54	2	3	8	12	20	24	35
85+	95	9.8	94	2	2	6	12	20	31	53
TOT. SINGLE DX	690	4.1	9	1	1	3	5	8	10	14
" MULTIPLE DX	1917	7.6	44	1	2	6	10	16	20	34
TOTAL 65-69 YRS	1106	5.8	26	1	2	4	7	11	15	26
70-74	707	6.5	34	1	2	5	8	13	18	29
75-79	451	7.6	42	1	2	6	10	17	20	33
80-84	236	8.9	51	2	2	7	11	18	24	34
85+	107	9.2	88	2	2	6	11	20	25	50
GRAND TOTAL	**2607**	**6.7**	**37**	**1**	**2**	**5**	**8**	**14**	**18**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	581	3.5	10	<1	<1	2	5	7	10	16
70-74	517	3.9	13	<1	<1	3	5	8	11	18
75-79	415	3.9	14	<1	<1	3	5	8	12	19
80-84	214	4.2	20	<1	1	3	6	8	10	17
85+	148	4.9	20	<1	1	3	6	10	13	24
2. MULTIPLE DX										
65-69 YRS	4108	7.7	70	1	1	6	9	16	22	46
70-74	4503	8.4	73	1	2	6	11	18	25	50
75-79	4250	9.2	77	1	2	7	12	19	26	49
80-84	3361	10.2	100	2	2	8	13	21	29	66
85+	2780	10.8	96	2	3	8	13	21	31	61
TOT. SINGLE DX	1875	3.9	14	<1	<1	3	5	8	11	19
" MULTIPLE DX	19002	9.1	83	1	2	7	11	19	26	52
TOTAL 65-69 YRS	4689	7.2	65	1	1	5	9	15	21	44
70-74	5020	8.0	69	1	1	6	10	17	24	48
75-79	4665	8.7	74	1	2	6	11	18	24	48
80-84	3575	9.9	98	1	2	7	12	20	28	63
85+	2928	10.5	94	2	2	8	13	21	29	60
GRAND TOTAL	**20877**	**8.6**	**79**	**1**	**2**	**6**	**11**	**18**	**25**	**50**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1034	3.0	5	1	1	2	4	5	7	10
70-74	1075	3.1	4	1	1	3	4	6	7	11
75-79	908	3.3	8	1	1	3	4	6	8	13
80-84	633	3.6	7	1	1	3	4	6	8	14
85+	418	4.2	10	1	1	3	5	8	10	19
2. MULTIPLE DX										
65-69 YRS	3305	5.0	27	1	1	4	6	10	14	27
70-74	3787	5.2	28	1	1	4	6	10	14	28
75-79	3640	6.2	46	1	2	4	7	12	17	35
80-84	2714	6.9	53	1	2	5	8	14	20	38
85+	2116	7.8	58	2	2	6	10	16	22	41
TOT. SINGLE DX	4068	3.3	7	1	1	3	4	6	8	12
" MULTIPLE DX	15562	6.0	42	1	2	4	7	12	17	33
TOTAL 65-69 YRS	4339	4.5	23	1	1	3	5	9	12	25
70-74	4862	4.8	24	1	1	3	6	9	13	26
75-79	4548	5.6	41	1	1	4	7	11	15	32
80-84	3347	6.2	46	1	2	4	7	13	18	36
85+	2534	7.2	52	1	2	5	9	15	21	38
GRAND TOTAL	**19630**	**5.5**	**36**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	290	6.2	25	1	1	4	9	14	17	22
70-74	248	6.6	33	1	1	5	10	15	17	25
75-79	190	5.9	33	1	1	4	8	14	16	26
80-84	104	6.8	38	1	1	5	9	14	17	32
85+	81	5.6	27	1	1	4	8	12	14	29
2. MULTIPLE DX										
65-69 YRS	1372	9.8	88	1	2	7	14	20	28	48
70-74	1600	10.4	100	1	2	8	14	21	29	51
75-79	1417	10.3	99	1	2	8	14	21	28	50
80-84	988	11.1	118	2	2	8	14	22	31	68
85+	832	11.6	128	2	3	8	14	23	34	70
TOT. SINGLE DX	913	6.2	31	1	1	4	9	14	16	25
" MULTIPLE DX	6209	10.5	105	1	2	8	14	21	29	57
TOTAL 65-69 YRS	1662	9.2	80	1	2	6	13	19	26	46
70-74	1848	9.9	93	1	2	7	13	20	27	48
75-79	1607	9.8	94	1	2	7	13	21	27	49
80-84	1092	10.7	113	1	2	8	14	22	30	68
85+	913	11.0	123	2	2	8	13	21	33	69
GRAND TOTAL	**7122**	**10.0**	**97**	**1**	**2**	**7**	**13**	**21**	**28**	**54**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	2.4	2	<1	<1	3	4	4	4	4
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	33	7.4	101	1	1	5	7	16	25	55
70-74	33	5.8	30	1	2	4	7	11	15	30
75-79	27	5.9	59	<1	1	3	6	14	28	31
80-84	16	9.6	28	3	3	9	13	17	20	22
85+	10	12.0	43	4	4	10	19	21	22	22
TOT. SINGLE DX	14	2.9	5	<1	<1	2	4	6	8	9
" MULTIPLE DX	119	7.3	60	1	1	5	9	16	22	38
TOTAL 65-69 YRS	40	6.5	87	<1	1	4	7	13	22	55
70-74	35	5.5	30	<1	1	4	7	11	14	30
75-79	28	5.7	58	1	1	3	6	14	28	31
80-84	18	9.4	26	3	4	9	13	17	20	22
85+	12	10.3	52	1	2	8	17	21	22	22
GRAND TOTAL	**133**	**6.8**	**56**	**1**	**1**	**5**	**8**	**15**	**21**	**35**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	80	3.5	5	<1	1	3	5	7	8	12
70-74	73	4.0	39	1	1	3	4	7	9	44
75-79	46	3.6	7	1	2	3	5	6	9	16
80-84	33	3.2	8	<1	1	2	4	6	8	15
85+	23	4.4	13	<1	1	4	5	10	13	15
2. MULTIPLE DX										
65-69 YRS	223	5.7	51	1	1	4	7	11	15	39
70-74	246	5.9	37	1	1	4	7	13	18	32
75-79	194	5.9	37	1	1	4	7	13	20	30
80-84	143	5.9	35	1	2	4	7	11	21	32
85+	96	9.3	133	1	2	6	10	19	36	60
TOT. SINGLE DX	255	3.7	17	1	1	3	5	7	9	15
" MULTIPLE DX	902	6.2	52	1	1	4	7	13	19	37
TOTAL 65-69 YRS	303	5.2	40	1	1	3	6	10	14	30
70-74	319	5.5	39	1	1	4	7	12	17	34
75-79	240	5.4	33	1	1	4	6	12	17	29
80-84	176	5.4	32	1	1	4	7	11	17	31
85+	119	8.3	113	1	1	5	9	15	30	60
GRAND TOTAL	**1157**	**5.7**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**37**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.6	12	<1	<1	2	5	8	10	19
70-74	49	3.8	11	<1	<1	3	5	10	13	13
75-79	38	3.2	12	<1	<1	2	3	7	12	18
80-84	24	3.6	22	<1	<1	2	3	9	13	22
85+	13	4.5	22	<1	<1	3	6	10	16	18
2. MULTIPLE DX										
65-69 YRS	643	8.0	68	1	1	6	10	16	22	39
70-74	787	8.4	66	1	2	7	11	16	23	47
75-79	815	9.0	68	1	2	7	12	19	25	42
80-84	674	10.0	116	2	2	7	12	19	27	73
85+	606	9.2	57	2	2	7	12	17	23	42
TOT. SINGLE DX	179	3.6	14	<1	<1	2	5	8	12	19
" MULTIPLE DX	3525	8.9	76	1	2	7	11	18	24	48
TOTAL 65-69 YRS	698	7.6	65	1	1	5	10	16	21	38
70-74	836	8.1	65	1	1	6	11	16	23	45
75-79	853	8.8	67	1	2	6	11	19	25	41
80-84	698	9.8	115	1	2	7	12	19	26	73
85+	619	9.1	57	2	2	7	12	17	23	42
GRAND TOTAL	**3704**	**8.7**	**74**	**1**	**2**	**7**	**11**	**18**	**24**	**45**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	115	3.4	8	1	1	2	5	8	11	43
70-74	114	2.9	2	1	1	3	4	5	6	8
75-79	81	3.6	7	1	1	3	4	7	11	13
80-84	48	3.4	3	1	1	3	4	6	7	10
85+	17	3.9	9	<1	1	3	5	7	12	14
2. MULTIPLE DX										
65-69 YRS	452	5.6	52	1	1	3	7	13	16	30
70-74	537	5.6	28	1	1	4	7	12	15	30
75-79	489	5.7	24	1	1	4	7	12	16	23
80-84	342	7.5	60	1	2	5	9	16	22	35
85+	224	8.5	50	1	2	7	11	18	21	40
TOT. SINGLE DX	375	3.3	6	1	1	3	4	6	9	14
" MULTIPLE DX	2044	6.3	41	1	1	4	8	13	17	30
TOTAL 65-69 YRS	567	5.1	44	1	1	3	6	12	16	30
70-74	651	5.2	25	1	1	4	6	11	14	29
75-79	570	5.4	22	1	1	4	7	11	15	23
80-84	390	7.0	55	1	2	4	8	15	21	34
85+	241	8.1	49	1	2	6	10	17	20	39
GRAND TOTAL	**2419**	**5.8**	**37**	**1**	**1**	**4**	**7**	**12**	**17**	**30**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	137	6.3	6	3	3	6	8	9	11	15
70-74	107	6.9	4	3	4	7	8	10	10	12
75-79	47	7.5	4	4	4	8	9	9	10	13
80-84	27	7.9	10	3	3	8	9	12	14	16
85+	3	5.3	4	3	3	6	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	404	8.0	19	3	5	8	9	11	14	24
70-74	285	8.3	14	4	4	8	9	13	16	22
75-79	195	9.0	27	3	4	8	10	14	18	32
80-84	83	8.7	17	4	5	8	10	14	16	26
85+	22	7.9	19	3	4	8	9	13	18	23
TOT. SINGLE DX	321	6.8	6	3	3	7	8	10	11	14
" MULTIPLE DX	989	8.3	20	3	4	8	10	13	16	25
TOTAL 65-69 YRS	541	7.6	17	3	4	7	9	11	14	24
70-74	392	7.9	12	4	4	7	9	12	15	21
75-79	242	8.7	24	3	4	8	10	13	16	31
80-84	110	8.5	16	3	4	8	10	14	16	25
85+	25	7.6	18	3	4	7	9	12	16	23
GRAND TOTAL	**1310**	**8.0**	**17**	**3**	**4**	**7**	**9**	**12**	**15**	**24**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	5.7	4	3	3	5	7	8	9	12
70-74	87	6.0	6	3	3	5	7	10	11	13
75-79	53	6.4	7	3	4	6	7	9	13	17
80-84	14	6.4	6	2	3	6	7	10	11	11
85+	6	7.5	4	5	5	7	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	266	6.7	11	3	3	6	8	10	14	19
70-74	210	6.9	17	2	3	6	8	11	14	27
75-79	158	6.8	10	3	4	6	8	11	13	20
80-84	66	8.5	23	4	4	8	10	13	15	30
85+	21	7.6	11	2	3	8	9	12	13	15
TOT. SINGLE DX	270	6.0	6	3	3	6	7	9	11	13
" MULTIPLE DX	721	6.9	15	3	3	6	8	11	14	24
TOTAL 65-69 YRS	376	6.4	10	3	3	6	7	9	12	18
70-74	297	6.6	15	3	3	6	8	10	13	24
75-79	211	6.7	10	3	4	6	8	10	13	19
80-84	80	8.2	21	3	4	7	10	12	14	30
85+	27	7.6	9	3	3	8	9	11	12	15
GRAND TOTAL	**991**	**6.7**	**12**	**3**	**3**	**6**	**8**	**10**	**13**	**21**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	4.2	6	1	2	4	5	7	10	12
70-74	19	4.3	7	1	2	3	6	8	10	11
75-79	8	4.6	4	1	2	5	6	7	8	8
80-84	6	3.3	13	1	1	2	5	9	10	10
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	121	8.3	67	1	2	6	11	17	20	46
70-74	109	9.6	109	1	2	6	12	22	34	51
75-79	96	9.5	73	1	2	8	11	19	31	39
80-84	57	10.3	130	1	1	7	14	23	30	68
85+	38	10.3	82	3	4	7	12	20	31	45
TOT. SINGLE DX	53	4.2	7	1	1	3	6	7	10	12
" MULTIPLE DX	421	9.4	89	1	2	7	12	19	27	47
TOTAL 65-69 YRS	139	7.8	61	1	2	5	11	16	19	41
70-74	128	8.8	98	1	2	6	11	20	33	50
75-79	104	9.2	70	1	2	8	11	18	29	39
80-84	63	9.6	123	1	1	6	13	22	28	66
85+	40	10.0	81	3	3	7	12	19	29	45
GRAND TOTAL	**474**	**8.8**	**83**	**1**	**2**	**6**	**11**	**18**	**25**	**47**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	84	4.3	12	1	1	3	6	9	12	18
70-74	50	4.1	8	1	1	4	5	7	9	17
75-79	19	4.8	6	1	2	5	7	9	9	9
80-84	9	3.7	3	1	1	4	5	6	6	6
85+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	114	9.2	82	1	2	6	13	21	34	64
70-74	112	9.6	97	2	2	7	11	23	32	73
75-79	56	10.6	146	1	1	6	13	29	35	61
80-84	49	12.6	243	1	2	7	14	35	55	68
85+	28	11.4	162	1	1	7	15	26	39	58
TOT. SINGLE DX	164	4.2	10	1	1	3	5	8	10	17
" MULTIPLE DX	359	10.1	125	1	2	7	13	24	36	63
TOTAL 65-69 YRS	198	7.1	59	1	1	4	9	17	22	43
70-74	162	7.9	76	1	2	5	9	17	26	56
75-79	75	9.1	117	1	1	5	9	23	34	57
80-84	58	11.2	216	1	2	6	11	31	48	68
85+	30	10.8	156	1	1	7	15	26	37	58
GRAND TOTAL	**523**	**8.3**	**96**	**1**	**1**	**5**	**9**	**19**	**30**	**59**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2804	5.0	5	2	3	5	6	7	8	12
70-74	2759	5.2	4	2	3	5	6	8	9	12
75-79	1948	5.4	5	2	3	5	6	8	10	15
80-84	1047	5.7	7	3	3	5	7	9	11	17
85+	499	6.6	17	3	3	6	8	10	13	19
2. MULTIPLE DX										
65-69 YRS	12716	6.7	26	3	3	5	7	11	15	28
70-74	14289	7.2	30	3	3	6	8	13	17	30
75-79	12176	8.1	43	3	4	6	9	15	20	37
80-84	7641	9.0	49	3	4	7	11	17	22	39
85+	4730	10.6	74	4	4	8	13	20	26	52
TOT. SINGLE DX	9057	5.3	6	2	3	5	6	8	9	14
" MULTIPLE DX	51552	7.9	41	3	3	6	9	14	19	35
TOTAL 65-69 YRS	15520	6.4	23	3	3	5	7	10	14	25
70-74	17048	6.9	27	3	3	6	8	12	15	28
75-79	14124	7.7	39	3	3	6	9	14	19	34
80-84	8688	8.6	46	3	4	7	10	16	21	37
85+	5229	10.2	70	3	4	8	12	19	25	51
GRAND TOTAL	**60609**	**7.5**	**37**	**3**	**3**	**6**	**8**	**13**	**18**	**33**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	326	9.7	11	5	6	9	11	14	17	20
70-74	245	9.9	18	5	6	9	12	15	17	31
75-79	123	9.5	11	5	6	9	12	14	15	18
80-84	30	10.5	7	7	7	10	12	14	16	16
85+	24	11.5	17	6	7	11	14	17	19	22
2. MULTIPLE DX										
65-69 YRS	1241	11.1	26	5	6	10	13	17	21	30
70-74	1152	11.7	31	5	7	11	14	18	21	31
75-79	834	12.8	50	6	7	11	15	20	25	39
80-84	454	13.9	57	6	7	12	17	22	27	48
85+	203	15.9	106	7	8	14	18	26	32	82
TOT. SINGLE DX	748	9.8	14	5	6	9	12	15	16	21
" MULTIPLE DX	3884	12.2	43	5	7	11	14	19	23	36
TOTAL 65-69 YRS	1567	10.8	24	5	6	10	12	17	20	28
70-74	1397	11.4	30	5	6	10	14	18	21	31
75-79	957	12.4	47	6	7	11	14	20	24	38
80-84	484	13.7	55	6	7	12	16	22	26	46
85+	227	15.4	99	6	8	13	18	25	32	79
GRAND TOTAL	**4632**	**11.8**	**39**	**5**	**7**	**10**	**14**	**19**	**22**	**35**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	540	2.0	2	<1	<1	2	2	3	4	8
70-74	449	2.2	6	<1	<1	2	2	4	5	8
75-79	290	2.3	4	<1	<1	2	3	4	6	13
80-84	99	2.5	4	<1	<1	2	3	5	6	12
85+	47	3.3	9	<1	1	2	4	6	10	16
2. MULTIPLE DX										
65-69 YRS	1084	4.8	32	1	1	3	6	12	15	26
70-74	1143	5.5	44	1	1	3	7	13	17	33
75-79	960	6.1	55	1	1	4	8	13	19	37
80-84	580	7.5	70	1	1	5	10	16	22	41
85+	308	9.0	84	1	2	7	12	19	23	42
TOT. SINGLE DX	1425	2.2	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	4075	6.0	52	1	1	3	8	14	19	35
TOTAL 65-69 YRS	1624	3.9	24	<1	1	2	4	9	13	23
70-74	1592	4.6	36	<1	1	2	5	11	15	32
75-79	1250	5.3	46	1	1	3	6	12	17	36
80-84	679	6.7	64	1	1	4	9	15	21	38
85+	355	8.2	78	1	1	5	11	18	22	42
GRAND TOTAL	**5500**	**5.0**	**42**	**<1**	**1**	**3**	**6**	**12**	**16**	**32**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	69	2.8	2	<1	1	3	3	5	6	8
70-74	46	2.6	5	<1	1	2	3	4	8	12
75-79	23	2.9	5	<1	1	2	3	7	8	10
80-84	13	2.4	1	1	1	2	3	4	4	4
85+	3	3.3	6	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	152	6.1	96	1	1	3	7	12	16	79
70-74	127	6.4	63	1	1	4	7	15	21	49
75-79	108	7.5	81	1	2	4	8	23	28	41
80-84	57	7.8	56	1	2	6	9	16	24	40
85+	32	11.5	107	1	2	8	15	28	35	42
TOT. SINGLE DX	154	2.7	4	<1	1	2	3	5	7	10
" MULTIPLE DX	476	7.0	81	1	1	4	8	15	25	43
TOTAL 65-69 YRS	221	5.0	69	1	1	3	5	10	13	42
70-74	173	5.4	50	1	1	3	6	12	18	44
75-79	131	6.7	71	1	1	4	8	14	28	41
80-84	70	6.8	50	1	2	4	8	14	18	39
85+	35	10.8	104	1	2	7	14	27	34	42
GRAND TOTAL	**630**	**6.0**	**66**	**1**	**1**	**3**	**7**	**13**	**20**	**41**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	145	3.2	11	1	1	2	4	6	9	17
70-74	170	2.9	5	1	1	2	3	6	7	13
75-79	187	3.3	14	1	1	2	3	7	10	22
80-84	118	3.1	7	1	1	2	3	7	9	13
85+	56	3.6	8	1	2	3	4	7	7	19
2. MULTIPLE DX										
65-69 YRS	707	6.4	45	1	1	4	8	15	21	33
70-74	875	7.1	60	1	1	4	10	17	21	39
75-79	906	7.1	55	1	1	4	10	17	21	37
80-84	647	8.0	88	1	2	5	10	17	25	51
85+	326	9.5	94	1	2	7	13	20	28	61
TOT. SINGLE DX	676	3.2	10	1	1	2	4	6	9	17
" MULTIPLE DX	3461	7.4	65	1	1	4	10	17	22	42
TOTAL 65-69 YRS	852	5.9	41	1	1	3	7	14	20	32
70-74	1045	6.4	54	1	1	3	8	15	19	36
75-79	1093	6.5	51	1	1	4	9	15	20	34
80-84	765	7.3	79	1	1	4	9	16	22	50
85+	382	8.6	86	1	2	6	12	18	24	58
GRAND TOTAL	**4137**	**6.7**	**59**	**1**	**1**	**4**	**9**	**16**	**21**	**39**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	6	4.8	25	1	1	3	7	13	14	14
TOTAL 65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	3	1.7		<1	<1	2	2	2	2	2
GRAND TOTAL	**8**	**4.0**	**20**	**<1**	**<1**	**2**	**5**	**12**	**14**	**14**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	2.1	2	<1	1	2	3	4	5	6
70-74	6	3.0	2	1	1	3	4	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	24	5.4	15	1	2	4	8	11	14	16
70-74	9	11.4	314	1	1	4	14	41	56	56
75-79	9	8.7	26	3	3	8	14	16	16	16
80-84	8	5.1	59	1	1	3	4	18	24	24
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	21	2.6	3	<1	1	2	3	5	6	6
" MULTIPLE DX	51	7.0	76	1	1	4	8	15	19	56
TOTAL 65-69 YRS	38	4.2	13	1	1	3	6	9	12	16
70-74	15	8.1	199	1	1	4	5	19	47	56
75-79	10	8.4	24	3	3	7	14	15	16	16
80-84	8	5.1	60	1	1	3	4	18	24	24
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**72**	**5.7**	**58**	**1**	**1**	**3**	**6**	**13**	**16**	**49**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	6.1	4	2	3	7	8	8	8	8
70-74	9	10.9	38	3	4	11	14	20	23	23
75-79	5	7.4	39	2	2	4	13	16	16	16
80-84	4	12.8	25	6	6	13	16	18	18	18
85+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX	3	4.0	7	2	2	3	6	7	7	7
" MULTIPLE DX	26	9.4	31	2	3	8	14	16	19	23
TOTAL 65-69 YRS	8	5.8	5	2	2	6	7	8	8	8
70-74	11	9.7	38	2	3	8	14	18	23	23
75-79	5	7.4	39	2	2	4	13	16	16	16
80-84	4	12.8	25	6	6	13	16	18	18	18
85+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**29**	**8.9**	**31**	**2**	**2**	**7**	**14**	**16**	**18**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	209	2.3	2	1	1	2	3	4	4	9
70-74	109	2.6	2	1	1	2	3	4	6	8
75-79	56	2.4	2	1	1	2	3	4	6	7
80-84	20	2.4	4	<1	<1	2	3	4	7	10
85+	12	2.4	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	312	3.7	11	1	1	3	4	8	11	18
70-74	281	3.7	8	1	1	3	4	7	9	16
75-79	166	4.2	17	1	1	3	5	8	11	27
80-84	82	4.5	18	1	1	3	5	9	14	24
85+	25	4.6	11	1	2	4	5	9	13	14
TOT. SINGLE DX	406	2.4	2	1	1	2	3	4	5	9
" MULTIPLE DX	866	3.9	12	1	1	3	4	8	11	18
TOTAL 65-69 YRS	521	3.1	8	1	1	2	4	6	9	16
70-74	390	3.4	7	1	1	3	4	7	8	14
75-79	222	3.8	14	1	1	3	4	7	9	23
80-84	102	4.1	16	<1	1	3	4	8	13	23
85+	37	3.9	9	1	1	3	5	8	12	14
GRAND TOTAL	**1272**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	1.6		<1	1	1	2	3	3	5
70-74	31	1.9	4	<1	<1	1	2	3	4	13
75-79	18	1.4		<1	<1	1	2	2	3	3
80-84	16	1.3		<1	<1	1	2	2	2	2
85+	7	2.3	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	148	3.8	16	<1	1	2	5	9	13	20
70-74	149	4.1	55	1	1	2	4	7	12	31
75-79	126	6.0	73	1	1	3	7	12	20	47
80-84	68	4.7	21	1	1	3	6	13	17	85
85+	73	6.6	37	1	1	4	10	14	21	27
TOT. SINGLE DX	116	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	564	4.9	44	1	1	3	6	11	16	34
TOTAL 65-69 YRS	192	3.3	14	<1	1	2	4	7	12	20
70-74	180	3.7	47	<1	1	2	4	7	12	30
75-79	144	5.4	67	<1	1	2	7	10	17	43
80-84	84	4.0	19	<1	1	2	6	11	16	73
85+	80	6.2	36	1	1	4	8	14	19	27
GRAND TOTAL	**680**	**4.3**	**38**	**<1**	**1**	**2**	**5**	**10**	**14**	**32**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	220	3.1	3	1	1	3	4	6	7	9
70-74	110	3.5	5	1	1	3	4	6	7	13
75-79	45	3.2	3	1	1	3	4	5	6	10
80-84	11	4.5	11	1	1	4	6	10	11	11
85+	10	3.3	2	1	1	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	621	4.5	22	1	2	3	5	8	10	24
70-74	341	5.0	34	1	2	3	5	9	15	37
75-79	144	4.9	18	1	2	4	5	10	14	32
80-84	52	7.6	60	2	2	5	9	18	26	39
85+	31	7.5	70	1	1	4	9	26	32	99+
TOT. SINGLE DX	396	3.3	4	1	1	3	4	6	7	11
" MULTIPLE DX	1189	4.9	29	1	2	4	5	9	14	31
TOTAL 65-69 YRS	841	4.1	18	1	1	3	5	7	9	19
70-74	451	4.6	28	1	1	3	5	8	13	26
75-79	189	4.5	15	1	1	4	5	8	14	27
80-84	63	7.1	53	1	2	4	9	16	25	38
85+	41	6.5	57	1	1	4	8	20	31	99+
GRAND TOTAL	**1585**	**4.5**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
35+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	6.6	7	3	4	6	8	10	12	13
70-74	13	8.5	10	5	6	7	10	13	15	16
75-79	13	7.1	3	5	5	7	8	10	11	11
80-84	5	8.0	9	4	4	9	10	12	12	12
85+	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	67	11.1	31	5	5	10	14	20	21	31
70-74	65	13.6	119	5	6	10	15	28	38	54
75-79	59	16.7	199	5	6	11	22	33	48	78
80-84	40	14.5	44	7	7	12	19	24	26	33
85+	32	14.8	75	5	7	13	18	32	35	36
TOT. SINGLE DX	49	7.1	8	3	4	7	9	11	12	16
" MULTIPLE DX	263	13.9	101	5	6	10	18	24	33	53
TOTAL 65-69 YRS	81	10.4	30	4	5	9	12	19	21	30
70-74	78	12.7	104	5	6	9	14	23	33	54
75-79	72	15.0	178	5	6	10	20	28	45	75
80-84	45	13.8	45	6	7	11	18	23	26	33
85+	36	13.5	80	3	4	11	17	30	34	36
GRAND TOTAL	**312**	**12.9**	**92**	**5**	**6**	**10**	**16**	**23**	**31**	**53**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	6.5	5	4	4	6	7	10	12	14
70-74	30	7.0	8	4	4	6	8	11	14	15
75-79	18	7.3	7	4	4	6	9	12	13	13
80-84	4	6.8	5	4	4	7	8	9	9	9
85+	10	6.2	5	2	3	7	8	9	10	10
2. MULTIPLE DX										
65-69 YRS	163	11.0	51	5	5	8	14	19	24	39
70-74	133	11.5	54	5	5	9	13	22	29	56
75-79	101	10.7	32	5	5	9	14	18	21	32
80-84	73	13.6	61	6	6	10	18	25	29	36
85+	38	12.1	46	6	6	10	14	22	26	38
TOT. SINGLE DX	99	6.8	7	4	4	6	8	11	13	15
" MULTIPLE DX	508	11.5	50	5	5	9	14	21	25	37
TOTAL 65-69 YRS	200	10.2	46	4	5	8	12	18	21	37
70-74	163	10.6	49	4	5	8	12	19	26	46
75-79	119	10.2	30	4	5	9	13	18	20	31
80-84	77	13.3	61	5	6	10	18	25	29	36
85+	48	10.9	43	4	5	9	13	20	24	38
GRAND TOTAL	**607**	**10.8**	**46**	**4**	**5**	**8**	**13**	**19**	**24**	**37**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	60	7.2	5	4	4	7	8	10	12	14
70-74	45	7.2	10	4	4	6	8	11	13	21
75-79	18	7.8	5	4	5	7	10	11	12	12
80-84	9	8.6	18	5	5	7	11	16	16	16
85+	3	8.7	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	332	10.9	52	5	5	8	13	19	24	41
70-74	252	11.7	69	5	6	9	14	22	27	49
75-79	170	12.7	67	5	6	10	16	23	30	41
80-84	95	12.8	58	5	6	11	16	20	27	46
85+	55	14.8	139	6	7	12	16	27	47	65
TOT. SINGLE DX	135	7.4	8	4	5	7	8	11	12	17
" MULTIPLE DX	904	11.9	67	5	5	9	15	21	28	46
TOTAL 65-69 YRS	392	10.3	47	4	5	8	12	18	23	40
70-74	297	11.0	63	5	5	8	13	20	25	47
75-79	188	12.2	64	5	6	9	15	22	29	41
80-84	104	12.4	56	5	6	10	16	19	26	44
85+	58	14.5	135	6	7	12	16	25	44	65
GRAND TOTAL	**1039**	**11.3**	**61**	**5**	**5**	**9**	**14**	**20**	**26**	**44**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	3.7	14	1	1	2	6	8	8	8
70-74	2	4.5	25	1	1	4	8	8	8	8
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	5	24.6	1155	3	3	7	37	84	84	84
70-74	6	11.8	221	<1	<1	5	21	36	38	38
75-79	5	10.0	12	5	5	11	12	14	14	14
80-84	2	4.5	13	2	2	4	7	7	7	7
85+	5	7.2	5	5	5	7	9	10	10	10
TOT. SINGLE DX	7	5.4	18	1	1	6	8	11	12	12
" MULTIPLE DX	23	12.6	311	1	2	7	12	25	54	84
TOTAL 65-69 YRS	8	16.8	782	1	1	7	15	65	84	84
70-74	8	10.0	173	<1	<1	5	14	33	38	38
75-79	6	9.3	13	5	5	9	12	14	14	14
80-84	2	4.5	13	2	2	4	7	7	7	7
85+	6	8.0	8	5	5	8	10	12	12	12
GRAND TOTAL	**30**	**10.9**	**249**	**1**	**1**	**7**	**11**	**21**	**38**	**84**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	6.5	5	5	5	6	8	8	8	8
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	6	10.3	134	2	2	5	12	31	33	33
70-74	3	7.0	7	5	5	6	9	10	10	10
75-79	5	11.8	53	5	5	9	17	23	23	23
80-84	4	14.5	129	4	4	12	23	29	29	29
85+	4	4.0	3	2	2	4	5	6	6	6
TOT. SINGLE DX	5	6.4	6	4	4	5	8	10	10	10
" MULTIPLE DX	22	9.8	75	2	3	6	12	25	31	33
TOTAL 65-69 YRS	8	9.4	100	2	3	6	10	27	33	33
70-74	4	7.8	7	5	5	8	10	10	10	10
75-79	6	10.7	50	5	5	8	15	22	23	23
80-84	4	14.5	130	4	4	12	23	29	29	29
85+	5	4.0	3	2	2	4	5	6	6	6
GRAND TOTAL	**27**	**9.2**	**63**	**2**	**3**	**6**	**10**	**22**	**30**	**33**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	2.1	1	<1	1	2	3	4	5	6
70-74	31	2.2	1	<1	1	2	2	4	5	7
75-79	19	2.2	2	<1	<1	2	3	4	6	7
80-84	7	1.6		1	1	1	2	3	3	3
85+	5	2.8	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	81	3.2	7	1	1	2	4	7	9	14
70-74	62	4.0	16	<1	1	2	4	11	15	16
75-79	37	2.4	3	<1	1	2	3	4	6	10
80-84	20	5.0	19	1	1	3	7	11	15	18
85+	5	8.2	208	1	1	2	11	34	34	34
TOT. SINGLE DX	95	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	205	3.6	15	1	1	2	4	8	12	17
TOTAL 65-69 YRS	114	2.9	6	1	1	2	3	6	8	14
70-74	93	3.4	12	<1	1	2	3	7	13	16
75-79	56	2.3	3	<1	1	2	3	4	6	10
80-84	27	4.1	17	1	1	2	6	9	13	18
85+	10	5.5	102	1	1	2	3	19	34	34
GRAND TOTAL	**300**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**10**	**16**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	70	2.8	6	<1	<1	2	3	6	9	11
70-74	55	3.5	10	<1	<1	2	5	8	8	19
75-79	46	3.9	10	<1	1	3	5	8	10	14
80-84	23	4.0	7	<1	1	3	6	7	9	12
85+	5	6.0	10	2	2	6	7	11	11	11
2. MULTIPLE DX										
65-69 YRS	313	4.9	38	1	1	3	6	10	15	31
70-74	276	5.7	45	1	1	4	7	11	16	37
75-79	256	7.5	100	1	2	5	9	15	22	56
80-84	146	7.2	63	1	2	6	8	14	19	39
85+	83	8.8	169	1	2	6	10	18	23	84
TOT. SINGLE DX	199	3.5	9	<1	1	2	5	8	9	14
" MULTIPLE DX	1074	6.3	70	1	1	4	7	13	19	44
TOTAL 65-69 YRS	383	4.6	34	<1	1	2	6	9	14	29
70-74	331	5.3	40	1	1	3	7	10	16	36
75-79	302	6.9	88	1	1	4	8	13	20	52
80-84	169	6.7	57	1	2	5	8	13	19	34
85+	88	8.6	160	1	2	6	10	18	22	82
GRAND TOTAL	**1273**	**5.9**	**61**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX										
" MULTIPLE DX	2	6.0	18	3	3	6	9	9	9	9
TOTAL 65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**2**	**6.0**	**18**	**3**	**3**	**6**	**9**	**9**	**9**	**9**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	3.0	7	<1	<1	2	4	7	9	9
70-74	7	2.3	4	<1	<1	1	3	6	6	6
75-79	6	4.0	9	<1	<1	3	6	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	62	6.4	33	<1	1	4	10	14	18	25
70-74	61	5.8	54	1	1	3	8	11	18	40
75-79	43	8.8	126	1	2	6	9	19	26	66
80-84	32	6.4	29	1	1	4	10	15	18	20
85+	25	6.7	32	2	2	5	8	13	22	25
TOT. SINGLE DX	25	3.0	6	<1	<1	2	4	6	9	9
" MULTIPLE DX	223	6.7	57	1	1	4	9	15	20	38
TOTAL 65-69 YRS	72	5.9	31	<1	1	4	9	14	18	25
70-74	68	5.4	50	1	1	3	7	10	17	39
75-79	49	8.2	114	1	1	5	9	19	23	66
80-84	33	6.2	29	1	1	4	10	15	18	20
85+	26	6.5	32	2	2	5	7	13	22	25
GRAND TOTAL	**248**	**6.4**	**53**	**1**	**1**	**4**	**9**	**14**	**19**	**37**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	436	7.0	5	4	5	6	8	10	12	16
70-74	324	7.4	5	4	5	7	8	10	12	17
75-79	156	7.5	6	5	5	7	8	10	12	20
80-84	74	8.0	5	5	5	7	10	11	12	17
85+	25	8.6	9	4	6	8	9	12	16	18
2. MULTIPLE DX										
65-69 YRS	2714	8.7	27	5	5	7	9	14	17	28
70-74	1975	9.4	33	5	5	8	10	15	20	33
75-79	1235	10.1	33	5	6	8	12	16	21	34
80-84	546	11.1	48	5	6	9	13	18	22	48
85+	262	12.1	55	5	6	10	15	22	27	43
TOT. SINGLE DX	1015	7.3	6	4	5	7	8	10	12	17
" MULTIPLE DX	6732	9.5	34	5	5	8	10	15	20	33
TOTAL 65-69 YRS	3150	8.4	25	5	5	7	9	13	17	28
70-74	2299	9.1	30	5	5	8	10	14	19	32
75-79	1391	9.8	31	5	5	8	11	16	21	33
80-84	620	10.7	45	5	6	9	12	17	22	39
85+	287	11.8	52	5	6	9	15	21	26	42
GRAND TOTAL	**7747**	**9.2**	**31**	**5**	**5**	**8**	**10**	**15**	**19**	**32**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	398	6.7	3	4	5	6	8	9	10	14
70-74	325	6.9	3	4	5	7	8	9	10	12
75-79	177	7.0	3	4	5	7	8	9	11	13
80-84	79	7.3	7	4	5	7	8	10	12	20
85+	19	7.1	2	4	5	7	8	9	10	11
2. MULTIPLE DX										
65-69 YRS	1644	7.3	8	4	5	7	8	10	12	18
70-74	1323	7.5	9	4	5	7	8	10	12	19
75-79	847	8.1	16	5	5	7	9	12	14	23
80-84	338	8.6	29	4	5	8	10	12	16	30
85+	133	9.0	54	4	5	7	10	14	19	78
TOT. SINGLE DX	998	6.9	4	4	5	7	8	9	10	14
" MULTIPLE DX	4285	7.7	14	4	5	7	8	11	13	21
TOTAL 65-69 YRS	2042	7.2	8	4	5	7	8	10	12	17
70-74	1648	7.4	8	4	5	7	8	10	12	18
75-79	1024	7.9	14	5	5	7	9	11	14	22
80-84	417	8.4	25	4	5	7	9	12	15	24
85+	152	8.8	48	4	5	7	9	13	18	73
GRAND TOTAL	**5283**	**7.5**	**12**	**4**	**5**	**7**	**8**	**10**	**13**	**19**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	11.2	25	7	7	9	11	20	24	24
70-74	7	12.6	14	9	9	12	14	19	20	20
75-79	4	21.3	67	11	11	21	26	31	31	31
80-84	2	21.0	288	9	9	21	33	33	33	33
85+										
2. MULTIPLE DX										
65-69 YRS	68	14.8	70	6	7	13	16	27	31	49
70-74	56	16.7	97	7	8	15	18	28	41	58
75-79	26	18.0	129	6	7	16	23	37	61	99+
80-84	16	26.5	489	8	9	18	30	71	81	84
85+	2	15.5	145	7	7	15	24	24	24	24
TOT. SINGLE DX	24	14.1	54	8	8	11	18	25	32	33
" MULTIPLE DX	168	17.1	135	6	8	14	19	31	42	82
TOTAL 65-69 YRS	79	14.3	65	6	7	12	16	25	30	49
70-74	63	16.2	89	7	8	14	18	26	39	57
75-79	30	18.4	120	6	8	18	23	36	53	99+
80-84	18	25.9	452	8	9	18	32	62	80	84
85+	2	15.5	145	7	7	15	24	24	24	24
GRAND TOTAL	**192**	**16.7**	**126**	**7**	**8**	**14**	**19**	**31**	**38**	**80**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	312	1.7	1	<1	<1	1	2	3	4	7
70-74	253	1.9	1	<1	<1	2	2	3	4	8
75-79	168	2.1	3	<1	<1	2	2	4	5	9
80-84	100	2.3	7	<1	<1	2	2	4	6	18
85+	56	2.8	19	<1	1	2	3	4	6	32
2. MULTIPLE DX										
65-69 YRS	1029	3.9	33	<1	1	2	4	9	13	33
70-74	957	3.9	26	<1	1	2	4	9	14	23
75-79	690	4.5	37	1	1	2	5	10	16	36
80-84	425	4.8	24	1	1	3	6	12	16	28
85+	315	5.8	52	1	1	3	8	13	17	99+
TOT. SINGLE DX	889	2.0	4	<1	<1	2	2	3	5	8
" MULTIPLE DX	3416	4.3	33	<1	1	2	5	10	14	34
TOTAL 65-69 YRS	1341	3.4	27	<1	<1	2	3	8	11	28
70-74	1210	3.5	22	<1	<1	2	3	8	12	21
75-79	858	4.0	32	<1	1	2	4	9	14	31
80-84	525	4.3	22	<1	1	2	5	11	15	26
85+	371	5.3	49	1	1	3	7	12	16	92
GRAND TOTAL	**4305**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**9**	**13**	**31**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	6	18.2	579	2	2	9	20	60	65	65
70-74	5	9.0	29	1	1	12	13	14	14	14
75-79	9	6.2	38	1	1	5	7	16	21	21
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	9.0	49	4	4	6	14	17	17	17
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	24	10.0	174	1	1	6	13	20	34	65
TOTAL 65-69 YRS	6	18.2	580	2	2	9	20	60	65	65
70-74	6	7.8	31	1	1	9	12	14	14	14
75-79	9	6.2	38	1	1	5	7	16	21	21
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	9.0	49	4	4	6	14	17	17	17
GRAND TOTAL	**25**	**9.7**	**169**	**1**	**1**	**5**	**13**	**20**	**32**	**65**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	6.3	3	4	4	6	8	9	9	9
70-74	3	5.0	3	4	4	4	6	7	7	7
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	5.0	2	4	4	5	6	6	6	6
85+										
2. MULTIPLE DX										
65-69 YRS	11	7.5	5	4	5	7	9	11	12	12
70-74	10	6.5	2	4	4	7	7	8	9	9
75-79	5	7.4	1	6	6	7	8	9	9	9
80-84	5	8.2	23	3	3	7	12	15	15	15
85+										
TOT. SINGLE DX	12	5.8	3	4	4	6	7	8	9	9
" MULTIPLE DX	31	7.3	6	4	4	7	8	11	12	15
TOTAL 65-69 YRS	17	7.1	5	4	4	7	8	10	11	12
70-74	13	6.2	3	4	4	7	7	8	9	9
75-79	6	7.3	1	6	6	7	8	9	9	9
80-84	7	7.3	18	3	3	6	10	14	15	15
85+										
GRAND TOTAL	**43**	**6.9**	**6**	**4**	**4**	**7**	**8**	**10**	**11**	**15**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	3.5	5	<1	<1	3	4	6	9	11
70-74	13	3.3	1	1	2	3	4	5	5	5
75-79	9	4.9	7	2	2	5	6	9	10	10
80-84	5	5.0	2	3	3	5	6	7	7	7
85+	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	79	4.3	22	1	2	3	4	7	9	33
70-74	63	4.2	10	1	2	3	4	7	9	22
75-79	64	5.5	72	1	2	4	5	8	13	57
80-84	29	5.5	24	2	2	4	6	13	16	24
85+	19	5.8	14	1	2	4	8	12	13	14
TOT. SINGLE DX	47	4.1	7	1	2	4	5	7	10	14
" MULTIPLE DX	254	4.8	32	1	2	4	5	8	12	36
TOTAL 65-69 YRS	97	4.1	20	1	2	3	4	7	9	30
70-74	76	4.1	9	1	2	3	4	7	8	20
75-79	73	5.5	64	2	2	4	5	9	13	55
80-84	34	5.4	21	2	2	4	6	11	16	24
85+	21	6.1	17	1	2	4	9	13	14	14
GRAND TOTAL	**301**	**4.7**	**28**	**1**	**2**	**4**	**5**	**8**	**12**	**30**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	515	5.5	4	3	3	5	7	8	9	11
70-74	317	5.9	4	3	3	6	7	8	9	13
75-79	183	6.2	5	3	4	6	7	8	9	16
80-84	67	6.0	6	3	3	6	7	10	12	14
85+	14	6.0	5	3	3	6	7	9	11	12
2. MULTIPLE DX										
65-69 YRS	1086	6.7	10	3	4	6	8	10	12	17
70-74	847	6.8	7	3	4	6	8	10	12	16
75-79	568	7.1	12	3	4	7	8	11	13	18
80-84	256	7.4	11	3	4	7	9	11	13	25
85+	77	8.6	22	3	4	7	11	16	18	25
TOT. SINGLE DX	1096	5.8	5	3	3	6	7	8	9	13
" MULTIPLE DX	2834	6.9	10	3	4	6	8	10	12	18
TOTAL 65-69 YRS	1601	6.3	9	3	3	6	7	9	11	15
70-74	1164	6.5	7	3	4	6	8	10	11	15
75-79	751	6.9	11	3	4	6	8	10	12	18
80-84	323	7.1	11	3	4	6	9	11	13	21
85+	91	8.2	21	3	4	7	11	15	18	24
GRAND TOTAL	**3930**	**6.6**	**9**	**3**	**4**	**6**	**8**	**10**	**12**	**17**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	36	5.6	4	1	3	6	7	8	9	11
70-74	23	6.8	23	<1	1	6	10	13	17	20
75-79	21	6.1	13	1	2	6	7	10	14	18
80-84	3	2.3	5	1	1	1	4	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	124	9.0	91	2	4	7	9	14	23	53
70-74	82	7.3	25	1	2	6	9	13	16	28
75-79	51	9.1	35	3	4	8	11	17	25	29
80-84	34	11.1	93	1	4	9	12	19	32	51
85+	20	7.8	34	<1	1	6	10	16	21	24
TOT. SINGLE DX	84	5.9	12	1	1	6	7	10	12	19
" MULTIPLE DX	311	8.7	62	2	3	7	10	15	22	36
TOTAL 65-69 YRS	160	8.2	74	2	4	7	9	13	19	38
70-74	105	7.2	25	1	2	6	9	13	16	27
75-79	72	8.2	31	2	3	7	9	16	19	29
80-84	37	10.4	91	1	1	8	12	19	30	51
85+	21	7.7	33	<1	1	6	10	16	21	24
GRAND TOTAL	**395**	**8.1**	**53**	**1**	**3**	**7**	**9**	**14**	**19**	**34**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	69	4.2	7	<1	1	4	6	7	10	13
70-74	82	4.6	6	1	2	4	6	8	9	14
75-79	54	4.4	5	2	2	4	6	7	9	14
80-84	48	4.2	3	2	2	4	5	6	8	10
85+	23	4.7	6	1	1	5	6	9	10	11
2. MULTIPLE DX										
65-69 YRS	349	6.0	29	1	2	5	7	10	15	27
70-74	317	7.0	56	1	2	6	8	12	15	43
75-79	289	7.2	66	2	2	6	8	13	19	38
80-84	180	7.1	32	2	2	6	9	13	19	37
85+	103	8.7	81	2	2	6	10	18	28	46
TOT. SINGLE DX	276	4.4	6	1	2	4	6	7	9	13
" MULTIPLE DX	1238	6.9	50	1	2	5	8	12	17	41
TOTAL 65-69 YRS	418	5.7	26	1	2	5	7	9	14	26
70-74	399	6.5	48	1	2	5	8	11	15	32
75-79	343	6.8	58	2	2	5	8	12	17	29
80-84	228	6.5	27	2	2	5	8	12	16	34
85+	126	8.0	70	1	2	5	9	17	21	44
GRAND TOTAL	**1514**	**6.5**	**43**	**1**	**2**	**5**	**8**	**11**	**16**	**35**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.1	10	<1	<1	2	3	7	9	19
70-74	39	2.1	3	<1	<1	1	3	4	6	9
75-79	21	3.6	14	<1	<1	2	5	9	13	15
80-84	15	3.0	8	<1	<1	2	3	5	11	13
85+	13	2.7	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	150	7.4	91	1	1	4	9	15	31	49
70-74	133	9.1	187	1	2	4	11	19	31	76
75-79	99	8.5	157	1	2	4	9	19	36	89
80-84	85	7.9	73	1	1	5	11	17	20	50
85+	85	8.5	79	1	2	7	11	14	23	54
TOT. SINGLE DX	143	2.9	8	<1	<1	2	3	5	8	15
" MULTIPLE DX	552	8.2	121	1	1	5	10	17	28	66
TOTAL 65-69 YRS	205	6.2	73	<1	1	3	7	15	20	47
70-74	172	7.5	154	1	1	3	8	16	26	71
75-79	120	7.6	135	1	1	4	8	17	31	84
80-84	100	7.1	67	1	1	4	10	15	19	48
85+	98	7.7	73	1	2	5	10	14	21	50
GRAND TOTAL	**695**	**7.1**	**103**	**1**	**1**	**4**	**9**	**15**	**24**	**63**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	31	8.1	31	2	3	6	10	15	23	25
70-74	23	7.3	35	1	1	6	10	19	20	20
75-79	17	7.4	32	1	2	5	10	17	19	20
80-84	20	11.2	70	2	4	7	14	23	30	36
85+	14	6.9	25	2	2	5	9	11	20	22
2. MULTIPLE DX										
65-69 YRS	67	15.6	196	2	3	12	20	35	42	78
70-74	66	16.2	197	3	3	14	23	29	34	81
75-79	72	14.9	156	2	3	13	18	31	41	67
80-84	58	15.3	174	3	4	11	20	36	45	66
85+	51	11.2	43	4	5	9	13	18	23	35
TOT. SINGLE DX	105	8.2	40	2	2	7	10	18	21	30
" MULTIPLE DX	314	14.8	159	3	3	11	20	29	38	69
TOTAL 65-69 YRS	98	13.3	156	2	3	10	18	27	38	65
70-74	89	13.9	170	2	3	10	20	27	32	77
75-79	89	13.4	141	2	2	11	17	27	37	63
80-84	78	14.3	150	3	4	11	20	32	37	63
85+	65	10.3	42	3	4	9	13	17	22	35
GRAND TOTAL	**419**	**13.2**	**137**	**2**	**3**	**10**	**17**	**26**	**36**	**67**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	6.0	36	1	1	4	9	16	18	18
70-74	11	7.5	36	1	1	7	9	17	21	21
75-79	5	2.8		2	2	3	3	4	4	4
80-84	1	10.0		10	10	10	10	10	10	10
85+	5	3.8	3	2	2	3	5	7	7	7
TOT. SINGLE DX	3	6.3	26	2	2	5	10	12	12	12
" MULTIPLE DX	31	5.8	26	1	1	4	7	14	18	21
TOTAL 65-69 YRS	10	6.6	36	1	1	4	12	16	18	18
70-74	13	6.9	33	1	1	6	8	16	20	21
75-79	5	2.8	1	2	2	3	3	4	4	4
80-84	1	10.0		10	10	10	10	10	10	10
85+	5	3.8	4	2	2	3	5	7	7	7
GRAND TOTAL	**34**	**5.9**	**26**	**1**	**1**	**4**	**7**	**14**	**17**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	2	7.5	41	3	3	7	12	12	12	12
70-74	9	4.2	11	1	1	3	7	9	10	10
75-79	5	8.4	41	2	2	10	12	17	17	17
80-84	6	7.7	7	3	3	8	9	11	11	11
85+	8	4.9	28	1	1	3	6	14	17	17
TOT. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
" MULTIPLE DX	30	6.0	21	1	1	5	9	12	17	17
TOTAL 65-69 YRS	3	6.0	27	3	3	3	10	12	12	12
70-74	10	3.9	11	1	1	2	7	9	10	10
75-79	7	6.6	37	2	2	2	11	16	17	17
80-84	7	6.9	10	2	2	8	9	11	11	11
85+	8	4.9	28	1	1	3	6	14	17	17
GRAND TOTAL	**35**	**5.4**	**20**	**1**	**1**	**3**	**8**	**11**	**16**	**17**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inpfausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical inplausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	38	4.3	18	<1	1	3	7	10	13	21
70-74	22	4.8	7	1	2	4	7	9	10	10
75-79	9	8.4	134	1	1	3	9	29	36	36
80-84	5	3.8	5	2	2	3	4	8	8	8
85+	8	4.1	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	96	8.6	73	1	2	5	12	20	29	40
70-74	96	9.2	85	1	1	7	14	21	29	78
75-79	51	9.8	130	2	2	6	12	26	40	99
80-84	39	12.8	295	1	2	7	15	26	54	86
85+	11	24.1	688	2	3	13	36	67	84	86
TOT. SINGLE DX	82	4.8	26	1	1	3	7	9	12	31
" MULTIPLE DX	293	10.2	145	1	2	7	14	22	35	86
TOTAL 65-69 YRS	134	7.4	62	1	1	4	10	18	23	36
70-74	118	8.4	74	1	1	5	13	19	27	68
75-79	60	9.6	129	1	2	6	12	27	38	96
80-84	44	11.8	270	1	2	6	14	25	48	86
85+	19	15.7	488	2	2	7	15	48	72	86
GRAND TOTAL	**375**	**9.0**	**124**	**1**	**1**	**5**	**12**	**20**	**31**	**80**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	3.6	12	1	1	3	4	6	10	22
70-74	20	2.7	1	1	1	2	3	5	5	6
75-79	12	3.6	6	1	1	3	4	9	9	9
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	90	4.9	49	1	1	3	5	8	15	42
70-74	56	6.3	59	1	1	3	5	20	30	95
75-79	34	6.1	37	1	2	3	9	16	20	25
80-84	20	5.3	39	1	1	3	5	18	20	22
85+	4	17.8	797	1	1	5	33	60	60	60
TOT. SINGLE DX	82	3.3	8	1	1	3	4	5	8	18
" MULTIPLE DX	204	5.8	63	1	1	3	5	15	23	51
TOTAL 65-69 YRS	134	4.5	38	1	1	3	4	8	11	41
70-74	76	5.3	47	1	1	3	5	16	27	82
75-79	46	5.5	30	1	2	3	6	13	18	25
80-84	22	5.0	36	1	1	3	5	18	20	22
85+	8	10.0	411	1	1	3	5	44	60	60
GRAND TOTAL	**286**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**20**	**42**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	2.4	1	1	1	3	3	3	3	3
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	26	8.2	114	1	2	5	7	19	42	42
70-74	22	9.1	57	1	2	7	13	21	24	27
75-79	16	7.9	42	2	3	6	10	18	24	26
80-84	15	8.5	71	2	2	6	11	15	30	35
85+	6	5.7	16	1	1	4	9	12	12	12
TOT. SINGLE DX	12	3.0	3	1	1	3	4	5	6	6
" MULTIPLE DX	85	8.2	69	1	2	5	10	19	26	42
TOTAL 65-69 YRS	31	7.2	100	1	2	4	7	15	41	42
70-74	24	8.6	55	1	1	7	12	21	23	27
75-79	18	7.4	40	1	2	6	9	17	23	26
80-84	17	8.0	64	2	2	5	10	15	28	35
85+	7	5.1	15	1	1	4	8	11	12	12
GRAND TOTAL	**97**	**7.6**	**64**	**1**	**2**	**5**	**9**	**18**	**24**	**42**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	1.9		<1	1	2	2	3	3	3
70-74	14	2.5	2	<1	1	2	3	4	6	7
75-79	9	2.8	6	1	1	2	4	7	7	7
80-84	5	3.4	1	2	2	4	4	4	4	4
85+	5	3.2	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	78	7.7	60	1	2	6	9	16	27	39
70-74	65	9.5	106	1	2	6	12	21	30	60
75-79	54	11.9	150	2	3	9	14	22	29	77
80-84	36	13.0	155	2	2	10	16	25	43	60
85+	34	10.7	101	1	3	8	13	20	25	55
TOT. SINGLE DX	49	2.5	3	<1	1	2	3	4	7	7
" MULTIPLE DX	267	10.1	110	1	2	7	13	22	30	59
TOTAL 65-69 YRS	94	6.7	55	1	1	4	8	14	24	39
70-74	79	8.2	95	1	2	5	10	18	29	55
75-79	63	10.6	140	1	2	7	13	22	27	74
80-84	41	11.8	147	2	2	9	14	23	39	60
85+	39	9.7	95	1	2	7	12	20	25	55
GRAND TOTAL	**316**	**8.9**	**101**	**1**	**2**	**6**	**11**	**20**	**28**	**57**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	2.3	2	1	1	2	3	5	6	6
70-74	8	3.3	8	1	1	2	3	8	10	10
75-79	5	3.8		3	3	4	4	5	5	5
80-84	2	11.0	98	4	4	11	18	18	18	18
85+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	48	5.1	51	1	1	3	6	9	13	40
70-74	31	5.4	37	1	1	3	7	11	15	33
75-79	19	8.7	126	1	1	5	9	26	36	44
80-84	15	4.4	19	1	1	3	5	14	15	15
85+	7	10.3	36	3	3	10	12	19	21	21
TOT. SINGLE DX	43	3.0	9	1	1	2	3	5	8	18
" MULTIPLE DX	120	6.0	56	1	1	3	7	11	23	41
TOTAL 65-69 YRS	72	4.2	37	1	1	3	4	8	10	39
70-74	39	5.0	32	1	1	3	5	11	13	33
75-79	24	7.7	103	1	2	4	6	25	32	44
80-84	17	5.2	28	1	1	3	6	15	17	18
85+	11	7.3	39	1	1	4	11	16	21	21
GRAND TOTAL	**163**	**5.2**	**45**	**1**	**1**	**3**	**5**	**11**	**16**	**39**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	148	6.5	39	1	2	5	7	11	17	41
70-74	60	6.3	17	1	2	5	9	12	15	19
75-79	45	5.8	16	1	1	5	8	11	13	19
80-84	16	4.3	9	<1	1	4	5	8	11	13
85+	16	9.8	35	1	3	9	13	19	21	22
2. MULTIPLE DX										
65-69 YRS	345	7.7	63	1	2	5	9	14	22	48
70-74	229	9.2	109	2	2	6	10	19	30	57
75-79	112	13.2	168	2	2	9	17	37	46	75
80-84	75	12.5	100	2	3	10	15	29	37	86
85+	59	20.1	232	4	7	14	24	47	55	68
TOT. SINGLE DX	285	6.4	30	1	2	5	8	12	16	33
" MULTIPLE DX	820	10.2	117	2	2	7	12	22	34	58
TOTAL 65-69 YRS	493	7.3	56	1	2	5	8	13	20	43
70-74	289	8.6	91	1	2	6	10	17	23	56
75-79	157	11.1	136	1	2	7	14	28	42	59
80-84	91	11.1	94	1	2	8	14	28	35	77
85+	75	17.9	207	3	4	13	20	39	53	66
GRAND TOTAL	**1105**	**9.2**	**97**	**1**	**2**	**6**	**11**	**19**	**30**	**56**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	303	3.2	6	1	1	3	4	5	7	10
70-74	147	3.0	2	1	1	3	4	5	6	8
75-79	64	3.1	4	1	1	3	4	6	6	13
80-84	30	3.5	31	<1	1	2	3	5	6	32
85+	12	2.6	3	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
65-69 YRS	1672	3.6	6	1	1	3	4	6	8	14
70-74	1167	3.9	9	1	1	3	5	6	8	17
75-79	560	4.2	13	1	2	4	5	7	9	18
80-84	218	4.3	15	1	1	4	5	8	10	24
85+	85	4.9	12	1	2	4	6	9	15	71
TOT. SINGLE DX	556	3.2	6	1	1	3	4	5	6	9
" MULTIPLE DX	3702	3.9	9	1	1	3	5	6	8	16
TOTAL 65-69 YRS	1975	3.6	7	1	1	3	4	6	7	13
70-74	1314	3.8	9	1	1	3	5	6	8	16
75-79	624	4.1	12	1	1	3	5	7	9	17
80-84	248	4.2	17	1	1	3	5	7	9	32
85+	97	4.6	12	1	1	4	6	9	14	61
GRAND TOTAL	**4258**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**15**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	393	4.4	17	1	1	3	5	9	12	20
70-74	305	4.6	27	1	1	3	6	9	12	29
75-79	202	6.0	50	1	1	4	7	13	23	39
80-84	100	5.9	24	1	2	4	8	12	15	27
85+	64	6.5	37	<1	1	5	9	13	17	33
2. MULTIPLE DX										
65-69 YRS	1465	10.3	153	1	1	6	13	24	36	69
70-74	1270	11.8	195	1	2	7	15	28	43	78
75-79	868	12.4	172	1	2	8	16	29	41	73
80-84	470	14.2	221	1	2	10	18	32	43	89
85+	293	14.8	149	2	3	12	20	31	44	99+
TOT. SINGLE DX	1064	5.0	29	1	1	3	6	10	15	31
" MULTIPLE DX	4366	11.9	179	1	2	7	15	28	40	77
TOTAL 65-69 YRS	1858	9.0	130	1	1	5	11	21	31	63
70-74	1575	10.4	171	1	1	6	13	25	38	72
75-79	1070	11.2	156	1	2	7	15	28	38	71
80-84	570	12.7	197	1	2	9	16	28	38	87
85+	357	13.3	140	1	2	10	18	29	41	97
GRAND TOTAL	**5430**	**10.5**	**157**	**1**	**2**	**6**	**14**	**25**	**37**	**71**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	127	7.9	37	1	3	7	10	13	16	33
70-74	139	10.5	43	1	3	10	13	17	20	37
75-79	131	11.0	59	3	4	10	13	18	22	50
80-84	112	10.0	29	3	4	9	13	16	18	32
85+	145	11.7	65	4	5	11	14	19	23	48
2. MULTIPLE DX										
65-69 YRS	425	12.7	99	3	4	10	16	25	32	50
70-74	478	12.4	90	3	4	10	15	22	31	54
75-79	548	15.1	126	4	6	12	18	28	38	90
80-84	513	15.9	138	5	6	13	18	30	42	78
85+	640	15.3	109	6	7	12	18	26	32	72
TOT. SINGLE DX	654	10.3	49	3	4	9	13	17	21	38
" MULTIPLE DX	2604	14.4	115	4	5	12	17	26	36	69
TOTAL 65-69 YRS	552	11.6	89	3	4	9	14	22	29	50
70-74	617	12.0	80	3	4	10	15	21	30	48
75-79	679	14.4	116	4	5	12	17	26	36	69
80-84	625	14.8	124	4	6	12	17	27	38	67
85+	785	14.6	103	5	7	12	17	25	30	70
GRAND TOTAL	**3258**	**13.6**	**105**	**3**	**5**	**11**	**16**	**24**	**33**	**64**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	285	3.8	26	<1	<1	2	4	8	11	21
70-74	264	4.3	25	<1	1	3	5	9	13	30
75-79	201	4.7	50	<1	1	3	5	8	13	42
80-84	132	5.5	59	<1	1	3	6	11	15	40
85+	121	6.1	24	1	1	5	8	13	16	26
2. MULTIPLE DX										
65-69 YRS	486	7.5	93	1	1	4	9	18	26	74
70-74	433	10.1	167	1	1	5	12	26	45	89
75-79	440	10.8	179	1	2	6	12	24	39	85
80-84	313	10.9	135	2	2	7	15	25	34	78
85+	359	12.1	151	2	3	9	15	25	32	74
TOT. SINGLE DX	1003	4.6	36	<1	1	3	5	9	14	29
" MULTIPLE DX	2031	10.1	147	1	2	6	12	23	36	78
TOTAL 65-69 YRS	771	6.2	72	1	1	3	7	15	20	61
70-74	697	7.9	121	1	1	4	9	20	32	67
75-79	641	8.9	147	1	1	5	10	20	35	72
80-84	445	9.3	119	1	2	6	12	21	31	71
85+	480	10.6	126	2	2	8	13	22	28	67
GRAND TOTAL	**3034**	**8.3**	**117**	**1**	**1**	**5**	**10**	**19**	**28**	**68**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	86	9.2	18	4	4	8	11	15	17	22
70-74	83	11.2	29	4	5	11	14	19	21	30
75-79	114	12.2	22	6	7	11	14	18	21	28
80-84	131	12.1	23	6	7	12	15	18	21	30
85+	180	12.2	51	5	6	11	14	18	25	57
2. MULTIPLE DX										
65-69 YRS	305	15.8	167	5	6	12	18	30	41	88
70-74	419	15.9	143	6	7	13	18	28	38	74
75-79	577	15.9	137	6	7	13	17	27	41	80
80-84	659	15.7	103	6	7	13	19	29	41	99+
85+	998	15.3	100	6	7	13	17	25	35	76
TOT. SINGLE DX	594	11.6	33	5	6	11	14	18	21	32
" MULTIPLE DX	2958	15.6	121	6	7	13	18	27	39	81
TOTAL 65-69 YRS	391	14.3	142	5	6	11	16	26	37	83
70-74	502	15.2	127	5	7	12	17	26	37	68
75-79	691	15.3	120	6	7	13	17	24	37	76
80-84	790	15.1	91	6	7	13	18	27	36	94
85+	1178	14.9	94	6	7	13	17	25	32	71
GRAND TOTAL	**3552**	**15.0**	**109**	**6**	**7**	**13**	**17**	**25**	**36**	**77**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	495	11.4	34	5	6	10	14	17	20	35
70-74	622	11.9	27	6	7	11	14	18	20	28
75-79	868	13.0	58	6	7	12	15	19	23	42
80-84	1024	13.9	62	6	7	12	16	21	26	48
85+	1446	13.4	52	6	7	12	16	20	26	42
2. MULTIPLE DX										
65-69 YRS	2002	16.1	117	6	8	13	18	28	36	71
70-74	3035	16.5	121	7	8	14	19	29	40	86
75-79	4427	16.6	116	7	8	14	19	28	40	80
80-84	5282	17.0	130	7	8	14	19	30	42	88
85+	8266	16.6	116	7	8	14	19	29	40	99+
TOT. SINGLE DX	4455	13.0	51	6	7	12	15	19	24	42
" MULTIPLE DX	23012	16.6	121	7	8	14	19	29	40	88
TOTAL 65-69 YRS	2497	15.2	105	6	7	13	17	26	34	63
70-74	3657	15.8	109	6	7	13	18	27	37	78
75-79	5295	16.0	109	7	8	14	18	27	36	75
80-84	6306	16.5	121	7	8	14	19	28	39	81
85+	9712	16.1	109	6	8	14	19	28	38	93
GRAND TOTAL	**27467**	**16.1**	**111**	**6**	**8**	**14**	**18**	**27**	**38**	**81**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	14.5	237	2	3	8	19	39	55	58
70-74	20	9.3	51	1	1	6	15	20	21	22
75-79	33	9.3	57	1	1	8	14	22	26	27
80-84	26	9.4	48	2	4	7	12	20	27	28
85+	46	9.5	126	1	2	6	10	21	35	59
2. MULTIPLE DX										
65-69 YRS	83	18.4	332	3	4	12	19	51	59	81
70-74	94	17.3	221	2	5	13	22	41	51	71
75-79	104	15.0	121	2	4	13	22	35	47	99+
80-84	120	17.6	216	4	5	13	22	42	63	99+
85+	177	14.4	174	2	4	10	18	33	41	94
TOT. SINGLE DX	146	10.1	103	1	2	7	14	21	27	58
" MULTIPLE DX	578	16.2	205	3	4	12	20	37	51	99+
TOTAL 65-69 YRS	104	17.6	313	2	3	12	19	51	57	80
70-74	114	15.9	200	1	3	12	20	36	49	67
75-79	137	13.6	112	1	3	12	19	29	42	99+
80-84	146	16.2	196	4	4	13	19	37	57	99+
85+	223	13.4	168	2	3	9	17	31	40	86
GRAND TOTAL	**724**	**15.0**	**190**	**2**	**3**	**11**	**19**	**34**	**49**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	182	3.3	11	1	1	2	4	7	10	18
70-74	109	3.4	19	1	1	2	4	7	9	25
75-79	119	3.5	15	1	1	2	4	8	10	21
80-84	53	3.5	11	1	1	2	4	8	11	17
85+	46	5.0	19	<1	1	4	7	13	14	19
2. MULTIPLE DX										
65-69 YRS	216	8.7	162	1	1	5	9	20	38	66
70-74	196	7.4	86	1	1	4	9	17	22	51
75-79	200	9.4	123	1	2	6	11	20	27	73
80-84	119	10.7	160	1	2	7	12	24	37	65
85+	120	9.0	76	2	2	7	11	22	27	99+
TOT. SINGLE DX	509	3.5	15	1	1	2	4	7	10	18
" MULTIPLE DX	851	8.9	124	1	1	5	11	19	30	70
TOTAL 65-69 YRS	398	6.2	100	1	1	3	6	13	22	56
70-74	305	6.0	66	1	1	3	7	13	19	38
75-79	319	7.2	91	1	1	4	9	16	24	70
80-84	172	8.5	125	1	1	5	10	17	31	56
85+	166	7.9	64	1	2	6	10	17	26	93
GRAND TOTAL	**1360**	**6.9**	**90**	**1**	**1**	**4**	**8**	**15**	**24**	**62**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1017	5.3	13	1	2	5	7	9	11	18
70-74	669	5.8	14	1	2	5	7	10	12	18
75-79	486	6.0	16	1	2	5	8	11	14	20
80-84	227	7.3	30	2	2	6	10	13	16	26
85+	168	7.3	31	2	2	6	10	14	17	30
2. MULTIPLE DX										
65-69 YRS	1761	8.7	58	2	3	7	10	17	24	44
70-74	1487	9.8	86	2	3	7	12	19	27	51
75-79	1174	10.9	106	2	3	8	13	21	27	76
80-84	745	11.9	130	3	3	9	14	22	33	72
85+	529	12.2	108	3	4	9	15	24	32	61
TOT. SINGLE DX	2567	5.9	17	1	2	5	7	10	13	21
" MULTIPLE DX	5696	10.2	91	2	3	8	12	20	27	58
TOTAL 65-69 YRS	2778	7.4	45	2	2	6	9	14	19	38
70-74	2156	8.6	67	2	3	6	10	16	23	45
75-79	1660	9.5	85	2	3	7	12	18	24	63
80-84	972	10.8	111	2	3	8	13	20	29	64
85+	697	11.0	94	2	3	8	13	22	30	58
GRAND TOTAL	**8263**	**8.8**	**72**	**2**	**3**	**7**	**11**	**17**	**23**	**49**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	531	3.3	9	1	1	2	4	7	10	15
70-74	447	3.8	15	1	1	3	5	8	10	23
75-79	375	3.5	12	1	1	2	4	7	11	18
80-84	267	4.1	52	1	1	3	5	8	11	19
85+	219	4.4	35	1	1	3	5	9	13	21
2. MULTIPLE DX										
65-69 YRS	937	7.2	65	1	1	5	9	15	23	48
70-74	964	7.1	55	1	1	5	9	15	20	42
75-79	971	8.0	82	1	2	5	10	18	23	57
80-84	828	8.3	85	1	2	6	10	19	25	55
85+	849	9.1	134	1	2	6	10	18	27	83
TOT. SINGLE DX	1839	3.7	21	1	1	2	4	8	10	19
" MULTIPLE DX	4549	7.9	84	1	2	5	9	17	23	57
TOTAL 65-69 YRS	1468	5.8	49	1	1	4	7	13	17	41
70-74	1411	6.1	45	1	1	4	8	13	18	37
75-79	1346	6.7	67	1	1	4	8	15	22	48
80-84	1095	7.3	80	1	1	5	8	16	23	51
85+	1068	8.1	118	1	2	5	9	16	25	72
GRAND TOTAL	**6388**	**6.7**	**69**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	134	4.4	32	<1	<1	2	5	11	14	29
70-74	152	4.5	22	<1	1	3	6	11	14	24
75-79	119	5.2	57	1	1	3	6	11	19	40
80-84	96	4.8	25	1	1	3	6	10	16	25
85+	66	4.3	15	<1	1	3	5	10	11	21
2. MULTIPLE DX										
65-69 YRS	231	6.6	47	1	1	4	9	16	23	31
70-74	257	7.0	70	1	1	4	9	16	26	49
75-79	328	9.0	116	1	1	5	11	25	33	56
80-84	237	10.0	171	1	1	6	13	22	39	97
85+	205	9.7	127	1	2	6	12	23	33	68
TOT. SINGLE DX	567	4.6	32	<1	1	3	6	11	15	26
" MULTIPLE DX	1258	8.5	108	1	1	5	11	20	29	60
TOTAL 65-69 YRS	365	5.8	43	1	1	3	7	15	21	30
70-74	409	6.1	54	1	1	4	7	14	20	42
75-79	447	8.0	103	1	1	5	9	19	29	55
80-84	333	8.5	135	1	1	5	11	19	28	79
85+	271	8.4	106	1	1	5	10	20	29	59
GRAND TOTAL	**1825**	**7.3**	**88**	**1**	**1**	**4**	**9**	**17**	**26**	**52**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	5.3	17	1	1	4	7	11	15	19
70-74	28	8.6	128	1	2	5	9	13	37	56
75-79	22	6.6	17	1	2	6	9	13	16	16
80-84	9	8.1	24	3	3	7	12	15	16	16
85+	12	10.7	145	<1	1	7	14	25	42	45
2. MULTIPLE DX										
65-69 YRS	58	9.8	80	2	3	6	13	21	26	45
70-74	59	9.8	123	1	1	7	11	22	28	68
75-79	59	12.6	176	2	4	10	15	20	26	88
80-84	43	14.5	115	3	4	11	18	27	43	50
85+	37	16.6	240	5	6	12	19	28	43	91
TOT. SINGLE DX	108	7.3	62	1	1	5	9	14	16	50
" MULTIPLE DX	256	12.2	145	2	3	9	15	23	30	70
TOTAL 65-69 YRS	95	8.1	60	1	2	6	11	17	22	44
70-74	87	9.4	124	1	1	7	10	19	32	65
75-79	81	11.0	139	1	3	9	14	18	22	80
80-84	52	13.4	105	3	4	11	17	26	40	50
85+	49	15.1	220	2	4	11	16	28	45	91
GRAND TOTAL	**364**	**10.7**	**126**	**1**	**2**	**8**	**13**	**21**	**28**	**56**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	98	7.0	42	1	1	4	11	17	21	27
70-74	97	8.4	73	1	2	5	11	18	26	43
75-79	56	8.5	104	1	1	6	11	16	24	62
80-84	29	12.7	108	2	2	10	20	27	29	46
85+	21	9.3	48	2	3	7	13	21	24	25
2. MULTIPLE DX										
65-69 YRS	372	14.1	229	1	2	8	18	39	48	74
70-74	376	15.8	237	1	2	11	21	38	50	73
75-79	284	17.7	267	2	3	14	25	42	56	96
80-84	207	19.4	293	2	4	15	28	40	56	99+
85+	132	18.2	251	4	5	14	21	38	56	98
TOT. SINGLE DX	301	8.4	72	1	1	6	11	20	25	43
" MULTIPLE DX	1371	16.5	254	2	2	12	22	40	51	88
TOTAL 65-69 YRS	470	12.6	198	1	2	8	16	33	45	68
70-74	473	14.3	212	1	2	10	19	35	47	72
75-79	340	16.2	252	2	2	12	21	38	54	91
80-84	236	18.6	276	2	3	15	27	39	54	99
85+	153	17.0	233	3	4	13	20	34	55	97
GRAND TOTAL	**1672**	**15.1**	**231**	**1**	**2**	**10**	**20**	**36**	**49**	**80**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	762	8.4	21	3	4	8	11	14	17	22
70-74	455	9.1	27	3	4	8	11	15	18	30
75-79	184	9.9	26	4	4	9	12	17	19	25
80-84	68	10.3	26	2	5	9	13	18	20	25
85+	32	9.1	18	3	4	9	13	14	17	19
2. MULTIPLE DX										
65-69 YRS	1800	11.7	71	4	5	9	14	21	27	48
70-74	1273	13.0	75	4	5	11	16	23	29	45
75-79	739	14.6	97	5	6	12	18	26	34	64
80-84	298	16.2	110	5	7	13	21	30	37	62
85+	69	16.4	113	5	7	14	22	27	31	64
TOT. SINGLE DX	1501	8.9	24	3	4	8	11	15	18	25
" MULTIPLE DX	4179	13.0	83	4	5	11	16	24	30	50
TOTAL 65-69 YRS	2562	10.7	59	4	4	9	13	19	24	41
70-74	1728	12.0	66	4	5	10	15	21	26	43
75-79	923	13.6	87	4	6	11	16	24	32	57
80-84	366	15.1	100	5	6	12	19	27	35	60
85+	101	14.1	94	4	5	12	17	26	30	56
GRAND TOTAL	**5680**	**11.9**	**71**	**4**	**5**	**10**	**14**	**21**	**27**	**46**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	181	2.4	5	<1	<1	2	3	4	6	14
70-74	121	2.5	4	<1	<1	2	3	5	7	11
75-79	64	2.2	1	<1	<1	2	3	4	5	6
80-84	24	2.8	6	<1	1	2	3	6	8	12
85+	19	3.2	40	<1	<1	1	3	4	18	29
2. MULTIPLE DX										
65-69 YRS	899	2.9	10	<1	1	2	3	6	8	14
70-74	593	3.0	9	<1	1	2	3	6	8	16
75-79	344	3.1	14	<1	1	2	4	6	9	16
80-84	130	3.9	24	1	1	2	5	8	11	27
85+	48	5.8	35	1	1	3	7	14	19	28
TOT. SINGLE DX	409	2.4	6	<1	<1	2	3	5	6	12
" MULTIPLE DX	2014	3.1	13	<1	1	2	4	6	9	16
TOTAL 65-69 YRS	1080	2.8	9	<1	1	2	3	6	8	14
70-74	714	2.9	9	<1	1	2	3	6	8	16
75-79	408	3.0	13	<1	1	2	4	5	8	15
80-84	154	3.7	22	1	1	2	4	8	11	24
85+	67	5.1	38	<1	<1	3	5	13	19	29
GRAND TOTAL	**2423**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	243	3.6	16	<1	1	2	4	8	13	23
70-74	178	3.6	22	<1	<1	2	4	8	11	30
75-79	96	5.1	60	<1	<1	3	5	9	21	47
80-84	47	4.3	33	<1	1	3	4	10	14	30
85+	21	5.0	32	<1	1	3	8	13	19	23
2. MULTIPLE DX										
65-69 YRS	692	6.8	95	1	1	3	7	17	29	48
70-74	514	7.8	110	1	1	4	9	20	31	48
75-79	339	9.5	153	1	1	4	12	26	35	55
80-84	209	10.1	139	1	1	6	14	22	30	62
85+	87	13.4	224	1	1	8	18	34	43	74
TOT. SINGLE DX	585	4.0	28	<1	1	2	4	8	13	28
" MULTIPLE DX	1841	8.3	124	1	1	4	10	22	32	53
TOTAL 65-69 YRS	935	5.9	77	1	1	3	6	14	24	45
70-74	692	6.8	91	<1	1	3	7	17	27	45
75-79	435	8.5	136	1	1	4	9	23	33	54
80-84	256	9.0	125	1	1	5	11	22	29	53
85+	108	11.7	198	1	1	6	15	32	38	68
GRAND TOTAL	**2426**	**7.2**	**104**	**1**	**1**	**3**	**8**	**19**	**29**	**50**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	43	10.0	30	3	4	9	13	17	21	26
70-74	28	11.6	46	4	4	10	16	21	24	29
75-79	14	14.3	91	5	5	13	18	22	38	43
80-84	3	9.3	17	6	6	8	12	14	14	14
85+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	221	16.2	224	4	5	11	18	36	51	79
70-74	146	15.0	115	4	5	13	18	29	35	57
75-79	69	20.0	217	6	9	16	23	38	55	97
80-84	30	18.2	137	5	6	15	23	35	45	52
85+	10	13.7	46	2	5	12	18	23	24	24
TOT. SINGLE DX	90	11.1	45	4	4	10	14	19	23	37
" MULTIPLE DX	476	16.4	183	4	5	13	20	33	44	75
TOTAL 65-69 YRS	264	15.2	198	4	5	11	16	31	43	76
70-74	174	14.4	106	4	5	12	18	27	35	56
75-79	83	19.0	199	6	8	14	22	38	52	95
80-84	33	17.4	132	5	6	14	22	32	44	52
85+	12	12.7	44	2	5	11	17	23	24	24
GRAND TOTAL	**566**	**15.6**	**164**	**4**	**5**	**12**	**18**	**31**	**42**	**74**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	176	3.8	8	<1	1	3	5	7	9	13
70-74	110	4.6	23	<1	1	4	5	9	12	28
75-79	65	4.4	10	<1	1	4	6	10	11	14
80-84	25	5.3	83	<1	1	2	5	12	25	45
85+	11	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	373	6.0	47	1	1	4	7	12	17	50
70-74	264	5.5	38	1	1	4	7	9	14	26
75-79	148	9.0	210	1	1	4	9	19	36	88
80-84	61	7.2	41	1	1	5	12	15	20	28
85+	19	12.1	129	1	2	9	20	29	35	38
TOT. SINGLE DX	387	4.2	18	<1	1	3	5	8	11	20
" MULTIPLE DX	865	6.6	75	1	1	4	7	13	20	56
TOTAL 65-69 YRS	549	5.3	36	1	1	4	6	10	14	28
70-74	374	5.3	34	1	1	4	6	9	14	25
75-79	213	7.6	154	1	1	4	8	13	23	85
80-84	86	6.6	53	1	1	4	11	15	20	39
85+	30	8.5	104	1	1	3	11	26	31	38
GRAND TOTAL	**1252**	**5.9**	**59**	**1**	**1**	**4**	**7**	**12**	**16**	**42**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1316	11.7	15	7	8	11	14	16	18	26
70-74	1263	11.8	16	7	8	11	14	16	18	26
75-79	1042	12.7	29	7	8	12	14	17	19	34
80-84	521	12.9	17	8	8	12	15	18	20	26
85+	237	13.5	23	7	8	13	16	20	23	28
2. MULTIPLE DX										
65-69 YRS	3062	14.0	60	7	8	12	15	21	26	46
70-74	3380	14.4	50	8	9	13	16	22	27	43
75-79	3124	15.6	69	8	9	14	17	24	31	57
80-84	1951	16.7	97	8	9	14	18	26	35	68
85+	1223	17.1	107	7	9	15	19	27	36	68
TOT. SINGLE DX	4379	12.2	20	7	8	11	14	17	19	27
" MULTIPLE DX	12740	15.2	72	8	9	13	17	23	30	55
TOTAL 65-69 YRS	4378	13.3	48	7	8	12	15	19	24	41
70-74	4643	13.7	43	7	8	12	16	20	25	41
75-79	4166	14.9	61	8	9	13	16	23	29	52
80-84	2472	15.9	83	8	9	14	18	24	31	63
85+	1460	16.5	95	7	8	14	19	26	34	64
GRAND TOTAL	**17119**	**14.4**	**60**	**7**	**8**	**13**	**16**	**22**	**27**	**49**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	357	12.2	35	6	7	11	14	17	21	46
70-74	479	12.3	22	6	7	12	14	17	20	27
75-79	609	13.3	48	6	8	12	15	20	23	39
80-84	618	13.2	29	7	8	12	15	19	23	33
85+	801	13.4	36	6	7	12	16	20	24	34
2. MULTIPLE DX										
65-69 YRS	1244	15.8	102	7	8	13	17	25	36	65
70-74	1851	16.0	87	7	8	14	18	26	34	66
75-79	2832	16.6	97	8	9	14	19	27	35	75
80-84	3208	16.8	116	7	8	14	19	27	37	87
85+	4247	16.9	117	7	8	14	19	28	37	90
TOT. SINGLE DX	2864	13.0	35	6	8	12	15	19	22	35
" MULTIPLE DX	13382	16.6	107	7	8	14	19	27	36	80
TOTAL 65-69 YRS	1601	15.0	89	7	8	13	17	23	31	60
70-74	2330	15.2	77	7	8	13	17	24	32	59
75-79	3441	16.0	90	7	8	14	18	26	34	70
80-84	3826	16.2	104	7	8	14	18	26	34	78
85+	5048	16.3	106	7	8	14	18	27	35	80
GRAND TOTAL	**16246**	**15.9**	**97**	**7**	**8**	**14**	**18**	**26**	**34**	**73**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1344	11.3	15	6	7	11	14	16	18	24
70-74	1284	11.8	20	6	7	11	14	17	19	25
75-79	1015	12.3	17	7	8	12	15	17	19	25
80-84	479	12.3	19	6	7	12	15	18	20	26
85+	145	12.6	21	7	8	12	15	18	22	28
2. MULTIPLE DX										
65-69 YRS	2725	12.7	40	5	7	12	15	18	22	37
70-74	3115	13.6	41	7	8	12	16	20	23	38
75-79	2689	14.2	48	7	8	13	16	21	26	40
80-84	1363	14.9	59	7	8	13	17	23	28	52
85+	452	15.5	74	8	9	14	17	24	31	54
TOT. SINGLE DX	4267	11.8	18	6	7	11	14	17	19	25
" MULTIPLE DX	10344	13.7	47	7	8	13	16	20	25	40
TOTAL 65-69 YRS	4069	12.2	33	6	7	11	15	18	21	33
70-74	4399	13.0	36	6	8	12	15	19	22	35
75-79	3704	13.6	41	7	8	13	16	20	24	37
80-84	1842	14.2	51	7	8	13	16	22	26	46
85+	597	14.8	63	7	9	13	17	22	29	43
GRAND TOTAL	**14611**	**13.2**	**40**	**6**	**8**	**12**	**15**	**19**	**23**	**37**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	438	3.9	10	1	1	3	5	7	9	14
70-74	263	4.5	9	1	1	4	6	8	11	15
75-79	137	4.9	12	1	2	4	6	10	13	17
80-84	51	5.6	12	1	2	5	9	11	12	13
85+	21	5.1	15	<1	1	3	10	11	12	12
2. MULTIPLE DX										
65-69 YRS	870	4.7	18	1	2	4	6	9	11	23
70-74	638	5.6	22	1	2	4	7	11	14	22
75-79	366	6.6	34	1	2	5	8	14	18	27
80-84	171	8.0	33	2	2	7	11	14	21	29
85+	59	9.8	110	1	2	7	12	26	52	99+
TOT. SINGLE DX	910	4.4	11	1	1	3	6	9	11	15
" MULTIPLE DX	2104	5.7	28	1	2	4	7	11	15	28
TOTAL 65-69 YRS	1308	4.4	16	1	1	3	5	8	11	20
70-74	901	5.3	19	1	2	4	7	10	13	21
75-79	503	6.1	29	1	2	5	8	12	16	25
80-84	222	7.4	30	1	2	6	10	14	18	28
85+	80	8.6	89	1	2	7	10	21	39	99+
GRAND TOTAL	**3014**	**5.3**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	2.9	16	<1	<1	2	3	6	9	27
70-74	65	2.7	5	<1	<1	2	4	6	7	13
75-79	37	3.6	7	<1	<1	3	5	8	10	10
80-84	13	3.5	10	<1	<1	2	7	8	10	10
85+	13	7.4	195	<1	<1	2	7	19	46	53
2. MULTIPLE DX										
65-69 YRS	231	7.4	72	1	1	5	10	17	20	46
70-74	171	9.6	124	1	1	7	11	20	32	72
75-79	138	11.2	89	1	1	8	17	26	30	37
80-84	80	11.1	107	1	2	7	13	24	37	45
85+	63	11.2	116	1	2	8	14	27	36	51
TOT. SINGLE DX	225	3.3	22	<1	<1	2	4	7	9	24
" MULTIPLE DX	683	9.5	99	1	1	7	12	21	31	53
TOTAL 65-69 YRS	328	6.1	60	<1	<1	3	8	13	19	43
70-74	236	7.7	101	<1	<1	5	9	16	26	64
75-79	175	9.6	81	<1	1	7	14	24	28	35
80-84	93	10.0	101	<1	1	7	12	23	34	45
85+	76	10.5	129	1	2	7	13	26	38	53
GRAND TOTAL	**908**	**7.9**	**87**	**<1**	**<1**	**5**	**10**	**19**	**27**	**51**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	186	3.5	20	<1	<1	2	4	8	10	17
70-74	132	4.4	26	<1	<1	3	5	11	16	24
75-79	68	3.6	8	<1	<1	3	5	8	10	13
80-84	48	5.1	55	<1	<1	3	5	12	19	45
85+	30	5.1	15	<1	1	4	7	12	13	14
2. MULTIPLE DX										
65-69 YRS	439	8.4	94	1	1	5	10	20	29	50
70-74	390	9.0	91	1	1	6	11	21	28	43
75-79	238	9.9	113	1	1	7	13	21	30	66
80-84	152	11.1	145	1	2	8	14	22	30	70
85+	85	11.0	144	2	2	7	13	28	37	65
TOT. SINGLE DX	464	4.0	24	<1	<1	2	5	9	12	24
" MULTIPLE DX	1304	9.3	107	1	1	6	12	21	29	55
TOTAL 65-69 YRS	625	6.9	78	<1	1	4	8	17	24	49
70-74	522	7.8	79	<1	1	5	10	18	25	42
75-79	306	8.5	97	<1	1	5	11	17	27	62
80-84	200	9.6	130	1	1	6	13	21	27	63
85+	115	9.5	117	1	2	6	11	17	33	59
GRAND TOTAL	**1768**	**7.9**	**91**	**<1**	**1**	**5**	**10**	**18**	**26**	**52**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	219	1.8	1	<1	1	2	2	3	4	6
70-74	173	1.7		<1	<1	1	2	3	3	4
75-79	84	1.6		<1	<1	2	2	2	3	5
80-84	25	2.1	1	1	1	2	3	4	4	5
85+	6	3.7	18	1	1	2	4	11	12	12
2. MULTIPLE DX										
65-69 YRS	248	2.9	23	1	1	2	3	5	8	18
70-74	155	2.7	6	1	1	2	3	5	8	15
75-79	103	3.0	29	<1	1	2	3	5	7	68
80-84	39	3.8	17	1	1	2	4	9	14	19
85+	15	4.9	14	1	2	4	7	11	13	14
TOT. SINGLE DX	507	1.8	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	560	3.0	20	1	1	2	3	5	8	23
TOTAL 65-69 YRS	467	2.4	13	<1	1	2	2	4	5	14
70-74	328	2.2	4	<1	1	2	2	4	5	11
75-79	187	2.4	17	<1	<1	2	2	4	6	38
80-84	64	3.2	12	1	1	2	4	7	10	19
85+	21	4.6	15	1	1	3	6	11	13	14
GRAND TOTAL	**1067**	**2.4**	**11**	**<1**	**1**	**2**	**2**	**4**	**6**	**16**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	46	2.0	2	<1	<1	1	2	3	6	9
70-74	31	2.1	2	<1	<1	2	3	4	5	9
75-79	19	2.0	2	<1	<1	1	2	4	6	7
80-84	11	2.1	1	1	1	2	3	4	4	4
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	99	2.8	10	1	1	2	3	5	8	19
70-74	75	2.4	3	1	1	2	3	4	6	11
75-79	47	4.9	113	<1	1	3	4	8	13	73
80-84	25	5.1	62	<1	1	3	5	8	18	41
85+	17	7.4	80	1	1	5	9	12	30	39
TOT. SINGLE DX	110	2.0	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	263	3.6	38	1	1	2	4	6	11	37
TOTAL 65-69 YRS	145	2.5	8	<1	1	2	3	5	7	18
70-74	106	2.3	4	<1	1	2	3	4	5	10
75-79	66	4.1	83	<1	1	2	4	7	10	64
80-84	36	4.2	45	1	1	3	4	8	10	41
85+	20	6.6	72	1	1	4	8	12	25	39
GRAND TOTAL	**373**	**3.1**	**28**	**<1**	**1**	**2**	**3**	**5**	**9**	**20**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	330	3.7	5	1	1	3	5	7	8	12
70-74	225	4.0	7	1	1	3	5	7	9	15
75-79	116	4.1	5	1	1	4	5	7	9	11
80-84	30	3.7	3	1	2	4	4	6	7	9
85+	13	4.7	15	1	1	4	5	12	14	14
2. MULTIPLE DX										
65-69 YRS	483	5.9	46	1	2	4	7	10	16	39
70-74	330	5.8	39	1	2	4	7	11	14	39
75-79	211	6.9	49	1	2	5	8	13	20	37
80-84	88	8.1	55	1	1	6	10	16	18	45
85+	44	10.6	144	1	2	6	13	20	38	62
TOT. SINGLE DX	714	3.9	6	1	1	3	5	7	8	13
" MULTIPLE DX	1156	6.4	50	1	2	4	7	12	18	41
TOTAL 65-69 YRS	813	5.0	31	1	2	4	6	9	12	28
70-74	555	5.1	27	1	1	4	6	9	12	25
75-79	327	5.9	36	1	2	4	7	11	15	32
80-84	118	7.0	46	1	1	5	8	15	17	44
85+	57	9.3	121	1	2	5	12	19	30	61
GRAND TOTAL	**1870**	**5.4**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**34**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	101	4.2	4	1	1	4	5	7	8	10
70-74	67	4.3	9	1	2	4	5	8	10	17
75-79	37	4.6	9	2	2	4	5	8	9	19
80-84	19	6.8	10	2	3	7	8	12	13	13
85+	6	4.7	9	2	2	4	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	159	8.7	96	2	2	6	9	19	28	57
70-74	130	7.1	49	2	2	5	8	15	24	56
75-79	95	10.6	114	2	2	7	12	27	34	54
80-84	41	14.4	386	2	4	8	12	39	62	90
85+	17	14.5	107	7	7	10	14	35	37	38
TOT. SINGLE DX	230	4.5	8	1	2	4	6	8	10	14
" MULTIPLE DX	442	9.4	118	2	2	6	10	19	33	60
TOTAL 65-69 YRS	260	7.0	65	1	2	5	7	13	21	52
70-74	197	6.2	37	2	2	4	8	13	17	43
75-79	132	8.9	92	2	2	6	10	17	30	49
80-84	60	12.0	278	2	3	7	11	25	43	89
85+	23	11.9	100	2	2	10	12	33	37	38
GRAND TOTAL	**672**	**7.7**	**85**	**1**	**2**	**5**	**8**	**15**	**27**	**52**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	2.4	5	1	1	2	3	5	8	11
70-74	38	3.1	15	<1	1	1	4	7	10	22
75-79	24	2.7	9	<1	<1	1	3	7	11	12
80-84	9	2.7	5	1	1	2	4	7	7	7
85+	10	2.6	7	1	1	1	3	7	9	9
2. MULTIPLE DX										
65-69 YRS	131	6.7	101	1	1	2	7	19	28	51
70-74	87	7.8	115	1	1	3	10	17	42	80
75-79	75	8.6	175	1	1	4	12	20	27	82
80-84	38	10.2	228	1	1	7	12	18	36	86
85+	39	6.4	27	1	2	5	9	16	59	99+
TOT. SINGLE DX	137	2.6	9	<1	1	1	3	6	9	14
" MULTIPLE DX	370	7.7	125	1	1	3	9	18	29	88
TOTAL 65-69 YRS	187	5.4	77	1	1	2	5	15	22	48
70-74	125	6.4	89	1	1	3	8	15	35	60
75-79	99	7.1	142	1	1	3	10	16	23	75
80-84	47	8.7	194	1	1	6	9	17	24	86
85+	49	5.7	26	1	1	4	9	14	25	99+
GRAND TOTAL	**507**	**6.3**	**99**	**1**	**1**	**3**	**7**	**15**	**23**	**70**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	6.7	22	3	3	5	10	12	12	12
70-74	3	5.3	20	1	1	5	9	10	10	10
75-79	3	5.7	25	1	1	5	9	11	11	11
80-84	3	4.7	21	2	2	2	8	10	10	10
85+										
2. MULTIPLE DX										
65-69 YRS	11	20.1	235	2	3	20	35	40	45	45
70-74	11	16.5	95	4	6	13	25	31	33	33
75-79	21	19.3	334	2	4	12	24	42	63	78
80-84	14	18.1	202	4	4	12	31	36	48	52
85+	16	24.3	507	6	9	15	39	78	94	99+
TOT. SINGLE DX	12	5.6	17	1	1	5	10	11	12	12
" MULTIPLE DX	73	19.8	288	4	4	13	30	45	61	96
TOTAL 65-69 YRS	14	17.2	217	2	3	12	31	37	43	45
70-74	14	14.1	99	2	4	11	20	30	32	33
75-79	24	17.6	314	1	3	11	23	38	58	78
80-84	17	15.8	195	2	3	11	23	34	46	52
85+	16	24.3	508	6	9	15	39	78	94	99+
GRAND TOTAL	**85**	**17.8**	**274**	**2**	**4**	**12**	**24**	**37**	**57**	**94**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	7.8	68	1	2	4	10	18	24	40
70-74	35	6.4	26	1	1	6	8	12	14	27
75-79	33	7.8	56	1	1	7	11	17	26	33
80-84	23	6.6	34	<1	1	4	8	16	19	22
85+	26	9.0	76	1	1	6	11	23	31	32
2. MULTIPLE DX										
65-69 YRS	802	16.4	181	2	4	13	22	35	44	74
70-74	823	16.3	186	2	3	12	22	35	45	76
75-79	620	15.9	178	2	3	13	21	33	46	99+
80-84	406	15.2	155	2	3	12	19	34	43	99+
85+	366	14.6	147	2	3	12	19	30	42	96
TOT. SINGLE DX	154	7.5	52	1	1	6	10	16	23	33
" MULTIPLE DX	3017	15.9	175	2	4	12	21	34	44	84
TOTAL 65-69 YRS	839	16.0	179	2	3	13	22	35	43	72
70-74	858	15.9	184	2	3	12	21	35	44	75
75-79	653	15.5	176	2	3	12	20	33	45	98
80-84	429	14.7	152	2	3	11	19	34	42	99+
85+	392	14.3	144	2	3	11	19	30	41	92
GRAND TOTAL	**3171**	**15.5**	**172**	**2**	**3**	**12**	**20**	**34**	**43**	**83**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	13.9	32	6	6	14	18	21	24	26
70-74	32	14.7	119	6	7	12	16	25	26	65
75-79	12	17.4	83	8	10	13	22	34	36	36
80-84	13	11.9	23	5	7	11	15	19	20	20
85+	17	10.2	30	2	3	10	13	18	21	23
2. MULTIPLE DX										
65-69 YRS	739	22.5	237	7	8	18	28	46	59	99+
70-74	863	22.6	251	7	9	18	28	43	60	99
75-79	752	22.3	263	7	8	17	28	46	69	99+
80-84	541	21.7	238	6	8	17	27	47	62	99+
85+	582	19.6	245	6	7	15	23	40	56	96
TOT. SINGLE DX	90	13.7	71	5	6	12	17	23	26	53
" MULTIPLE DX	3477	21.9	249	6	8	17	27	45	62	99+
TOTAL 65-69 YRS	755	22.3	234	7	8	18	28	45	58	99+
70-74	895	22.3	249	7	9	18	27	43	59	98
75-79	764	22.3	261	7	8	17	28	46	69	99+
80-84	554	21.5	236	6	8	17	27	46	61	99+
85+	599	19.4	242	5	7	15	23	39	56	95
GRAND TOTAL	**3567**	**21.7**	**246**	**6**	**8**	**17**	**27**	**44**	**60**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	13.0	43	5	6	13	16	22	27	28
70-74	18	10.2	28	3	4	9	14	16	20	23
75-79	17	15.1	164	4	5	12	19	50	83	99+
80-84	20	10.8	39	3	4	10	14	15	23	31
85+	43	12.6	51	5	6	11	15	20	28	42
2. MULTIPLE DX										
65-69 YRS	471	22.2	275	7	8	17	29	48	67	99+
70-74	664	20.5	268	6	7	15	26	45	67	99+
75-79	746	19.6	261	5	6	14	25	41	61	99+
80-84	801	18.6	245	5	6	14	23	37	60	99+
85+	1259	16.5	162	5	6	13	20	33	44	97
TOT. SINGLE DX	109	12.3	62	4	5	11	15	20	30	75
" MULTIPLE DX	3941	18.9	233	5	6	14	24	39	58	99+
TOTAL 65-69 YRS	482	22.0	272	7	8	17	29	47	67	99+
70-74	682	20.3	265	5	7	15	26	44	66	99+
75-79	763	19.5	259	5	6	14	25	41	61	99+
80-84	821	18.4	242	5	6	14	22	37	60	99+
85+	1302	16.4	159	5	6	13	20	33	43	96
GRAND TOTAL	**4050**	**18.7**	**229**	**5**	**6**	**14**	**23**	**39**	**57**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	17.2	91	8	8	15	25	30	30	30
70-74	4	10.0	40	4	4	10	15	16	16	16
75-79	6	20.3	466	4	4	11	32	56	59	59
80-84	10	11.7	108	1	2	9	16	29	30	30
85+	5	15.2	251	5	5	9	20	43	43	43
2. MULTIPLE DX										
65-69 YRS	263	23.3	265	6	8	19	29	55	66	99+
70-74	207	21.1	204	5	7	17	30	44	58	99+
75-79	189	24.2	349	6	8	18	31	50	72	99+
80-84	110	21.5	190	6	7	19	29	40	58	99+
85+	105	20.6	316	5	6	15	23	42	59	96
TOT. SINGLE DX	30	14.7	179	3	3	10	16	31	43	59
" MULTIPLE DX	874	22.4	266	6	7	18	29	48	62	99+
TOTAL 65-69 YRS	268	23.2	262	6	8	19	29	54	65	99+
70-74	211	20.9	203	5	7	16	30	44	57	99+
75-79	195	24.0	351	5	7	18	31	51	71	99+
80-84	120	20.6	190	4	6	17	28	39	58	99+
85+	110	20.4	313	5	6	15	23	42	57	96
GRAND TOTAL	**904**	**22.1**	**265**	**5**	**7**	**18**	**29**	**48**	**62**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	7	4.9	11	1	1	6	8	9	9	9
70-74	4	5.3	16	1	1	5	8	10	10	10
75-79	4	5.8	11	1	1	6	8	9	9	9
80-84	4	6.0	8	2	2	6	8	9	9	9
85+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	4	3.5	4	1	1	3	5	6	6	6
" MULTIPLE DX	20	5.5	10	1	1	6	8	9	10	10
TOTAL 65-69 YRS	9	4.6	9	1	1	4	7	9	9	9
70-74	5	5.4	12	1	1	6	8	10	10	10
75-79	4	5.8	12	1	1	6	8	9	9	9
80-84	5	5.0	12	1	1	6	7	9	9	9
85+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**24**	**5.1**	**9**	**1**	**1**	**6**	**7**	**9**	**10**	**10**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	35	4.9	16	1	1	3	8	11	13	16
70-74	26	8.2	61	2	2	6	10	16	21	39
75-79	16	6.1	18	1	1	5	9	13	14	14
80-84	15	9.5	48	2	2	8	13	19	23	25
85+	7	6.9	27	<1	1	7	8	15	17	17
2. MULTIPLE DX										
65-69 YRS	166	12.4	167	2	3	8	15	31	38	88
70-74	156	14.5	202	2	3	11	19	32	49	99
75-79	157	13.0	110	3	4	11	16	24	34	57
80-84	72	14.9	253	2	3	10	19	41	93	99+
85+	75	10.5	45	2	3	9	13	21	24	30
TOT. SINGLE DX	99	6.8	36	1	2	5	9	15	17	32
" MULTIPLE DX	626	13.2	158	2	3	10	17	29	39	99
TOTAL 65-69 YRS	201	11.1	149	1	2	7	14	28	37	78
70-74	132	13.6	187	2	3	10	18	31	43	98
75-79	173	12.4	106	2	3	[illegible]	15	23	34	56
80-84	87	14.0	222	2	3	10	17	35	74	99+
85+	82	10.1	44	2	3	8	13	21	24	30
GRAND TOTAL	**725**	**12.3**	**146**	**2**	**3**	**9**	**16**	**26**	**37**	**96**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	16.3	197	3	3	15	27	31	31	31
70-74	3	4.3	9	1	1	5	6	7	7	7
75-79	4	9.8	50	5	5	7	14	20	20	20
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	11	9.7	23	4	6	8	11	17	22	22
70-74	7	16.0	478	4	4	6	13	55	65	65
75-79	10	8.3	23	3	3	7	13	15	17	17
80-84	8	15.3	73	4	4	16	22	25	26	26
85+										
TOT. SINGLE DX	10	10.1	87	1	2	6	15	25	31	31
" MULTIPLE DX	36	11.8	120	3	4	8	14	22	25	65
TOTAL 65-69 YRS	14	11.1	56	3	4	9	14	23	29	31
70-74	10	12.5	353	1	2	6	12	39	65	65
75-79	14	8.7	28	3	3	7	13	17	19	20
80-84	8	15.3	73	4	4	16	22	25	26	26
85+										
GRAND TOTAL	**46**	**11.4**	**111**	**3**	**4**	**8**	**14**	**22**	**27**	**65**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	914	2.4	3	<1	<1	2	3	5	7	9
70-74	670	2.7	5	<1	<1	2	3	5	7	12
75-79	401	3.1	6	<1	<1	2	4	6	8	14
80-84	215	2.9	5	<1	1	2	4	5	7	12
85+	154	3.3	8	<1	1	2	4	6	9	16
2. MULTIPLE DX										
65-69 YRS	1592	4.9	36	1	1	3	6	10	15	29
70-74	1468	5.6	51	1	1	3	7	12	18	33
75-79	1082	6.4	59	1	1	4	8	14	19	45
80-84	727	7.0	62	1	1	5	9	15	21	50
85+	592	7.8	66	1	2	5	10	15	22	42
TOT. SINGLE DX	2354	2.7	5	<1	<1	2	3	5	7	12
" MULTIPLE DX	5461	6.0	53	1	1	3	7	13	18	38
TOTAL 65-69 YRS	2506	4.0	26	<1	<1	2	5	9	12	25
70-74	2138	4.7	39	<1	1	3	5	10	15	29
75-79	1483	5.5	47	<1	1	3	7	12	17	35
80-84	942	6.1	52	1	1	4	7	14	19	45
85+	746	6.8	58	1	1	4	9	14	20	39
GRAND TOTAL	**7815**	**5.0**	**41**	**<1**	**1**	**3**	**6**	**11**	**16**	**32**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	80	4.7	10	1	1	4	6	8	11	18
70-74	97	5.2	10	1	2	4	6	8	12	17
75-79	91	5.1	8	1	2	5	6	8	9	17
80-84	69	5.4	15	1	2	5	7	9	11	26
85+	89	5.7	8	2	2	6	7	9	11	16
2. MULTIPLE DX										
65-69 YRS	252	7.2	50	2	2	6	8	12	18	41
70-74	240	7.1	36	2	2	5	8	14	19	32
75-79	276	7.2	35	2	3	6	8	13	17	44
80-84	278	8.2	50	2	3	6	9	17	21	61
85+	305	8.8	104	2	3	6	9	16	24	52
TOT. SINGLE DX	426	5.2	11	1	2	5	7	9	11	17
" MULTIPLE DX	1351	7.7	57	2	3	6	9	14	20	46
TOTAL 65-69 YRS	332	6.6	42	2	2	5	8	11	16	39
70-74	337	6.5	30	2	2	5	7	13	17	31
75-79	367	6.7	30	2	2	6	8	11	15	34
80-84	347	7.6	45	2	3	6	9	15	20	50
85+	394	8.1	84	2	3	6	9	15	20	47
GRAND TOTAL	**1777**	**7.1**	**47**	**2**	**2**	**6**	**8**	**13**	**18**	**38**

744: Extended simple mastectomy and radical mastactomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1164	6.0	6	3	3	6	7	9	10	13
70-74	949	6.1	5	3	3	6	7	9	10	14
75-79	674	6.2	5	3	3	6	7	9	10	14
80-84	316	6.3	5	3	3	6	8	9	11	13
85+	150	6.3	7	3	3	6	7	10	12	15
2. MULTIPLE DX										
65-69 YRS	2646	7.3	18	3	4	7	9	11	14	23
70-74	2385	7.5	16	3	4	7	9	12	15	23
75-79	1926	8.1	33	3	4	7	9	13	16	29
80-84	1096	8.4	30	3	4	7	10	13	17	32
85+	550	9.2	38	4	4	8	10	16	22	37
TOT. SINGLE DX	3253	6.1	6	3	3	6	7	9	10	14
" MULTIPLE DX	8603	7.8	24	3	4	7	9	12	15	26
TOTAL 65-69 YRS	3810	6.9	15	3	3	6	8	11	13	20
70-74	3334	7.1	14	3	4	6	8	11	13	21
75-79	2600	7.6	27	3	4	7	9	12	15	26
80-84	1412	7.9	26	3	4	7	9	12	15	28
85+	700	8.6	33	3	4	7	10	14	20	35
GRAND TOTAL	**11856**	**7.3**	**20**	**3**	**4**	**7**	**9**	**11**	**14**	**24**

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	3.6	10	1	1	3	4	8	12	14
70-74	21	5.3	94	1	1	3	4	7	26	47
75-79	5	2.6	2	1	1	2	4	4	4	4
80-84	8	6.4	27	<1	<1	7	10	13	15	15
85+										
2. MULTIPLE DX										
65-69 YRS	154	10.6	134	2	3	7	11	24	35	67
70-74	162	10.3	100	2	3	7	12	22	34	53
75-79	172	9.8	62	2	3	8	13	18	24	43
80-84	144	9.4	44	3	3	8	12	17	23	43
85+	77	11.0	175	2	3	7	13	20	25	85
TOT. SINGLE DX	54	4.6	45	1	1	3	5	9	13	46
" MULTIPLE DX	709	10.1	95	2	3	7	12	20	28	57
TOTAL 65-69 YRS	174	9.8	125	1	2	6	11	22	30	65
70-74	183	9.7	102	2	2	7	11	21	34	53
75-79	177	9.5	63	2	3	7	12	18	23	42
80-84	152	9.2	44	2	3	8	11	17	23	40
85+	77	11.0	175	2	3	7	13	20	25	85
GRAND TOTAL	763	9.7	94	2	3	7	12	19	28	56

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1021	3.3	18	1	1	2	4	8	10	17
70-74	631	3.2	12	1	1	2	4	8	10	16
75-79	357	3.3	19	1	1	2	4	7	10	19
80-84	122	3.2	12	1	1	2	3	6	10	20
85+	45	4.7	126	1	1	2	4	6	16	74
2. MULTIPLE DX										
65-69 YRS	2713	6.4	47	1	1	4	9	15	19	34
70-74	2147	7.1	62	1	1	4	10	16	21	40
75-79	1323	7.3	52	1	1	5	10	17	21	36
80-84	596	9.1	81	1	1	7	13	21	28	46
85+	179	10.2	108	1	1	7	13	23	31	69
TOT. SINGLE DX	2176	3.3	19	1	1	2	4	7	10	18
" MULTIPLE DX	6958	7.1	58	1	1	4	10	16	21	38
TOTAL 65-69 YRS	3734	5.5	42	1	1	3	7	13	17	31
70-74	2778	6.2	54	1	1	3	8	15	20	37
75-79	1680	6.4	48	1	1	4	9	15	19	34
80-84	718	8.1	74	1	1	5	11	19	26	44
85+	224	9.1	116	1	1	6	12	21	29	74
GRAND TOTAL	9134	6.2	52	1	1	3	8	14	19	36

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	751	3.3	13	1	1	2	4	7	10	17
70-74	683	3.4	19	1	1	2	4	7	10	19
75-79	470	3.4	12	1	1	2	4	7	11	17
80-84	191	3.4	9	1	1	2	4	7	11	15
85+	62	4.9	29	1	1	3	6	8	19	28
2. MULTIPLE DX										
65-69 YRS	4108	6.1	35	1	1	4	8	12	16	28
70-74	4027	6.5	43	1	1	5	8	13	18	32
75-79	3035	6.8	43	1	2	5	9	14	17	33
80-84	1625	7.1	37	1	2	6	9	14	18	32
85+	633	8.3	44	2	2	7	10	16	20	33
TOT. SINGLE DX	2157	3.4	15	1	1	2	4	7	10	19
" MULTIPLE DX	13428	6.6	41	1	2	5	9	13	18	31
TOTAL 65-69 YRS	4859	5.7	34	1	1	4	8	12	16	28
70-74	4710	6.1	41	1	1	4	8	13	17	31
75-79	3505	6.3	41	1	1	5	8	13	17	30
80-84	1816	6.7	35	1	2	5	9	13	17	30
85+	695	8.0	44	1	2	6	10	16	20	31
GRAND TOTAL	15585	6.2	38	1	1	4	8	13	17	30

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	2.9	5	<1	1	2	3	6	9	11
70-74	51	2.5	5	1	1	2	2	6	8	12
75-79	18	2.4	4	1	1	2	3	6	7	8
80-84	4	3.0	3	1	1	3	4	5	5	5
85+										
2. MULTIPLE DX										
65-69 YRS	792	4.5	19	1	1	3	6	10	14	20
70-74	480	4.9	25	1	1	3	7	11	14	26
75-79	206	5.1	25	1	1	3	7	13	15	23
80-84	50	6.0	31	1	1	4	8	13	16	32
85+	13	9.6	134	1	1	7	11	23	39	43
TOT. SINGLE DX	158	2.7	6	1	1	2	3	6	8	11
" MULTIPLE DX	1541	4.8	24	1	1	3	7	11	14	23
TOTAL 65-69 YRS	877	4.3	18	1	1	2	6	10	14	20
70-74	531	4.7	24	1	1	3	6	11	13	26
75-79	224	4.9	24	1	1	3	7	11	15	23
80-84	54	5.7	30	1	1	4	8	12	15	31
85+	13	9.6	135	1	1	7	11	23	39	43
GRAND TOTAL	1699	4.6	22	1	1	3	6	10	14	22

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	912	4.1	14	1	1	2	6	10	12	17
70-74	839	4.0	15	1	1	2	6	10	12	17
75-79	501	4.5	19	1	1	2	7	11	13	20
80-84	333	4.5	16	1	1	3	7	10	12	16
85+	173	6.2	33	1	1	5	9	13	15	35
2. MULTIPLE DX										
65-69 YRS	5921	7.0	43	1	1	5	9	14	18	33
70-74	5745	7.5	49	1	1	6	10	15	20	35
75-79	4556	7.8	48	1	2	6	11	15	20	35
80-84	2690	8.4	57	1	2	7	11	16	21	39
85+	1702	9.5	64	2	2	8	12	18	23	44
TOT. SINGLE DX	2758	4.3	17	1	1	2	6	10	12	18
" MULTIPLE DX	20614	7.7	50	1	2	6	10	15	20	36
TOTAL 65-69 YRS	6833	6.6	40	1	1	5	9	13	17	31
70-74	6584	7.0	46	1	1	5	10	14	19	33
75-79	5057	7.5	47	1	1	6	10	15	19	35
80-84	3023	8.0	54	1	2	7	11	15	20	38
85+	1875	9.2	62	1	2	8	12	17	22	43
GRAND TOTAL	**23372**	**7.3**	**48**	**1**	**1**	**6**	**10**	**15**	**19**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5047	5.5	26	1	1	4	7	11	14	27
70-74	4432	5.9	32	1	2	4	7	11	15	30
75-79	3707	6.2	31	1	2	5	8	11	15	27
80-84	2584	6.7	36	1	2	5	9	13	16	30
85+	2146	6.6	36	1	2	5	8	13	16	30
2. MULTIPLE DX										
65-69 YRS	63515	7.8	45	2	2	6	10	15	19	35
70-74	71402	8.2	49	2	3	6	10	15	20	38
75-79	68442	8.7	56	2	3	7	11	16	21	42
80-84	55747	9.1	60	2	3	7	11	17	22	44
85+	49994	9.5	70	2	3	7	11	18	24	53
TOT. SINGLE DX	17916	6.1	32	1	2	5	8	11	15	29
" MULTIPLE DX	309100	8.6	56	2	3	7	10	16	21	41
TOTAL 65-69 YRS	68562	7.7	44	2	2	6	9	14	19	35
70-74	75834	8.1	49	2	3	6	10	15	20	37
75-79	72149	8.5	55	2	3	7	10	16	21	41
80-84	58331	9.0	59	2	3	7	11	17	22	43
85+	52140	9.4	69	2	3	7	11	17	23	52
GRAND TOTAL	**327016**	**8.5**	**55**	**2**	**3**	**7**	**10**	**16**	**21**	**41**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1191	7.0	55	1	2	5	8	13	18	41
70-74	1011	7.0	49	1	2	5	9	13	18	39
75-79	802	7.6	53	2	2	6	9	14	20	41
80-84	603	8.1	81	1	2	6	9	15	22	52
85+	587	7.5	52	1	2	6	9	14	20	39
2. MULTIPLE DX										
65-69 YRS	11990	9.1	71	2	3	7	11	17	24	47
70-74	13098	9.3	75	2	3	7	11	18	25	48
75-79	12608	9.5	72	2	3	7	11	18	25	49
80-84	10374	9.9	79	2	3	8	12	19	26	52
85+	10502	10.0	76	2	3	8	12	19	25	56
TOT. SINGLE DX	4194	7.4	57	1	2	6	9	14	20	41
" MULTIPLE DX	58572	9.5	75	2	3	7	11	18	25	50
TOTAL 65-69 YRS	13181	8.9	71	2	3	7	11	17	24	47
70-74	14109	9.1	73	2	3	7	11	17	24	47
75-79	13410	9.4	72	2	3	7	11	18	24	49
80-84	10977	9.8	80	2	3	7	12	19	26	52
85+	11089	9.8	75	2	3	8	12	19	25	56
GRAND TOTAL	**62766**	**9.4**	**74**	**2**	**3**	**7**	**11**	**18**	**25**	**50**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2448	5.6	30	1	1	4	7	11	14	28
70-74	2213	5.7	29	1	1	4	7	11	14	31
75-79	1673	5.8	30	1	2	4	7	11	14	29
80-84	1182	5.9	27	1	2	4	7	11	15	28
85+	967	6.2	26	1	2	5	8	12	16	27
2. MULTIPLE DX										
65-69 YRS	34353	7.3	42	2	2	6	9	14	18	34
70-74	37934	7.6	44	2	2	6	9	14	19	35
75-79	35537	7.9	46	2	2	6	10	15	20	37
80-84	28747	8.4	54	2	3	7	10	16	21	41
85+	26583	8.8	57	2	3	7	11	16	21	43
TOT. SINGLE DX	8483	5.8	29	1	2	4	7	11	14	29
" MULTIPLE DX	163154	8.0	49	2	2	6	10	15	20	37
TOTAL 65-69 YRS	36801	7.2	42	2	2	6	9	14	18	33
70-74	40147	7.5	44	2	2	6	9	14	19	34
75-79	37210	7.8	46	2	2	6	10	15	20	37
80-84	29929	8.3	53	2	3	7	10	16	21	40
85+	27550	8.7	57	2	3	7	11	16	21	43
GRAND TOTAL	**171637**	**7.9**	**48**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	102	3.0	3	1	1	3	4	5	6	11
70-74	56	3.0	6	1	1	3	3	5	7	17
75-79	26	3.3	5	1	1	3	4	7	8	10
80-84	6	2.0	1	1	1	2	2	4	4	4
85+	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	305	4.0	11	1	1	3	5	7	10	17
70-74	184	3.8	6	1	1	3	5	7	9	12
75-79	72	5.3	22	1	1	4	6	11	15	25
80-84	37	5.1	33	2	2	3	5	9	21	27
85+	28	4.5	18	1	1	3	5	12	14	19
TOT. SINGLE DX	193	3.0	4	1	1	3	4	5	6	12
" MULTIPLE DX	626	4.2	13	1	1	3	5	7	10	18
TOTAL 65-69 YRS	407	3.7	9	1	1	3	4	6	8	16
70-74	240	3.6	6	1	1	3	4	7	9	13
75-79	98	4.8	19	1	1	3	6	10	14	24
80-84	43	4.7	30	1	2	3	4	9	18	27
85+	31	4.5	17	1	1	3	4	11	14	19
GRAND TOTAL	819	3.9	11	1	1	3	5	7	10	18

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	2.5	3	<1	<1	2	4	5	7	7
70-74	12	3.6	10	<1	1	3	4	7	12	13
75-79	3	7.7	54	2	2	5	13	16	16	16
80-84	2	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	27	6.4	28	2	2	5	8	15	17	23
70-74	22	7.0	119	1	2	4	6	12	29	54
75-79	10	5.8	23	1	1	4	7	14	16	16
80-84	7	29.4	979	3	4	10	46	81	89	89
85+	4	6.8	11	4	4	6	9	11	11	11
TOT. SINGLE DX	29	3.6	12	<1	<1	3	4	6	13	16
" MULTIPLE DX	70	8.8	184	1	2	5	9	15	35	82
TOTAL 65-69 YRS	39	5.2	24	<1	1	4	6	13	16	23
70-74	34	5.8	82	1	1	4	5	12	13	54
75-79	13	6.2	27	1	2	4	8	16	16	16
80-84	9	23.8	860	3	3	10	39	73	89	89
85+	4	6.8	12	4	4	6	9	11	11	11
GRAND TOTAL	99	7.3	138	1	1	4	7	14	20	72

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	394	3.1	15	<1	<1	2	3	7	10	18
70-74	293	3.6	24	<1	<1	2	4	7	11	34
75-79	210	3.4	15	<1	<1	2	3	9	12	23
80-84	149	3.7	20	<1	<1	2	4	10	14	23
85+	120	3.9	25	<1	<1	2	5	8	13	31
2. MULTIPLE DX										
65-69 YRS	1487	8.5	98	1	1	5	11	19	27	51
70-74	1486	9.6	104	1	2	7	12	20	29	57
75-79	1310	10.2	119	1	2	7	12	22	30	62
80-84	1014	10.6	134	1	2	7	13	23	35	80
85+	979	11.1	133	2	2	8	14	23	33	73
TOT. SINGLE DX	1166	3.4	19	<1	<1	2	4	8	11	24
" MULTIPLE DX	6276	9.9	116	1	2	7	12	21	30	63
TOTAL 65-69 YRS	1881	7.4	86	<1	1	4	9	17	24	46
70-74	1779	8.6	96	<1	1	6	11	18	26	55
75-79	1520	9.2	111	<1	1	6	11	20	28	59
80-84	1163	9.7	125	1	1	6	12	21	31	71
85+	1099	10.3	126	1	2	7	13	22	31	71
GRAND TOTAL	7442	8.9	106	<1	1	6	11	19	28	59

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	539	6.2	63	1	1	4	8	14	21	32
70-74	474	6.1	52	<1	1	4	8	14	20	35
75-79	358	6.6	94	<1	1	4	8	14	22	54
80-84	224	7.0	46	<1	1	5	9	17	21	32
85+	228	6.9	46	<1	1	5	9	15	21	34
2. MULTIPLE DX										
65-69 YRS	4136	12.6	164	1	2	9	16	29	39	76
70-74	4230	13.6	183	1	2	9	17	31	44	85
75-79	3975	14.0	189	2	2	10	18	32	47	99+
80-84	3268	14.1	199	2	2	10	18	32	45	99
85+	3703	14.1	195	2	3	10	18	32	45	99+
TOT. SINGLE DX	1823	6.5	63	<1	1	4	8	14	21	36
" MULTIPLE DX	19312	13.6	186	1	2	10	18	31	44	97
TOTAL 65-69 YRS	4675	11.8	157	1	2	8	15	27	38	73
70-74	4704	12.8	175	1	2	9	16	30	42	82
75-79	4333	13.4	186	1	2	9	17	31	45	99+
80-84	3492	13.7	192	1	2	10	17	31	45	98
85+	3931	13.7	190	1	2	10	18	31	44	99+
GRAND TOTAL	21135	13.0	179	1	2	9	17	30	43	93

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	106	8.2	52	1	1	6	11	20	26	30
70-74	108	10.6	129	1	1	7	13	28	33	54
75-79	81	11.1	87	2	2	8	15	26	29	45
80-84	79	9.5	96	1	1	6	11	22	30	53
85+	52	12.4	88	2	3	10	16	24	29	49
2. MULTIPLE DX										
65-69 YRS	550	17.3	215	2	3	14	24	38	49	93
70-74	599	20.1	272	3	4	16	27	44	58	99+
75-79	530	20.2	240	3	5	17	28	38	54	80
80-84	469	21.3	261	3	5	18	28	43	58	96
85+	370	18.4	189	2	5	15	24	37	49	71
TOT. SINGLE DX	426	10.1	92	1	2	7	14	23	29	48
" MULTIPLE DX	2518	19.5	241	2	4	16	26	41	54	92
TOTAL 65-69 YRS	656	15.8	200	2	3	12	21	35	46	91
70-74	707	18.6	262	2	3	14	26	42	55	99
75-79	611	19.0	230	2	4	16	26	37	52	77
80-84	548	19.6	255	2	4	16	27	42	55	89
85+	422	17.7	181	2	4	14	23	35	47	69
GRAND TOTAL	**2944**	**18.1**	**230**	**2**	**3**	**14**	**24**	**38**	**51**	**88**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	26	5.3	33	<1	<1	4	7	10	18	27
70-74	21	9.2	365	1	1	4	7	14	49	91
75-79	21	11.9	184	<1	1	8	18	35	41	47
80-84	10	7.1	61	1	1	4	7	21	23	23
85+	8	7.6	27	1	2	8	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	129	15.1	259	1	2	11	23	38	55	99+
70-74	106	19.0	414	1	2	12	33	58	70	99+
75-79	111	20.3	557	1	2	11	29	71	87	99+
80-84	62	19.3	356	2	4	14	26	57	75	99+
85+	57	19.0	354	2	2	14	26	57	60	98
TOT. SINGLE DX	86	8.3	154	1	1	4	9	20	28	75
" MULTIPLE DX	465	18.3	391	1	2	12	27	57	75	99+
TOTAL 65-69 YRS	155	13.4	235	1	1	8	19	35	50	99
70-74	127	17.4	417	1	1	10	24	57	70	99+
75-79	132	18.9	506	1	2	10	27	65	84	99+
80-84	72	17.6	332	2	3	11	23	55	67	99+
85+	65	17.6	328	2	2	12	24	56	59	96
GRAND TOTAL	**551**	**16.7**	**367**	**1**	**2**	**10**	**23**	**53**	**69**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	128	1.9	1	<1	1	2	3	3	4	7
70-74	67	2.4	15	<1	1	2	2	4	5	28
75-79	34	4.4	160	<1	1	2	2	7	9	75
80-84	18	2.8	5	<1	1	2	4	6	8	9
85+	13	4.1	6	1	1	4	7	18	82	99+
2. MULTIPLE DX										
65-69 YRS	409	7.9	108	1	1	5	10	20	28	92
70-74	363	9.8	131	1	1	7	12	22	33	99+
75-79	297	10.4	136	1	2	8	13	21	34	99+
80-84	228	13.4	151	2	3	10	17	34	57	99+
85+	226	13.6	201	2	3	10	17	41	81	99+
TOT. SINGLE DX	260	2.6	26	<1	1	2	3	4	6	30
" MULTIPLE DX	1523	10.5	144	1	2	7	13	24	42	99+
TOTAL 65-69 YRS	537	6.4	89	1	1	3	8	16	24	85
70-74	430	8.7	121	1	1	5	11	20	32	99+
75-79	331	9.7	142	1	1	7	12	21	33	99+
80-84	246	12.6	149	1	2	10	16	34	53	99+
85+	239	13.1	195	2	3	9	16	40	83	99+
GRAND TOTAL	**1783**	**9.3**	**135**	**1**	**1**	**6**	**12**	**22**	**37**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number **Title**

- Biopsy (continued)
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicie, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number **Title**

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 619 Hemorrhoids
- Hernia – *see also Herniorrhaphy*
  - 764 Manual
- 601 Intestinal torsion
- 601 Intussusception, intestine
- 745 Mammoplasty
- 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R 3850-1.14 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Pediatric Length of Stay by Diagnosis and Operation, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 16
  Summary of All Patients Except Newborn 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after-study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.